



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**99571 - Murexide extrapure AR, ACS, ExiPlus™
(Ammonium Purpurate), 98% - [3051-09-0]**

Batch No

1090420

Analysis Date

21-Aug-2019

Date of Manufacture

August 2019

Expiry Date/Re-Test Date

August 2024

Molecular Formula

C₈H₈N₆O₆

Molecular Weight

284.19

Test Parameters	Standards	Actual Results
ExiPlus	meets compendial specs of Ph.Eur	Passes
Appearance (Colour)	Red	Red
Appearance (Form)	Powder	Powder
Assay	min. 98%	99.7%
Loss on drying	max. 5.0 %	0.5%
Suitability as indicator	Passes test	Passes test

FRM/82/11/4/99571 Rev No. 1 Date 02/07/2018

Prepared by Amruta

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.