



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	30190 - Triton X-100 extrapure for scintillation - [9002-93-1]
Batch No	3486831
Analysis Date	17-Aug-2019
Date of Manufacture	August 2019
Expiry Date/Re-Test Date	August 2024
Molecular Formula	-
Molecular Weight	-

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Colourless
Appearance (Form)	Liquid	Liquid
Miscibility	1:30 in water is clear 1:30 in ethanol is clear 1:30 in edible oil is clear	Clear
Colour (APHA)	max. 50	Passes
Density (g/ml) @ 20°C	1.060 - 1.070 g/ml	1.062 g/ml
Refractive Index (20°C)	1.490 - 1.491	1.490
Sulphated Ash	max 0.1%	0.001%
Turbidity Point	63 - 69°C	64°C
Water (KF)	max 0.5%	0.09%

FRM/82/11/4/30190 Rev No. 3 Date 28/05/2019

Prepared by Sagar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.