



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

|                                 |   |
|---------------------------------|---|
| <b>Product</b>                  | <b>41010 - Anthracene extrapure, 99% - [120-12-7]</b> |
| <b>Batch No</b>                 | <b>3504326</b>  |
| <b>Analysis Date</b>            | 27-Feb-2021   |
| <b>Date of Manufacture</b>      | February 2021   |
| <b>Expiry Date/Re-Test Date</b> | February 2026   |
| <b>Molecular Formula</b>        | C14H10  |
| <b>Molecular Weight</b>         | 178.23  |

| Test Parameters     | Standards          | Actual Results     |
|---------------------|--------------------|--------------------|
| Appearance (Colour) | White to off-white | Off-white          |
| Appearance (Form)   | Crystalline powder | Crystalline powder |
| Assay               | min. 99%           | 99.7%              |
| Melting Point       | 214 - 216°C        | 216°C              |

FRM/82/11/4/41010 Rev No. 1 Date 01/11/2015

Prepared by Amruta

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.