



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	95178 - Silica Gel 100-200 mesh - [112926-00-8]
Batch No	5293751
Analysis Date	05-Aug-2019
Date of Manufacture	August 2019
Expiry Date/Re-Test Date	August 2024

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Free flowing powder	Free flowing powder
Activity Grade (Brockmann)	2 - 3	2
pH (10% aq. solution)	~ 7.0	6.6
Chloride (Cl)	max. 0.02%	Passes
Sulphate (SO ₄)	max. 0.02%	Passes
Iron (Fe)	max. 0.02%	Passes
Heavy Metals (Pb)	max. 0.02%	Passes
Mesh size (100 - 200)	min. 90%	99%

FRM/82/11/4/95178 Rev No. 1 Date 01/11/2015

Prepared by Sagar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.