



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product 40553 - Ammonium Ceric Nitrate extrapure AR, 99% - [16774-21-3]
Batch No 6585321
Analysis Date 17-Aug-2019
Date of Manufacture August 2019
Expiry Date/Re-Test Date August 2024
Molecular Formula (NH₄)₂Ce(NO₃)₆
Molecular Weight 548.23

Test Parameters	Standards	Actual Results
Appearance (Colour)	Orange	Orange
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% solution in hot 5N H ₂ SO ₄	Clear	Clear
Solubility (Colour) 10% solution in hot 5N H ₂ SO ₄	Orange	Orange
Assay	min. 99%	99.5%
Chloride (Cl)	max. 0.001%	Passes
Iron (Fe)	max. 0.003%	Passes
Heavy Metals (Pb)	max. 0.001%	Passes
Phosphate (PO ₄)	max. 0.005%	Passes
Copper (Cu)	max. 0.001%	Passes
Sodium (Na)	max. 0.005%	Passes

FRM/82/11/4/40553 Rev No. 2 Date 09/09/2018

Prepared by Sagar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.