



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

**Product** **63462 - 1,2-Dichloroethane Dried, 99.5%, water 0.005%  
- [107-06-2]**

**Batch No** **8482827**

**Analysis Date** 10-May-2022

**Date of Manufacture** May 2022

**Expiry Date/Re-Test Date** May 2027

**Molecular Formula** C<sub>2</sub>H<sub>4</sub>Cl<sub>2</sub>

**Molecular Weight** 98.96

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max. 10	Passes
Assay (GC)	min. 99.5%	99.94%
Density (g/ml) @ 20°C	1.252 - 1.254	1.252
Refractive Index (20°C)	1.443 - 1.445	1.443
Boiling Range	82 - 84°C	82 - 84°C
Non Volatile Matter	max. 0.002%	0.0005%
Acidity (HCl)	max. 0.001%	0.0002%
Substances reducing Permanganate (O)	max. 0.001%	Passes
Water	0.005%	0.004%

FRM/82/11/2/63462 Rev No. 1 Date 04/19/2018

Prepared by **Neena**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)