



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	66951 - Acetone extrapure, 99% - [67-64-1]
Batch No	1614778
Analysis Date	17-Dec-2023
Date of Manufacture	December 2023
Expiry Date/Re-Test Date	December 2028
Molecular Formula	C3H6O
Molecular Weight	58.08

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.96%
Density (g/ml) @ 20°C	0.789 - 0.792	0.790
Refractive Index (20°C)	1.358 - 1.360	1.358
Boiling Range	55 - 56°C	55 - 56°C
Non Volatile Matter	max. 0.005%	0.0003%
Acidity (CH3COOH)	max. 0.002%	0.0006%
Water (KF)	max. 0.5%	0.3%

FRM/82/11/2/66951 Rev No. 1 Date 01/11/2015

Prepared by Akshay

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)