



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**80647 - Silver Chloride extrapure AR, 99% -
[7783-90-6]**

Batch No

2262754

Analysis Date

23-Oct-2022

Date of Manufacture

October 2022

Expiry Date/Re-Test Date

October 2027

Molecular Formula

AgCl

Molecular Weight

143.32

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Powder	Powder
Assay	min. 99%	99.3%
Iron (Fe)	max. 0.005%	Passes
Heavy Metals (Pb)	max. 0.005%	Passes
Nitrate (NO ₃)	max. 0.05%	Passes

FRM/82/11/4/80647 Rev No. 1 Date 01/11/2015

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.