



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>45881 - Giemsa Stain - [51811-82-6]</b>
<b>Batch No</b>	<b>2570142</b>
<b>Analysis Date</b>	26-Nov-2024
<b>Date of Manufacture</b>	November 2024
<b>Expiry Date/Re-Test Date</b>	November 2029
<b>Molecular Formula</b>	C14H14ClN3S
<b>Molecular Weight</b>	291.8

Test Parameters	Standards	Actual Results
Appearance (Colour)	Dark green	Dark green
Appearance (Form)	Powder	Powder
Solubility (Turbidity) 0.1% solution in Methanol	Clear	Clear
Solubility (Colour) 0.1% solution in Methanol	Blue with green fluorescence	Blue with green fluorescence
Loss on drying	max. 8%	7.8%
Absorbance (A) of 1% solution in Methanol in a 1cm cell		
@650nm	min. 950	1250

FRM/82/11/4/45881 Rev No. 1 Date 01/11/2015

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.