



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**99790 - Hydrochloric Acid 0.1N Aq. Solution -
[7647-01-0]**

Batch No

2647017

Analysis Date

09-Dec-2023

Date of Manufacture

December 2023

Expiry Date/Re-Test Date

December 2025

Molecular Formula

HCl

Molecular Weight

36.46

Test Parameters

Standards

Actual Results

Appearance (Clarity)

Clear

Clear

Appearance (Colour)

Colourless

Colourless

Appearance (Form)

Liquid

Liquid

Concentration

0.0995 - 0.1005N

0.1000N

FRM/82/11/2/99790 Rev No. 1 Date 06/12/2018

Prepared by **Rajashri**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)