



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	75250 - L-Alanine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg - [56-41-7]
Batch No	2716901
Analysis Date	21-Feb-2022
Date of Manufacture	February 2022
Expiry Date/Re-Test Date	February 2027
Molecular Formula	C ₃ H ₇ NO ₂
Molecular Weight	89.09

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (NT)	min. 99%	99.4%
Specific rotation [α]	+14° to +16° (C=5, N HCl)	+14.5°
Loss on drying	max. 0.5%	0.2%
Sulphated Ash	max. 0.1%	0.07%
Chloride (Cl)	max. 0.005%	Passes
Sulphate (SO ₄)	max. 0.01%	Passes
Iron (Fe)	max. 0.001%	Passes
Heavy Metals (Pb)	max. 0.001%	Passes
Ammonium (NH ₄)	max. 0.01%	Passes
Homogeneity by TLC	Passes test	Passes
Suitability for Cell Culture	Passes	Passes
Bacterial Endotoxin Test (BET) (EU/mg = IU/mg)	<0.05 EU/mg	Passes

FRM/82/11/4/75250 Rev No. 2 Date 23/02/2022

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.