SISCO RESEARCH LABORATORIES PVT. LTD.	Certificate of Analysis	
Product	10762 - Acrylamide / Bis-acrylamide Premix Powder, Ratio 29:1	
Batch No Analysis Date Date of Manufacture Expiry Date/Re-Test Date	<b>2878999</b> 18-May-2022 May 2022 May 2027	
Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
pH (5% aq. solution)	5.0 - 8.0	6.3
Specific conductance (25°C)	max. 10µ mho/cm (5% aq. solution)	10 μ mho/cm
Suitability for Electrophoresis	Passes test	Passes

FRM/82/11/4/10762 Rev No. 1 Date 01/11/2015

In compliance with the standard specifications of SRL

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800 Prepared by Dhanashree

1/1

Plant Site 2 : H-4, MIDC, Taloja - 410 208, Maharashtra, India

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company