



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product

**21840 - Albumin Human Serum (Lipid Enhanced), 95% -
[70024-90-7]**

Batch No

4046038

Analysis Date

31-Jan-2024

Date of Manufacture

January 2024

Expiry Date/Re-Test Date

January 2029

Test Parameters

Standards

Actual Results

Appearance (Colour)

Pale yellow

Pale yellow

Appearance (Form)

Crystalline powder

Crystalline powder

Solubility (Turbidity) 5% aq.
solution

Clear

Clear

Solubility (Colour) 5% aq.
solution

Pale yellow

Pale yellow

Assay (ex N)

min. 95%

97.6%

pH (1% aq. solution)

6.5 - 7.5

6.8

Nitrogen (N) content

14.5% - 16.5%

14.5%

Fat

min. 0.1%

0.4%

Water (KF)

max. 10%

10%

FRM/82/11/4/21840 Rev No. 1 Date 06/30/2019

Prepared by **Dhanashree**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.