



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	35188 - Acriflavine Hydrochloride for molecular biology, 98.5%-105% - [8063-24-9]
Batch No	4098555
Analysis Date	17-Jan-2024
Date of Manufacture	January 2024
Expiry Date/Re-Test Date	January 2029
Molecular Formula	C ₂₇ H ₂₇ Cl ₃ N ₆
Molecular Weight	541.90

Test Parameters	Standards	Actual Results
Appearance (Colour)	Orange Red to brown	Redish brown
Appearance (Form)	Powder	Powder
Assay (Iodometric)	98.5 - 105%	99.4%
Water (KF)	max. 6.5%	5.8%

FRM/82/11/4/35188 Rev No. 1 Date 17/01/2024

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.