



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	10455 - 3-Chloro-4-Fluoroaniline pure, 98% - [367-21-5]
Batch No	4104470
Analysis Date	08-Aug-2022
Date of Manufacture	August 2022
Expiry Date/Re-Test Date	August 2027
Molecular Formula	C6H5ClFN
Molecular Weight	145.57

Test Parameters	Standards	Actual Results
Appearance (Colour)	Light yellow to grayish to light purple	Light purple
Appearance (Form)	Crystals or Crystalline Chunk or Solid or Granules	Crystalline Chunk
Solubility (Turbidity) 10% solution in methanol	Clear	Clear
Assay (NT)	min. 98%	99 %
Melting Point	41 - 45°C	45°C

FRM/82/11/4/10455 Rev No. 2 Date 26/10/2020

Prepared by PPatil

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company

This COA has been generated electronically and it is valid without signature.