



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	71777 - L-Alanine for tissue culture, 99% - [56-41-7]
Batch No	4386105
Analysis Date	16-Jul-2024
Date of Manufacture	July 2024
Expiry Date/Re-Test Date	July 2029
Molecular Formula	C3H7NO2
Molecular Weight	89.09

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Crystalline powder	Crystalline powder
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Colourless	Colourless
Assay (NT)	min. 99%	99.3%
Specific rotation $[\alpha]$ @20°C	+14° to +16° (C=5, 1 N HCl)	+14.186°
Loss on drying	max. 0.5%	0.02%
Sulphated Ash	max. 0.1%	0.06%
Chloride (Cl)	max. 0.005%	Passes
Sulphate (SO4)	max. 0.01%	Passes
Iron (Fe)	max. 0.001%	Passes
Heavy Metals (Pb)	max. 0.001%	Passes
Ammonium (NH4)	max. 0.01%	Passes
Homogeneity by TLC	Passes test	Passes
Suitability for Tissue Culture	Passes	Passes

FRM/82/11/4/71777 Rev No. 2 Date 08/11/2022

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.