



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product **49135 - n-Pentane for HPLC & UV Spectroscopy, 99% - [109-66-0]**
Batch No **4632258**
Analysis Date 04-Aug-2024
Date of Manufacture August 2024
Expiry Date/Re-Test Date August 2029
Molecular Formula C5H12
Molecular Weight 72.15

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Colour (APHA)	max. 10	Passes
Assay (GC)	min. 99%	99.33%
Density (g/ml) @ 20°C	0.625-0.626	0.625
Refractive Index (20°C)	1.357-1.358	1.357
Boiling Range	35-36°C	35-36°C
Non Volatile Matter	max. 0.0005%	0.0001%
Acidity (CH3COOH)	max. 0.001%	0.0008%
Substance Discoloured by H2SO4	Passes test	Passes
Water (KF)	max. 0.01%	0.01%
%T (Transmission) in a 1cm cell v/s H2O		.
@195nm	≥10	10
@200nm	≥25	25
@210nm	≥50	75
@220nm	≥90	95
@230nm	≥98	99
@240-400nm	≥99	100

FRM/82/11/2/49135 Rev No. 2 Date 25/07/2024

Prepared by Sanket

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.