



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	90544 - Trichloroacetic Acid extrapure, 99% - [76-03-9]
Batch No	4732409
Analysis Date	24-Sep-2019
Date of Manufacture	September 2019
Expiry Date/Re-Test Date	September 2024
Molecular Formula	C ₂ HO ₂ Cl ₃
Molecular Weight	163.39

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Very hygroscopic crystals	Very hygroscopic crystals
Solubility (Turbidity) 100% aq. solution	Clear	Clear
Solubility (Colour) 100% aq. solution	Colourless	Colourless
Assay	min. 99%	99.9%
Melting Point	55 - 58°C	57°C
Sulphated Ash	max. 0.02%	0.005%
Chloride (Cl)	max. 0.02%	Passes
Sulphate (SO ₄)	max. 0.02%	Passes
Iron (Fe)	max. 0.002%	Passes

FRM/82/11/4/90544 Rev No. 1 Date 01/11/2015

Prepared by **Suvarna**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

[an ISO 9001-2015 Certified Company](#)

This COA has been generated electronically and it is valid without signature.