



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	39882 - Aluminium Oxide activated (Neutral) (Alumina) - [1344-28-1]
Batch No	6284871
Analysis Date	05-Aug-2023
Date of Manufacture	August 2023
Expiry Date/Re-Test Date	August 2028
Molecular Formula	Al ₂ O ₃
Molecular Weight	101.96

Test Parameters	Standards	Actual Results
Appearance (Colour)	Almost white	Almost white
Appearance (Form)	Fine powder	Fine powder
pH (10% aq. suspension)	6.8 - 7.5	7.35
Activity Grade (Brockmann)	1	1
Chloride (Cl)	max. 0.01%	Passes
Sulphate (SO ₄)	max. 0.01%	Passes
Iron (Fe)	max. 0.01%	Passes
Heavy Metals (Pb)	max. 0.01%	Passes
Adsorption capacity (o-nitroaniline)	min. 1.0 mg/g	Passes
Particle size (60 -325 Mesh BSS)	min. 90%	98.2%

FRM/82/11/4/39882 Rev No. 1 Date 01/11/2015

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.