



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product **83803 - Albumin Bovine (pH 7) fraction V (Bovine Serum Albumin, BSA), 98% - [9048-46-8]**

Batch No **6397291**

Analysis Date 18-Aug-2024

Date of Manufacture August 2024

Expiry Date/Re-Test Date August 2029

Test Parameters	Standards	Actual Results
Appearance (Colour)	Pale yellow to greenish yellow	Pale yellow
Appearance (Form)	Crystalline compound	Crystalline compound
Solubility (Turbidity) 5% aq. solution	Clear	Clear
Solubility (Colour) 5% aq. solution	Pale yellow to greenish yellow	Pale yellow
Assay (ex N)	min. 98%	99.1%
Nitrogen content (on dry basis)	min. 15.4%	15.8%
pH (1% aq. solution)	6.5 - 7.5	6.84
A 1% aq.		
@280nm	6.34 - 6.60	6.37
Water (KF)	max. 5%	4.9%

FRM/82/11/4/83803 Rev No. 5 Date 16/03/2024

Prepared by **Dhanashree**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)