



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	11004 - Sodium Lauryl Ether Sulphate (SLES, AES), 28-30% - [9004-82-4]
Batch No	7006290
Analysis Date	09-Jul-2022
Date of Manufacture	July 2022
Expiry Date/Re-Test Date	July 2027
Molecular Formula	C ₁₂ H ₂₅ (OCH ₂ CH ₂) _n O ₄ SNa
Molecular Weight	~420

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Almost colourless	Almost colourless
Appearance (Form)	Viscous liquid	Viscous liquid
pH (5% aq. solution)	6.5 - 7.5	6.6
Assay (Anionic Titration)	28 - 30%	28.1%
Sodium chloride	max. 1%	0.7%
Sodium sulphate	max. 1.5%	1.3%

FRM/82/11/4/11004 Rev No. 2 Date 11/07/2022

Prepared by Yogesh

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)