



SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>82736 - 1,3-Dioxolane extrapure AR, 99% - [646-06-0]</b>
<b>Batch No</b>	<b>7483456</b>
<b>Analysis Date</b>	05-Dec-2022
<b>Date of Manufacture</b>	December 2022
<b>Expiry Date/Re-Test Date</b>	December 2027
<b>Molecular Formula</b>	C3H6O2
<b>Molecular Weight</b>	74.06

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99%	99.8%
Density (g/ml) @ 20°C	1.060 - 1.070	1.068 g/ml
Boiling Range	74 - 76°C	74.3°C
Refractive Index (20°C)	1.395 - 1.405	1.401

FRM/82/11/4/82736 Rev No. 1 Date 06/26/2018

Prepared by PPatil

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.