



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

<b>Product</b>	<b>35007 - Acetone Dried, 99%, water 0.005% - [67-64-1]</b>
<b>Batch No</b>	<b>8221296</b>
<b>Analysis Date</b>	02-Aug-2023
<b>Date of Manufacture</b>	August 2023
<b>Expiry Date/Re-Test Date</b>	August 2028
<b>Molecular Formula</b>	C <sub>3</sub> H <sub>6</sub> O
<b>Molecular Weight</b>	58.08

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 99.0%	99.99%
Density (g/ml) @ 20°C	0.789-0.792	0.789
Refractive Index (20°C)	1.358-1.360	1.358
Boiling Range	55-56°C	55-56°C
Non Volatile Matter	max. 0.005%	0.0003%
Acidity (CH <sub>3</sub> COOH)	max. 0.002%	0.0006%
Water (KF)	max. 0.005%	0.004%

FRM/82/11/2/35007 Rev No. 1 Date 02/27/2018

Prepared by **DRathod**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.