



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	78388 - 1-Bromodecane pure, 98% - [112-29-8]
Batch No	8288603
Analysis Date	17-Aug-2023
Date of Manufacture	August 2023
Expiry Date/Re-Test Date	August 2028
Molecular Formula	C10H21Br
Molecular Weight	221.19

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Pale yellow
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 98%	99.42%
Density (g/ml) @ 20°C	1.068 -1.070	1.070
Refractive Index (20°C)	1.454 -1.455	1.455
Stabilizer (Ag wire)	Present	Present

FRM/82/11/2/78388 Rev No. 1 Date 01/11/2015

Prepared by **Udit**

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.