



**SISCO  
RESEARCH  
LABORATORIES  
PVT. LTD.**

[www.srlchem.com](http://www.srlchem.com)

## Certificate of Analysis

|                                 |  |
|---------------------------------|--|
| <b>Product</b>                  | <b>78957 - p-Hydroxybenzoic Acid pure, 99% - [99-96-7]</b> |
| <b>Batch No</b>                 | <b>8414989</b>   |
| <b>Analysis Date</b>            | 25-Sep-2024  |
| <b>Date of Manufacture</b>      | September 2024   |
| <b>Expiry Date/Re-Test Date</b> | September 2029   |
| <b>Molecular Formula</b>        | C7H6O3   |
| <b>Molecular Weight</b>         | 138.12   |

| Test Parameters                                 | Standards            | Actual Results     |
|---|----------------------|--------------------|
| Appearance (Colour)                             | White to off - white | White              |
| Appearance (Form)                               | Crystalline powder   | Crystalline powder |
| Solubility (Turbidity) 10% solution in methanol | Clear                | Clear              |
| Solubility (Colour) 10% solution in methanol    | Almost colourless    | Almost colourless  |
| Assay (by Neutralization)                       | min. 99 %            | 99.8%              |
| Sulphated Ash                                   | max. 0.1 %           | 0.1%               |
| Melting Point                                   | 215 - 217 °C         | 217°C              |
| Chloride (Cl)                                   | max. 0.02 %          | Passes             |
| Sulphate (SO4)                                  | max. 0.02 %          | Passes             |
| Heavy Metals (Pb)                               | max. 0.001%          | Passes             |

FRM/82/11/4/78957 Rev No. 3 Date 21/03/2023

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Taloja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,  
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.