



SISCO
RESEARCH
LABORATORIES
PVT. LTD.

www.srlchem.com

Certificate of Analysis

Product	10652 - Dimethylamine 40% Aq. Solution - [124-40-3]
Batch No	8512870
Analysis Date	20-Dec-2023
Date of Manufacture	December 2023
Expiry Date/Re-Test Date	December 2028
Molecular Formula	C ₂ H ₇ N
Molecular Weight	45.08

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless	Colourless
Appearance (Form)	Liquid	Liquid
Assay (T)	~ 40%	40.10%
Density (g/ml) @ 20°C	0.887-0.890	0.890

FRM/82/11/2/10652 Rev No. 2 Date 21/02/2021

Prepared by DRathod

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)