



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	96671 - Silica Gel 230-400 mesh - [112926-00-8]
Batch No	8814766
Analysis Date	20-Nov-2022
Date of Manufacture	November 2022
Expiry Date/Re-Test Date	November 2027
Molecular Formula	SiO ₂
Molecular Weight	-

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Free flowing powder	Free flowing powder
Activity Grade (Brockmann)	2 - 3	2
pH (10% aq. suspension)	~7.0	6.5
Chloride (Cl)	max. 0.02%	Passes
Sulphate (SO ₄)	max. 0.02%	Passes
Iron (Fe)	max. 0.02%	Passes
Heavy Metals (Pb)	max. 0.02%	Passes
Mesh size (230 - 400)	min. 75%	85.6%

FRM/82/11/4/96671 Rev No. 2 Date 13/06/2016

Prepared by Prasad

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

This COA has been generated electronically and it is valid without signature.

an ISO 9001-2015, 17025:2017, CE, GMP Certified Company