



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	23727 - 2-Chloropropionic Acid pure, 97% - [598-78-7]
Batch No	8880755
Analysis Date	22-Oct-2022
Date of Manufacture	October 2022
Expiry Date/Re-Test Date	October 2027
Molecular Formula	C ₃ H ₅ ClO ₂
Molecular Weight	108.52

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Colourless to pale yellow	Pale yellow
Appearance (Form)	Liquid	Liquid
Assay (GC)	min. 97%	98.79%
Density (g/ml) @ 20°C	1.260 - 1.270	1.260
Refractive Index (20°C)	1.434 - 1.436	1.434

FRM/82/11/2/23727 Rev No. 1 Date 01/11/2015

Prepared by Nilam Halgekar

In compliance with the standard specifications of SRL

Plant Site 1 : D-88/2, MIDC, Turbhe – 400 705, New Mumbai, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.