



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	62690 - Aluminium Oxide G (Neutral) (Alumina G) - [1344-28-1]
Batch No	9712083
Analysis Date	20-Nov-2023
Date of Manufacture	November 2023
Expiry Date/Re-Test Date	November 2028
Molecular Formula	Al ₂ O ₃
Molecular Weight	101.96

Test Parameters	Standards	Actual Results
Appearance (Colour)	White	White
Appearance (Form)	Fine powder	Fine powder
pH (10% aq. suspension)	~ 7.5	7.7
Chloride (Cl)	max. 0.02%	Passes
Iron (Fe)	max. 0.02%	Passes
Binder (CaSO ₄ .1/2H ₂ O)	~ 10%	10.4%
Adhesive Property	Passes test	Passes
Organic impurities	Passes test	Passes
Suitability for TLC	Passes test	Passes

FRM/82/11/4/62690 Rev No. 1 Date 07/21/2018

Prepared by Komal

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.