



- General Laboratory Chemicals & Solvents
- Bioreagents, Biochemicals & Speciality Fine Chemicals
- Animal Cell Culture
- Nanopowders & Carbon Nanotubes (CNTs)
- Dehydrated Culture Media Products
- BioLit® DNA & Protein Tools and Kits
- Laboratory Accessories

endless **Process** of **science...** 













## **Quality Policy**

We, at Sisco Research Laboratories Pvt. Ltd., shall always strive to provide the best quality Laboratory Reagents and Biochemicals, Microbiological Culture Media, Supplements & Kits, and BioLit™ range of protein and DNA tools required for teaching, research, analysis and manufacture of high quality products for better quality of life.

We shall always maintain and upgrade our products and services to meet the highest International Quality Standards.

It is our constant endeavor to achieve maximum customer satisfaction by implementing an efficient customer relationship management system to meet the requirements and expectations of our valued customers.

To achieve our goals, we have instituted a quality management system conforming to ISO 9001:2015, ISO 17025:2017, CE Certification for our Microbiology range of products and an FDA Approval for select range of Pharmacopoeial products; and are firmly committed to continually improving its effectiveness through technological advancement, enhancement of skills, cultivation of a suitable work environment and dedicated team work





## Chairman

### Dear Scientists and Trade Partners,

We have entered 2023-24 with new hopes and aspirations for our scientific community. The global scientific research market is projected to reach \$3.2 trillion this year, with a forecasted compound annual growth rate (CAGR) of about 5-6%. India along with the Asia Pacific region is expected to be the fastest-growing market due to increasing investments in lifesciences research, biotechnology & healthcare infrastructure.

One of the main drivers of growth in scientific research is the increasing demand for solutions to complex problems. Governments, private organizations and individuals are investing heavily in R&D to address issues such as climate change, disease, and energy efficiency. International collaborations and partnerships are blossoming like never before using advanced technologies & processing power.

As always, there exist challenges such as funding constraints, increasing competition for resources and geopolitical risks. Researchers must also navigate ever-increasing complexities of regulatory & ethical environments when conducting research.

Our Company operations are also expanding and so is our thirst for rapid growth. SRL has strengthened the brand in the European markets and participated in some of the world's largest trade shows like the Analytica (Munich, Germany), Achema (Frankfurt, Germany) and Medica (Dusseldorf, Germany), in addition to more than 50 conferences and seminars globally.

In our latest 2023-24 catalogue, we have launched our *Part L: Laboratory Accessories*, which carries our foray into high-quality porcelain-ware and plastic-ware for routine laboratory applications. These microcentrifuge tubes, spin columns, crucibles, buchner funnels, evaporating dishes and mortar & pestle are an extension to an already exhaustive product range. We have also introduced many specialized biochemicals, specialty reagents and biotechnology offerings all of which are found in this manual.

We thank all our customers and trade partners for their support, trust and loyalty in making brand SRL the gold standard and preferred choice in their laboratories.

S. K. Agarwal

S. K. Agarwal

Chairman 1st April 2023



## **Quality Control**

Quality control facilities in our manufacturing plants

- Anaerobic Culture Jars
- Analytical Balances
- Antibiotic Zone Reader
- Atomic Absorption Spectrophotometer (AAS)
- Autoclaves
- · Bacteriological Incubator
- B.O.D. Incubator
- Calorimeter
- Conductivity Meters
- Colony Counter
- Cyclomixer
- Electrophoresis Equipments
- FTIR Spectrophotometer
- Gas Chromatograph (w/Head space)
- Gel-Strength Indicator
- High Speed Centrifuges
- HPLC Instrument
- Hot Air Ovens
- IR Spectrophotometer
- Karl-Fischer Apparatus
- Kjedhal's Apparatus
- Lab Furnace
- Laminar Air Flow Bench
- Melting Point Apparatus
- Micro-Ovens
- Microscopes
- pH Meters
- Polarograph
- Potentiometric Titrator
- Refractive Index Apparatus
- Rotary Flask Shaker
- TLC Equipments
- Transilluminator
- Turbidometer
- UV Cabinet
- UV Spectrophotometers
- Viscometer
- other support instruments

It is the precise instrumental, chemical, biochemical and microbiological analysis which enables **M** to guarantee that its products shall always meet the highest international standards.



## **Contents**

Part A General Laboratory Chemicals & Solvents Part B Bioreagents, Biochemicals & Speciality Fine Chemicals Part B1 141 **Animal Cell Culture** Part C Nanopowders & Carbon Nanotubes (CNTs) 145 (Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders) Part D Dehydrated Culture Media 151 Product Listing • Media Supplements
• ChroMed<sup>™</sup> • Media Kits Part E BioLit® 187 • DNA & Protein Tools Part L Laboratory Accessories Terms & Conditions

## **International Business**

You will find the **SRL** brand in 6 different regions around the world and in more than 100 countries. Our main motive has always been to provide our products to customers in different corners of the world, wherever there is an industry or an institution that is working on improving the quality of our lives through research, innovation, quality control and manufacturing. Having more than 40 authorized agents and distributors and more than 100 trade partners, SRL is always on the

**Africa** 

• Benin

Chad

• Botswana

Cameroon

Madagascar

• Djibouti

• Ethiopia

• Ghana

Kenya

Malawi

Mauritius

Namibia

Nigeria

• Rwanda

Seychelles

Mozambique

Mali

lookout to make brighter and long lasting partnerships with companies that have a similar goal in mind, i.e. to be the best in their business. Before we appoint trade partners, we make it a point to conduct systematic checks to ensure that our partners are in a position to offer better sales support and post-sales services to their valued customers who choose an SRL product. We welcome new partnerships for growth and prosperity.

#### **Our global reach**

#### Europe & Eurasia

- Austria
- Azerbaijan
- Belgium
- Bulgaria
- Cyprus
- Czech Republic
- Denmark
- Finland
- France
- Germany
- Greece
- Hungary
- Ireland
- Italy
- Malta
- Moldova
- Netherlands
- Norway
- Poland
- Portugal
- Russia
- Spain
- Sweden
- Switzerland
- Turkey
- Turkmenistan
- United Kingdom
- Uzbekistan

#### Middle East

- Bahrain
  - Eavpt
  - Jordan
  - Kuwait
  - Lebanon
  - Morocco
  - Oman
  - Qatar
  - Saudi Arabia
  - Tunisia
  - United Arab **Emirates**

#### Central Asia

- Bangladesh
- Bhutan
- Kazakhstan
- Maldives

Srilanka

Tajikstan

- South Africa Nepal
- Tanzania
- Uganda
- Zambia
- Zimbabwe

#### North & South America

- Argentina
  - Brazil
  - Canada
  - Chile
  - Costa Rica
  - Ecuador
  - Guatemala
  - Jamaica
  - Mexico
  - Peru
  - Trinidad & Tobago
  - Venezuela
  - · United States of America

#### East Asia & Pacific

- Australia
- Brunei
- Burma
- Cambodia
- China
- Fiii
- Indonesia
- Japan
- Laos
- Malaysia
- Mongolia
- New Zealand
- Philippines
- Singapore
- South Korea
- Thailand
- Vietnam



overseas customers can reach us at export@srlchem.com

## **Depots**

#### Hyderabad

123/124, Murthy Building, Prashanti Nagar, Kukatpally, Hyderabad 500 072. Telangana, India. Telefax: +91-40-2307 0166 e-mail: hyderabad@srlchem.com

#### Chennai

Plot No.: 8B, Self Help Industrial Estate, Keeelkattalai, Kovilambakkam, Chennai 600 117, Tamil Nadu, India.

Telephone: +91-9962005587 /

+91-44-22682215

Email: chennai@srlchem.com

#### Delhi

69/6A, (Part A) Rama Road Industrial Area, Najafgarh Road, New Delhi 110 015, India. Tele Fax: +91-11-4591 4530 Email: delhi@srlchem.com

#### Mumbai

Raj Rajeshwari Logistic Park, Gala No. 3-8, Bldg.No. B-4, Behind Mini Punjab Grill, Vehale, Bhatala, Bhiwandi 421 302, Maharashtra, India. Telephone: +91-93229 31625 / 96191 47231 Email: bhiwandi@srlchem.com


#### Kolkata

46, N.S.C. Bose Road, P.O. Malancha Mahinagar, District: South 24 Paraganas, Before Malancha Bazaar Kolkata 700 145, West Bengal, India. Telephone: +91-8334800445 Email: kolkata@srlchem.com



## **Label Explanation**

### for Laboratory & Research Chemicals



### for Dehydrated Culture Media, Ingredients, Supplements & Kits





## Website



Consistently we follow in all aspects of our products and services continues even more comprehensively on our website. Some of the most revolutionary information we offer,

#### 1. Interactive Product Pages

- Technical product specifications & print-ready Product Data
  - (containing technical & application for each product)
- LIVE Stock Checks
  - Check the stocks of your desired product packing in real time at each of our
    - · Manufacturing Sites
  - Distribution Depots
- Avail prices in more than 17 Global Currencies
- Access to H.S. Codes & MSDS of all products

#### 2. Quick Links for viewing and downloads

- Product search by keywords, CAS, application, grade
- Certificate of Analysis (COA)
- Material Safety Data Sheet (MSDS)
- Latest Catalog Download
- Technical Product Brochures
- Picture gallery for product packaging

#### 3. Online Transactions

- Get quotations
- Place Orders
- Ask us a Technical Query
- Apply for a position with us

#### 4. Locate your nearest SRL Stockists & Distributor

- Indian Stockist network provided City-wise & State-wise
- Global Distributors provided country-wise

#### 5. Multi-Lingual Display

Read content in more than 80 Global languages of your \ preference

#### 6. News and Information

- Follow our developments and road shows
- Path-breaking research developments in the Bioscience industry
- Latest SRL product offerings and highlights

#### 7. Regulatory Certifications, now available online.

Click and Download our

- ISO 9001-2015 Quality Management Certificate
- FDA (Food & Drug Association) Certificate
- CE (European Conformity) Certificate
- GMP (Good Manufacturing Practices) Certificate

www.srlchem.com is ideal for researchers, scientists and customers who are always looking for new molecules, product information and availabilities at the click of a button!



### Trademark & Grades of SRL

No part of this book may be reproduced by any mechanical, photographic or electronic process or in the form of a phonographic audio/audio visual recording, nor may it be stored in a retrieval system, transmitted or otherwise copied for public or private use, without written permission from the publisher.

Trademarks owned by Sisco Research Laboratories Pvt Ltd

#### **Registered Trademarks**

SRL® Bio-Indenta® **BioLit® SafeDye**<sup>™</sup> **ChroMed® Serabeads**® Seralose® FluroBronze® Seralite<sup>®</sup> **ExiPlus**®

"All trademarks mentioned in the catalogue other than those mentioned here, are not property/owned by Sisco Research Laboratories Pvt. Ltd. (SRL)"

#### **Grades of Purity**

SRL products adhere to highest grades of quality. However, we understand that our multiple grades may tend to overlap and disorient users. The explanations below give an approximate representation of the SRL grades and most closely suited applications of our products.

**AAS** Products for Atomic Absorption Spectrocopy specially suited for AAS instrumentation.

**ACS/AR/Reagent Grade** Complying with the specifications of American Chemical Society (ACS) reference manuals/ANALAR

specifications, for critical laboratory analysis and quality production applications.

**Dried/Specially Dried** Containing highly reduced water content for 'anhydrous' reactions, synthesis and assay studies. **Cell Culture** Low endotoxin products specially suited for cell culture DNA, RNA, Genetics applications.

**Electronic Grade** Very low ionic impurities and suited for electronics and high-end applications.

ExiPlus™ Complying with the compendial specifications of USP (United States Pharmacopoeia) or BP (British

Pharmacopoeia) or Ph.Eur (European Pharmacopoeia) or all. For production, quality control and

laboratory applications.

**Extrapure** Purified grade suited for general laboratory or synthesis.

**GC-HS** For Gas Chromatography assay. Suited for use in GC instrumentation with Head Space.

Having very high levels of assay/purity (typically 3N (99.9%), 4N (99.99%), 5N (99.999%) or more) as **High Purity/Ultrapure** 

compared to similar products in their class/category. Specially synthesized and purified for critical

applications with low elemental impurities.

**HPCL/UV** For High Pressure Liquid Chromatography or Ultra Violet Spectroscopy. Suited for use in HPLC or UV

instrumentation.

Microbiology/Bacteriology For microbiological application and bacteriological studies.

Typically dyes, stains and indicators (powders and solutions) used for microscopy and histological **Microscopy** 

**Molecular Biology** For molecular biology, cell culture, tissue culture, genetics, and all such applications, tested 'non-

detected' for DNAse, RNAse and Protease.

**NMR Spectroscopy** Solvents for NMR studies suited to most advanced NMR instrumentation.

Organic Analytical Standard for reference studies.

Pure/Technical/Practical/Grade General, commercial grade for synthesis and routine applications.

**OAS/CHR/Reference** Organic Analytical Standard/Chromatographically Harmonized Reagent to be used as in reference

Ideal for scintillation studies.

**Standard Grade** studies as an analytically pure standard.

**Tissue Culture** Ideal for plant tissue culture application & studied.

#### **For Pharmaceutical Grade Labelled Products**

IΡ Indian Pharmacopoeia. BP British Pharmacopoeia.

**USP-NF** United States Pharmacopoeia & The National Formulary.

#### For Dehydrated Culture Media

**Harmonized** Dehydrated media prepared as mentioned in ICH Guidelines. **Bacteriology** For microbiological application and bacteriological studies. BactoBio/Bacto For microbiological preparation and cell culture media.

Dehydrated media prepared as mentioned in IP (Indian Pharmacopoeia). (I/P) (U/P) Dehydrated media prepared as mentioned in USP (United States Pharmacopoeia). (B/S) Dehydrated media prepared as mentioned in BIS (Bureau Of Indian Standards).

Dehydrated media prepared as mentioned in ISO (International Standards Organization) Guidelines.



Scintillation

# **Production Capabilities**

We invite you to tour and audit our plant and discuss any queries with our technical team

Our Bulk Manufacturing facilities follow cutting edge bio-techniques for producing many of our specialized products in bulk volumes. Multi-purpose process vessels and unit operations ensure consistent high quality batch-after-batch in a timely manner.



### Our production facilities include -

- SS & Glass-lined Reactors with distillation columns
- All Glass Reactors
- SS Centrifuges
- SS Nutsche Filters
- SS Sparkler Filters
- SS Pulverizers, Sifters and Blenders
- Vacuum Tray Dryers
- SS Rotocone Vacuum Dryers, etc.

### To support these unit operations, our utilities include –

- Chilled Brine Plant
- Cooling Water and Chilled Water Plant
- Boiler and Oil Heating System
- High Pressure Vacuum System
- Micron-filter Air Purification System
- DM Water Plant, Nitrogen Plant, Scrubbers, etc.

Contact info@srlchem.com for more info.

Keeping strong the  $\mathbb{R}$  quality promise.



# Bulk Manufacturing & Custom Synthesis (BMCS) Business

Developing bulk specialty chemicals and customized new molecules in compliance with your in-house specifications supported by complete tech-packs.

Today, **SRL** is not only known for its high quality laboratory chemicals, but it is also been recognized as an important supplier of various fine chemicals as raw materials. Our company is manufacturing reagents and powders in bulk scale to meet the critical requirements of several industries that we serve. As a supplier of key technologies, we want to grow along with our customers in the pharmaceutical and biopharmaceutical industries. This expansion of capacity and modernization is our response to the growing global demand for and high requirements placed on quality and product safety for final pharmaceutical and biopharmaceutical formulations. SRL has an extensive product range and supports its customers in all phases of the drug manufacturing process, from research, quality control and commercial production, through to providing service in concrete safety and regulatory issues.

SRL's Bulk Manufacturing and Custom Synthesis (BMCS) business has broadened its production at our Taloja MIDC site to include existing and new bulk fine chemicals which are being manufactured at commercial scales. Production of the raw materials have been on since 2011 at this site and complements the existing offering of highly regulated active and non-active pharmaceutical ingredients manufactured here. Most of the products manufactured at the Taloja MIDC bulk plant facility meet and exceed IP, BP, USP & Ph. Eur regulation; follow Current Good Manufacturing Practices (cGMPs) for biopharmaceutical production; and comply with International Consortium for Innovation and Quality in Pharmaceutical Development.



#### **Target Audience:**

- Active Pharmaceutical Ingredients (API) (Human & Veterinary)
- Antibodies
- Biosimilars
- Biocides, Insecticides & Crop Sciences
- Bio-Fermentation (Upstream & Downstream)
- Blood Plasma
- Diagnostic Kit
- Excipients & Intermediates (Organic & Inorganic)
- Formulations (New & Generic)
- Home Care & Sanitation
- Hormones
- Injectables
- Neutraceuticals
- Peptides
- Personal Care Products
- Protein Purification
- Vaccines (Human & Veterinary)

#### **Reaction Capabilities:**

- Acid Chloride Preparations
- Aldol & Crossed Aldol Reaction
- Assymetric Reduction
- Bromination

- Caroxylation
- Cryogenic Reaction
- Cyclization
- Cyclo Addition
   (4 + 2, 4 + 3) Reaction
- Dehydration
- Esterification
- Formylation
- Friedel Craft
- Grignard Reaction
- Heck Reaction
- Hydrochloride preparation
- Iodination
- Ion exchange Reactions
- Jones Oxidation
- Lithiation Chemistry
- Mignonac Reaction
- Mitosonobu Esterification
- Nitration
- Nitrosation
- Oximination
- Pachmann Condensation
- Perkin Reaction
- Sandmeyer Reaction
- Sonogashira Coupling
- Sulfonation
- Suzuki Coupling
- Swern Oxidation
- Williamson's Ether Synthesis
- Writing-Homer Reaction

#### We offer:

The BMCS division at the MIDC Taloja facility include difficult-to-source materials available from research-to commercial-scale volumes. The program takes advantage of SRL's purification, re-crystallization and distillation competencies to manufacture a short list of catalog products in the commercial product segment.

You will find our ExiPlus grade of products that are complying to the compendia specifications of Indian Pharmacopoeia (IP), British Pharmacopoeia (BP), United States Pharmacopoeia (USP), National Formulatory (NF) and European Pharmacopoeia (Ph. Eur). We are well versed in providing these products for production requirements. Alternately, our highly researched ACS and AR grades are anyway



much better and stringent in their impurity limits and are also being used as raw materials in various industries. We also are highly skilled in providing additional value through quality documentation packages, readily-available inventory and multiple batches to support customer qualification activities

#### **Tech-packs:**

SRL not only provides the raw materials through its BMCS program, but we also cater to the strict documentation requirements which our customers ask. Since the last decade, India has become a hub for the regulated as well as the non-regulated pharmaceutical markets, and to serve them we offer complete vendor questionnaire documents with all the technical, commercial and ethical information that we can provide.

#### \* Document support:

- Aflatoxin free statement
- Allergen free certificate
- · Brief description of manufacturing locations, capabilities
- Certificate of analysis (COA) / Method of analysis (MOA)
- Company Organogram
- Dioxan free certificate
- GC, HPLC, NMR graphs
- Gluten free certificate
- Kosher & Halal certificate
- Latex free statement
- List of equipment and instrumentation
- Material safety data sheet (MSDS)
- Melamine free certificate
- Metal catalyst statement
- Microbial contamination certificate
- Quality management certificate (QMS)
- Residual solvent & impurity profiling
- Route of synthesis (ROS) / Process flow chart
- Stability data
- TSE/BSE Declaration
- Vendor Questionnaire (VQ)

#### **Post Sales Support:**

We at **SRL** take special care to value our customers with utmost seriousness post-sales. Customers requiring additional services of more document support, preshipment sampling for repeat orders, production planning for scale-up and addressing non-conformity issues are some of the areas which we address. In times of product rejections due to storage or any other issues, we provide a complete CAPA (Corrective And Preventive Action) analysis document and such

Today we provide a helping hand to the world's top 100 pharmaceutical companies to file successful ANDA (Abbreviated New Drug Application) filings in both regulated and nonregulated markets. We are ready to partner with you, so do get in touch with us on

product improvements.



\* Document support provided depends on individual product and its chemistry. Not all documents are available for all BMCS products.



### (Products confirming to the reagent specifications of USP, BP & Ph. EUR)

Exiplus range of products has been carefully designed to meet the requirements of scientists working in the manufacture of drugs, active pharmaceutical ingredients, bio-pharmaceutical & neutraceutical products in semi-bulk or bulk scale. ExiPlus products are the safest and most reliable products to meet the needs of students, researchers working in quality control, research and development laboratories in premier institutions all over the world.

Offering more than 300 ExiPlus World-class reagents and biochemicals, that are manufactured in compliance with the reagent specifications of various pharmacopeia such as United States Pharmacopeia (USP), British Pharmacopeia (BP), European Pharmacopeia (Ph.Eur).

Take the ExiPlus advantage, why loose a good chance:

- ExiPlus for use as an excipient
- ExiPlus for use as an active pharmaceutical ingredient
- ExiPlus for use in biopharmaceutical production
- ExiPlus for use in neutraceutical production
- ExiPlus for use in critical research and development

The quality of our raw materials and our extensive documentation support enable you to do your work quickly and cost-effectively. With ExiPlus SRL provides its customers with a high level of safety in QC, R&D and production activities. We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request.

ExiPlus will simplify your life so let's make life simple.

### (Products confirming to the reagent specifications set by the American Chemical Society Committee)

Our ACS grade of reagents and chemicals are manufactured and tested to meet the specifications set by the American Chemical Society (ACS) Committee on Analytical Reagents. The specifications listed in this catalog are based on the ACS Reagent Chemicals Tenth Edition.

SRL offers more than 200 reagents and chemicals complying with ACS grade reagent specifications of very high quality for use in laboratory for both quality control in academics and industries. They are superior grade reagents that are contaminant-free that are being preferred world-wide because of the stringent specifications set by the American Chemical Society (ACS) committee. Many customers of SRL want to purchase an ACS grade product instead of an AR grade product, however both grades of products are considered to be superior for routine analytical testing applications.

Some common Application of ACS grade products:

- ACS reagents for industrial cleaning purposes
- ACS reagents for routine quality control
- ACS reagents for chemical process development
- ACS reagents for commercial scale-up of manufacture
- ACS reagents for analytical applications wherein UV absorption is not critical
- · ACS reagents for the metal & steel industry

We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request. We provide many products in various pack sizes and also at affordable prices so that students and scientists can benefit from the ultrapure purity of the ACS grade reagent manufactured, tested and packed for the most stress-free and reliable experience.

Come and try our ACS grade, because it's worth it!

### **New Introductions**

#### Part A - General Laboratory Chemicals & Solvents

Acetone VLSI Semiconductor Grade

40% Acrylamide / Bis-acrylamide Mix Solution (Ratio: 37.5:1)

Allantoin ExiPlus

Diallylamine

Ammonium Pyrrolidine Dithiocarbamate (APDC)

Barbituric Acid

Boron Trioxide Anhydrous (Boric Anhydride)

Boron Trioxide Anhydrous Granular (Boric Anhydride)

n-Butyl Chloride (1-Chlorobutane)

n-Butyl Chloride (1-Chlorobutane) for HPLC & UV Spectroscopy

Ceric Sulphate Tetrahydrate specially purified Decane Sulphonic Acid Sodium Salt Anhydrous

Decane Sulphonic Acid Sodium Salt Monohydrate for HPLC

EDTA Trisodium Salt Hydrate Ferrous Sulphide Fused Sticks

Gold Chloride Sodium

Gold Chloride Solution 30% in HCI

1-Hexadecene (Cetene)

**DL-Histidine** 

Holmium (III) Oxide ultrapure

Isooctane GC-HS

Isopropanol (IPA) VLSI Semiconductor Grade

Lacto Fuchsin Staining Solution

Lactophenol Cotton Blue Solution

Lactophenol Mountant Solution

Lead (II) Nitrate AR, ACS

Lead (II) Oxide (Lead Monoxide, Litharge) & AR, ACS

Mercury (II) Amidochloride

1-Naphtholbenzein

Orthophosphoric Acid for HPLC & UV Spectroscopy

Potassium Pyrosulphate (Potassium Disulfate)

Rubidium (I) Chloride ultrapure

Silicone Oil Silver Oxide

Sodium Dithionite

Sodium Formate, AR, ACS

Strontium Bromide (Strontium Dibromide)

Sulphanilamide ExiPlus

Sulphanilic Acid

Thioanisole

2-Thiobarbituric Acid (TBA)

Zinc Chloride AR, ACS

Zinc Metal Dust

Zinc Stearate

#### Part B - Bioreagents, Biochemicals & Specialty Fine Chemicals

Acriflavine Hydrochloride for molecular biology

Adrenaline Bitartarate (Epinephrine Bitartrate)

L-Adrenaline (L-Epinephrine)

Anthrone pure, 95%

Arachidic Acid

1-Cyclohexene-1-Carboxaldehyde

3-(Carbamimidoylthio)-1-Propanesulfonic Acid

1-Cyclohexene-1-Carboxylic Acid

3-Cyclohexene-1-Carboxaldehyde

Behenic Acid, 85%

Behenic Acid, 99%

Carbazole

Cefpodoxime (CFPD) free acid

2-Chloro-4-Nitrophenyl 4-O-b-D-

Galactopyranosylmaltoside (Gal-G2-a-CNP, Gal

CNPG2)

2-Chloro-3-Nitrotoluene

Diosgenine

Dithizone Reagent

Ethylhexyl Triazone

2-Fluoro-3-Nitrotoluene

4-Fluoro-3-Nitrotoluene extrapure, 98%

1,1,1,3,3,3-Hexafluoro-2-Propanol (HFIP)

Isobutyryl Chloride specially purified

Mecillinam (MCL)

Mesitrione

6-Methylmercaptopurine

Pentadecylic Acid

Polyguluronic Acid

Resazurin Sodium, 20-30%

Saponin ex. Gypsophila Roots for molecular biology

Sodium DL-Mandelate extrapure, 99%

Sulfacetamide Sodium Monohydrate extrapure, 99%-101%

Sulfadiazine Sodium Salt (SFD Sodium) extrapure, 99%

Sulpholane Anhydrous extrapure AR, 99%

Tert-Dodecylmercaptan (mix. of isomers) extrapure, 98.5%

1,2,4-Triazole Sodium extrapure, 98%



#### Part C - Nanopowders & Carbon Nanotubes

MXene Nanoflakes, Multilayer, 100-200nm MXene Nanoflakes, 1-10 layers

#### Part D - Dehydrated Culture Media

Tryptone Soya Agar (TSA) w/Lecithin and Polysorbate 80 (SCDA Lecithin & Tween 80)

#### Part E - BioLit (DNA & Protein Tools)

Tth DNA Ligase Swift (5U/ul) Thermostable
Autoinduction Medium (AIM) Solution
Universal Restriction Enzyme Buffer (10X)
Express Coating Buffer (1X, pH 8.5) for Antigens and Antibodies
BioLit Plant DNA Extraction Mini Kit (Research)

#### Part L - Laboratory Accessories

Crucible Porcelain, Wide with Lid (2ml, 8ml, 17ml, 30ml, 50ml, Crucible Porcelain, Tall with Lid (5ml, 10ml, 15ml, 30ml, 40ml) Dish Evaporating Porcelain, (20ml, 40ml, 100ml) Funnel Buchner, Porcelain, (35mm, 50mm, 60mm, 75mm) Mortar & Pestle Set, (60ml, 100ml, 150ml, 275ml)

### Part A



### **Cell Culture Reagents**

#### **Amino Acids**

- L-Alanine
- L-Arginine
- L-Asparagine Monohydrate
- L-Cysteine
- L-Cystine
- L-Glutamic Acid
- L-Lysine (free base) Anhydrous
- L-Proline
- L-Serine
- L-Threonine
- L-Tryptophan
- L-Tyrosine
- L-Valine

#### **Antibiotics**

- Ampicillin Sodium Salt (AMP-Na)
- Blasticidin S HydrochlorideCarbenicillin Disodium Salt
- · Chloramphenicol (CFP) ß-Cyclodextrin, base (BCD)
- Cycloheximide
- Erythromycin
- G-418 Sulphate (Geneticin)
- Gentamicin Sulphate (GM)
  Hygromycin B (HGR)
- Kanamycin Monosulphate (KM)
- Streptomycin Sulphate
- Tetracycline Hydrochloride (TC)

#### **Buffers**

- Glycine
- HÉPES Buffer
- HEPES Sodium Salt
- Imidazole
- MES Hydrate Buffer
- PIPES Buffer
- Sodium Acetate Trihydrate

#### Carbohydrates & **Derivatives**

- Agar powder
- D-Fructose
- Gelrite Gellan Gum
- Lactose Monohydrate
- D-Maltose
- D-Mannose
- D-Ribose
- D-Sorbitol Powder
- Sucrose

### • D-Trehalose Dihydrate

#### **Dyes, Stains & Indicators**

- Acridine Orange hemi (Zinc Chloride) Salt
- Alcian Blue
- Alizarin Red S
- DAPI Dihydrochloride (4,6-Diamidino-2 Phenylindole Dihydrochloride)
- New Methylene Blue N Zinc Chloride Double Salt
- Toluidine Blue O
- Trypan Blue
- Thiazolyl Blue Tetrazolium Bromide

#### **Enzyme Substrates**

- 5-Bromo-4-Chloro-3-Indolyl-b-D Galactopyranoside (X-Gal)
- 5-Bromo-4-Chloro-3-Indolyl-B-D Glucuronide Cyclohexylammonium Salt
- 5-Bromo-4-Chĺoro-3-Indolyl-b-D Glucopyranoside (X-Glu, X-Glc)
- 5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP)
- Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT)

#### **Inorganic Reagents**

- Ammonium Chloride
- Ammonium Sulphate
- Calcium Chloride Dihydrate
- Ferrous Sulphate
- Magnesium Chloride Anhydrous
- Magnesium Chloride Hexahydrate
- Magnesium Sulphate Heptahydrate
- Potassium Acetate
- Potassium Chloride
- Potassium Dihydrogen Orthophosphate
- Potassium Phosphate Dibasic Anhydrous
- Potássium Sulphate
- Silver Nitrate
- Sodium Bicarbonate
- Sodium Chloride
- Sodium Phosphate Monobasic Anhydrous
- Zinc Chloride
- Zinc Sulphate Heptahydrate

#### **Organic Reagents**

- Adenine Sulphate
- Citric Acid Anhydrous
- Ferric Citrate Trihydrate
- · Glutathione Oxidized (GSSG)
- Glutathione Reduced (GSH)
- · Lactic Acid
- Polysorbate 20 (Tween 20)
- Putrescine Dihydryochloride

#### **Plant Growth Regulators**

- · Abscisic Acid
- DICAMBA (3,6-Dichloro-2 Methoxybenzoic Acid; 3,6-Dichloro-o Anisic Ácid)
- 2,4-Dichlorophenoxyacetic Acid (2,4-D)
- EDTA Disodium Salt Dihydrate
- Gibberellic Acid (Ga3)
- Indole-3-Acetic Acid (IAA)
- Indole-3-Butyric Acid (IBÁ)
- Kinetin
- Naphthalene-1-Acetic Acid extrapure
- Thidiazuron (TDZ)
- Zeatin mixed Isomers

#### **Proteins & Enzymes**

- Albumin Bovine (pH 6.5-7.5) fraction V for tissue culture (Bovine Serum Albumin, BSA), 98%
- r-Albumin Human Type LL ex. Yeast, 99% (Low Lipid)
- r-Albumin Human Type Standard ACF ex. Plants, 97% (Animal Component Free)
- r-Albumin Human Type ÉG ex. Yeast, 99% (Excipient use)
- r-Albumin Human Type LE ex. Yeast,
- 98% (Low Endotoxin)
   r-CRP ex. E.Coli (Recombinant C-reactive protein)
- r-Insulin ex. Human
- r-Trypsin 1x Solution with EDTA in
- Phosphate Buffer for cell culture (AOF), 150U/ml
- r-Trypsin Type Standard ACF ex. Porcine, 800U/mg

#### **Vitamins**

- L-Ascorbic Acid (Vitamin C)
- D-Biotin (Vitamin H)
  Folic Acid (Vitamin M)
- Inositol (Vitamin B8) • Thiamine Hydrochloride
- (Vitamin B1 hydrochloride) DL-a-Tocopherol Acetate
- (Vitamin E Acetate) Vitamin B12 (Cyanocobalamin)





Code	Name	Packing	\$ Price
<b>95237</b> [60-35-5]	Acetamide pure, 98%	500 Gms	9.87
<b>81658</b> [103-84-4]	Acetanilide extrapure, 99%	500 Gms	16.45
<b>68175</b> [103-84-4]	Acetanilide ExiPlus, Multi-Compendial, 99% meets compendial specs of USP	500 Gms	20.13
<b>18439</b> [64-19-7]	Acetic Acid 1N Aq. Solution	1000 ml	8.03
<b>72690</b> [64-19-7]	Acetic Acid 2.5M Aq. Solution	1000 ml	8.55
<b>90868</b> [64-19-7]	Acetic Acid Glacial extrapure, 99.5%	500 ml 2500 ml 25 Ltr	3.16 14.48 118.44
<b>85801</b> [64-19-7]	Acetic Acid Glacial extrapure AR, 99.9%	500 ml 2500 ml	3.42 16.45
<b>93602</b> [64-19-7]	Acetic Acid Glacial extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP, Ph.Eur	500 ml 2500 ml	3.82 17.77
<b>73215</b> [64-19-7]	Acetic Acid Dried, 99.9%, water 0.05%	500 ml	5.00 9.74
<b>32532</b> [64-19-7]	Acetic Acid for HPLC, 99.9%	500 ml	6.84
<b>59788</b> [64-19-7]	Acetic Acid Glacial for molecular biology, 99.9%	100 ml	6.84
<b>31566</b> [67-64-1]	Acetone pure, 99%	500 ml 2500 ml 25 Ltr	3.55 14.48 131.60
<b>66951</b> [67-64-1]	Acetone extrapure, 99%	500 ml 2500 ml	3.75 15.13
<b>15168</b> [67-64-1]	Acetone extrapure AR, 99.5%	500 ml 2500 ml	4.08 16.45
<b>27648</b> [67-64-1]	Acetone extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP	500 ml 2500 ml	4.47 17.77
<b>35007</b> [67-64-1]	Acetone Dried, 99%, water 0.005%	500 ml 2500 ml	5.00 19.74
<b>89140</b> [67-64-1]	Acetone GC-HS, 99.9%	250 ml 500 ml 1000 ml	5.92 9.21 13.82
<b>11340</b> [67-64-1]	Acetone for HPLC & UV Spectroscopy, 99.9%	500 ml 1000 ml 2500 ml	6.58 10.53 20.40
<b>12312</b> [67-64-1]	Acetone electronic grade, 99.9%	1000 ml 2500 ml	11.19 25.00
[07-04-1]			
<b>55245</b> [67-64-1]	Acetone VLSI Semiconductor Grade, 99.5%	1000 ml 2500 ml	78.96 177.66

Code	Name	Packing	\$ Price
<b>12972</b> [666-52-4]	Acetone-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	142.10
<b>75185</b> [666-52-4]	Acetone-d6 (with 1% TMS) for NMR spectroscopy, 99.5 Atom %D	10 ml	148.05
49967	Acetonitrile (ACN) extrapure, 99%	500 ml	8.82
[75-05-8]		2500 ml	39.22
		25 Ltr	361.6
84578	Acetonitrile (ACN) extrapure AR,	500 ml	9.2
[75-05-8]	99.5%	2500 ml	41.19
82745	Acetonitrile (ACN) extrapure AR,	500 ml	10.79
[75-05-8]	ACS, ExiPlus, Multi-Compendial, 99.5%	2500 ml	43.0
	meets compendial specs of USP, BP, Ph.Eur		
90135	Acetonitrile (ACN) GC-HS, 99.9%	250 ml	9.0
[75-05-8]		500 ml	13.6
		1000 ml	25.6
58209	Acetonitrile (ACN) for HPLC & UV	500 ml	12.1
[75-05-8]	Spectroscopy, 99.9%	2500 ml	49.0
24899	Acetonitrile (ACN) Gradient grade	1000 ml	25.6
[75-05-8]	for HPLC, 99.9%	2500 ml	55.8
62006	Acetonitrile (ACN) for molecular	250 ml	9.4
[75-05-8]	biology, 99.9%	500 ml	14.2
62076	Acetonitrile (ACN) for DNA	1000 ml	29.3
[75-05-8]	synthesis, 99.9%	2500 ml	69.2
<b>26483</b>	Acetonitrile-d3 for NMR spectroscopy, 99.8 Atom %D	10 Gms	171.08
67418	Aceto Orcein	100 ml	5.79
15873	Acetophenone extrapure, 99%	500 ml	9.0
[98-86-2]		2500 ml	39.8
22506	Acetophenone extrapure AR, 99.5%	500 ml	11.19
[98-86-2]		2500 ml	46.9
96169	Acetylacetone extrapure, 99%	500 ml	11.8
[123-54-6]	• •	2500 ml	52.6
24212	Acetylacetone extrapure AR, 99.5%	250 ml	7.9
[123-54-6]	•	1000 ml	23.0
39522	Acid Fuchsin	25 Gms	8.5
[3244-88-0]	(C.I. No. 42685, Acid Violet 19, Fuchsin S, Fuchsin Acid, Rubine S)	100 Gms	28.4
50190	Acid Fuchsin Calcium Salt (Acid	25 Gms	47.5
[123334-10-1]	Rubin), 60% (C.I. No. 42685) (Acid Magenta, Rubin S)	100 Gms	173.9
22794	Acrylamide extrapure, 99%	500 Gms	9.2
[79-06-1]		5 Kg	75.8
89314	Acrylamide 1x cryst. extrapure,	100 Gms	6.5
[79-06-1]	99.5%	500 Gms	22.1
15657	Acrylamide 3x cryst. extrapure AR,	100 Gms	9.2
[79-06-1]	99.9%	500 Gms	34.2

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
61346	Acrylamide 3x cryst. for molecular	100 Gms	10.53	50683	L-Alanine ExiPlus,	100 Gms	9.74
[79-06-1]	biology, 99.9%	500 Gms	42.11	[56-41-7]	Multi-Compendial, 99%	500 Gms	31.58
		1 Kg	75.01			5 Kg	230.30
29787	Acrylamide 40% aq. solution for	250 ml	39.48		meets compendial specs of USP, BP		
[79-06-1]	molecular biology	500 ml	71.06	87279	Alberts Stain A Solution	125 ml	2.11
24263	Acrylamide / Bis-acrylamide Premix	30 Gms	15.00			500 ml	5.40
	Powder, Ratio 19:1	200 Gms	78.57	35652	Alberts Stain B Solution	125 ml	2.11
10762	Acrylamide / Bis-acrylamide Premix	30 Gms	15.00			500 ml	5.40
	Powder, Ratio 29:1	200 Gms	78.57	17996	Aliquat 336, 88%	250 ml	24.61
74379	Acrylamide / Bis-acrylamide Premix	30 Gms	15.00	[63393-96-4]	(Tricaprylylmethylammonium chloride)	1000 ml	95.67
14010	Powder, Ratio 37.5:1	200 Gms	78.57	43805	Allantoin ExiPlus, 98.5%	100 Gms	6.58
67394	30% Acrylamide / Bis-acrylamide	100 ml	14.48	[97-59-6]	(5-Ureidohydantoin, Glyoxylic Acid	500 Gms	26.32
07334 0	Mix Solution (Ratio 29:1)	500 ml	55.27		Diureide)	5 Kg	243.46
92035	40% Acrylamide / Bis-acrylamide		14.48	99564	Alloxan Monohydrate extrapure,	10 Gms	4.87
92035	Mix Solution (Ratio: 37.5:1)	100 ml 500 ml	55.27	[2244-11-3]	98%	25 Gms	10.66
	· · · · · · · · · · · · · · · · · · ·				(2,4,5,6-Tetraoxypyrimidine, 5,6-Dioxyuracil)	100 Gms	39.48
<b>60452</b> [79-10-7]	Acrylic Acid (Stabilized) pure, 99%	500 ml	10.40	19093	Allyl Alcohol extrapure, 99%	500 ml	12.11
		2500 ml	49.74	[107-18-6]	, <b>,</b>	2500 ml	57.64
<b>41666</b> [107-13-1]	Acrylonitrile (Stabilized) pure, 99%	500 ml	7.76	69098	Allylamine pure, 99%	25 ml	13.29
[107-13-1]		2500 ml	33.95	[107-11-9]	(2-Propen-1-Ylamine,	100 ml	20.66
60064	Adipic Acid pure, 99%	500 Gms	7.63		3-Amino-1-Propene)	250 ml	41.19
[124-04-9] <b>38573</b>	Adipic Acid ExiPlus,	500 Gms	9.21	45050	Diellydemine sytronyre 200/	100 ml	
[124-04-9]	Multi-Compendial, 99%	500 GITIS	9.21	<b>45953</b> [124-02-7]	Diallylamine extrapure, 99%	500 ml	15.79 57.90
	meets compendial specs of USP, BP,						
	Ph.Eur			<b>73056</b> [106-95-6]	Allyl Bromide pure, 98% (3-Bromo-1-Propene)	250 ml	32.90
19661	Agar powder regular grade for	100 Gms	13.55		<u> </u>	500 ml	63.17
[9002-18-0]	bacteriology	250 Gms	29.22	<b>92459</b> [107-05-1]	Allyl Chloride pure, 98% (3-Chloro-1-Propene)	500 ml	9.21
		500 Gms	56.06	[107-05-1]	(3-Gilloro-1-1 Topelle)	2500 ml	44.09
		1 Kg	110.54	45262	Almond Oil pure	500 ml	89.62
		5 Kg	537.32	[8007-69-0]	Aluminium Acetate Basic Hydrate	100 Gms	15.53
85473	Agar powder for tissue culture	100 Gms	18.42	<b>54568</b> [142-03-0]	(Aluminium Subacetate) extrapure,	500 Gms	37.90
[9002-18-0]		250 Gms	32.24	[]	98%	500 GITIS	37.90
		500 Gms	61.46		(Aluminum Hydroxide Acetate Hydrate)		
		5 Kg	583.38	<b>64132</b> [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate pure, 99%	500 Gms	3.42
24970	Agar powder Bacto grade	100 Gms	21.58	[//04-20-1]	(Ammonium Alum, Alum Ammonia,		
[9002-18-0]		500 Gms	86.07		Ammonium Aluminium Sulphate)		
26741	Ajowan Seed Oil extrapure	100 ml	16.98	83147	Aluminium Ammonium Sulphate	500 Gms	4.87
[8001-99-8]	(Ajwain Oil)	500 ml	70.14	[7784-26-1]	Dodecahydrate extrapure AR, 99.5%		
48863	ß-Alanine extrapure CHR, 99%	25 Gms	3.95		(Ammonium Alum, Alum Ammonia,		
[107-95-9]		100 Gms	13.29		Ammonium Aluminium Sulphate)		
		1 Kg	113.57	<b>61315</b> [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate extrapure AR, ACS,	500 Gms	5.26
71178	L-Alanine extrapure CHR, 99%	100 Gms	7.11	[7704-20-1]	ExiPlus, Multi-Compendial, 99.5%	5 Kg	51.32
[56-41-7]		500 Gms	23.69		(Ammonium Alum, Alum Ammonia,		
		1 Kg	43.43		Ammonium Aluminium Sulphate) meets compendial specs of USP		
		5 Kg	190.82	93606	Aluminium AAS Standard Solution	100 ml	19.74
71777	L-Alanine for tissue culture, 99%	100 Gms	8.55	33000	in 1N HCI	250 ml	31.58
[56-41-7]		500 Gms	28.95	00045	Aluminium Chlorida Havahudusta		
				90015	Aluminium Chloride Hexahydrate	500 Gms	9.87
				[7784-13-6]	pure, 97%	300 ams	0.07

[7784-13-6] extrapure AR, 99%

ode	Name	Packing	\$ Price
5543	Aluminium Hydroxide Gel extrapure	500 Gms	5.53
21645-51-2]	AR, ExiPlus, Multi-Compendial	5 Kg	47.38
	meets compendial specs of IP		
2283	Aluminium Isopropoxide (powder)	500 Gms	11.19
[555-31-7]	extrapure, 98% (AIP, Aluminum Isopropylate,	5 Kg	107.91
	Aluminum Triisopropoxide, 2-Propanol		
	Aluminium Salt)		
<b>7395</b> 7429-90-5]	Aluminium Metal powder, 99%, -325 mesh	500 Gms	9.74
2309	Aluminium Nitrate Nonahydrate	500 Gms	5.00
7784-27-2]	extrapure, 98%	5 Kg	42.11
<b>9302</b> 7784-27-2]	Aluminium Nitrate Nonahydrate extrapure AR, ACS, 98.5%	500 Gms	10.53
8095	Aluminium Nitride (AIN) pure, 98%,	5 Gms	39.48
24304-00-5]	~635 mesh	50 Gms	53.69
		250 Gms	252.67
6289	Aluminium Oxide Activated (Acidic)	500 Gms	7.11
1344-28-1]	(Alumina)	5 Kg	67.77
		25 Kg	325.32
1461	Aluminium Oxide Activated (Acidic)	500 Gms	7.37
1344-28-1]	(Alumina) ExiPlus, Multi-Compendial	5 Kg	71.85
	meets compendial specs of USP, BP		
4321	Aluminium Oxide Activated (Basic)	500 Gms	5.66
1344-28-1]	(Alumina)	5 Kg	52.77
		25 Kg	248.99
1492	Aluminium Oxide Activated (Basic)	500 Gms	6.05
1344-28-1]	(Alumina) ExiPlus,	5 Kg	54.61
	Multi-Compendial meets compendial specs of BP, Ph.Eur		
9882	Aluminium Oxide activated	500 Gms	5.92
1344-28-1]	(Neutral) (Alumina)	5 Kg	55.67
		25 Kg	265.44
2690	Aluminium Oxide G (Neutral)	500 Gms	7.90
1344-28-1]	(Alumina G)	5 Kg	74.62
4641	Aluminium Potassium Sulphate	500 Gms	3.16
7784-24-9]	Dodecahydrate extrapure, 99%	2.5 Kg	13.42
	(Potash Alum, Potassium Aluminium Sulphate)		
2889	Aluminium Potassium Sulphate	500 Gms	3.68
7784-24-9]	Dodecahydrate extrapure AR,	2.5 Kg	17.37
	99.5% (Potash Alum, Potassium Aluminium Sulphate)		
2550	Aluminium Potassium Sulphate	500 Gms	4.28
7784-24-9]	Dodecahydrate extrapure AR, ACS,	2.5 Kg	21.06
	ExiPlus, Multi-Compendial, 99.5% (Potash Alum, Potassium Aluminium Sulphate)	J	
	meets compendial specs of USP, BP		
<b>3016</b> 7784-31-8]	Aluminium Sulphate Octadecahydrate extrapure, 98%	500 Gms	2.90
1820	Aluminon extrapure	10 Gms	5.53
[569-58-4]	(Aurintricarboxylic Acid Ammonium Salt, ATA, Ammonium	25 Gms	12.63

Code	Name	Packing	\$ Price
55745	Amaranth (Acid Red 27) (C.I.	25 Gms	2.37
[915-67-3]	16185), 85-95%	100 Gms	8.29
57432	4-Aminoantipyrine (Ampyrone)	25 Gms	15.66
[83-07-8]	extrapure AR, 99% (4-Amino-2,3-Dimethyl-1-Phenyl-3-Pyra	100 Gms	60.5
	zolin-5-One)	250 Gms	146.08
82623	6-Aminocaproic Acid extrapure,	25 Gms	15.60
[60-32-2]	99% (6-Aminohexanoic Acid)	100 Gms	49.7
	(0-AITIIIOHEARIIOIC ACIU)	500 Gms	241.6
85996	Aminocaproic Acid IP	1 Kg	421.1
[60-32-2]	(6-Aminohexanoic Acid, 6-Aminocaproic Acid IP)	5 Kg	1974.0
99093	Aminocaproic Acid BP, 98.5-101%	1 Kg	421.1
[60-32-2]	(6-Aminohexanoic Acid,	5 Kg	1974.00
	6-Aminocaproic Acid BP)		4=0=
<b>50445</b> [60-32-2]	Aminocaproic Acid USP, 98.5-101% (6-Aminohexanoic Acid,	1 Kg	473.70
,,	6-Aminocaproic Acid USP)	5 Kg	2105.6
78719	Ammonia Solution extrapure AR,	500 ml	2.7
[1336-21-6]	25% (Ammonium Hydroxide 25%)	2500 ml	8.4
14388	Ammonia Solution extrapure AR,	500 ml	3.2
[1336-21-6]	30%	2500 ml	9.3
	(Ammonium Hydroxide 30%)		
<b>44683</b> [631-61-8]	Ammonium Acetate extrapure AR, 98%	500 Gms	4.0
62778	Ammonium Acetate extrapure AR,	500 Gms	4.4
[631-61-8]	ACS, ExiPlus, Multi-Compendial,		
	98% meets compendial specs of USP, BP,		
	Ph.Eur		
<b>78844</b> [631-61-8]	Ammonium Acetate for HPLC, 99%	500 Gms	8.2
37829	Ammonium Acetate for molecular	100 Gms	4.0
[631-61-8]	biology, 98%	500 Gms	11.4
26757	Ammonium Bicarbonate extrapure	500 Gms	3.6
[1066-33-7]	AR (Ammonium Hydrogen	5 Kg	35.5
38586	Carbonate), 99%  Ammonium Dichromate pure, 98%	500 Gms	11 5
			11.5
[7789-09-5]	(Ammonium Bichromate)	5 Ka	
[7789-09-5]	· · · · · · · · · · · · · · · · · · ·	5 Kg	
[7789-09-5] <b>67077</b>	Ammonium Dichromate extrapure	500 Gms	12.6
[7789-09-5]	Ammonium Dichromate extrapure		12.6
[7789-09-5] 67077 [7789-09-5] 13664	Ammonium Dichromate extrapure AR, ACS, 99.5%	500 Gms	12.6 121.7
[7789-09-5] <b>67077</b> [7789-09-5]	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)	500 Gms 5 Kg	12.6 121.7 7.5
[7789-09-5] 67077 [7789-09-5] 13664 [1341-49-7] 95407	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)  Ammonium Bifluoride pure, 98%  Ammonium Bismuth Citrate	500 Gms 5 Kg 500 Gms	12.63 121.73 7.50 64.44
[7789-09-5] 67077 [7789-09-5] 13664 [1341-49-7] 95407	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)  Ammonium Bifluoride pure, 98%	500 Gms 5 Kg 500 Gms 5 Kg	12.63 121.73 7.50 64.44
[7789-09-5] 67077 [7789-09-5] 13664 [1341-49-7] 95407	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)  Ammonium Bifluoride pure, 98%  Ammonium Bismuth Citrate	500 Gms 5 Kg 500 Gms 5 Kg 100 Gms	12.63 121.73 7.50 64.44 19.44 74.33
[7789-09-5] 67077 [7789-09-5] 13664 [1341-49-7] 95407 [31886-41-6]	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)  Ammonium Bifluoride pure, 98%  Ammonium Bismuth Citrate extrapure AR, 43-46% Bi  Ammonium Bromide pure, 99%	500 Gms 5 Kg 500 Gms 5 Kg 100 Gms 500 Gms	12.60 121.70 7.50 64.40 19.40 74.30
[7789-09-5] 67077 [7789-09-5] 13664 [1341-49-7] 95407 [31886-41-6] 46813	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)  Ammonium Bifluoride pure, 98%  Ammonium Bismuth Citrate extrapure AR, 43-46% Bi  Ammonium Bromide pure, 99%	500 Gms 5 Kg 500 Gms 5 Kg 100 Gms 500 Gms	12.63 121.73 7.50 64.44 19.44 74.33 14.44 138.16
[7789-09-5] 67077 [7789-09-5] 13664 [1341-49-7] 95407 [31886-41-6] 46813 [12124-97-9]	Ammonium Dichromate extrapure AR, ACS, 99.5% (Ammonium Bichromate)  Ammonium Bifluoride pure, 98%  Ammonium Bismuth Citrate extrapure AR, 43-46% Bi  Ammonium Bromide pure, 99%  Ammonium Ceric Nitrate extrapure	500 Gms 5 Kg 500 Gms 5 Kg 100 Gms 500 Gms 500 Gms 5 Kg	111.80 12.63 121.73 7.50 64.44 19.44 74.33 14.44 138.16

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
42077	Ammonium Ceric Nitrate extrapure	100 Gms	19.21	27858	Ammonium Formate extrapure AR,	500 Gms	4.87
[16774-21-3]	AR, ACS, ExiPlus, Multi-Compendial, 99%	250 Gms	39.87	[540-69-2]	98% (Formic Acid Ammonium Salt)	5 Kg	46.06
	(Ammonium Cerium (IV) Nitrate, Ceric			50504	Ammonium Formate extrapure AR,	500 Gms	5.40
	Ammonium Nitrate) meets compendial specs of BP			[540-69-2]	ExiPlus, Multi-Compendial, 98% (Formic Acid Ammonium Salt)	5 Kg	51.32
42725	Ammonium Ceric Nitrate 0.05N	500 ml	4.87		meets compendial specs of BP, Ph.Eur		
[16774-21-3]	Solution			51775	Ammonium lodide extrapure, 99%	50 Gms	31.58
<b>38134</b> [10378-47-9]	Ammonium Ceric Sulphate Dihydrate extrapure AR, 99%	100 Gms	18.03	[12027-06-4]		100 Gms	56.59
[10370-47-9]	(Ammonium Cerium (IV) Sulphate	500 Gms	54.22		A Makanan data	250 Gms	130.28
23757	Dihydrate)  Ammonium Ceric Sulphate	100 Gms	21.19	<b>23185</b> [7803-55-6]	Ammonium Metavanadate extrapure, 98%	100 Gms	11.84
[10378-47-9]	Dihydrate extrapure AR, ACS, 99%	500 Gms	58.96		•	500 Gms	56.59
	(Ammonium Cerium (IV) Sulphate Dihydrate)	500 GITIS	30.90	<b>15068</b> [7803-55-6]	Ammonium Metavanadate extrapure AR, 99%	100 Gms 500 Gms	13.82 59.22
25103	Ammonium Chloride extrapure AR,	500 Gms	3.82		•		
[12125-02-9]	99.5%	5 Kg	35.53	<b>94314</b> [7803-55-6]	Ammonium Metavanadate extrapure AR, ACS, ExiPlus,	100 Gms	15.27
		25 Kg	170.82	[/000-35-0]	Multi-Compendial, 99%	500 Gms	60.54
		<del>_</del>			meets compendial specs of USP		
<b>96452</b> [12125-02-9]	Ammonium Chloride extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms	4.47	69429	Ammonium Molybdate	100 Gms	21.06
[12120 02 0]	99.5%			[12054-85-2]	-	250 Gms	51.98
	meets compendial specs of USP, BP				(Ammonium Heptamolybdate)	500 Gms	101.33
16992	Ammonium Chloride for molecular	500 Gms	8.69	10299	Ammonium Molybdate	100 Gms	23.69
[12125-02-9]	biology, 99.5%			[12054-85-2]	-	250 Gms	56.59
<b>35309</b> [12125-02-9]	Ammonium Chloride for tissue culture, 99.5%	500 Gms	5.53		(Ammonium Heptamolybdate)	500 Gms	111.20
		5 Kg	38.16	82615	Ammonium Molybdate	100 Gms	25.00
<b>11505</b> [3458-72-8]	Ammonium Citrate Tribasic (Triammonium Hydrogen Citrate)	500 Gms	11.98	[12054-85-2]	-	250 Gms	57.90
[3430-72-0]	extrapure AR, 98.5%				ExiPlus, Multi-Compendial, 99% (Ammonium Heptamolybdate)	500 Gms	114.49
35442	Ammonium Ferric Citrate pure,	500 Gms	7.24		meets compendial specs of USP, BP,		
[1185-57-5]	16.5-22.5%	5 Kg	67.12		Ph.Eur		
63571	(Ammonium Iron (III) Citrate)  Ammonium Ferric Sulphate	500 Gms	4.00	32910	Ammonium Dimolybdate extrapure,	100 Gms	26.32
<b>63571</b> [7783-83-7]	Dodecahydrate extrapure, 98%	500 GIIIS	4.08	[27546-07-2]	99%, 56.5% Mo	250 Gms	65.80
. ,	(Ammonium Iron (III) Sulphate			85044	Ammonium Nickel Sulphate	500 Gms	19.08
0	Dodecahydrate, Ferric Alum)			[7785-20-8]	Hexahydrate pure, 98%		
29168	Ammonium Ferric Sulphate  Dodecahydrate extrapure AR, ACS,	500 Gms	4.87		(Diammonium Nickel (II) Sulphate Hexahydrate)		
[7783-83-7]	99%			55517	Ammonium Nickel Sulphate	500 Gms	31.58
	(Ammonium Iron (III) Sulphate			[7785-20-8]	Hexahydrate extrapure AR, 98%	ooo amo	01.00
	Dodecahydrate, Ferric Alum)				(di-Ammonium nickel (II) sulphate		
<b>89944</b> [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate extrapure, 98%	500 Gms	2.90		hexahydrate)	500 0	4.04
[1103-03-9]	(Diammonium Iron (II) Sulphate	1 Kg	5.13	<b>85084</b> [6009-70-7]	Ammonium Oxalate Monohydrate extrapure, 98%	500 Gms	4.61
	Hexahydrate)	5 Kg	24.21	72913	Ammonium Oxalate Monohydrate	500 Gms	5.00
<b>61732</b> [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate extrapure AR, ACS,	500 Gms	4.34	[6009-70-7]	extrapure AR, 99%		
[7763-65-9]	99%	5 Kg	39.87	53621	Ammonium Oxalate Monohydrate	500 Gms	5.79
	(Diammonium Iron (II) Sulphate			[6009-70-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%		
	Hexahydrate)				meets compendial specs of USP, BP,		
<b>11605</b> [13826-83-0]	Ammonium Fluoroborate pure, 98% (Ammonium fluoroborate, Ammonium	100 Gms	9.87		Ph.Eur		
[13020-03-0]	tetrafluoroborate)	500 Gms	22.37	82381	• • • •	500 Gms	5.00
49813	Ammonium Fluoride pure, 98%	500 Gms	12.50	[7727-54-0]	pure, 98% (Ammonium Peroxodisulphate)	5 Kg	45.67
[12125-01-8] <b>38431</b>	Ammonium Fluoride ACS, ExiPlus,	500 Gms	17.24	84569	. , ,	500 Gms	5.53
[12125-01-8]	Multi-Compendial, 98%			[7727-54-0]	extrapure AR, 99% (Ammonium Peroxodisulphate)	5 Kg	46.98
25142	meets compendial specs of USP  Ammonium Formate pure, 98%	500 Gms	1 51				
<b>25142</b> [540-69-2]	(Formic Acid Ammonium Salt)		4.54				
[0 00 2]		5 Kg	43.43				

Code	Name	Packing	\$ Price
<b>29534</b> [7727-54-0]	Ammonium Persulphate (APS) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Ammonium Peroxodisulphate)	500 Gms 5000 Gms	5.92 57.25
	meets compendial specs of BP, Ph.Eur		
<b>28575</b> [7727-54-0]	Ammonium Persulphate (APS) for electrophoresis, 99% (Ammonium Peroxodisulphate)	25 Gms 100 Gms	2.90 8.95
65553	Ammonium Persulphate (APS) for	25 Gms	3.16
[7727-54-0]		100 Gms	7.90
	(Ammonium peroxodisulphate)	500 Gms	25.66
30468	Ammonium Phosphate Dibasic	500 Gms	6.84
[7783-28-0]	extrapure AR, 99% (Diammonium Hydrogen	5 Kg	65.80
	Orthophosphate)		
65984	Ammonium Phosphate Dibasic extrapure AR, ACS, ExiPlus,	500 Gms	7.76
[7783-28-0]	Multi-Compendial, 99%	5 Kg	75.01
	(Diammonium Hydrogen		
	Orthophosphate) meets compendial specs of USP, Ph.Eur		
61563	Ammonium Phosphate Monobasic	500 Gms	6.58
[7722-76-1]	extrapure AR, 99%	5 Kg	63.83
	(Ammonium Dihydrogen Orthophosphate)		
58611	Ammonium Phosphate Monobasic	500 Gms	7.50
[7722-76-1]	extrapure AR, ACS, ExiPlus, Multi-Compendial , 99% (Ammonium Dihydrogen Orthophosphate) meets compendial specs of USP	5 Kg	72.38
<b>24678</b> [7722-76-1]	Ammonium Phosphate Monobasic for HPLC, 99%	500 Gms	15.79
	Ammonium Pyrrolidine	10 Gms	30.27
[5108-96-3]	Dithiocarbamate (APDC) extrapure, 99% (1-Pyrrolidinecarbodithioic Acid Ammonium Salt, Ammonium pyrrolidinecarbodithioate, PDC)	25 Gms	67.12
50012	Ammonium Sulphamate (High	100 Gms	6.58
[7773-06-0]	Purity) ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	31.72
	meets compendial specs of USP, BP, Ph.Eur		
62419	Ammonium Sulphamate (High	100 Gms	8.55
[7773-06-0]		500 Gms	39.09
88064	Ammonium Sulphate extrapure AR,	500 Gms	3.29
[7783-20-2]	99.5%	5 Kg	25.66
		25 Kg	126.73
<b>88004</b> [7783-20-2]	Ammonium Sulphate for tissue culture, 99.5%	500 Gms 5 Kg	3.42 25.66
26339	Ammonium Sulphate extrapure AR,	500 Gms	3.55
	ACS, ExiPlus, Multi-Compendial,	5 Kg	28.43
[7783-20-2]	99.5%	3	
[7783-20-2]		3	
[7783-20-2]  92567 [7783-20-2]	99.5% meets compendial specs of USP, BP, Ph.Eur  Ammonium Sulphate Enzyme	250 Gms 1 Kg	4.87 17.24

Code	Name	Packing	\$ Price
82126	Ammonium Sulphate for molecular	250 Gms	9.48
[7783-20-2]	biology, 99.5%	500 Gms	18.56
		5 Kg	171.21
95876	Ammonium Tartrate Dibasic pure,	250 Gms	8.82
[3164-29-2]	99%	500 Gms	16.84
56357	Ammonium Tartrate Dibasic	250 Gms	9.48
[3164-29-2]	extrapure AR, 99%	500 Gms	18.42
<b>81016</b> [1762-95-4]	Ammonium Thiocyanate extrapure AR, 99%	500 Gms	9.08
<b>70158</b> [1762-95-4]	Ammonium Thiocyanate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	9.48
	meets compendial specs of USP, BP, Ph.Eur		
67550	Amyl Acetate pure, 98%	500 ml	7.37
[123-92-2]	(Isoamyl Acetate)	2500 ml	25.27
28605	n-Amyl Alcohol (1-Pentanol) pure,	500 ml	11.19
[71-41-0]	99%	2500 ml	50.01
31906	n-Amyl Alcohol (1-Pentanol)	500 ml	14.48
[71-41-0]	extrapure AR, ACS, 99%	2500 ml	56.59
83344	Aniline Blue (water soluble) (Methyl	25 Gms	9.21
[28983-56-4]	Blue) (Acid Blue 93)	100 Gms	31.98
22285	Aniline extrapure AR, 99.5%	500 ml	7.37
[62-53-3]		2500 ml	33.69
46774	Aniline Hydrochloride pure, 99%	250 Gms	9.34
[142-04-1]		500 Gms	16.58
69980 🗸	Aniline Sulphate pure, 98%	250 Gms	10.26
[542-16-5]	(Aminobenzene, Phenylamine, Benzenamine)	500 Gms	19.08
36381	p-Anisidine pure, 98%	100 Gms	4.34
[104-94-9]	(4-Aminoanisole, 4-Methoxyaniline)	500 Gms	19.87
41010	Anthracene extrapure, 99%	25 Gms	11.05
[120-12-7]		100 Gms	34.74
		500 Gms	162.53
61273	Anthracene (High Purity)	25 Gms	20.40
[120-12-7]	scintillation grade, 99.7%	100 Gms	76.33
	(Anthracene extrapure scintillation grade)	250 Gms	187.00
78531	Anthraquinone pure, 98%	25 Gms	4.47
[84-65-1]	(9,10-Anthraquinone, Anthradione)	500 Gms	15.27
97400	Antimony AAS Standard Solution in	100 ml	19.74
3.400	2N HCI	250 ml	31.58
66105	Antimony Metal Lumps, 98%	100 Gms	11.84
[7440-36-0]	Antimony Metal Powder extrange	250 0	21 45
<b>12042</b> [7440-36-0]	Antimony Metal Powder extrapure, 99%, -200 mesh	250 Gms	31.45
<b>67577</b>	Antimony Metal Ingots ultrapure, 99.999%	10 Gms	73.30
[7440-36-0]	33.333 /0	25 Gms	150.68
47448	Antimony Potassium Tartrate	250 Gms	16.32
[28300-74-5]	Hemihydrate pure, 98%	500 Gms	30.40
83896	Antimony Potassium Tartrate	100 Gms	8.16
[28300-74-5]	Hemihydrate extrapure AR, 99.5%	500 Gms	33.43

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
60274	Antimony Trichloride pure, 98%	100 Gms	9.87	84025	L-Aspartic Acid extrapure CHR,	100 Gms	5.26
[10025-91-9]		500 Gms	44.74	[56-84-8]	99%	500 Gms	19.74
63365	Antimony Trichloride extrapure AR,	100 Gms	10.79			1 Kg	31.58
[10025-91-9]	99%	500 Gms	46.72			5 Kg	144.76
97628	Antimony Trichloride extrapure AR,	100 Gms	13.95	81245	L-Aspartic Acid ExiPlus,	100 Gms	6.05
[10025-91-9]		500 Gms	50.01	[56-84-8]	Multi-Compendial, 99%	1 Kg	35.53
	99% meets compendial specs of USP, BP,				meets compendial specs of BP		
	Ph.Eur			78087	Auramine O	25 Gms	2.24
37157	Antimony Trioxide extrapure, 99%	100 Gms	9.21	[2465-27-2]	(C.I. No. 41000, Basic Yellow 2)	100 Gms	5.79
[1309-64-4]	•	500 Gms	39.48			500 Gms	21.32
98063	Antimony Trioxide extrapure AR,	100 Gms	10.53	16411	Barbituric Acid extrapure, 99%	100 Gms	10.53
[1309-64-4]	99%	500 Gms	43.43	[67-52-7]	(2,4,6-Trihydroxypyrimidine,	500 Gms	39.48
	Antimony Trioutide may 000/			01154	Malonylurea)	0E Cma	4.47
<b>82829</b> [1345-04-6]	Antimony Trisulfide pure, 98%	500 Gms	48.30	<b>21154</b> [67-52-7]	Barbituric Acid extrapure AR, 99% (2,4,6-Trihydroxypyrimidine,	25 Gms	4.47
24766	Arachis Oil pure	250 ml	16.84	[]	Malonylurea)	100 Gms	17.77
[68425-36-5]	•	500 ml	26.85	10013	Barium Acetate extrapure, 98%	500 Gms	13.16
66637	L-Arginine (free base) extrapure	100 Gms	7.90	[543-80-6]		5 Kg	118.44
[74-79-3]	CHR, 99%	1 Kg	65.80	16985	Barium Acetate extrapure AR, 99%	500 Gms	17.11
		5 Kg	309.26	[543-80-6]		5 Kg	157.92
				45569	Barium Acetate extrapure AR, ACS,	500 Gms	19.74
<b>16178</b> [74-79-3]	L-Arginine for tissue culture, 99%	100 Gms	9.48	[543-80-6]	ExiPlus, Multi-Compendial, 99%		
[14700]		1 Kg	70.14		meets compendial specs of BP, Ph.Eur		
17863	L-Arginine (free base) ExiPlus,	25 Gms	3.95	56009	Barium AAS Standard Solution in	100 ml	19.74
[74-79-3]	Multi-Compendial, 99%	100 Gms	11.58		0.5N HNO3	250 ml	31.58
		1 Kg	78.96	32005	Barium Bromide Dihydrate	500 Gms	21.06
		5 Kg	361.90	[7791-28-8]	extrapure, 98%		
	meets compendial specs of BP			35145	Barium Carbonate pure, 98.5%	500 Gms	5.26
55453	L-Arginine Hydrochloride extrapure	100 Gms	7.90	[513-77-9]	Parium Carbanata autranum AP	500 C	10.00
[1119-34-2]	CHR, 99%	1 Kg	63.17	<b>58434</b> [513-77-9]	Barium Carbonate extrapure AR, 99%	500 Gms	13.82
		5 Kg	276.36	66323	Barium Carbonate extrapure AR,	500 Gms	15.79
23006	L-Ascorbic Acid extrapure AR,	100 Gms	4.34	[513-77-9]	ACS, ExiPlus, Multi-Compendial,		
[50-81-7]	<b>99.7%</b> (Vitamin C)	500 Gms	12.37		99%		
	(vitattiii)	5 Kg	100.02		meets compendial specs of BP, Ph.Eur		
40704	L-Ascorbic Acid extrapure AR,	100 Gms	5.13	<b>78118</b> [10326-27-9]	Barium Chloride Dihydrate pure,	500 Gms	3.95
[50-81-7]	ACS, ExiPlus, Multi-Compendial,	500 Gms	13.82	[10020 27 0]		5 Kg	34.22
	99.7% (Vitamin C)	5 Kg	121.07	68554	Barium Chloride Dihydrate extrapure AR, 99%	500 Gms	5.00
	meets compendial specs of BP			[10326-27-9]	extrapure An, 55%	5 Kg	47.38
14116	L-Ascorbic Acid for molecular	25 Gms	3.16	92996	Barium Chloride Dihydrate	500 Gms	5.53
[50-81-7]	biology, 99.7%	100 Gms	7.11	[10326-27-9]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	5 Kg	51.32
	(Vitamin C)	500 Gms	18.42		meets compendial specs of USP, BP,		
32488	L-Ascorbic Acid for tissue culture,	100 Gms	5.92		Ph.Eur		
[50-81-7]	99.7%	500 Gms	16.45	49669	Barium Chromate pure, 98%	500 Gms	21.32
	(Vitamin C)			[10294-40-3]	*		
12535	L-Ascorbic Acid Calcium Salt Dihydrate extrapure, 99%	100 Gms	11.84	86732	Barium Fluoride pure, 97%	500 Gms	20.27
[5743-28-2]	(Calcium-L-Ascorbate Dihydrate)	500 Gms	46.06	[7787-32-8]	Rarium Hudravida Octobudrata	500 Gms	2 OF
65265	L-Ascorbic Acid Sodium Salt	100 Gms	5.00	<b>85499</b> [12230-71-6]	Barium Hydroxide Octahydrate pure, 98%	500 Gms	3.95 36.85
[134-03-2]	extrapure, 99%	500 Gms	24.35			5 Kg	
	(Sodium-L-Ascorbate, Vitamin C Sodium Salt)			<b>43469</b> [12230-71-6]	Barium Hydroxide Octahydrate extrapure AR, 98%	500 Gms	5.66
64848	DL-Aspartic Acid extrapure CHR,	100 Gms	7.37	[	, , ,		
[617-45-8]	99%	500 Gms	34.22				
_		1 Kg	59.22				
		ing	00.22				

Code	Name	Packing	\$ Price	Code	Name
<b>34482</b> 12230-71-6]	Barium Hydroxide Octahydrate extrapure AR, ACS, ExiPlus,	500 Gms	7.63	<b>31332</b> [1076-43-3]	Benzene-d6 for N 99.5 Atom %D
	Multi-Compendial, 98% meets compendial specs of USP, BP, Ph.Eur			<b>27094</b> [121-54-0]	Benzethonium Ch 98% (Hyamine 1622,
10290	Barium Nitrate extrapure, 98%	500 Gms	7.90		(Diisobutylphenoxydbenzylammonium C
10022-31-8]		5 Kg	73.70		Chloride)
3 <b>8030</b> 10022-31-8]	Barium Nitrate extrapure AR, ACS, 99%	500 Gms	11.19	<b>36805</b> [65-85-0]	Benzoic Acid pure
<b>30355</b> [7727-43-7]	Barium Sulphate extrapure, 97%	500 Gms	3.55	64239	Benzoic Acid extr
		5 Kg	31.58	[65-85-0]	
<b>90115</b> [7727-43-7]	Barium Sulphate extrapure AR, 98%	500 Gms 5 Kg	5.40 51.32	10105	Benzoic Acid extr
0251	Barium Sulphate extrapure AR,	500 Gms	6.32	[65-85-0]	ExiPlus, Multi-Co
[7727-43-7]	ExiPlus, Multi-Compendial, 98%	5 Kg	59.22	56626	meets compendia  Benzoic Anhydrid
	meets compendial specs of Ph.Eur			[93-97-0]	
<b>24031</b> [8012-89-3]	Bees Wax pure	500 Gms	10.53	56518	Benzoin extrapure
32949	Benedict`s Reagent Quantitative	500 ml	5.00	[119-53-9]	
		2500 ml	23.03	51448	Benzophenone ex (Diphenylketone)
35003	Benedict`s Reagent Qualitative	500 ml 2500 ml	3.68 9.87	[119-61-9] <b>42810</b>	Benzophenone Ex
2118	Bentonite pure	500 Gms	2.90	[119-61-9]	Multi-Compendial (Diphenylketone)
[1302-78-9]	(Aluminium Silicate Hydrate)	5 Kg	27.37		meets compendi
7278	Benzaldehyde pure, 99%	500 ml	6.58		Ph.Eur
[100-52-7]	• • ;	2500 ml	28.95	<b>98101</b> [95-14-7]	Benzotriazole pur
		25 Ltr	236.88	[93-14-7]	
4087	Benzaldehyde extrapure AR, 99%	500 ml	8.16		Pannyl Alachal av
100-52-7]		2500 ml	32.90	<b>92300</b> [100-51-6]	Benzyl Alcohol ex
2149	Benzaldehyde extrapure AR,	500 ml	9.87		
[100-52-7]	ExiPlus, Multi-Compendial, 99%	2500 ml	36.85		
	meets compendial specs of BP, Ph.Eur			97005	Benzyl Alcohol ex
1 <b>3648</b> 68391-01-5]	Benzalkonium Chloride (BKC), 50% soln in water	500 ml	5.53	[100-51-6]	
00391-01-3]	John III Water	5 Ltr	42.11		
<b>7688</b> [55-21-0]	Benzamide pure, 98%	100 Gms	3.95	84758 (i	Benzyl Alcohol ex
[55-21-0]		500 Gms	15.79	[100-51-6]	ExiPlus, Multi-Cor aldehyde 100ppm
<b>9515</b> [71-43-2]	Benzene extrapure (Sulphur free), 99%	500 ml	2.76		meets compendia
[71-40-2]		2500 ml	11.19 107.91	84199	Benzyl Benzoate
0440	Domestic cutture AD 00 70	25 Ltr		[120-51-4]	
[71-43-2]	Benzene extrapure AR, 99.7%	500 ml 2500 ml	3.29 13.42	28482	Benzyl Chloride e
	Domestic cuttienture AD, ACC			[100-44-7]	
5 <b>8857</b> [71-43-2]	Benzene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.7%	500 ml 2500 ml	3.68 15.53	41322	Bismuth (III) Carb
	meets compendial specs of USP, BP,	2500 1111	15.55	[5892-10-4]	80% (Bismuth Subcarbo
	Ph.Eur			51451	Bismuth (III) Chlo
9 <b>5582</b> [71-43-2]	Benzene GC-HS, 99.9%	500 ml	6.58	[7787-60-2]	(Bismuth Trichloride Bismuth (III) Galla
		1000 ml	12.50	<b>82797</b> [99-26-3]	Multi-Compendial
<b>36823</b> [71-43-2]	Benzene for HPLC & UV Spectroscopy, 99.8%	500 ml 1000 ml	5.00 9.21	-	(Bismuth Subgallate Bismuth Basic Salt)
	Panzana Driad 99 79/ water				meets compendi
69981	Benzene Dried, 99.7%, water	1000 ml	10.13		1

Code	Name	Packing	\$ Price
Out			
<b>31332</b> [1076-43-3]	Benzene-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	125.02
27094	Benzethonium Chloride extrapure,	25 Gms	18.42
[121-54-0]	<b>98%</b> (Hyamine 1622,	100 Gms	39.48
	(Disobutylphenoxyethoxyethyl)dimethyl benzylammonium Chloride, Phemerol Chloride)	250 Gms	85.54
<b>36805</b> [65-85-0]	Benzoic Acid pure, 99.5%	500 Gms 5 Kg	4.61 38.16
64239	Benzoic Acid extrapure AR, 99.9%	500 Gms	5.66
[65-85-0]		5 Kg	51.32
10105	Benzoic Acid extrapure AR, ACS,	500 Gms	6.58
[65-85-0]	ExiPlus, Multi-Compendial, 99.9%	5 Kg	53.96
	meets compendial specs of BP	400.0	
<b>56626</b> [93-97-0]	Benzoic Anhydride pure, 98%	100 Gms	23.69
		500 Gms	98.70
<b>56518</b> [119-53-9]	Benzoin extrapure, 99%	100 Gms	6.58
[119-55-9]		250 Gms	10.13
<b>51448</b> [119-61-9]	Benzophenone extrapure, 99% (Diphenylketone)	500 Gms	15.79
<b>42810</b> [119-61-9]	Benzophenone ExiPlus, Multi-Compendial, 99% (Diphenylketone) meets compendial specs of USP, BP, Ph.Eur	500 Gms	18.42
98101	Benzotriazole pure, 97%	100 Gms	5.92
[95-14-7]		250 Gms	11.84
		1 Kg	39.48
92300	Benzyl Alcohol extrapure, 99%	500 ml	6.58
[100-51-6]		1000 ml	11.84
		2500 ml	26.32
		25 Ltr	250.04
97005	Benzyl Alcohol extrapure AR, 99%	500 ml	8.16
[100-51-6]		1000 ml	13.82
		2500 ml	28.95
84758 Ü	Benzyl Alcohol extrapure AR, ACS,	500 ml	13.69
[100-51-6]	ExiPlus, Multi-Compendial, 99.7%, aldehyde 100ppm	2500 ml	52.64
	meets compendial specs of USP, Ph.Eur		
<b>84199</b> [120-51-4]	Benzyl Benzoate pure, 99%	500 ml	9.21
[120-01-4]		2500 ml	42.11
28482	Benzyl Chloride extrapure, 99%	500 ml	6.19
[100-44-7]		2500 ml	24.87
<b>41322</b> [5892-10-4]	Bismuth (III) Carbonate Basic pure, 80%	100 Gms	14.87
E1//E1	(Bismuth Subcarbonate)  Bismuth (III) Chloride pure, 99%	100 Gms	24.61
<b>51451</b> [7787-60-2]	(Bismuth Trichloride)	100 GIIIS	24.01
	Bismuth (III) Gallate Basic ExiPlus,	100 Gms	18.42
82797			
<b>82797</b> [99-26-3]	Multi-Compendial, 52-57% (Bismuth Subgallate, Gallic Acid Bismuth Basic Salt)	500 Gms	78.96

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
80053	Bismuth Metal Lumps, 99.5%	100 Gms	8.55	49617	Brilliant Green	25 Gms	3.16
[7440-69-9]		500 Gms	32.90	[633-03-4]	(CI No. 42040)	100 Gms	9.21
24008	Bismuth Metal Ingots ultrapure,	10 Gms	23.69			1 Kg	78.83
[7440-69-9]	99.99%	50 Gms	78.96	93883	Brij-30® (Polyethylene Glycol	500 ml	16.45
72217	Bismuth Metal Powder extrapure,	100 Gms	21.06	[9002-92-0]	Dodecyl Ether, Brij-L4)	1000 ml	30.27
[7440-69-9]	99%, -325 mesh	500 Gms	78.96	89429	Brij-35® (Main Component)	250 Gms	9.87
29444	Bismuth AAS Standard Solution in	100 ml	19.74	[9002-92-0]	(Polyoxyethylene Lauryl Ether, Brij-L23)	500 Gms	17.11
	0.5N HNO3	250 ml	31.58	97698	Brij-35® (30% Aq. solution)	100 ml	8.03
72918	Bismuth (III) Nitrate Pentahydrate	100 Gms	6.97	[9002-92-0]		500 ml	12.77
[10035-06-0]	extrapure, 98%	500 Gms	30.27		Brij-L23)	500.0	
19737	(Bismuth Trinitrate Pentahydrate)  Bismuth (III) Nitrate Pentahydrate	100 Gms	8.55	<b>43808</b> [9004-95-9]	Brij-58® (Polyethylene Glycol Cetyl Ether, Cetomacrogol 1000,	500 Gms	15.79
[10035-06-0]	extrapure AR, 98.5%	500 Gms	38.16		C16H20)		
	(Bismuth Trinitrate Pentahydrate)			64062	Bromocresol Green (BCG)	5 Gms	10.00
<b>84869</b> [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure AR, ACS, ExiPlus,	100 Gms	9.48	[76-60-8]	extrapure AR	25 Gms	47.24
[10035-06-0]	Multi-Compendial, 98.5%	500 Gms	42.11	52512	Bromocresol Green (BCG) ACS,	5 Gms	10.79
	(Bismuth Trinitrate Pentahydrate)			[76-60-8]	ExiPlus, Multi-Compendial	25 Gms	50.53
	meets compendial specs of BP, Ph.Eur				meets compendial specs of BP, Ph.Eur		
<b>89049</b> [1304-76-3]	Bismuth (III) Oxide extrapure, 99% (Dibismuth Trioxide)	100 Gms	11.84	11456	Bromocresol Green Sodium Salt	5 Gms	9.21
	,	500 Gms	43.43	[62625-32-5]	(water soluble) ACS (3',3",5',5-Tetrabromo-m-Cresolsulfonp	25 Gms	38.69
<b>32915</b> [1304-85-4]	Bismuth (III) Nitrate Basic extrapure AR, 79% BiNO3	100 Gms	15.79		hthalein Sodium Salt)		
[1004 00 4]	(Bismuth (III) Subnitrate, Bismuth (III) Oxynitrate)	500 Gms	65.80	<b>17375</b> [115-40-2]	Bromocresol Purple	5 Gms 25 Gms	3.95 13.42
18473	Bismuth (III) Sulphate pure, 90%	100 Gms	13.16	24836	Bromocresol Purple Sodium Salt	5 Gms	3.95
[7787-68-0]	(Bismuth Trisulphate)	500 Gms	55.27	[62625-30-3]	<del></del>	25 Gms	9.87
17798	Biuret extrapure AR, 97%	25 Gms	15.13		(5,5-Dibromo-o-Cresolsulfonphthalein Sodium Salt)		
[108-19-0]	(Allophanic Acid Amide, Carbamoylurea)	100 Gms	53.96	55551	Bromocresol Purple ACS, ExiPlus,	5 Gms	5.13
18952	Boric Acid extrapure, 99.5%	500 Gms	4.61	[115-40-2]	Multi-Compendial	25 Gms	15.13
[10043-35-3]	2010 71010 0310 0410 0510 70	5 Kg	43.43		meets compendial specs of BP, Ph.Eur		
80266	Boric Acid extrapure AR, 99.5%	500 Gms	6.58	77644	Bromoform extrapure, 98%	250 ml	92.12
[10043-35-3]	20.007.00.000.0000.0000	5 Kg	58.17	[75-25-2]	(Tribromomethane)		
61871	Boric Acid extrapure AR, ACS,	500 Gms	7.24	<b>44669</b> [75-25-2]	Bromoform Specially Purified extrapure, 99%	250 ml	98.70
[10043-35-3]	•	5 Kg	65.80	[75-25-2]	(Tribromomethane)		
	meets compendial specs of USP, BP	- 1.5		11458	Bromophenol Blue extrapure AR	5 Gms	2.90
22311	Boric Acid for molecular biology,	250 Gms	7.76	[115-39-9]		25 Gms	10.66
[10043-35-3]	99.5%	500 Gms	12.90	93676	Bromophenol Blue ACS, ExiPlus,	5 Gms	3.68
		1 Kg	23.95	[115-39-9]	Multi-Compendial	25 Gms	12.90
64765	Boron AAS Standard Solution in	100 ml	19.74		meets compendial specs of BP, Ph.Eur		
	H2O	250 ml	31.58	42888	Bromopyrogallol Red extrapure AR	1 Gms	10.79
52519	Boron Trifluoride Diethyl Etherate	500 ml	15.79	[16574-43-9]	(Dibromopyrogallolsulfonphthaleine)	5 Gms	42.11
[109-63-7]	pure, 45-50% BF3	2500 ml	75.67			10 Gms	80.67
	(Boron Trifluoride Ethyl Etherate)			48214	Bromothymol Blue	5 Gms	4.61
<b>25529</b> [1303-86-2]	Boron Trioxide Anhydrous (Boric Anhydride) extrapure AR, 99%	100 Gms	23.69	[76-59-5]		25 Gms	17.50
[1000-00-2]	(di-Boron Trioxide, Boric Oxide)	250 Gms	46.06	72752	Bromothymol Blue ACS, ExiPlus,	5 Gms	5.26
		1 Kg	157.92	[76-59-5]	Multi-Compendial	25 Gms	18.16
<b>24167</b> [1303-86-2]	Boron Trioxide Anhydrous Granular (Boric Anhydride) extrapure, 97%,	100 Gms	20.40		meets compendial specs of BP, Ph.Eur		
[1000-00-2]	-60 mesh	250 Gms	36.85	44798	Bromothymol Blue Solution	100 ml	1.84
	(di-Boron Trioxide, Boric Oxide)	500 Gms	68.43	[76-59-5]		500 ml	5.53
82076		100 ml	2.11	45899	Buffer solution pH 4	500 ml	4.61
	Solution (Bouins Fluid & Reagent)	500 ml	6.84		·		

7409	Buffer solution pH 7						
	Buner colution pri i	500 ml	4.61	70816	tert-Butyl Alcohol extrapure AR,	500 ml	3.9
52031	Buffer solution pH 9.2	500 ml	4.61	[75-65-0]	99.5% (2-Methyl-2-Propanol Trimethyl Carbinol)	2500 ml	17.7
74887	Butane Sulphonic Acid Sodium Salt	5 Gms	7.50	41609	Tert-Butyl Alcohol extrapure AR,	500 ml	4.4
[2386-54-1]	Anhydrous for HPLC, 99%	25 Gms	18.29	[75-65-0]	ACS, ExiPlus, Multi-Compendial,	2500 ml	19.7
		100 Gms	69.48		99.5% (2-Methyl-2-Propanol Trimethyl		
		250 Gms	148.84		Carbinol)		
9919	Butane Sulphonic Acid Sodium Salt	5 Gms	7.24		meets compendial specs of USP		
[2386-54-1]	Monohydrate for HPLC, 99%	25 Gms	17.50	90248	tert-Butyl Alcohol for HPLC, 99.7%	1000 ml	18.
		100 Gms	66.19	[75-65-0]	Post describe a service and		
		250 Gms	146.34	<b>76035</b> [109-73-9]	n-Butylamine pure, 99%	500 ml 2500 ml	5 26
28118	Butyl Acetate pure, 99%	500 ml	4.61				
[123-86-4]		2500 ml	18.42	<b>54997</b> [109-73-9]	n-Butylamine extrapure AR, 99%	500 ml	7
		25 Ltr	171.08	[100 10 0]		2500 ml	32.
30870	Butyl Acetate extrapure AR, 99.5%	500 ml	5.92	12302	tert-Butylamine pure, 99%	500 ml	7
[123-86-4]	butyl Acetate extrapure Art, 35.5%	2500 ml	22.37	[75-64-9]		2500 ml	35
	Dutal Acades automorphis AD ACC			55005	tert-Butylamine extrapure AR,	500 ml	9
3 <b>0389</b> [123-86-4]	Butyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	6.84	[75-64-9]	99.5%	2500 ml	42
[.20 00 .]		2500 ml	25.66	60004	Butylated Hydroxyanisole (BHA)	100 Gms	11
	meets compendial specs of USP, BP, Ph.Eur			[25013-16-5]	ExiPlus, Multi-Compendial, 98% (2-tert-Butyl-4-Methoxyphenol)	500 Gms	34
<b>'</b> 8487	Butyl Acetate GC-HS, 99.9%	250 ml	9.21		meets compendial specs of USP, BP		
[123-86-4]		500 ml	16.45	32227	n-Butyl Chloride (1-Chlorobutane)	500 ml	10
		1000 ml	28.95	[109-69-3]	extrapure, 99%	2500 ml	51
17364	n-Butyl Acrylate pure, 99%	500 ml	7.24	95594	n-Butyl Chloride (1-Chlorobutane)	500 ml	36
[141-32-2]		2500 ml	32.90	[109-69-3]	for HPLC & UV Spectroscopy,	2500 ml	68
19147	n-Butyl Alcohol (1-butanol,	500 ml	2.90		99.5%	500.0	
[71-36-3]	n-butanol) pure, 99%	2500 ml	14.48	<b>38033</b> [128-37-0]	Butylated Hydroxytoluene (BHT) pure, 99%	500 Gms	12
		25 Ltr	131.60		(2,6-di-tert-Butyl-p-Cresol)	5 Kg	117
72768	n-Butyl Alcohol (1-butanol,	500 ml	3.68	82010	Butylated Hydroxytoluene (BHT)	500 Gms	13
[71-36-3]	n-butanol) extrapure AR, 99.5%	2500 ml	17.11	[128-37-0]	ExiPlus, Multi-Compendial, 99% (2,6-di-tert-Butyl-p-Cresol)	5 Kg	129
15612	n-Butyl Alcohol (1-butanol,	500 ml	4.34		meets compendial specs of BP		
[71-36-3]	n-butanol) extrapure AR, ACS,	2500 ml	20.40	32701	tert-Butyl Hydroquinone (TBHQ)	250 Gms	18
	ExiPlus, Multi-Compendial, 99.5%	2000	201.10	[1948-33-0]	extrapure AR, 98%	2.5 Kg	172
	meets compendial specs of BP, Ph.Eur			79927	tert-Butyl Methyl Ether pure, 98%	500 ml	4
3 <b>3903</b> [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) GC-HS, 99.9%	250 ml	5.26	[1634-04-4]		2500 ml	18
[/1-50-5]	11-501011017 40-110, 55.575	1000 ml	14.48	19465	tert-Butyl Methyl Ether extrapure	500 ml	5
13706	n-Butyl Alcohol (1-butanol,	500 ml	6.58	[1634-04-4]	AR, 99.5%	2500 ml	22
[71-36-3]	n-butanol) for HPLC & UV Spectroscopy, 99.9%	1000 ml	12.50	05704	test Dutyl Methyl Ether extremuse		6
95725	sec-Butyl Alcohol extrapure, 99%	500 ml	5.92	<b>65701</b> [1634-04-4]	tert-Butyl Methyl Ether extrapure AR, ACS, ExiPlus,	500 ml 2500 ml	26
[78-92-2]	(2-Butanol, sec-Butanol)	2500 ml	23.03		Multi-Compendial, 99.5%	2000 1111	20
		25 Ltr	215.17		meets compendial specs of USP		
8308	sec-Butyl Alcohol extrapure AR,	500 ml	6.58	91087	tert-Butyl Methyl Ether for HPLC,	1000 ml	13
[78-92-2]	99.5%	2500 ml	25.93	[1634-04-4]	99.5%	2500 ml	31
	(2-Butanol, sec-Butanol)			81503	n-Butyric Acid extrapure, C4-99%	500 ml	6
9 <b>336</b> [78-92-2]	Sec-Butyl Alcohol extrapure AR, ExiPlus, Multi-Compendial, 99.5%	500 ml	7.24	[107-92-6]	(GC)	2500 ml	28
[10-82-2]	(2-Butanol, sec-Butanol)	2500 ml	28.69	55964	n-Butyric Acid extrapure AR,	250 ml	4
	meets compendial specs of BP, Ph.Eur			[107-92-6]	C4-99.5% (GC)	1000 ml	13
21835	tert-Butyl Alcohol extrapure, 99%	500 ml	3.42	82749	Cadmium Acetate Dihydrate pure,	100 Gms	5
[75-65-0]	(2-Methyl-2-Propanol Trimethyl Carbinol)	2500 ml	15.79	[5743-04-4]	98%	500 Gms	22

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>84627</b> [5743-04-4]	Cadmium Acetate Dihydrate extrapure AR, 99%	100 Gms 500 Gms	6.97 26.06	<b>21606</b> [5743-26-0]	Calcium Acetate Monohydrate extrapure AR, ACS, ExiPlus,	500 Gms	17.11
98469	Cadmium AAS Standard Solution in	100 ml	19.74		Multi-Compendial, 99% meets compendial specs of USP		
	0.5N HNO3	250 ml	31.58	58056	Calcium Acetate Hydrate extrapure	500 Gms	5.00
25442	Cadmium Carbonate pure, 97%	100 Gms	6.19	[114460-21-8]	AR, 99%	5 Kg	47.38
[513-78-0]		500 Gms	25.93	60934	Calcium Acetate Hydrate ultrapure,	5 Gms	65.80
15411	Cadmium Chloride Dried	100 Gms	19.74	[114460-21-8]	99.9965%		
[10108-64-2]	Anhydrous pure, 97%	500 Gms	85.54	96493	Calcium Alginate ex. Brown Algae	100 Gms	4.61
99643	Cadmium Chloride Dried	100 Gms	26.32	[9005-35-0]	pure 18% ash, 15% moisture (Alginic Acid Calcium Salt)	500 Gms	17.11
[10108-64-2]	Anhydrous ACS, 99%	500 Gms	105.28			5 Kg	144.76
48076	Cadmium Chloride Monohydrate	100 Gms	6.71	36920	Calcium AAS Standard Solution in 0.5N HNO3	100 ml	19.74
[35658-65-2]	extrapure, 99%	500 Gms	30.00		0.514 1114-05	250 ml	31.58
87355	Cadmium Iodide pure, 99%	25 Gms	13.16	67162	Calcium Carbonate extrapure, 98%	500 Gms	2.63
[7790-80-9]		100 Gms	46.06	[471-34-1]		5 Kg	19.21
		500 Gms	217.14	87293	Calcium Carbonate extrapure AR,	500 Gms	3.29
48392	Cadmium Metal Rods, 99%	100 Gms	7.24	[471-34-1]	99%	5 Kg	22.24
[7440-43-9]						25 Kg	92.38
85545	Cadmium Metal Powder extrapure,	25 Gms	19.74	37683	Calcium Carbonate extrapure AR,	500 Gms	6.58
[7440-43-9]	99.5%, -200 mesh	100 Gms	68.43	[471-34-1]	ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	51.72
70434	Cadmium Nitrate Tetrahydrate	500 Gms	19.74		meets compendial specs of USP, BP		
[10022-68-1]	extrapure AR, ACS, 99%	100 0		70650	Calcium Chloride Dihydrate	500 Gms	4.74
<b>29996</b> [1306-19-0]	006-19-0] 250 G	100 Gms	6.05 14.21	[10035-04-8]	extrapure AR, 99.5%	5 Kg	36.85
		500 Gms	26.85	31944	Calcium Chloride Dihydrate	500 Gms	7.37
20010	Codmium Ovide extranure AP	100 Gms	9.21	[10035-04-8]	•	5 Kg	57.90
<b>39818</b> [1306-19-0]	Cadmium Oxide extrapure AR, 99.7%	250 Gms	18.42		Multi-Compendial, 99.5% meets compendial specs of USP, BP		
15000	Codmium Sulphoto 9/2Hydroto	100 Gms	6.84	97080	Calcium Chloride Dihydrate for	100 Gms	4.08
<b>15806</b> [7790-84-3]	Cadmium Sulphate 8/3Hydrate pure, 98%	500 Gms	27.64	[10035-04-8]	molecular biology, 99.5%	500 Gms	18.69
40040	Codmium Sulphoto 9/2Hydroto	100 Gms	8.69	56949	Calcium Chloride Dihydrate for	500 Gms	6.05
<b>43019</b> [7790-84-3]	Cadmium Sulphate 8/3Hydrate ACS, 98%	500 Gms	32.90	[10035-04-8]	tissue culture, 99.5%	5 Kg	55.27
	Cadmium Sulphida Oranga			84336	Calcium Chloride Fused pure,	500 Gms	2.76
<b>98002</b> [1306-23-6]	Cadmium Sulphide Orange extrapure, 99%	100 Gms 500 Gms	11.84 30.00	[10043-52-4]	90-95%	5 Kg	19.74
	Onderland Orderland Order			77838	Calcium Citrate Tribasic	500 Gms	7.24
<b>22905</b> [1306-23-6]	Cadmium Sulphide Orange ultrapure, 99.995%	5 Gms	78.96	[5785-44-4]	Tetrahydrate pure, 98%		
		25 Gms	159.50	97388	Calcium Citrate Tribasic	500 Gms	8.16
1 <b>9267</b> [58-08-2]	Caffeine anhydrous pure, 98%	100 Gms	11.84	[5785-44-4]	Tetrahydrate ExiPlus, Multi-Compendial, 98%		
[00 00 2]		250 Gms	26.32		meets compendial specs of USP		
		500 Gms	43.43 394.80	57055	Calcium Fluoride extrapure, 97%	100 Gms	4.08
	0.00	5 Kg		[7789-75-5]	(Fluorite, Fluorospar)	500 Gms	15.00
<b>47633</b> [58-08-2]	Caffeine Anhydrous ExiPlus, Multi-Compendial, 98.5%	100 Gms	13.82	52434	Calcium Formate pure, 98%	500 Gms	7.50
,	•	250 Gms 2.5 Kg	28.95 223.72	[544-17-2]	(Formic Acid Calcium Salt)		
	meets compendial specs of BP, Ph.Eur,	2.5 Ng	220.12	85610	Calcium Hydroxide extrapure AR,	500 Gms	6.97
	USP			[1305-62-0]	96%	5 Kg	54.61
44509	Calamine pure, 98%	500 Gms	8.55	74471	Calcium Hydroxide extrapure AR,	500 Gms	9.87
[8011-96-9]		1 Kg	16.19	[1305-62-0]	ACS, ExiPlus, Multi-Compendial, 96%	5 Kg	73.17
28162	Calamine ExiPlus,	500 Gms	11.98		meets compendial specs of USP, BP,		
[8011-96-9]	Multi-Compendial, 98%				Ph.Eur		
	meets compendial specs of BP, USP			31549	Calcium Iodate Anhydrous	100 Gms	30.27
70214	Calcium Acetate Monohydrate extrapure AR, 99%	500 Gms	15.79	[7789-80-2]	(Lautarite) pure, 98%	250 Gms	63.17

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
96342	Calcium Metal Granular	100 Gms	7.24	34883	Carbinol for molecular biology,	500 ml	11.98
[7440-70-2]	(10-20mesh) extrapure, 98%	500 Gms	31.58	[67-56-1]	99.5%	1000 ml	21.58
94212	Calcium Iodide Tetrahydrate pure,	10 Gms	39.48			2500 ml	46.19
[10102-68-8]	98%	25 Gms	52.64	39058	Carbol Fuchsin	25 Gms	5.00
56571	Calcium Iodide Hydrate pure, 98%	25 Gms	42.11	[4197-24-4]		100 Gms	13.42
[71626-98-7]		100 Gms	109.23	93049	Carbopol 934 (Carboxy Vinyl	500 Gms	16.45
<b>79225</b> [13477-34-4]	Calcium Nitrate Tetrahydrate extrapure AR, ACS, 99%	500 Gms	4.08	[9003-01-4]	Polymer 934) extrapure	1 Kg 5 Kg	31.58 144.76
16807	Calcium Oxide Powder pure, 95%	500 Gms	3.16	51159	Carbopol 940 (Carboxy Vinyl	500 Gms	16.45
[1305-78-8]		5 Kg	22.24	[9003-01-4]	Polymer 940) extrapure	1 Kg	31.58
51007	Calcium Phosphate Monobasic	500 Gms	9.08			5 Kg	144.76
[10031-30-8]	Monohydrate extrapure, 95%			93797	Carboxymethyl Cellulose Sodium	500 Gms	9.87
	(Calcium Tetrahydrogen Diorthophosphate Monohydrate)			[9004-32-4]	Salt (CMC Sodium), Medium	5 Kg	85.54
34878	Calcium Phosphate Tribasic, 90%	500 Gms	6.97		Viscosity 250-350CPS	o ng	00.04
[7758-87-4]	(Tricalcium Phosphate)	5 Kg	65.14		(Carmellose Sodium)		
	Outsing Providents are 970/			<b>59938</b>	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), High Viscosity	500 Gms	10.53
<b>59781</b> [4075-81-4]	Calcium Propionate pure, 97%	500 Gms	6.45	[9004-32-4]	400-800 CPS (Carmellose Sodium)	5 Kg	98.70
<b>94044</b> [10101-41-4]	Calcium Sulphate Dihydrate pure, 98%	500 Gms	4.08	35298	Carboxymethyl Cellulose Sodium	500 Gms	12.90
69095	Calcium Sulphate Dihydrate	500 Gms	5.79	[9004-32-4]	Salt (CMC Sodium), High Viscosity	5 Kg	121.07
[10101-41-4]	extrapure AR, ACS, 99%	300 GIII3	5.75		1100-1900 CPS	· ·	
64813	Camphor pure, 96%	100 Gms	7.37	07040	(Carmellose Sodium)  Carmine	5 Gms	9.87
[76-22-2]		500 Gms	35.93	<b>97048</b> [1390-65-4]	(C.I. No. 75470)	25 Gms	46.45
23764	Capric Acid (n-Decanoic Acid)	250 ml	14.48		. ,		
[334-48-5]	pure, C10-99%	500 ml	23.69	<b>32385</b> [11114-20-8]	Carrageenan (Kappa) Refined ex. Eucheuma Cottonii	25 Gms	17.11
	(n-Capric Acid, n-Decoic Acid)	2500 ml	111.86	[11114-20-6]	(k-Carrageenan, Irish Moss)	100 Gms	34.22
51840	Capric Acid Methyl Ester (Methyl	250 ml	23.95			500 Gms	106.60
[110-42-9]	Decanoate) extrapure, 99%	1000 ml	76.72	16145	Castor Oil pure	500 ml	7.76
	(Methyl Caprate)	1000 1111	70.72	[8001-79-4]		2500 ml	33.82
89028	Caproic Acid extrapure, C6-99%	100 ml	3.95	26080	Catechol (Pyrocatechol) extrapure,	100 Gms	5.92
[142-62-1]	(n-Hexanoic Acid)	500 ml	12.50	[120-80-9]	99%	500 Gms	14.21
		2500 ml	52.64	31018	Cedarwood Oil Natural for	30 ml	9.61
88889	Caprylic Acid pure, C8-99% (GC)	500 ml	14.48	[8000-27-9]	microscopy	125 ml	26.06
[124-07-2]		2500 ml	63.17		(Immersion Oil)	500 ml	51.98
15343	Carbinol pure, 99%	500 ml	3.29	60705	Celestine Blue, 98%-102%	5 Gms	41.45
[67-56-1]		2500 ml	8.82	[1562-90-9]			
		25 Ltr	75.67	82523	Celite 545, size 20-40 micrometer	500 Gms	6.58
82911	Carbinol extrapure AR, 99.8%	500 ml	3.55	[91053-39-3]		1 Kg	12.37
[67-56-1]	•	1000 ml	6.84	23505	Ceric Oxide extrapure AR, 99.9%	100 Gms	19.48
		2500 ml	9.61	[1306-38-3]	(Cerium (IV) Oxide)	500 Gms	80.93
85902	Carbinol GC-HS, 99.9%	500 ml	9.61	92425	Ceric Sulphate Tetrahydrate	25 Gms	10.13
[67-56-1]	Salbinor GS-110, 33.370	1000 ml	18.42	[10294-42-5]	extrapure AR, 80%	100 Gms	30.27
	Cowhine I for UDI C 9 UW				(Ceric (IV) Sulfate Tetrahydrate, Cerium	500 Gms	121.07
<b>63713</b> [67-56-1]	Carbinol for HPLC & UV Spectroscopy, 99.8%	500 ml	4.87	10731	Disulfate Tetrahydrate)  Ceric Sulphate Tetrahydrate	25 Gms	102.65
[0. 00 .]		1000 ml	6.58	[10294-42-5]	specially purified, 98%	100 Gms	315.84
		2500 ml	12.77		(Ceric (IV) Sulfate Tetrahydrate, Cerium	100 Gills	010.04
68990	Carbinol electronic grade, 99.8%	2500 ml	15.66		Disulfate Tetrahydrate)		
[67-56-1]	Carbinol Dried extrapure AR, 99.8%	500 ml	4.74	<b>61414</b> [13590-82-4]	Ceric Sulphate 0.1N Solution	500 ml	8.16
[67-56-1]		1000 ml	6.58	66676	Cerous Chloride Heptahydrate	25 Gms	9.08
		.000 1111		[18618-55-8]	• •	100 Gms	25.79
					(Cerium (III) Chloride Heptahydrate)	500 Gms	77.25
						JUJ GIIIJ	

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>57320</b> [10294-41-4]	Cerous Nitrate Hexahydrate extrapure AR, 99.9%	100 Gms 500 Gms	18.42 69.62	<b>96764</b> [67-66-3]	Chloroform for molecular biology, 99.8%	100 ml 500 ml	5.92 23.69
	(Cerium (III) Nitrate Hexahydrate,	500 GIIIS	09.02	30792	Chloroform for HPLC & UV	500 ml	5.92
81586	Cerium Trinitrate Hexahydrate)  Cetrimide extrapure AR	100 Gms	9.87	[67-66-3]	Spectroscopy, 99.8%	1000 ml	8.55
[1119-97-7]	(Tetradecyltrimethyl ammonium	500 Gms	32.77			2500 ml	18.42
	bromide), 99%	5 Kg	295.18	14400	Chloroform CC US 00 00/	250 ml	7.24
	(Tetradecyltrimethyl Ammonium Bromide)	o ng	200.10	<b>14423</b> [67-66-3]	Chloroform GC-HS, 99.9%	500 ml	11.84
33001	Cetostearyl Alcohol pure	500 Gms	10.79			1000 ml	19.74
[8005-44-5]		5 Kg	105.28	51126	Chloroform Dried, 99.5%, water	500 ml	6.58
40629	Cetyl Alcohol pure, 97%	500 Gms	7.63	[67-66-3]	0.005%	1000 ml	12.77
[36653-82-4]	(1-Hexadecanol)	5 Kg	71.72			2500 ml	28.69
83438	Charcoal Activated (280) extrapure	100 Gms	3.16	90603	Chloroform-d (w/o TMS, Stab w/	100 ml	115.81
[7440-44-0]	AR, ACS, ExiPlus,	500 Gms	6.71	[865-49-6]	Ag) for NMR spectroscopy, 99.8		
	Multi-Compendial (Activated Carbon)	5 Kg	57.38		Atom %D		
	meets compendial specs of USP, BP, Ph.Eur			<b>20996</b> [865-49-6]	Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 ml	123.70
48088	Charcoal Activated (950) Granular	500 Gms	7.24	57034		100 ml	119.76
[7440-44-0]	extrapure (Activated Carbon)	5 Kg	64.62	[865-49-6]	Stab w/ Ag) for NMR spectroscopy,99.8 Atom %D		
64905	Chloramine-T Trihydrate extrapure	100 Gms	5.92	39657	3-Chloroperoxybenzoic Acid	25 Gms	7.63
[7080-50-4]	AR, 98%	250 Gms	11.84	[937-14-4]	(mCPBA) pure, 55-75%	100 Gms	25.53
	(N-Chloro-p-Toluenesulphonamide Sodium Salt)	500 Gms	23.03			500 Gms	100.28
	Couldn't Carly	2.5 Kg	105.28	59271	N-Chlorosuccinimide extrapure,	100 Gms	8.82
29611	o-Chloroaniline extrapure, 99%	500 ml	9.34	[128-09-6]	98%	250 Gms	16.84
[95-51-2]	(2-Chloroaniline)	2500 ml	44.74			1 Kg	56.06
89370	Chlorobenzene (MCB) extrapure,	500 ml	5.79	47048	Chromeazurol S (Chromazurol S)	10 Gms	19.21
[108-90-7]	99%	2500 ml	24.35	[1667-99-8]	(Mordant Blue 29)	25 Gms	32.51
	(Monochlorobenzene)	25 Ltr	217.14	86183	Chromium AAS Standard Solution	100 ml	19.74
46364	Chlorobenzene (MCB) extrapure	500 ml	7.90	00100	in 0.5N HNO3	250 ml	31.58
[108-90-7]	AR, 99.5%	2500 ml	27.64	72232	Chromium (III) Chloride	500 Gms	9.21
	(Monochlorobenzene)			[10060-12-5]	• •	ooo amo	0.21
<b>10124</b> [108-90-7]	Chlorobenzene (MCB) extrapure AR, ACS, ExiPlus,	500 ml	8.69		(Chromic Chloride, Chromium		
[100 00 7]	Multi-Compendial, 99.5%	2500 ml	32.90	74707	Trichloride)	500 C	15.70
	(Monochlorobenzene)			<b>74767</b> [7789-02-8]	Chromium (III) Nitrate Nonahydrate pure, 96-98%	500 Gms	15.79
	meets compendial specs of USP, BP				(Chromic Nitrate Nonahydrate)		
<b>35680</b> [3114-55-4]	Chlorobenzene-d5 for NMR spectroscopy, 99 Atom %D	1 ml	65.80	21295	Chromium (III) Sulphate Basic	500 Gms	5.00
[0114-33-4]	epotadospy, do Atom 702	5 ml	295.57	[39380-78-4]	extrapure, 22.5% Cr (Chromosal B, Basic Chromic	2.5 Kg	23.03
33023	p-Chloro-m-Cresol (PCMC) pure,	250 Gms	14.34		Sulphate)		
[59-50-7]	98%	500 Gms	23.95	57555	Chromium Powder, 99% -100 mesh	100 Gms	14.48
80908	4-Chloro-3,5-Dimethylphenol	100 Gms	11.58	[7440-47-3]		500 Gms	65.80
[88-04-0]	(PCMX) extrapure, 99% (4-Chloro-3,5-Xylenol, Chloroxylenol,	500 Gms	40.27	21817	Chromium (VI) Oxide (Chromium	500 Gms	11.19
	p-Chloro-m-Xylenol)			[1333-82-0]	Trioxide) pure, 99%	1 Kg	21.06
96712	Chloroform extrapure, 99%	500 ml	3.95		(Chromic Acid, Chromic Anhydride)		
[67-66-3]		2500 ml	12.90	<b>61365</b> [1333-82-0]	Chromium (VI) Oxide (Chromium Trioxide) ACS, ExiPlus,	500 Gms	11.84
		25 Ltr	98.70	[1000 02 0]	Multi-Compendial , 99%	1 Kg	23.03
84155	Chloroform extrapure AR, 99.5%	500 ml	4.47		(Chromic Acid, Chromic Anhydride)		
[67-66-3]		2500 ml	14.48		meets compendial specs of USP, Ph.Eur		
32022	Chloroform extrapure AR, ACS,	500 ml	5.26	<b>36505</b> [4438-16-8]	Chrysoidine R (Basic Orange 1, Methylchrysoidine)	25 Gms	2.76
[67-66-3]	ExiPlus, Multi-Compendial, 99.8%	2500 ml	15.79	[00-10-0]	(C.I. No. 11320)	100 Gms	7.76
	meets compendial specs of USP, BP,						

Code	Name	Packing	\$ Price
<b>31126</b> [532-82-1]	Chrysoidine Y (4-Phenylazo-m-Phenylenediamine	25 Gms	2.76
[552-62-1]	Monohydrochloride, Basic Orange 2, Chrysoidine G)(C.I. No. 11270)	100 Gms	7.76
29955	Cinnamic Acid extrapure, 99%	250 Gms	11.45
[140-10-3]		1 Kg	41.45
23277	Cinnamic Acid extrapure AR,	250 Gms	18.42
[140-10-3]	ExiPlus, Multi-Compendial, 99%	1 Kg	46.06
	meets compendial specs of BP, Ph.Eur		
<b>78213</b> [77-92-9]	Citric Acid Anhydrous extrapure, 99%	500 Gms	4.21
[,, 02 0]		5 Kg	28.95 125.02
	Olada Asid Anhardrana fan Nasana	25 Kg	
<b>36890</b> [77-92-9]	Citric Acid Anhydrous for tissue culture, 99%	500 Gms	4.74
	·	5 Kg	32.90
<b>16842</b> [77-92-9]	Citric Acid Anhydrous extrapure AR, ACS, ExiPlus,	500 Gms	5.00
[11 02 0]	Multi-Compendial, 99.5%	5 Kg	35.53
	meets compendial specs of BP, Ph.Eur, USP		
49897	Citric Acid Monohydrate extrapure,	500 Gms	3.95
[5949-29-1]	99.5%	5 Kg	26.32
		25 Kg	118.44
43667	Citric Acid Monohydrate extrapure	500 Gms	4.47
[5949-29-1]	AR, 99.7%	5 Kg	29.61
		25 Kg	131.60
53884	Citric Acid Monohydrate extrapure	500 Gms	4.74
[5949-29-1]	Multi-Compendial, 99.7%	5 Kg	31.58
	meets compendial specs of BP, Ph.Eur, USP		
49393	Cobalt (II) Acetate Tetrahydrate extrapure AR, 99%	100 Gms	18.42
[6147-53-1]	(Cobaltous Acetate Tetrahydrate)	250 Gms	40.80
		500 Gms	73.70
<b>75141</b>	Cobalt (II) Acetate Tetrahydrate extrapure AR, ACS, ExiPlus,	100 Gms	21.06
[6147-53-1]	Multi-Compendial, 99%	250 Gms	44.74
	(Cobaltous Acetate Tetrahydrate)	500 Gms	78.96
	meets compendial specs of BP		
66112	Cobalt AAS Standard Solution in 0.5N HCI	100 ml	26.32
		250 ml	46.06
<b>37917</b> [12602-23-2]	Cobalt (II) Carbonate Basic pure, 45-50% Co	100 Gms	27.64
	(Cobaltous Carbonate)	250 Gms 500 Gms	63.17
00445	Caball (II) Oblavida Harristratura		115.81
<b>99412</b> [7791-13-1]	Cobalt (II) Chloride Hexahydrate pure, 99%	100 Gms	14.21
	(Cobaltous Chloride Hexahydrate)	500 Gms	66.33
36018	Cobalt (II) Chloride Hexahydrate	100 Gms	15.00
[7791-13-1]	extrapure AR, 99% (Cobaltous Chloride Hexahydrate)	500 Gms	69.48
88282	Cobalt (II) Chloride Hexahydrate	100 Gms	16.58
[7791-13-1]	extrapure AR, ACS, ExiPlus,	500 Gms	71.85
	Multi-Compendial, 99% (Cobaltous Chloride Hexahydrate)		
	meets compendial specs of USP, BP,		

Code	Name	Packing	\$ Pric
14386	Cobalt Metal Powder, 99.5%,	100 Gms	42.1
[7440-48-4]	-325mesh	250 Gms	92.12
14941	Cobalt (II) Nitrate Hexahydrate	100 Gms	12.63
[10026-22-9]	extrapure, 97% (Cobaltous Nitrate Hexahydrate)	500 Gms	53.69
85942	Cobalt (II) Nitrate Hexahydrate	100 Gms	15.00
[10026-22-9]	•	250 Gms	33.16
	(Cobaltous Nitrate Hexahydrate)	500 Gms	60.0
21722	Cobalt (II,III) Oxide pure, 99%	100 Gms	39.4
[1308-06-1]	(Tricobalt Tetraoxide)	250 Gms	86.86
		500 Gms	157.92
25710	Cobalt (II) Sulphate Heptahydrate	100 Gms	11.84
[10026-24-1]	pure, 98% (Cobaltous Sulphate Heptahydrate)	500 Gms	50.5
42752	Cobalt (II) Sulphate Heptahydrate	100 Gms	12.63
[10026-24-1]	extrapure AR, 99%	250 Gms	30.27
	(Cobaltous Sulphate Heptahydrate)	500 Gms	53.69
46069	Cocktail 'O' scintillation grade	1000 ml	11.98
		2500 ml	23.9
48656	Cocktail 'T' scintillation grade	1000 ml	11.19
		2500 ml	23.16
38087	Cocktail 'W' scintillation grade	1000 ml	24.48
		2500 ml	57.1
36672	Collodion Flexible pure	500 ml	26.58
57380	Copper AAS Standard Solution in	100 ml	19.74
	1N HNO3	250 ml	31.58
<b>72033</b> [7440-50-8]	Copper Metal powder extrapure, 99.5%, -200 mesh	500 Gms	28.69
42577	Copper Metal Turnings, 99.5%,	100 Gms	6.58
[7440-50-8]	40-100 mesh	500 Gms	26.32
28007	o-Cresol pure, 98%	500 ml	11.0
[95-48-7]		2500 ml	52.64
77744	m-Cresol pure, 98%	500 ml	18.42
[108-39-4]	(3-Methylphenol)	2500 ml	82.9
<b>48620</b> [108-39-4]	m-Cresol extrapure AR, 99% (3-Methylphenol)	500 ml	23.69
63997	p-Cresol pure, 98.5%	500 ml	12.50
[106-44-5]		2500 ml	57.90
89599	Cresol Red	5 Gms	3.03
[1733-12-6]		25 Gms	9.08
21442	Cresyl Violet Acetate, 70%	1 Gms	8.9
[10510-54-0]		5 Gms	39.48
28376	Crystal Violet (Gention Violet)	25 Gms	8.69
[548-62-9]	(Methyl Violet 10B, C.İ. No. 42555)	100 Gms	33.03
		500 Gms	157.79
17610	Crystal Violet (Gention Violet) ACS,	25 Gms	10.13
[548-62-9]	ExiPlus, Multi-Compendial	100 Gms	37.37
	(Methyl Violet 10B, C.I. No. 42555)	500 Gms	179.37

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
94666	18-Crown-6-Ether pure, 99%	25 Gms	10.53	93095	Cuprous Iodide extrapure AR, 99%	25 Gms	9.21
[17455-13-9]		100 Gms	32.90	[7681-65-4]	(Copper (I) lodide)	100 Gms	32.90
		500 Gms	144.76			500 Gms	157.92
74472	Cumin Seed Oil extrapure,	100 ml	42.51	83086	Cuprous Oxide pure, 86% Cu	100 Gms	3.95
[8014-13-9]	aldehyde 28%	500 ml	196.22	[1317-39-1]	(Copper (I) Oxide)	500 Gms	15.79
87431	Cupric Acetate Monohydrate pure,	100 Gms	4.74	97461	Curcumin (Turmeric Yellow)	5 Gms	8.69
[6046-93-1]	98%	500 Gms	20.92	[458-37-7]		10 Gms	15.79
	(Copper (II) Acetate Monohydrate)			20259	Cyclohexane extrapure, 99%	500 ml	3.95
<b>67912</b> [6046-93-1]	Cupric Acetate Monohydrate extrapure AR, 99%	250 Gms	18.03	[110-82-7]	oyoronoxumo oxumupuno, ooxo	2500 ml	15.79
[6040-93-1]	(Copper (II) Acetate Monohydrate)					25 Ltr	144.76
57060	Cupric Acetate Monohydrate	250 Gms	24.87	46616	Cyclohexane extrapure AR, 99.5%	500 ml	4.87
[6046-93-1]	extrapure AR, ACS, ExiPlus,			[110-82-7]	Cyclonexane extrapure An, 99.5%		
	Multi-Compendial, 99% (Copper (II) Acetate Monohydrate)					2500 ml	17.11
	meets compendial specs of BP, Ph.Eur			23292	Cyclohexane GC-HS, 99.9%	250 ml	5.53
11204	Cupric Bromide pure, 99%	100 Gms	18.16	[110-82-7]		1000 ml	15.79
[7789-45-9]	(Copper (II) Bromide)	500 Gms	77.25	46300	Cyclohexane for HPLC & UV	500 ml	7.24
13945	Cupric Carbonate Basic pure, 95%	500 Gms	20.53	[110-82-7]	Spectroscopy, 99.9%	1000 ml	11.58
[12069-69-1]	(Copper (II) Carbonate Basic, Copper					2500 ml	22.37
. ,	(II) Hydroxide Carbonate)	5 Kg	189.50	92604	Cyclohexane Dried, 99.5%, water	500 ml	6.32
92315	Cupric Chloride pure, 98%	500 Gms	14.48	[110-82-7]	0.005%	1000 ml	12.24
[7447-39-4]	(Copper (II) Chloride)	1 Kg	27.64	34781	Cyclohexane extrapure AR, ACS,	500 ml	5.79
89797	Cupric Chloride Dihydrate	500 Gms	12.90	[110-82-7]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	18.42
[10125-13-0]	extrapure AR, ACS, ExiPlus,	1 Kg	25.66		meets compendial specs of USP, BP,		
	Multi-Compendial, 99%	· ·			Ph.Eur		
	(Copper (II) Chloride Dihydrate) meets compendial specs of BP, Ph.Eur,			31726	Cyclohexanone extrapure, 99%	500 ml	4.61
	USP			[108-94-1]		2500 ml	21.06
92272	Cupric Chloride 0.3M Solution	500 ml	9.21	89635	Cyclohexanone extrapure AR,	500 ml	5.53
[10125-13-0]	•	1000 ml	16.45	[108-94-1]	99.5%	2500 ml	26.32
87367	Cupric Nitrate Trihydrate extrapure,	250 Gms	5.66	10100	Cualchaudemine num 000/		
[10031-43-3]		500 Gms	10.53	<b>12183</b> [108-91-8]	Cyclohexylamine pure, 99% (Aminocyclohexane)	500 ml	5.26
	(Copper (II) Nitrate Trihydrate)	000 01110				2500 ml	23.69
46704	Cupric Nitrate Trihydrate extrapure	500 Gms	13.82	45658	Cyclohexylamine extrapure AR, 99.5%	500 ml	5.66
[10031-43-3]	AR, ACS, 99.5% (Copper (II) Nitrate Trihydrate)			[108-91-8]	(Aminocyclohexane)	2500 ml	27.64
51120	Cupric Oxide pure, 79% Cu	100 Gms	5.53	85606	Cypriol Oil extrapure, 99%	100 ml	105.28
[1317-38-0]	(Copper (II) Oxide)	500 Gms	22.37	[91771-62-9]	(Cyperus Root Oil (Cyperus Scariosus),		
		5 Kg	210.56		Nagarmotha Oil)		
	Owner's Order to the Department of the Control of t			95322	L-Cysteine extrapure CHR, 99%	25 Gms	5.40
<b>38869</b> [7758-99-8]	Cupric Sulphate Pentahydrate pure, 99%	500 Gms	9.21	[52-90-4]		100 Gms	17.90
[7700 00 0]	(Copper (II) Sulphate Pentahydrate)	5 Kg	85.54			500 Gms	76.33
61298	Cupric Sulphate Pentahydrate	500 Gms	10.00			5 Kg	710.64
[7758-99-8]	extrapure AR, 99.5%	5 Kg	96.07	25961	L-Cysteine for tissue culture, 99%	25 Gms	7.90
	(Copper (II) Sulphate Pentahydrate)	o		[52-90-4]		100 Gms	18.42
<b>71244</b> [7758-99-8]	Cupric Sulphate Pentahydrate extrapure AR, ACS, ExiPlus,	500 Gms	10.53			500 Gms	85.54
[ 20 00 0]	Multi-Compendial, 99.5%	5 Kg	100.02	69029	L-Cysteine Hydrochloride	100 Gms	12.50
	(Copper (II) Sulphate Pentahydrate)			[7048-04-6]	Monohydrate ExiPlus,	500 Gms	46.98
	meets compendial specs of BP, Ph.Eur				Multi-Compendial, 99%	1 Kg	82.25
<b>90445</b> [7758-99-8]	Cupric Sulphate 0.1M Solution	1000 ml	6.97			5 Kg	394.80
29497	Cuprous Bromide pure, 98.5%	100 Gms	8.82		meets compendial specs of USP		
[7787-70-4]	(Copper (I) Bromide)	500 Gms	41.45	35751	L-Cystine extrapure CHR, 99%	25 Gms	5.92
				[56-89-3]		100 Gms	14.48
00077	Cuprous Chlorido pura 000/						
<b>26375</b> [7758-89-6]	Cuprous Chloride pure, 96% (Copper (I) Chloride , Copper	500 Gms	14.48			1 Kg	111.86

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
83172	L-Cystine for tissue culture, 99%	25 Gms	6.84	63462	1,2-Dichloroethane Dried, 99.5%,	1000 ml	12.50
[56-89-3]		100 Gms	15.66	[107-06-2]	water 0.005%		
		500 Gms	70.27	70400	(Ethylene Dichloride)  2,7-Dichlorofluorescein (DCF)	E Cma	7.90
10323	Cytosine ExiPlus,	25 Gms	9.21	<b>79126</b> [76-54-0]	extrapure AR, ACS, 90%	5 Gms 25 Gms	32.90
[71-30-7]	Multi-Compendial, 99%	100 Gms	32.90		•		
		500 Gms	105.28	<b>56825</b> [75-09-2]	Dichloromethane (DCM) pure, 99% (Methylene Chloride)	500 ml	3.55
	meets compendial specs of BP, Ph.Eur			[75-09-2]	(Wethylene Onlonde)	2500 ml	14.48
56096	Decane Sulphonic Acid Sodium	25 Gms	15.79			25 Ltr	127.65
[13419-61-9]	Salt Anhydrous for HPLC, 99%	100 Gms	57.38	24532	Dichloromethane (DCM) extrapure	500 ml	4.47
		250 Gms	140.68	[75-09-2]	AR, 99.5% (Methylene Chloride)	2500 ml	17.11
71801	Decane Sulphonic Acid Sodium	25 Gms	15.79		(Wethylene emenae)	25 Ltr	144.76
	Salt Monohydrate for HPLC, 99%	100 Gms	57.38	45368	Dichloromethane (DCM) extrapure	500 ml	5.00
		250 Gms	140.68	[75-09-2]	AR, ACS, ExiPlus,	2500 ml	19.48
					Multi-Compendial, 99.5% (Methylene Chloride)		
<b>93995</b> [8049-11-4]	Devardas Alloy (45% Al, 50% Cu, 5% Zn) extrapure	100 Gms	7.76		meets compendial specs of USP, BP		
[0049-11-4]	270 Zily extrapare	500 Gms	31.06	29103	Dichloromethane (DCM) GC-HS,	250 ml	5.26
37163	Devardas Alloy (45% Al, 50% Cu,	100 Gms	10.40	[75-09-2]	99.9%	1000 ml	20.40
[8049-11-4]	5% Zn) extrapure AR, ACS	250 Gms	22.24		(Methylene Chloride)		
61500	Dextrin (White) practical	500 Gms	3.95	58628	Dichloromethane (DCM) for HPLC	500 ml	5.66
[9004-53-9]		5 Kg	36.85	[75-09-2]	& UV Spectroscopy, 99.9%	1000 ml	10.00
42738	Dextrose extrapure	500 Gms	3.82			2500 ml	19.74
[50-99-7]	(D-Glucose)	5 Kg	31.19	43551	Dichloromethane (DCM) Dried,	500 ml	4.47
51758	[75-09-2] <b>99.5%, water 0.005%</b>	1000 ml	8.95				
[50-99-7]	(D-Glucose)	5 Kg	37.51	44540	(Methylene Chloride)  Dichloromethane (DCM) for	250 ml	6 10
		25 Kg	162.79	<b>41512</b> [75-09-2]	molecular biology, 99.9%		6.19
				. ,	(Methylene Chloride)	500 ml	10.53
<b>16191</b> [14431-43-7]	Dextrose Monohydrate extrapure AR, ACS, ExiPlus,	500 Gms	3.55	93075	Dichloromethane-d2 (DCM-d2) for	10 ml	236.75
[14401-40-7]	Multi-Compendial, 99.5%	5 Kg	32.77	[1665-00-5]	NMR spectroscopy, 99.5 Atom %D		
	(D-Glucose Monohydrate)	25 Kg	143.31		(Methylene Chloride)  2,6-Dichlorophenol Indophenol	1.0	4.00
	meets compendial specs of USP, BP			<b>55287</b> [620-45-1]	Sodium Salt extrapure AR, 98%	1 Gms	4.08
40799	Diammonium Hydrogen Citrate	500 Gms	9.87	[020 10 1]		5 Gms	15.79
[3012-65-5]	Anhydrous (Ammonium Citrate Dibasic) ACS, 98%	25 Kg	454.81			25 Gms	64.62
81434	Dibutyl Phthalate pure, 98%	500 ml	5.26	35551	2,6-Dichlorophenol Indophenol	1 Gms	4.34
[84-74-2]	<b>,</b>	2500 ml	23.69	[620-45-1]	Sodium Salt ACS, ExiPlus, Multi-Compendial, 98%	5 Gms	17.63
10000	Dishlere costic Acid mure 000/				,	25 Gms	68.96
<b>12088</b> [79-43-6]	Dichloroacetic Acid pure, 99%	100 ml	31.06		meets compendial specs of USP		
[. 0 .0 0]		500 ml	79.62	31499	2,4-Dichlorophenoxyacetic Acid	25 Gms	8.95
		2500 ml	270.57	[94-75-7]	(2,4-D) for tissue culture, 98%	100 Gms	16.45
52153	1,2-Dichlorobenzene pure, 99%	500 ml	5.26			500 Gms	66.59
[95-50-1]	(o-Dichlorobenzene)	1000 ml	9.87	77833	Dicyandiamide pure, 98%	500 Gms	9.87
		2500 ml	23.03	[461-58-5]	(1-Cyanoguanidine, Dicyanodiamide)		
61012	1,2-Dichlorobenzene extrapure AR,	250 ml	4.21	61335	Dicyclopentadiene extrapure	100 ml	4.87
[95-50-1]	99%	2500 ml	26.32	[77-73-6]	(Stabilized with BHT), 93%	500 ml	23.16
70510	(o-Dichlorobenzene)  1,2-Dichloroethane extrapure, 99%	500 ml	3.05	71164	Diethanolamine pure, 98%	500 ml	4.61
<b>79510</b> [107-06-2]	(Ethylene Dichloride)	500 ml	3.95	[111-42-2]		2500 ml	18.42
	<u> </u>	2500 ml	11.84	47001	Diethanolamine ACS, ExiPlus,	500 ml	5.92
<b>69566</b>	1,2-Dichloroethane extrapure AR,	500 ml	4.34	[111-42-2]	Multi-Compendial, 98.5%	2500 ml	23.69
[107-06-2]	99.5% (Ethylene Dichloride)	2500 ml	13.42		meets compendial specs of BP, Ph.Eur		
87988	1,2-Dichloroethane for HPLC & UV	500 ml	8.16	59161	5M Diethanolamine Substrate	100 ml	29.61
[107-06-2]	Spectroscopy, 99.9%	1000 ml	14.48	00.01	Buffer(5M DEA w/ 2.5mM MgCl2)	.00 1111	_0.01
	(Ethylene Dichloride)	. 500			for phosphatase		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
31255	Diethylamine pure, 99%	500 ml	4.61	63282	Diisopropylether extrapure AR,	500 ml	8.55
[109-89-7]		2500 ml	19.74	[108-20-3]	99%	2500 ml	35.53
		25 Ltr	177.66	89299	Diisopropylether Dried, 99%, water	500 ml	12.50
64912	Diethylamine extrapure AR, 99.5%	500 ml	5.00	[108-20-3]	0.0025%	1000 ml	22.37
[109-89-7]		2500 ml	23.69	91837	N,N-Diisopropylethylamine (DIPEA)	100 ml	4.61
28298	Diethylamine for HPLC, 99.5%	1000 ml	21.06	[7087-68-5]	extrapure, 98% (Ethylene Diisopropylamine,	250 ml	10.53
[109-89-7] <b>77141</b>	2-Diethylaminoethanol (DEAE)	500 ml	7.63		N,N-Ethyldiisopropylamine, DIEA)	1000 ml	40.27
[100-37-8]	extrapure, 99%	2500 ml	36.85	61125	1,2-Dimethoxyethane (Monoglyme,	500 ml	9.48
59351	N,N-Diethylaniline pure, 98%	500 ml	10.53	[110-71-4]	EGDME) extrapure, 99% (Ethylene Glycol Dimethyl Ether)	2500 ml	44.09
[91-66-7]	N,N-Diethylaminie pare, 30%	2500 ml	48.69		(	25 Ltr	421.12
44369	N,N-Diethylaniline extrapure AR,	500 ml	13.16	94378	1,2-Dimethoxyethane (Monoglyme,	500 ml	10.79
[91-66-7]	99%	2500 ml	60.54	[110-71-4]	EGDME) extrapure AR , 99.5% (Ethylene Glycol Dimethyl Ether)	2500 ml	48.69
00000	Diethyl Carbonate extrapure, 99%	500 ml		80675	N,N-Dimethylacetamide (DMA)	500 ml	5.26
<b>36303</b> [105-58-8]	Dietriyi Carbonate extrapure, 99%	2500 ml	6.58 30.27	[127-19-5]	extrapure, 99%	2500 ml	21.71
	Diethylene Chroni (Direl) mure 00%					25 Ltr	197.40
<b>83040</b> [111-46-6]	Diethylene Glycol (Digol) pure, 98%	500 ml	3.95	60991	N,N-Dimethylacetamide (DMA)	500 ml	6.45
[]		2500 ml 25 Ltr	13.16 115.81	[127-19-5]	extrapure AR, 99.5%	2500 ml	25.00
	Diathydana Chuad (Diata) autronym			79220	N,N-Dimethylacetamide (DMA)	500 ml	7.24
<b>68811</b> [111-46-6]	Diethylene Glycol (Digol) extrapure AR, 99%	500 ml 2500 ml	4.61 14.48	[127-19-5]	extrapure AR, ExiPlus,	2500 ml	27.64
	•				Multi-Compendial, 99.5% meets compendial specs of USP, BP		
<b>93616</b> [112-36-7]	Diethylene Glycol Diethyl Ether (Ethyl Diglyme, DEGDEE) pure,	100 ml	9.87	70926	N,N-Dimethylacetamide (DMA)	250 ml	6.58
[]	99%	500 ml	42.11	[127-19-5]	GC-HS, 99.9%	500 ml	11.19
	(2-Ethoxy Ethyl Ether)					1000 ml	19.74
<b>44284</b> [111-96-6]	Diethylene Glycol Dimethyl Ether (Diglyme, DEGDME) pure, 99%	500 ml	11.84	98189	N,N-Dimethylacetamide (DMA) for	500 ml	9.21
[111-90-0]	(2-Methoxy Ethyl Ether)	2500 ml	52.64	[127-19-5]	HPLC, 99.8%	1000 ml	15.79
	D	25 Ltr	500.08	10652	Dimethylamine 40% Aq. Solution	500 ml	3.42
<b>20882</b> [111-90-0]	Diethylene Glycol Monoethyl Ether (DGMEE) pure, 98%	500 ml	5.79	[124-40-3]	Dimonification 40% Aq. Columbia	2500 ml	13.16
[]	(Carbitol, Ethyldiglycol)	2500 ml	25.00	14003	p-Dimethylaminobenzaldehyde	100 Gms	20.92
<b>53422</b> [96-22-0]	Diethyl Ketone (3-Pentanone) extrapure, 99%	500 ml	15.79	[100-10-7]	(DMAB) extrapure AR, 99% (Ehrlichs reagent)	1 Kg	195.16
98389	Diethyl Malonate extrapure, 99%	500 ml	7.90	77086	p-Dimethylaminobenzaldehyde	100 Gms	23.03
[105-53-3]		2500 ml	36.85	[100-10-7]	(DMAB) extrapure AR, ACS,	1 Kg	208.06
39378	Diethyl Malonate extrapure AR,	500 ml	9.21		ExiPlus, Multi-Compendial, 99% (Ehrlichs reagent)		
[105-53-3]	99.5%	2500 ml	43.43		meets compendial specs of USP, BP,		
61252	Diethyl Oxalate pure, 99%	500 ml	7.90		Ph.Eur		
[95-92-1]		2500 ml	35.53	12566	N,N-Dimethylaniline pure, 98%	500 ml	8.42
75995	N,N-Diethyl-p-Phenylenediamine	25 Gms	28.95	[121-69-7]		2500 ml	40.80
[6283-63-2]	Sulphate Salt (DEPPDA Sulphate)	100 Gms	110.54	20364	N,N-Dimethylaniline extrapure AR,	500 ml	9.48
	extrapure, 98% (4-Amino-N,N-Diethylaniline Sulfate			[121-69-7]	99.5%	2500 ml	44.74
	Salt)			16616	N,N-Dimethylformamide (DMF)	500 ml	5.26
16150	Diethyl Phthalate pure, 99%	500 ml	4.74	[68-12-2]	extrapure, 99%	2500 ml	19.74
[84-66-2]		2500 ml	22.37			25 Ltr	184.24
78652	Diethyl Sulphate extrapure, 99%	500 ml	5.26	21974	N,N-Dimethylformamide (DMF)	500 ml	5.79
[64-67-5]		2500 ml	23.69	[68-12-2]	extrapure AR, 99.5%	2500 ml	22.37
77205	Diisopropylamine pure, 98%	500 ml	10.79	79121	N,N-Dimethylformamide (DMF)	500 ml	6.58
[108-18-9]		2500 ml	50.01	[68-12-2]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.8%	2500 ml	25.00
		25 Ltr	473.76		meets compendial specs of BP		
67519	Diisopropylether pure, 98%	500 ml	7.24	50591	N,N-Dimethylformamide (DMF) for	500 ml	7.90
[108-20-3]		2500 ml	31.58	[68-12-2]	HPLC & UV Spectroscopy, 99.9%	1000 ml	13.16

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
46165	N,N-Dimethylformamide (DMF)	250 ml	6.71	69545	Dimethyl Sulphoxide-d6 (with	25 Gms	148.05
[68-12-2]	GC-HS, 99.9%	500 ml	10.53	[2206-27-1]	0.03% TMS) (DMSO-d6 w/ 0.03% TMS) for NMR spectroscopy, 99.8		
		1000 ml	18.69		Atom %D		
93186	N,N-Dimethylformamide (DMF)	500 ml	8.82	42009	N,N-Dimethylurea	500 Gms	6.71
[68-12-2]	Dried, 99.5%, water 0.005%	1000 ml	16.58	[96-31-1]	(1,3-Dimethylurea) extrapure, 99%	5 Kg	60.27
24017	N,N-Dimethylformamide (DMF) for	100 ml	5.92	43981	Dioctyl Phthalate pure, 98%	500 ml	6.05
[68-12-2]	molecular biology, 99.9%	500 ml	11.19	[117-81-7]	Dioty: I illianate pare, 50%	000 1111	0.00
52794	N,N-Dimethylformamide	100 ml	7.37	56353	Dioctyl Sodium Sulfosuccinate	500 Gms	22.11
[4637-24-5]	Dimethylacetal extrapure, 95%	500 ml	23.69	[577-11-7]	(DOSS) ExiPlus, Multi-Compendial,	5 Kg	207.53
	(1,1-Dimethoxy-N,N-Dimethylmethylam				98% (Aerosol OT, Ducusate Sodium)		
	ine)	100.0	0.55		meets compendial specs of USP, BP		
<b>81890</b> [95-45-4]	Dimethylglyoxime extrapure AR, 99%	100 Gms	8.55	43324	1,4-Dioxane pure, 99%	500 ml	5.53
[00 40 4]	(2,3-Butanedione Dioxime)	500 Gms	38.16	[123-91-1]		2500 ml	23.69
19711	Dimethylglyoxime extrapure AR,	100 Gms	9.87			25 Ltr	223.72
[95-45-4]	ACS, ExiPlus, Multi-Compendial,	500 Gms	42.11	88797	1,4-Dioxane extrapure AR, 99.5%	500 ml	6.58
	99% (2,3-Butanedione Dioxime)			[123-91-1]	•	2500 ml	26.32
	meets compendial specs of BP, Ph.Eur			95536	1,4-Dioxane extrapure AR, ACS,	500 ml	7.90
92574	Dimethylglyoxime Disodium Salt	250 Gms	13.95	[123-91-1]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	31.58
[75006-64-3]	Octahydrate extrapure AR, 99%				mosts compandial appear of PR. Ph. Eur.	2500 1111	31.30
33158	1,3-Dimethyl-2-Imidazolidinone	100 ml	15.66	00400	meets compendial specs of BP, Ph.Eur	500 ml	8.29
[80-73-9]	(DMI) pure, 99%	500 ml	66.19	<b>29469</b> [123-91-1]	1,4-Dioxane Dried, 99.5%, water 0.005%	500 1111	0.29
		2500 ml	324.66	79218	1,4-Dioxane GC-HS, 99.9%	250 ml	8.03
35161	1,3-Dimethyl-2-Imidazolidinone	100 ml	18.29	[123-91-1]		1000 ml	28.82
[80-73-9]	(DMI) GC-HS, 99.9%	500 ml	69.75	43294	1,4-Dioxane for HPLC & UV	500 ml	14.48
60496	1,3-Dimethyl-2-Imidazolidinone	100 ml	20.79	[123-91-1]	Spectroscopy, 99.9%	1000 ml	22.11
[80-73-9]	(DMI) ExiPlus, Multi-Compendial,	500 ml	71.72	65679	1,4-Dioxane scintillation grade,	500 ml	8.82
	99%			[123-91-1]	99.5%	1000 ml	16.84
43404	meets compendial specs of BP, Ph.Eur  Dimethyl Sulphoxide (DMSO)	500 ml	20.13			2500 ml	38.30
[67-68-5]	extrapure, 99%	2500 ml	95.41		4.0 Diagralana autranoura AD 000/		
		25 Ltr	932.39	<b>82736</b> [646-06-0]	1,3-Dioxolane extrapure AR, 99%	500 ml	12.37
	Discretized Order besides (DMOO)					2500 ml	55.27
<b>28580</b> [67-68-5]	Dimethyl Sulphoxide (DMSO) extrapure AR, 99.5%	500 ml	21.58	<b>98342</b> [122-39-4]	Diphenylamine extrapure AR, 99%	100 Gms	3.42
[]	• ,	2500 ml 25 Ltr	96.86 953.97	[122-09-4]		500 Gms	10.53
				41149	Diphenylamine extrapure AR, ACS,	100 Gms	4.21
<b>66444</b> [67-68-5]	Dimethyl Sulphoxide (DMSO) extrapure AR, ACS, ExiPlus,	500 ml	23.69	[122-39-4]	ExiPlus, Multi-Compendial, 99%	500 Gms	11.84
[07-00-5]	Multi-Compendial, 99.9%	2500 ml	100.41		meets compendial specs of USP, BP,		
	meets compendial specs of Ph.Eur, USP				Ph.Eur		
12767	Dimethyl Sulphoxide (DMSO)	250 ml	13.69	<b>62567</b> [538-62-5]	1,5-Diphenylcarbazone (mixture with Diphenylcarbazide) extrapure	5 Gms	7.24
[67-68-5]	GC-HS, 99.9%	500 ml	25.93	[550-02-3]	AR, ACS	25 Gms	31.85
		1000 ml	48.82		(Phenylazoformic	100 Gms	115.41
30239	Dimethyl Sulphoxide (DMSO) for	500 ml	25.14		Acid-2-Phenylhydrazide)		
[67-68-5]	HPLC & UV Spectroscopy, 99.8%	1000 ml	47.38	<b>75522</b> [92-71-7]	2,5-Diphenyloxazole scintillation grade (PPO), 99%	25 Gms	22.37
66120	Dimethyl Sulphoxide (DMSO)	500 ml	24.48	[92=11=1]	g (1 . 0), 00 /0	100 Gms	81.59
[67-68-5]	Dried, 99.5%, water 0.005%					500 Gms	342.16
24075	Dimethyl Sulphoxide (DMSO) for	100 ml	11.58	89595	2,5-Diphenyloxazole scintillation	100 Gms	95.41
[67-68-5]	molecular biology, 99.8%	250 ml	24.48	[92-71-7]	grade (PPO) ExiPlus, Multi-Compendial, 99%	500 Gms	454.02
		500 ml	43.03		meets compendial specs of BP		
47809	Dimethyl Sulphoxide-d6 (DMSO-d6)	25 Gms	157.92	43478	Dipropylene Glycol Monomethyl	500 ml	12.24
[2206-27-1]	for NMR spectroscopy, 99.8 Atom			[34590-94-8]	Ether (Mixture of Isomers)	2500 ml	57.38
	%D				extrapure, 99%		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>88738</b> [6106-24-7]	Disodium Tartrate Dihydrate extrapure, 99%	500 Gms	12.90	<b>74683</b> [141-43-5]	Ethanolamine (MEA, Monoethanolamine,	500 ml 2500 ml	6.32 27.64
16261	Disodium Tartrate Dihydrate	250 Gms	8.82		2-Aminoethanol) extrapure AR,		
[6106-24-7]	extrapure AR, ACS, ExiPlus,	500 Gms	16.06		ACS, ExiPlus, Multi-Compendial, 9 meets compendial specs of BP, USP		
	Multi-Compendial, 99% meets compendial specs of USP, BP,			17220	Ethidium Bromide extrapure, 95%	1 Gms	8.16
	Ph.Eur			[1239-45-8]	(Homidium Bromide)	5 Gms	35.40
12852	Disodium Tartrate Dihydrate	100 Gms	76.20	00070	Ethidium Dromido for molecular		8.82
[6106-24-7]	Calibration Standard (For Karl			<b>93079</b> [1239-45-8]	Ethidium Bromide for molecular biology, 95%	1 Gms 5 Gms	38.69
	Fischer Titration), 99.5%				(Homidium Bromide)	5 Gills	36.09
<b>25821</b> [2386-53-0]	Dodecane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	5 Gms	10.79	16201	Ethidium Bromide Solution	10 ml	38.69
[2000 00 0]	(Sodium 1-Dodecanesulfonate)	25 Gms	27.37		(10mg/ml)		
		100 Gms	93.30	<b>89362</b> [141-78-6]	Ethyl Acetate pure, 99%	500 ml	3.68
56085	1-Dodecanol (Dodecyl Alcohol,	500 ml	8.82	[141-70-0]		2500 ml	16.45
[112-53-8]	Lauryl Alcohol) pure, 98%	2500 ml	40.27			25 Ltr	144.76
93498	1-Dodecanol (Dodecyl Alcohol,	500 ml	10.92	66183	Ethyl Acetate extrapure AR, 99.5%	500 ml	4.47
[112-53-8]	Lauryl Alcohol) ACS, ExiPlus, Multi-Compendial, 98%			[141-78-6]		2500 ml	18.42
	(Lauryl Alcohol)			62952	Ethyl Acetate extrapure AR, ACS,	500 ml	5.00
	meets compendial specs of USP, BP			[141-78-6]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	21.06
88147	DPX Mountant for histology	250 ml	5.00		meets compendial specs of USP, BP,		
		500 ml	9.48		Ph.Eur		
		1000 ml	16.32	72598	Ethyl Acetate Dried, 99.5%, water	500 ml	5.26
85675	Dragendorff`s Reagent	125 ml	22.37	[141-78-6]	0.005%	1000 ml	10.13
				73106	Ethyl Acetate GC-HS, 99.9%	500 ml	7.63
71867	Emulsifying Wax pure	500 Gms	8.03	[141-78-6]		1000 ml	13.82
[67762-27-0]				26614	Ethyl Acetate for HPLC & UV	500 ml	5.79
<b>29391</b> [17372-87-1]	Eosin Yellow (water soluble)	25 Gms	3.95	[141-78-6]	Spectroscopy, 99.9%	1000 ml	11.19
[1/3/2-0/-1]		100 Gms	11.32			2500 ml	24.35
		500 Gms	55.14	22636	Ethyl Acetoacetate pure, 99%	500 ml	8.95
22115	Epichlorohydrin pure, 98%	500 ml	7.24	[141-97-9]	,	2500 ml	34.87
[106-89-8]	(1-Chloro-2,3-Epoxypropane)	2500 ml	34.35	00100	Ethylamina Calutian 709/ in water		7.37
73317	Epichlorohydrin extrapure AR, 99%	500 ml	10.00	<b>33123</b> [75-04-7]	Ethylamine Solution 70% in water pure	500 ml 2500 ml	35.14
[106-89-8]	(1-Chloro-2,3-Epoxypropane)	2500 ml	43.82				
40876	Eriochrome Black T extrapure AR	25 Gms	4.61	<b>37810</b> [74-96-4]	Ethyl Bromide extrapure, 99%	250 ml	15.13
[1787-61-7]		100 Gms	13.69	[74-90-4]		500 ml	28.95
76512	Eriochrome Cyanine R	10 Gms	10.92	87095	Ethyl Cellosolve pure, 99%	500 ml	5.00
[3564-18-9]	•	25 Gms	25.40	[110-80-5]	(Ethylene Glycol Monoethyl Ether)	2500 ml	22.37
98188	Erioglaucine Disodium Salt	10 Gms	8.16	30166	Ethylcyclohexane extrapure, 99%	500 ml	20.53
[3844-45-9]	(C.I. No. 42090, Acid Blue 9, Brilliant	25 Gms	20.13	[1678-91-7]		2500 ml	79.35
	Blue FCF, Alphazurine FG)	20 01113	20.10	65428	Ethylene Diamine pure, 99%	500 ml	9.21
69059	Erythrosin B, 90%	25 Gms	11.84	[107-15-3]	(1,2-Diaminoethane)	2500 ml	42.11
[16423-68-0]		100 Gms	44.48			25 Ltr	394.80
73961	Eschka`s Mixture extrapure AR,	250 Gms	79.88	70790	Ethylene Diamine extrapure AR,	500 ml	10.00
[8007-09-8]	38%	1 Kg	303.21	[107-15-3]	99.5%	2500 ml	44.74
40942	Ethanolamine (MEA,	500 ml	4.61		(1,2-Diaminoethane)		
[141-43-5]	Monoethanolamine,	2500 ml	21.06	40648	EDTA Free Acid extrapure, 99%	100 Gms	3.03
	2-Aminoethanol) extrapure, 99%			[60-00-4]	(Ethylenediaminetetraacetic Acid Free Acid)	500 Gms	11.58
57100	Ethanolamine (MEA, Monoethanolamine,	500 ml	5.26		, 	5 Kg	111.86
[141-43-5]	2-Aminoethanol) extrapure AR, 99%	2500 ml	23.69	18240	EDTA Free Acid extrapure AR, 99%	100 Gms	3.29
2	·			[60-00-4]	(Ethylenediaminetetraacetic Acid Free	500 Gms	13.69
					Acid)		

Code	Name	Packing	\$ Price	Code	١
<b>73816</b> [60-00-4]	EDTA Free Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms 5000 Gms	14.87 138.18	<b>45247</b> [10378-23-1]	f
	(Ethylenediaminetetraacetic Acid Free Acid)				( T
	meets compendial specs of BP, Ph.Eur			24377	E
44478	EDTA Dipotassium Salt pure, 98% (Ethylenediaminetetraacetic Acid	100 Gms	2.90	[13235-36-4]	(
[25102-12-9]	Dipotassium Salt)	500 Gms	11.19		1
	<u>'</u>	5 Kg	105.28	19950	E
62196	EDTA Dipotassium Salt extrapure	100 Gms	3.22	[85715-60-2]	
[25102-12-9]	AR, 99% (Ethylenediaminetetraacetic Acid	500 Gms	13.03		( T
	Dipotassium Salt)	5 Kg	125.02	47471	E
12070	EDTA Disodium Salt Dihydrate	100 Gms	2.90	[107-21-1]	ı
[6381-92-6]	pure, 98%	500 Gms	11.19		(
	(Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	5 Kg	105.28	95361	Е
10088	EDTA Disodium Salt Dihydrate	100 Gms	3.22	[107-21-1]	N
[6381-92-6]	extrapure AR, 99.5%	500 Gms	13.03		F
	(Ethylenediaminetetraacetic Acid	5 Kg	125.02	27466	E
	Disodium Salt Dihydrate)			[122-99-6]	F (
5 <b>0027</b> [6381-92-6]	EDTA Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus,	100 Gms	3.55	82832	E
[0001 02 0]	Multi-Compendial, 99.5%	500 Gms	14.48	[2807-30-9]	6
	(Ethylenediaminetetraacetic Acid	5 Kg	134.89		(
	Disodium Salt Dihydrate)				F
12070	meets compendial specs of USP  EDTA Disodium Salt Dihydrate for	100 Gms	4.34	<b>25049</b> [60-29-7]	(
<b>13272</b> [6381-92-6]	molecular biology, 99.5%	500 Gms	18.42	[00-29-7]	(
	(Ethylenediaminetetraacetic Acid	1000 Gms	32.90		
	Disodium Salt Dihydrate)		157.92	64665	E
		5 Kg		[60-29-7]	(
<b>5108</b> 6381-92-6]	EDTA Disodium Salt Dihydrate for tissue culture, 99.5%	100 Gms	4.08	83416	E
0001-92-0]	(Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	500 Gms	17.77	[60-29-7]	(
96540	EDTA Disodium Salt 0.1M Solution	500 ml	4.87		r
[6381-92-6]		1000 ml	8.82	83131	E
19060	EDTA Disodium Salt 0.01M Solution	500 ml	4.61	[60-29-7]	(
<b>48960</b> [6381-92-6]	EDTA Disoulum Sait 0.0 TM Solution	1000 ml	8.42		
				68329	E
<b>35888</b> [6381-92-6]	EDTA Disodium Salt 0.5M Solution	500 ml	6.58	[60-29-7]	5
[0001-92-0]		1000 ml	12.50	<b>87796</b> [60-29-7]	E
73557	EDTA Disodium Salt 0.05M Solution	500 ml	3.29	[00-23-7]	
[6381-92-6]		1000 ml	5.92	36979	E
59389	EDTA Ferric Monosodium Salt	100 Gms	2.90	[109-94-4]	
[15708-41-5]	extrapure, 12-14% Fe (Ethylenediaminetetraacetic Acid Ferric	500 Gms	11.19		
	Monosodium Salt)			50371	E
41000	EDTA Magnesium Disodium	100 Gms	2.63	[2390-59-2]	r
[14402-88-1]	Complex (EDTA Mg) pure	500 Gms	10.53	89474	F
	(Ethylenediaminetetraacetic Acid			12603	F
15078	Magnesium Disodium Complex)  EDTA Tetrasodium Salt Dihydrate	100 Gms	4.21	12000	•
	extrapure, 98%	500 Gms	13.03	72287	F
,	(Ethylenediaminetetraacetic Acid	Jou Gills	10.00	[7705-08-0]	٤
	Tetrasodium Salt Dihydrate)				(
<b>78036</b>	EDTA Tetrasodium Salt Dihydrate extrapure AR, 99%	100 Gms	8.95	<b>18831</b> [3522-50-7]	F 1
10076-23-1]	(Ethylenediaminetetraacetic Acid	500 Gms	27.64	[0022-30-7]	(

Code	Name	Packing	\$ Price
45247	EDTA Tetrasodium Salt Dihydrate	100 Gms	11.84
[10378-23-1]		500 Gms	39.48
	(Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)		
24377	EDTA Tetrasodium Salt	100 Gms	3.95
[13235-36-4]	Tetrahydrate extrapure, 99%	500 Gms	10.53
	(Ethylenediaminetetraacetic Acid		
19950	Tetrasodium Salt Tetrahydrate)  EDTA Trisodium Salt Hydrate	100 Gms	15.70
[85715-60-2]		100 Gms	15.79
[]	(Ethylenediaminetetraacetic Acid	500 Gms	42.1
	Trisodium Hydrate)	5 Kg	289.52
47471	Ethylene Glycol (MEG,	500 ml	3.29
[107-21-1]	Monoethylene Glycol) pure, 98% (Ethanediol)	2500 ml	13.16
	(Zinansaisi)	25 Ltr	111.86
95361	Ethylene Glycol (MEG,	500 ml	3.29
[107-21-1]	Monoethylene Glycol) extrapure	2500 ml	14.48
27466	AR, 99% Ethylene Glycol Monophenylether	500 ml	6.05
[122-99-6]	pure, 99%	2500 ml	30.27
. ,	(Phenyl cellosolve, 2-Phenoxyethanol)	2500 1111	30.2
82832	Ethylene Glycol Monopropyl Ether	500 ml	35.93
[2807-30-9]	extrapure, 99%	2500 ml	157.79
	(2-Propoxyethanol, Propyl glycol, Propyl Cellosolve)		
25049	Ethyl Ether pure, 99%	500 ml	5.79
[60-29-7]	(Diethyl ether)	2500 ml	23.10
		25 Ltr	196.08
64665	Ethyl Ether extrapure AR, 99.5%	500 ml	6.58
[60-29-7]	(Diethyl ether)	2500 ml	26.98
00440	Fabrul Fabru cuturunun AD ACC		7.24
<b>83416</b> [60-29-7]	Ethyl Ether extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	
. ,	(Diethyl ether)	2500 ml	27.90
	meets compendial specs of BP		
83131	Ethyl Ether Dried, 99.5%, water	500 ml	7.1
[60-29-7]	0.005% (Diethyl Ether)	1000 ml	13.5
	(Cloury, Later)	2500 ml	29.6
68329	Ethyl Ether for HPLC & UV	1000 ml	54.2
[60-29-7]	Spectroscopy, 99.9%		
87796	Ethyl Ether GC-HS, 99.9%	500 ml	30.40
[60-29-7]		1000 ml	57.38
36979	Ethyl Formate pure, 98%	500 ml	6.58
[109-94-4]		2500 ml	28.9
		25 Ltr	263.20
<b>50371</b> [2390-59-2]	Ethyl Violet (C.I. No. 42600) for microscopy	25 Gms	11.58
89474	Fehling`s solution A	500 ml	5.26
12603	Fehling`s solution B	500 ml	7.90
72287	Ferric Chloride Anhydrous pure,	500 Gms	3.68
[7705-08-0]	98% (Iron (III) Chloride)	5 Kg	30.66
18831	Ferric Citrate Trihydrate pure,	500 Gms	12.90
[3522-50-7]	18-20% Fe	330 Gills	12.30
•	(Iron (III) Citrate Trihydrate)		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>92273</b> [3522-50-7]	Ferric Citrate Trihydrate for tissue culture, 18-20% Fe	500 Gms	13.55	<b>68823</b> [57-48-7]	<b>D-Fructose for tissue culture</b> (D Fructose, D (-) Fructose)	500 Gms	12.50
	(Iron (III) Citrate Trihydrate)			86364	Fumaric Acid pure, 99%	500 Gms	5.26
<b>72655</b> [10025-77-1]	Ferric Chloride Hexahydrate ACS, 97%	500 Gms	8.95	[110-17-8]		5 Kg	50.01
[1002077 1]	(Iron (III) chloride Hexahydrate)	5 Kg	82.91			25 Kg	197.40
87144	Ferric Nitrate Nonahydrate	500 Gms	6.58	79503	Fumaric Acid extrapure AR, 99%	500 Gms	7.90
[7782-61-8]	extrapure AR, ACS, 98% (Iron (III) Nitrate Nonahydrate)			[110-17-8]		5 Kg	75.01
69325	Ferric Oxide Red extrapure, 95%	500 Gms	5.79	97328	Fumaric Acid extrapure AR,	500 Gms	10.53
[1309-37-1]	(Iron (III) Oxide Red)			[110-17-8]	ExiPlus, Multi-Compendial, 99%	5 Kg	98.70
39102	Ferric Sulphate Hydrate pure,	500 Gms	3.68		meets compendial specs of BP, Ph.Eur		
[15244-10-7]	19-21% Fe (Iron (III) Sulphate Hydrate)	5 Kg	35.53	14277	Fuchsin Basic	25 Gms	3.68
14621	Ferric Sulphate Hydrate extrapure	500 Gms	4.21	[632-99-5]		100 Gms	10.13
[15244-10-7]		5 Kg	39.48	62967	Fusion Mixture extrapure	500 Gms	5.66
	(Iron (III) Sulphate Hydrate)			24016	Fusion Mixture extrapure AR	500 Gms	7.11
<b>74871</b> [15244-10-7]	Ferric Sulphate Hydrate for tissue culture, 19-21% Fe	500 Gms	5.53	24010	radion mixture extrapare Arr	500 GIII5	7.11
	(Iron (III) Sulphate Hydrate)	5 Kg	52.64	13142	Gallic Acid pure, 98%	100 Gms	11.19
57888	Ferroin solution AR	100 ml	12.37	[5995-86-8]	(3,4,5-Trihydroxy Benzoic Acid)	500 Gms	39.48
[14634-91-4]	Formain Colution AD FuiDlus	4001	40.77	42306	Gallic Acid ACS, ExiPlus,	100 Gms	14.48
<b>37323</b> [14634-91-4]	Ferroin Solution AR, ExiPlus, Multi-Compendial	100 ml	12.77	[5995-86-8]	Multi-Compendial, 98%	500 Gms	44.74
. ,	meets compendial specs of BP, Ph.Eur				(3,4,5-Trihydroxy Benzoic Acid) meets compendial specs of BP		
82984	Ferrous Chloride Tetrahydrate	500 Gms	7.90	83740	Gelatin Powder ex. Porcine (Type	500 Gms	19.74
[13478-10-9]	extrapure, 98% (Iron (II) Chloride Tetrahydrate)	5 Kg	71.72	[9000-70-8]	B), 120g Bloom	5 Kg	171.08
94185	Ferrous Sulphide Fused Sticks,	1 Kg	10.53	95110	Gibberellic Acid (GA3), 90%	1 Gms	1.84
[1317-37-9]	23-27% S	5 Kg	50.67	[77-06-5]	· · · · · · · · · · · · · · · · · · ·	10 Gms	17.50
	(Iron(II) Sulfide, Ferrous Sulfide)					100 Gms	138.44
<b>93668</b> [7782-63-0]	Ferrous Sulphate Heptahydrate for tissue culture, 99.5%	500 Gms	5.40	24367	Gibberellic Acid (GA4+7), 90%	1 Gms	10.53
[7702 00 0]	(Iron (II) Sulphate Heptahydrate)			[468-44-0,		5 Gms	34.22
31929	Ferrous Sulphate Heptahydrate	500 Gms	3.03	510-75-8]		25 Gms	144.76
[7782-63-0]	pure, 98% (Iron (II) Sulphate Heptahydrate)	5 Kg	18.42	94857	Gibberellic Acid (GA3) for tissue	1 Gms	2.11
97868	Ferrous Sulphate Heptahydrate	500 Gms	3.82	[77-06-5]	culture, 90%	10 Gms	19.61
[7782-63-0]	extrapure AR, 99.5%	5 Kg	34.48			100 Gms	148.44
	(Iron (II) Sulphate Heptahydrate)			45881	Giemsa Stain	25 Gms	7.90
<b>53072</b> [75-12-7]	Formamide pure, 98.5% (Methanamide)	500 ml	5.79	[51811-82-6]		100 Gms	30.14
[/0 12 /]	(mediana)	2500 ml	27.64	72402 <b>✓</b>	Giemsa Stain Solution	100 ml	4.08
		25 Ltr	250.04		(Giemsa Azur-Eosin-Methylene Blue	250 ml	8.03
<b>71714</b> [75-12-7]	Formamide extrapure AR, 99.5% (Methanamide)	500 ml	7.63		Solution)	500 ml	14.48
	·	2500 ml	32.90	20149	L-Glutamic Acid extrapure CHR,	100 Gms	4.61
<b>74841</b> [75-12-7]	Formamide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	8.55	[56-86-0]	99%	250 Gms	10.53
[/0 12 /]	·	2500 ml	36.85			1 Kg	31.58
20240	meets compendial specs of BP, Ph.Eur	500 ml	11 10			5 Kg	144.76
<b>30349</b> [75-12-7]	Formamide for molecular biology, 99.5%	500 ml 1000 ml	11.19 18.42	50277	L-Glutamic Acid for tissue culture,	100 Gms	7.90
	(Methanamide)	1000 1111	10.72	[56-86-0]	99%	500 Gms	25.00
83256	Formamide for UV Spectroscopy, 99%	500 ml	15.79	18376	L-Glutamic Acid ExiPlus,	100 Gms	5.00
[75-12-7]	(Methanamide)	1000 ml	27.64	[56-86-0]	Multi-Compendial, 99%	250 Gms	11.19
62673	Formic Acid extrapure AR, 98%	500 ml	8.03		meets compendial specs of BP		
[64-18-6]				23229	L-Glutamic Acid Monosodium Salt	500 Gms	6.19
<b>42868</b> [57-48-7]	D-Fructose extrapure (D Fructose, D (-) Fructose)	500 Gms	7.24	[6106-04-3]	Monohydrate (MSG) extrapure, 99%	5 Kg	57.38
[57-48-7]	(2. Tuolose, D. ( / Tuolose)	5 Kg	68.43		(Monosodium Glutamate, Monosodium	25 Kg	258.20
		25 Kg	329.00		L-Glutamate)		

Name	Packing	\$ Price	Code	Name	Packing	\$ Price
Glycerol (Glycerine) Anhydrous	500 ml	4.61			5 ml	302.68
pure, 99%	2500 ml	20.40	[16903-35-8]	17% Au	10 ml	526.40
	25 Ltr	184.24	93281 <b>(i</b>	Gold Potassium Chloride	500 Mg	130.55
Glycerol (Glycerine) Anhydrous	500 ml	5.66	[13682-61-6]		1 Gms	250.04
extrapure AR, 99.5%	2500 ml	22.37		• •		
Glycerol (Glycerine) Anhydrous	500 ml	6.19	10436	,	5 Gms	4.34
extrapure AR ACS. ExiPlus,	2500 ml	25.00			25 Gms	11.84
					100 Gms	46.06
· · · · · · · · · · · · · · · · · · ·	100 ml	3.05	59538	Graphite Synthetic (Type 1) pure.	500 Gms	4.61
biology, 99.5%			[7782-42-5]	98% C, 50mesh	2.5 Kg	19.74
Chrorel Tributurate (Tributuria)			19123	Graphite Synthetic (Type 2) pure		5.92
			[7782-42-5]	97% C, 100mesh		27.64
			00070	Cranbita Cumthatia (Tuma 2) mura		
Glycine pure, 99%						7.24
	5 Kg	72.38		·		32.90
Glycine extrapure AR, 99.5%	500 Gms	8.55		• •		5.53
	5 Kg	81.59	[330-03-1]	55.0		21.06
	25 Kg	381.64				171.08
Glycine for molecular biology,	100 Gms	3.16	54542	• • • • • • • • • • • • • • • • • • • •		5.79
99.5%	500 Gms	14.48	[1-10-06]	pure, 33%		18.69
	1 Kg	26.32			_	35.93
	5 Kg	107.91			5 Kg	172.13
Glycine for tissue culture, 99.5%	500 Gms	10.53	45539	Guanidine Hydrochloride (GHC) for	100 Gms	9.21
	5 Kg	97.38	[50-01-1]	molecular biology, 99.5%		36.85
Glycine for electrophoresis, 99.5%	100 Gms	18.42			1 Kg	60.54
	500 Gms	78.96			5 Kg	289.52
Glycine extrapure AR, ACS,	500 Gms	9.48	80272	Guanidine Thiocyanate (GTC) for	100 Gms	10.53
Plus, Multi-Compendial, 99.5%	5 Kg	89.49	[593-84-0]	molecular biology, 99%	500 Gms	42.11
meets compendial specs of BP					1 Kg	71.06
Glycine IP	1 Kg	15.79			5 Kg	342.16
	5 Kg	65.80	20222	Guar Gum extrapure	500 Gms	7.37
	25 Kg	296.10	[9000-30-0]		5 Kg	63.56
Glycine BP	1 Kg	15.79	90970	Acacia (Gum Acacia) extrapure	500 Gms	7.37
	5 Kg	65.80	[9000-01-5]	(Gum Arabic)	5 Kg	63.56
	25 Kg	296.10			25 Kg	310.31
Glycine USP	1 Kg	18.42	90938	Acacia (Gum Acacia) (enzyme free)	500 Gms	11.19
	5 Kg	82.25	[9000-01-5]	extrapure AR		
	25 Kg	394.80	20759		125 ml	6.45
Glycolic Acid extrapure, 70% soln	500 ml	12.50	39/50	for microscopy	125 1111	0.45
in water	2500 ml		78631	Hematoxylin solution (Ehrlich) for	125 ml	6.45
Gold AAS Standard Solution in				microscopy		
0.5N HCI			40362	Hematoxylin solution (Harris) for	125 ml	8.55
Gold Chlorido Hydroto			40444		100 ml	0.55
(Tetrachloroauric Acid) ultrapure,	•		40441	microscopy	100 1111	3.55
99.99%, ~49% Au			19241	n-Heptane extrapure, 99%	500 ml	4.74
Cald Oblasida Tsibuster-A-			[142-82-5]		2500 ml	19.74
	_				25 Ltr	184.24
Au			94979	n-Heptane extrapure AR, 99%	500 ml	5.66
	5 Gms	921.20		• • •		
Gold Chloride Sodium	1 Gms	184.24	[142-82-5]		2500 ml	23.69
	Glycerol (Glycerine) Anhydrous pure, 99%  Glycerol (Glycerine) Anhydrous extrapure AR, 99.5%  Glycerol (Glycerine) Anhydrous extrapure AR ACS. ExiPlus, Multi-Compendial, 99.5%  meets compendial specs of USP, BP  Glycerol (Glycerine) for molecular biology, 99.5%  Glycerol Tributyrate (Tributyrin) pure, 97%  Glycine pure, 99%  Glycine extrapure AR, 99.5%  Glycine for molecular biology, 99.5%  Glycine for tissue culture, 99.5%  Glycine for electrophoresis, 99.5%  Glycine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%  meets compendial specs of BP  Glycine IP  Glycine BP  Glycine USP   Glycerol (Glycerine) Anhydrous   2500 ml   2500 ml   2500 ml   25 Ltr   2500 ml   25	Caliparine   Anhydrous   2500 ml   2.00 ml	Silverol (Glycerine) Anhydrous   2500 ml   4.61   16903-35-8]   2500 ml   20.40   16909-35-8]   2500 ml   20.40   16909-35-8]   2500 ml   20.40   16909-35-8]   2500 ml   20.40   16909-35-8]   2500 ml   22.37   2500 ml   22.37   2500 ml   22.37   2500 ml   20.40   25.00 ml   20.40   25.00 ml   20.40   25.00 ml   20.40   25.00 ml   25.00 m	Citycerol (Citycerine) Anhydrous pure, 99%   2800 ml   2800 ml	Section   Colleger   Colleger	

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
96979	n-Heptane extrapure AR, ExiPlus,	500 ml	6.05	49346	Hexane Sulphonic Acid Sodium	25 Gms	15.79
[142-82-5]	Multi-Compendial, 99%	2500 ml	27.64	[2832-45-3]	Salt Anhydrous for HPLC, 99%	100 Gms	57.38
	meets compendial specs of USP, BP,					250 Gms	140.68
	Ph.Eur			78597	Hexane Sulphonic Acid Sodium	25 Gms	15.79
<b>90731</b> [142-82-5]	n-Heptane for HPLC & UV Spectroscopy, 99.5%	500 ml	7.90	[207300-91-2]	Salt Monohydrate for HPLC, 99%	100 Gms	57.38
[142-62-5]	эреспосору, ээ.э %	1000 ml	14.48			250 Gms	140.68
94373	Heptane Sulphonic Acid Sodium	25 Gms	15.79	70389	Hexylene Glycol pure, 99%	500 ml	10.53
[22767-50-6]	Salt Anhydrous for HPLC, 99%	100 Gms	57.38	[107-41-5]		2500 ml	48.69
		250 Gms	140.68			25 Ltr	460.60
55272	Heptane Sulphonic Acid Sodium	25 Gms	15.79	38885	D-Histidine extrapure, 99%	5 Gms	39.87
[207300-90-1]	Salt Monohydrate for HPLC, 99%	100 Gms	57.38	[351-50-8]	•	25 Gms	179.63
		250 Gms	140.68	94495	L-Histidine (base) extrapure CHR,	25 Gms	10.53
55120	1-Heptanol extrapure, 98%	500 ml	29.61	[71-00-1]	99%	100 Gms	36.85
[111-70-6]		2500 ml	142.13			500 Gms	171.08
60805	Hexachloroethane pure, 99%	500 Gms	11.98			1 Kg	322.42
[67-72-1]	•. •	5 Kg	103.57			5 Kg	1526.56
36027	Hexachloroplatinic Acid			40.407	I Histidina EviDira		
<b>36027</b> [18497-13-7]	Hexahydrate (Platinum Chloride	250 Mg 1 Gms	48.82 92.12	<b>42437</b> [71-00-1]	L-Histidine ExiPlus, Multi-Compendial, 99%	25 Gms	13.16
. ,	Hexahydrate) ACS, 38-40% Pt	5 Gms	394.80	[,, ,,,		100 Gms	44.61
	(Platinic Chloride Hexahydrate)	25 Gms	1842.40		and the second s	1 Kg	342.16
					meets compendial specs of USP, BP, Ph.Eur		
<b>37465</b> [629-73-2]	1-Hexadecene (Cetene) extrapure, 95%	250 ml	37.51	28061	L-Histidine Hydrochloride	25 Gms	9.34
[029-73-2]		500 ml	59.22	[5934-29-2]	Monohydrate extrapure CHR, 99%	100 Gms	28.95
81451	1451         Hexamine pure, 99%         500 Gms         5.00           100-97-0]         (Hexamethylenetetramine, HMTA)         5 Kg         42.11	500 Gms	105.28				
[100-97-0]			1 Kg	186.87			
92391	Hexamine extrapure AR, 99.5%	500 Gms	6.19			5 Kg	894.88
[100-97-0]		5 Kg	55.27		Di Histidia sadanasa 000/		
91454	n-Hexane pure, 95%	500 ml	6.58	<b>51565</b> [4998-57-6]	DL-Histidine extrapure, 99%	5 Gms	26.32
[110-54-3]		2500 ml	30.27	[1000 07 0]		25 Gms	105.28
		25 Ltr	250.04			100 Gms	394.80
65764	n-Hexane for HPLC, 95%	500 ml	8.16	<b>40599</b> [12055-62-8]	Holmium (III) Oxide ultrapure, 99.9%	5 Gms	26.32
[110-54-3]	: 	1000 ml	15.79	[12055-02-0]	33.376	10 Gms	46.06
		2500 ml	36.85			25 Gms	98.70
77045	n-Hexane pure, 99%	500 ml	7.90	59764	Humic Acid Potassium Salt	500 Gms	5.00
[110-54-3]	ii iiokalie pale, ee/e	2500 ml	34.22	[68514-28-3]	(Potassium Humate) pure, 70% Humic, 15% Fulvic	5 Kg	46.06
		25 Ltr	315.84	53931	Hydrazine Hydrate extrapure, 80%	500 ml	19.74
	n Havena autrenure AD 00%			[7803-57-8]	(Hydrazinium Hydroxide)	2500 ml	92.12
<b>12534</b> [110-54-3]	n-Hexane extrapure AR, 99%	500 ml	8.95	00010	Hydrazine Sulphate extrapure, 99%	100 Gms	
		2500 ml	36.85	<b>99313</b> [10034-93-2]	nyurazine Sulphate extrapure, 55%	500 Gms	5.79 25.66
27226	n-Hexane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 ml	9.74				
[110-54-3]	•	2500 ml	39.48	<b>33243</b> [10034-93-2]	Hydrazine Sulphate extrapure AR,	100 Gms	7.24
	meets compendial specs of USP, BP,			[10004-30-2]		500 Gms	30.27
	Ph.Eur		10.50	78110	Hydrazine Sulphate extrapure AR,	100 Gms	9.34
<b>33823</b> [110-54-3]	n-Hexane for HPLC, 99%	500 ml	10.53	[10034-93-2]	ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	34.35
[110 04-0]		1000 ml	19.74		meets compendial specs of USP, BP,		
		2500 ml	46.06		Ph.Eur		
40501	n-Hexane GC-HS, 99.9%	250 ml	10.79	21435	Hydrobromic Acid pure, 48-49% in	500 ml	16.98
[110-54-3]		1000 ml	35.53	[10035-10-6]	water	2500 ml	78.96
29114	n-Hexane Dried, 99%, water 0.005%	500 ml	13.82	30106	Hydrobromic Acid pure, ~33% in	500 ml	16.98
[110-54-3]							

Code	Name	Packing	\$ Price
<b>99790</b> [7647-01-0]	Hydrochloric Acid 0.1N Aq. Solution	500 ml	2.11
[7047-01-0]	Colditori	1000 ml	3.82
62889	Hydrochloric Acid 1N Aq. Solution	500 ml	3.95
[7647-01-0]		1000 ml	7.24
30988	Hydrochloric Acid 0.5N Aq.	500 ml	2.37
[7647-01-0]	Solution	1000 ml	4.34
87039	Hydrochloric Acid 2N Aq. Solution	500 ml	4.34
[7647-01-0]		1000 ml	8.16
80096	Hydrochloric Acid 3N Aq. Solution	500 ml	4.74
[7647-01-0]		1000 ml	8.69
65955	Hydrochloric Acid 4N Aq. Solution	500 ml	5.13
[7647-01-0]		1000 ml	9.61
72775	Hydrochloric Acid 4M Solution in	1000 ml	18.42
[7647-01-0]	Dioxane	2500 ml	45.53
34472	Hydrochloric Acid 5N Aq. Solution	500 ml	5.53
[7647-01-0]	ya. oomono Adia die Aq. odialidii	1000 ml	10.13
17500	Hudrochlorio Asid CN As Colletter		
<b>17560</b> [7647-01-0]	Hydrochloric Acid 6N Aq. Solution	500 ml	5.79
		1000 ml	10.66
<b>79661</b> [7647-01-0]	Hydrochloric Acid 0.05N Aq. Solution	500 ml	2.63
[7047-01-0]	Colditori	1000 ml	4.74
40918	Hydrochloric Acid 0.01M Aq. Solution	500 ml	2.63
[7647-01-0]	Solution	1000 ml	4.74
56059	Hydroxylamine Hydrochloride pure,	100 Gms	3.29
[5470-11-1]	98%	500 Gms	9.87
66164	Hydroxylamine Hydrochloride	100 Gms	4.61
[5470-11-1]	extrapure AR, 99%	500 Gms	14.48
65508	Hydroxylamine Hydrochloride	100 Gms	5.26
[5470-11-1]	extrapure AR, ACS, ExiPlus,	500 Gms	16.45
	Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur,		
	USP		
47748	Hydroxylamine 50% Soln. in Water	50 ml	45.53
[7803-49-8]		100 ml	78.17
		500 ml	220.30
13877	Hydroxylamine Sulphate pure, 99%	100 Gms	3.03
[10039-54-0]		500 Gms	8.55
83032	Hydroxylamine Sulphate extrapure	100 Gms	3.42
	AR, ACS, 99%	500 Gms	10.92
44439	4-(2-Hydroxyethyl)morpholine	100 ml	5.13
[622-40-2]	(4-HEM) extrapure, 99%	500 ml	18.69
,	(2-Morpholinoethanol, 4-Morpholineethanol)	300 1111	10.09
91113	8-Hydroxyquinoline (8-Quinolinol)	100 Gms	12.24
[148-24-3]	extrapure, 99.5%	500 Gms	51.72
02064	8. Hydrovyguinoline (8 Ovingline)		
23264	8-Hydroxyquinoline (8-Quinolinol) extrapure AR, ACS, 99.5%	100 Gms	14.08
[148-24-3]	extrapure Arr, ACO, 99.5%	500 Cmc	
	Hypophosphorous Acid pure,	500 Gms 500 ml	59.22 34.22

Code	Name	Packing	\$ Price
<b>92379</b> [6303-21-5]	Hypophosphorous Acid extrapure AR, 50% in water (Phosphinic Acid)	500 ml	39.48
<b>64556</b> [8029-68-3]	Ichthammol pure, 50%	500 Gms	75.01
65712	Imidazole pure, 99%	100 Gms	4.87
[288-32-4]		500 Gms	19.21
		5 Kg	157.92
32822	Imidazole extrapure AR, 99%	100 Gms	8.55
[288-32-4]		500 Gms	27.24
		5 Kg	250.04
		25 Kg	1117.02
78496	Imidazole extrapure AR, ACS,	100 Gms	8.82
[288-32-4]	ExiPlus, Multi-Compendial, 99%	500 Gms	30.66
	meets compendial specs of USP, BP, Ph.Eur		
61510	Imidazole for molecular biology,	25 Gms	10.53
[288-32-4]	99.5%	100 Gms	32.90
		500 Gms	92.65
<b>10722</b> [288-32-4]	Imidazole for tissue culture, 99.5%	100 Gms	25.66
73017	Immersion Oil Synthetic for	30 ml	4.21
[8000-27-9]	microscopy	125 ml	9.61
	(Cedarwood Oil Synthetic, Immersion Oil Thickened)	500 ml	26.32
	on materieu,	5 Ltr	243.46
63214	Indium AAS Standard Solution in	100 ml	19.74
	1N HCI	250 ml	31.58
88318	Indole-3-Acetic Acid (IAA) pure,	5 Gms	5.66
[87-51-4]	98%	25 Gms	18.29
		100 Gms	64.48
96788	Indole-3-Acetic Acid (IAA) for	5 Gms	8.55
[87-51-4]	tissue culture, 98%	25 Gms	31.58
		100 Gms	94.75
18676	Indole-3-Acetonitrile pure, 98%	5 Gms	20.92
[771-51-7]	made o Addidinano pare, ee/o	25 Gms	78.17
40407	Indolo 3 Buturio Acid (IBA) puro	5 Gms	
<b>40407</b> [133-32-4]	Indole-3-Butyric Acid (IBA) pure, 98%	25 Gms	6.84 23.16
•		100 Gms	72.77
00000	Indele 2 Dutyrie Acid (IDA) for		
<b>60289</b> [133-32-4]	Indole-3-Butyric Acid (IBA) for tissue culture, 98%	5 Gms	9.87
,	•	25 Gms 100 Gms	34.48 107.65
<b>35095</b> [771-50-6]	Indole-3-Carboxylic Acid pure, 99%	5 Gms	16.58
[,,,,-50-0]		25 Gms	66.19
67892	Iodine Monochloride extrapure, 98%	25 Gms	11.71
[7790-99-0]	30 /b	100 Gms	36.85
		250 Gms	85.54
66098	lodine Monochloride Solution (1M	250 ml	21.06
[7790-99-0]	in Acetic Acid) (Wij`s Solution) extrapure (Chloroiodide Solution)	500 ml	39.48
	,	05.0	E0.00
40415	Iodine Pentoxide (Iodopentoxide)	25 Gms	59.22

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Pric
52539	lodine Resublimed AR, 99.8%	100 Gms	39.35	52497	Isobutyl Acetate extrapure, 98%	500 ml	7.2
[7553-56-2]		500 Gms	184.63	[110-19-0]	(Acetic Acid Isobutyl Ester)	2500 ml	32.9
37524	Iodine Resublimed AR, ACS,	100 Gms	40.93			25 Ltr	315.8
[7553-56-2]	ExiPlus, Multi-Compendial, 99.8%	500 Gms	196.74	41867	Isobutyraldehyde extrapure, 99%	500 ml	5.7
	meets compendial specs of USP, BP,			[78-84-2]	(2-Methylpropionaldehyde)	2500 ml	25.6
	Ph.Eur			53502	Isooctane extrapure, 99%	500 ml	11.4
68017	lodine 0.01N Solution	500 ml	7.24	[540-84-1]	• /	2500 ml	54.2
[7553-56-2]		1000 ml	13.55			25 Ltr	487.7
<b>59802</b> [7553-56-2]	Iodine 1N Solution	500 ml	22.77	57075	Isooctane extrapure AR, 99.5%	500 ml	14.2
12445	Iodine 0.1N Solution	500 ml	18.56	[540-84-1]		2500 ml	62.
[7553-56-2]	iodine o. III ooldioli	300 1111	10.50			25 Ltr	537.9
<b>84644</b> [865-44-1]	Iodine Trichloride extrapure, 97%	25 Gms	46.06	<b>81399</b> [540-84-1]	Isooctane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	14.8
36388	lodoform pure, 99%	25 Gms	21.06	[040 04 1]		2500 ml	66.9
[75-47-8]	iodolomi pare, 55%	100 Gms	71.06		meets compendial specs of BP		
		250 Gms	171.08	<b>68930</b> [540-84-1]	Isooctane for HPLC & UV Spectroscopy, 99.5%	500 ml	18.0
0				[540-64-1]	opechoscopy, 33.378	1000 ml	31.8
<b>70031</b> [516-12-1]	N-lodosuccinimide extrapure, 99% (1-lodo-2,5-Pyrrolidinedione)	5 Gms	5.26			2500 ml	66.9
[510-12-1]	(Tibac 2,e Tyrronambalone)	25 Gms	17.11	15485	Isooctane GC-HS, 99.9%	500 ml	50.0
		100 Gms	65.80	[540-84-1]	(2,2,4 -Trimethylpentane)	1000 ml	27.
<b>22157</b> [7439-88-5]	Iridium Metal Powder extrapure, 99.9%	100 Mg	72.38	<b>98605</b> [540-84-1]	Isooctane Dried, 99.5%, water 0.005%	1000 mi	27.
[/439-66-5]	33.376	500 Mg	315.84		(2,2,4 -Trimethylpentane)		
		1 Gms	565.88	67800	Isopropanol (IPA) pure, 99%	500 ml	3.
50716 Iridium Trichloride Hydrate [14996-61-3] extrapure, 99%	250 Mg	125.02	[67-63-0]		2500 ml	17.	
	extrapure, 99%	1 Gms	460.60			25 Ltr	157.9
	5 Gms	2171.40	62986	Isopropanol (IPA) extrapure AR,	500 ml	3.9	
84425	Iron AAS Standard Solution in 0.5N	100 ml	19.74	[67-63-0]	99.5%	2500 ml	19.0
	HNO3	250 ml	31.58	11768	Isopropanol (IPA) extrapure AR,	500 ml	4.3
64857	Iron Metal Powder (Electrolytic),	500 Gms	9.34	[67-63-0]	ACS, ExiPlus, Multi-Compendial,	2500 ml	21.0
[7439-89-6]	99.5%, mesh ~200	1 Kg	13.16		99.5%		
		5 Kg	59.75		meets compendial specs of USP, BP, Ph.Eur		
90354	Isatin extrapure AR, 99%	25 Gms	13.55	38445	Isopropanol (IPA) for molecular	100 ml	3.2
[91-56-5]	(2,3-Indolinedione)	100 Gms	46.59	[67-63-0]	biology, 99.8%	500 ml	9.2
57020	Isoamyl Alcohol (Isopentyl Alcohol)	500 ml	6.58			1000 ml	17.7
[123-51-3]	pure, 99%	2500 ml	30.27	40440	Jacobrana (JDA) CC HS 00 09/		
69931	Isoamyl Alcohol (Isopentyl Alcohol)	500 ml	7.50	<b>10140</b> [67-63-0]	Isopropanol (IPA) GC-HS, 99.9%	500 ml	7.6
[123-51-3]	extrapure AR, 99%	2500 ml	32.90			1000 ml	14.4
	<u> </u>			<b>44036</b> [67-63-0]	Isopropanol (IPA) for HPLC & UV Spectroscopy, 99.8%	500 ml	6.3
<b>88719</b> [123-51-3]	Isoamyl Alcohol (Isopentyl Alcohol) extrapure AR, ACS, ExiPlus,	500 ml	8.69	[07-00-0]	оресиновору, облож	1000 ml	11.
[.200.0]	Multi-Compendial , 99%	2500 ml	35.53			2500 ml	23.6
	meets compendial specs of USP, BP, Ph.Eur			<b>48906</b> [67-63-0]	Isopropanol (IPA) electronic grade, 99.8%	2500 ml	31.
69412	Isobutanol pure, 99%	500 ml	4.74	62616	Isopropanol (IPA) VLSI	1000 ml	78.9
[78-83-1]		2500 ml	19.21	[67-63-0]	Semiconductor Grade, 99.8% (2-Propanol)	2500 ml	177.6
		25 Ltr	162.13	13627	Isopropenyl Acetate extrapure, 99%	100 ml	9.
98646	Isobutanol extrapure AR, 99.5%	500 ml	5.92	[108-22-5]		500 ml	40.
[78-83-1]		2500 ml	23.16	35858	Isopropylamine (MIPA) extrapure,	500 ml	6.8
34159	Isobutanol GC-HS, 99.9%	250 ml	7.37	[75-31-0]	99%	2500 ml	28.6
[78-83-1]	•	500 ml	13.29		(Monoisopropylamine)		
		1000 ml	23.29	73716	Isopropyl Myristate pure, 90%	500 ml	11.3
				[110-27-0]		2500 ml	51.8

Code	Name	Packing	\$ Price
32009	Isopropyl Myristate ExiPlus,	500 ml	12.63
[110-27-0]	Multi-Compendial, 90%	2500 ml	55.80
	meets compendial specs of USP, Ph.Eur		
42822	Isopropyl Myristate extrapure AR (0.2um filtered), 98%	500 ml	23.95
[110-27-0]	(0.2um mereu), 30/8	2500 ml	103.83
36494	Jack Bean Meal ex. Urease extrapure	100 Gms	3.55
[9002-13-5]	(Crude Urease)	500 Gms	16.06
20489	Janus Green B (JG-B), 65%	5 Gms	10.00
[2869-83-2]	(Diazin Green, Union Green B)	25 Gms	40.01
86543	Jenners Stain (Eosin-methylene	25 Gms	8.29
[62851-42-7]	blue)	100 Gms	31.45
57080	Kaolin Light extrapure	500 Gms	2.63
[1332-58-7] <b>34469</b>	Karl Fischer Reagent (Pyridine	500 ml	42.64
- 1-100	free)	2 x250 ml	42.64
62878	L-Lactic Acid for tissue culture,	100 ml	7.90
[79-33-4]	88%		7.00
93762	(L-(+)-Lactic Acid)  L-Lactic Acid pure, 88%	500 ml	8.69
9 <b>3762</b> [79-33-4]	(L-(+)-Lactic Acid)	2500 ml	36.85
41242	L-Lactic Acid extrapure AR, 88%	500 ml	9.21
[79-33-4]	(L-(+)-Lactic Acid)	2500 ml	39.48
21206	L-Lactic Acid extrapure AR, ACS,	500 ml	9.87
[79-33-4]	ExiPlus, Multi-Compendial, 88%	2500 ml	43.43
	(L-(+)-Lactic Acid)	2000 1111	40.40
	meets compendial specs of BP, Ph.Eur		
<b>54492</b> [79-33-4]	L-Lactic Acid 0.1N Solution	500 ml 1000 ml	3.29 6.19
	L L - stir A - ini AN On hoting		
<b>41158</b> [79-33-4]	L-Lactic Acid 1N Solution	500 ml 1000 ml	5.53 10.26
	Lasta Franksia Otalaina Oshidian		
97513	Lacto Fuchsin Staining Solution	100 ml	5.79
92598	Lactophenol Cotton Blue Solution	500 ml	3.95
20863	Lactophenol Mountant Solution	500 ml	4.34
25957	Lactose Monohydrate extrapure AR	500 Gms	8.03
10039-26-6,		5 Kg	76.33
64044-51-5] <b>33525</b>	Lactose Monohydrate for tissue	500 Gms	8.69
10039-26-6,	culture	500 Gills 5 Kg	83.30
64044-51-5] <b>67091</b>	Lactose Monohydrate extrapure	500 Gms	8.16
<b>67091</b> [10039-26-6,	AR, ACS, ExiPlus,	500 Gms 5 Kg	76.99
64044-51-5]	Multi-Compendial	5119	, 5.55
19459	meets compendial specs of USP, BP  Lanthanum AAS Standard Solution	100 ml	23.69
1 3433	in 2N HNO3	250 ml	35.53
70514	Lauric Acid pure, C12-99%	500 Gms	8.16
<b>/0514</b> [143-07-7]	(Dodecanoic Acid)	2.5 Kg	32.90
00240	Load Subacotate extranura Dh		
<b>90346</b> [1335-32-6]	Lead Subacetate extrapure, Pb content 33%	500 Gms 2.5 Kg	12.24 59.61
	(Lead (II) Acetate Basic, Lead	2.5 Kg 5 Kg	114.76
	Hydroxide Acetate, Horne's	JING	117.70

[6080-56-4] 69586 [10099-74-8]	Lead (II) Acetate Trihydrate pure, 99% (Plumbous Acetate Trihydrate, Lead Diacetate)  Lead AAS Standard Solution in	500 Gms 5 Kg	6.9° 65.8
<b>69586</b> [10099-74-8]	(Plumbous Acetate Trihydrate, Lead Diacetate)	5 Kg	65.8
[10099-74-8]	Lood AAS Standard Solution in		
. ,		100 ml	19.7
69789	0.5N HNO3	250 ml	31.5
	Lead (II) Chloride Anhydrous extrapure, 98%	500 Gms	10.7
	Lead Dioxide (Lead Peroxide)	100 Gms	6.4
[1309-60-0]	extrapure, 95%	500 Gms	26.3
	Lead (II) Fluoride pure, 98% (Plumbous Fluoride)	500 Gms	15.7
	Lead (II) Nitrate extrapure, 99%	500 Gms	7.9
[10099-74-8]	(Plumbous Nitrate, Lead Dinitrate)	5 Kg	72.3
	Lead (II) Nitrate extrapure AR, ACS, 99.5%	500 Gms	9.8
. ,	(Plumbous nitrate, lead dinitrate)	5 Kg	94.7
	Lead (II) Oxide (Lead Monoxide,	500 Gms	7.9
[1317-36-8]	Litharge) pure, 99%	1 Kg	14.4
		5 Kg	65.8
	Lead (II) Sulphate extrapure, 98% (Anglesite)	500 Gms	10.5
	Lead (II) Oxide (Lead Monoxide,	100 Gms	5.9
[1317-36-8]	Litharge) extrapure AR, ACS, 99%	250 Gms	12.5
68015	Leishman Staining Solution	250 ml	3.9
02.01	Leishman Stain	25 Gms	8.6
[12627-53-1]		100 Gms	28.9
		500 Gms	128.9
<b>63007</b> [61-90-5]	L-Leucine extrapure CHR, 99%	25 Gms	4.3
[01 00 0]		100 Gms 500 Gms	8.5 39.4
		1 Kg	72.3
		5 Kg	329.0
<b>75333</b> [1305-62-0]	Lime Water Saturated Solution	500 ml	3.6
	Lithium AAS Standard Solution in	100 ml	19.7
	0.5N HNO3	250 ml	31.5
31665	Lithium Bromide Anhydrous	100 Gms	26.3
[7550-35-8]	extrapure, 99%	500 Gms	118.4
	Lithium Bromide Anhydrous	5 Gms	75.8
[7550-35-8]	ultrapure, 99.999% , -10mesh	25 Gms	252.6
	Lithium Carbonate pure, 98%	100 Gms	39.4
[554-13-2]		250 Gms	92.1
		500 Gms	181.6
	Lithium Carbonate extrapure AR,	100 Gms	40.8
[554-13-2]	99%	250 Gms	95.4
[554-13-2]	Lithium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	250 Gms	101.3

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
39692	Lithium Chloride Anhydrous pure,	100 Gms	29.61		L-Lysine (free base) Anhydrous	10 Gms	17.90
[7447-41-8]	99%	250 Gms	71.06	[56-87-1]	extrapure, 98%	25 Gms	42.11
		500 Gms	138.18			100 Gms	155.81
76359	Lithium Chloride Anhydrous	100 Gms	31.58	22527	L-Lysine (free base) Anhydrous for	10 Gms	20.92
[7447-41-8]	extrapure AR, 99%	250 Gms	75.01	[56-87-1]	tissue culture, 98%	25 Gms	48.82
58259	Lithium Chloride Anhydrous	100 Gms	34.22	15942	L-Lysine (free base) Anhydrous	10 Gms	21.06
[7447-41-8]	extrapure AR, ACS, ExiPlus,	500 Gms	163.18	[56-87-1]	ExiPlus, Multi-Compendial, 98%	100 Gms	170.95
	Multi-Compendial, 99% meets compendial specs of USP, BP,			85187	L-Lysine Monohydrate (base)	25 Gms	25.93
	Ph.Eur			[39665-12-8]		100 Gms	92.5
26341	Lithium Chloride 1M Solution in	250 ml	15.13			500 Gms	421.1
[7447-41-8]	Acetic Acid			76199	L-Lysine Monohydrate (Base)	25 Gms	27.7
20003	Lithium Chloride 1M Solution in	250 ml	17.77		ExiPlus, Multi-Compendial, 99%	100 Gms	102.5
[7447-41-8]	Ethanol					500 Gms	447.4
81034	Lithium Fluoride pure, 98.5%	25 Gms	12.50		meets compendial specs of USP	000 0	
[7789-24-4]		100 Gms	48.69	45976	L-Lysine Monohydrate (base) for	25 Gms	72.38
		500 Gms	230.30	[39665-12-8]		20 Gillo	72.0
44318	Lithium Hydroxide Anhydrous	25 Gms	20.40	89361	L-Lysine Monohydrochloride	100 Gms	3.2
[1310-65-2]	extrapure, 98%	100 Gms	51.32	[657-27-2]	extrapure CHR, 99%	500 Gms	14.0
		500 Gms	243.46	77872	L-Lysine Monohydrochloride	100 Gms	5.0
52019	Lithium Hydroxide Monohydrate	100 Gms	42.11	[657-27-2]	ExiPlus, Multi-Compendial, 99%	500 Gms	17.2
[1310-66-3]	pure, 99%	500 Gms	203.98		meets compendial specs of USP, BP,		
48204	Lithium Hydroxide Monohydrate	100 Gms	44.74		Ph.Eur		
[1310-66-3]	extrapure AR, 99%	500 Gms	217.14	35443	Magnesium Acetate Tetrahydrate	500 Gms	8.8
89966	Lithium Hydroxide Monohydrate	100 Gms	46.06	[16674-78-5]	extrapure, 98%	5 Kg	76.3
[1310-66-3]	extrapure AR, ACS, ExiPlus,	500 Gms	230.30	53888	Magnesium Acetate Tetrahydrate	500 Gms	10.5
	Multi-Compendial, 99%			[16674-78-5]		5 Kg	92.1
	meets compendial specs of USP, BP, Ph.Eur			64328	Magnesium Acetate Tetrahydrate	500 Gms	11.8
82712	Lithium Nitrate (High Purity)	100 Gms	39.48	[16674-78-5]	· · · · · · · · · · · · · · · · · · ·	500 Gills	11.0
[7790-69-4]	extrapure AR, 99.5%	500 Gms	186.87		Multi-Compendial, 99%		
	Libbian Mitanta (III al- Panita)				meets compendial specs of USP, BP,		
<b>17864</b> [7790-69-4]	Lithium Nitrate (High Purity) extrapure AR, ExiPlus,	100 Gms	43.43	50400	Ph.Eur	100 0	
	Multi-Compendial, 99.5%	500 Gms	205.30	<b>50488</b> [16674-78-5]	Magnesium Acetate Tetrahydrate for molecular biology, 99%	100 Gms 500 Gms	5.2 19.7
	meets compendial specs of USP						
88181	Lithium Sulphate Monohydrate	100 Gms	46.06	52917	Magnesium AAS Standard Solution in 0.5N HNO3	100 ml	19.7
[10102-25-7]	extrapure AR, 99%	250 Gms	109.23			250 ml	31.5
		500 Gms	210.56	28935	Magnesium Bromide Hexahydrate	500 Gms	26.3
39478	Lithium Sulphate Monohydrate	100 Gms	48.69	[13446-53-2]	pure, 98%  Magnesium Carbonate Basic Light,	050 Cma	E 6
[10102-25-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	250 Gms	114.49	<b>63818</b> [39409-82-0]		250 Gms 500 Gms	5.6
	Multi-Compendial, 99%	500 Gms	223.72		(Magnesium Carbonate Light)	500 GITIS	10.0
	meets compendial specs of USP, BP,			31196	Magnesium Chloride Anhydrous	100 Gms	11.0
	Ph.Eur			[7786-30-3]	extrapure, 98%	500 Gms	17.3
11373	Lithium Tetraborate extrapure AR,	100 Gms	39.48			5 Kg	117.6
[12007-60-2]	98% (di-Lithium Tetraborate)	500 Gms	157.92	39750	Magnesium Chloride Anhydrous for	100 Gms	16.0
78724	Lugols Iodine 1% Solution (Conc)	125 ml	5.00	[7786-30-3]	tissue culture, 98%	500 Gms	38.4
	(Iodine-Potassium iodide Solution)	500 ml	17.11	69396	Magnesium Chloride Hexahydrate	500 Gms	3.1
12603	Lugols Iodine 5% Solution (Conc)	125 ml	21.06	[7791-18-6]	extrapure AR, 99%	5 Kg	25.0
42603	Lague tourie 5 % Solution (CONC)	500 ml	63.17	54269	Magnesium Chloride Hexahydrate	500 Gms	3.8
				54269 [7791-18-6]	extrapure AR, ACS, ExiPlus,	500 Gills 5 Kg	28.9
<b>72349</b> [7274-88-6]	D-Lysine Hydrochloride extrapure, 99%	1 Gms	32.37		Multi-Compendial, 99%	3 Ng	۷۵.93
[1214-00-0]	0070	5 Gms	121.73		meets compendial specs of USP, BP		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>91417</b> [7791-18-6]	Magnesium Chloride Hexahydrate for molecular biology, 99.5%	250 Gms 500 Gms	8.55 11.84	<b>15547</b> [1309-48-4]	Magnesium Oxide Light extrapure, 98%	500 Gms 5 Kg	18.16 166.47
		5 Kg	105.28	04744	Malashita Cusan Ovaleta		
16203	Magnesium Chloride Hexahydrate	500 Gms	9.48	<b>64741</b> [2437-29-8]	Malachite Green Oxalate	25 Gms 100 Gms	1.97 6.97
[7791-18-6]	for tissue culture, 99.5%	5 Kg	85.54		Malaia Asid autromore AD 00 50/		
20577	Magnesium Chloride 0.5M Solution	500 ml	3.03	<b>97890</b> [110-16-7]	Maleic Acid extrapure AR, 99.5%	100 Gms 500 Gms	3.03 7.24
<b>28577</b> [7791-18-6]	Magnesium Chloride 0.5M Solution	1000 ml	5.66			2.5 Kg	31.58
00770	Magnasium Chlarida 1M Salutian	500 ml	3.55	00500	Moleie Acid extremure AD EviDlue	100 Gms	
<b>23772</b> [7791-18-6]	Magnesium Chloride 1M Solution	1000 ml	6.58	<b>68589</b> [110-16-7]	Maleic Acid extrapure AR, ExiPlus, Multi-Compendial, 99.5%	500 Gms	3.29 8.95
50740	Marinasium Citrata Nanahudusta				meets compendial specs of USP, BP	500 ams	0.55
<b>58742</b> [153531-96-5]	Magnesium Citrate Nonahydrate pure, 97%	500 Gms	20.40	17289	Maleic Hydrazide extrapure, 98%	100 Gms	13.82
25349	Magnesium Fluoride pure, 95%	500 Gms	10.66	[123-33-1]	(1,2-Dihydro-3,6-pyridazinedione,	1 Kg	118.44
[7783-40-6]					3,6-Dihydroxypyridazine, Maleic Acid	5	
45149	Magnesium Metal coarse powder,	100 Gms	4.61	24226	Hydrazide, 3,6-Pyridazinediol <b>DL-Malic Acid pure, 99%</b>	500 Gms	8.29
[7439-95-4]	99.8%, -36 mesh	500 Gms	21.06	[6915-15-7]	DE-Iviano Acid pure, 99%	5 Kg	78.96
19684	Magnesium Metal Ribbon extrapure	25 Gms	4.47	70000 14	Maltadaytrin EviDiya	500 Gms	
[7439-95-4]	AR, 99.5%	050 0	10.17	<b>73638</b> ✓ [9050-36-6]	Maltodextrin ExiPlus, Multi-Compendial	500 Gms 5 Kg	4.08 32.90
<b>94410</b> [7439-95-4]	Magnesium Metal Turnings, 99.8%	250 Gms 500 Gms	12.17 19.08		•	25 Kg	144.76
		2.5 Kg	93.44		meets compendial specs of BP	20119	144.70
77007	Magnesium Nitrete Heyebydrete			90827 🗸	Maltodextrin for tissue culture,	500 Gms	2.90
<b>77697</b> [13446-18-9]	Magnesium Nitrate Hexahydrate extrapure AR, ACS, 99%	500 Gms	5.53	[9050-36-6]		5 Kg	26.32
50014	Magnesium Sulphate Dried	500 Gms	6.84	59338	D-Maltose Monohydrate for	100 Gms	3.55
[7487-88-9]	extrapure AR, 62-70% MgSO4, 99%	2.5 Kg	31.58	[6363-53-7]	bacteriology and biochemistry	500 Gms	14.21
64187	Magnesium Sulphate Dried	500 Gms	7.37			5 Kg	138.18
[7487-88-9]	extrapure AR, ExiPlus,	2.5 Kg	34.22	42844	D-Maltose Monohydrate for tissue	100 Gms	4.34
	Multi-Compendial, 62-70% MgSO4, 99%			[6363-53-7]	culture	500 Gms	17.77
	meets compendial specs of USP, BP,					5 Kg	164.50
	Ph.Eur			97526	Manganese (II) Acetate	500 Gms	5.66
85611	Magnesium Sulphate Heptahydrate	500 Gms	4.47	[6156-78-1]	Tetrahydrate pure, 97%		
[10034-99-8]	extrapure AR, 99%	500 C	4.74		(Manganous Acetate Tetrahydrate)		
<b>26129</b> [10034-99-8]	Magnesium Sulphate Heptahydrate extrapure AR, ACS, ExiPlus,	500 Gms	4.74	<b>78017</b> [6156-78-1]	Manganese (II) Acetate Tetrahydrate extrapure AR, 99%	500 Gms	6.58
	Multi-Compendial, 99%			[0130-70-1]	(Manganous Acetate Tetrahydrate)		
	meets compendial specs of USP, BP			94486	Manganese AAS Standard Solution	100 ml	19.74
74440	Magnesium Sulphate Heptahydrate for molecular biology, 99.5%	500 Gms	19.21		in 0.5N HCI	250 ml	31.58
[10034-99-8] <b>83890</b>	Magnesium Sulphate Heptahydrate	500 Gms	5.92	45757	Manganese (II) Carbonate pure, Mn	500 Gms	6.84
[10034-99-8]	for tissue culture, 99.5%	ooo amo	0.02	[598-62-9]	content 42-46%		
90046	Magnesium Sulphate 0.1M Solution	500 ml	3.55	75112	(Manganous Carbonate)  Manganese (II) Chloride	500 Gms	7.76
[10034-99-8]		1000 ml	6.45	<b>75113</b> [13446-34-9]	Tetrahydrate extrapure, 97%	500 Gills 5 Kg	71.06
10301	Magnesium Sulphate 0.5M Solution	500 ml	3.82		(Manganous Chloride Tetrahydrate)		71.00
[10034-99-8]		1000 ml	6.97	12551	Manganese (II) Chloride	500 Gms	9.48
29811	Magnesium Sulphate 1M Solution	500 ml	4.08	[13446-34-9]	Tetrahydrate extrapure AR, ACS, 99%	5 Kg	86.86
[10034-99-8]		1000 ml	7.37		(Manganous Chloride Tetrahydrate)		
78222	Magnesium Stearate ExiPlus,	500 Gms	7.24	<b>73970</b> [7439-96-5]	Manganese Metal Powder pure, 99%, ~325 mesh	250 Gms	9.21
[557-04-0]	Multi-Compendial (Stearic Acid Magnesium Salt)			58011	Manganese (II) Sulphate	500 Gms	5.66
	meets compendial specs of USP, BP,			[10034-96-5]	Monohydrate pure, 98% (Manganous Sulphate Monohydrate)	5 Kg	49.22
05050	Ph.Eur  Magnesium Ovide Heavy extrapure	500 Gms	14.34	12386	Manganese (II) Sulphate	500 Gms	9.21
<b>85850</b> [1309-48-4]	Magnesium Oxide Heavy extrapure, 98%			[10034-96-5]	Monohydrate extrapure AR, 99%	5 Kg	84.22
,		5 Kg	136.21		(Manganous Sulphate Monohydrate)		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
78822	Manganese (II) Sulphate	500 Gms	11.05	93383	Mercuric lodide Red extrapure AR,	25 Gms	19.74
[10034-96-5]	Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	5 Kg	99.36	[7774-29-0]	ACS, ExiPlus, Multi-Compendial, 99%	100 Gms	72.38
	(Manganous Sulphate Monohydrate)				(Mercury (II) lodide)	250 Gms	177.66
	meets compendial specs of USP, BP,				meets compendial specs of USP, Ph.Eur		
	Ph.Eur			68434	Mercuric Nitrate Monohydrate	25 Gms	21.3
38593	Manganese (IV) Oxide pure, 80%	500 Gms	5.26	[7783-34-8]	extrapure, 98%	100 Gms	80.5
[1313-13-9]	(Manganese Dioxide)	5 Kg	46.06		(Mercury (II) Nitrate Monohydrate)	250 Gms	197.40
24248	D-Mannitol extrapure, 98.5%	500 Gms	12.37	89168	Mercuric Nitrate Monohydrate	25 Gms	22.90
[69-65-8]		1 Kg	23.69	[7783-34-8]	extrapure AR, ACS, 98.5%	100 Gms	83.70
		5 Kg	114.49		(Mercury (II) Nitrate Monohydrate)	250 Gms	205.3
		25 Kg	559.30	62847	Mercuric Oxide Red extrapure, 99%	25 Gms	15.7
79887	D-Mannitol extrapure AR, 99%	250 Gms	6.84	[21908-53-2]	(Mercury (II) Oxide)	100 Gms	58.0
[69-65-8]		500 Gms	13.42			250 Gms	140.5
		5 Kg	119.76	60178	Mercuric Oxide Red ACS, ExiPlus,	25 Gms	15.9
21304	D-Mannitol extrapure AR, ACS,	500 Gms	15.27	[21908-53-2]	Multi-Compendial, 99%	100 Gms	60.6
[69-65-8]	ExiPlus, Multi-Compendial, 99%	5 Kg	143.71		(Mercury (II) Oxide)	250 Gms	147.6
	meets compendial specs of BP				meets compendial specs of Ph.Eur		
64370	Menthol Synthetic pure	100 Gms	12.50	86666	Mercuric Oxide Yellow extrapure,	25 Gms	15.7
[2216-51-5]		250 Gms	26.32	[21908-53-2]	99%	100 Gms	58.0
69892	2-Mercaptoethanol pure, 99%	100 ml	6.84		(Mercury (II) Oxide)	500 Gms	281.1
[60-24-2]	,	500 ml	28.69	37053	Mercuric Oxide Yellow extrapure	25 Gms	18.5
83759	2-Mercaptoethanol for molecular	100 ml	10.13	[21908-53-2]	AR, ACS, 99.3%	100 Gms	66.8
[60-24-2]	biology, 99%	250 ml	21.71		(Mercury (II) Oxide)	500 Gms	325.0
		500 ml	32.64		Manager Carlot at a name COO		
		Tites as al. (Marcury (III) Sulphata)	25 Gms	13.4			
	Mercuric Acetate pure, 98% (Mercury (II) Acetate)			[]		100 Gms	51.3
[1000 27 1]		100 Gms	60.01			250 Gms 500 Gms	124.7 228.9
		250 Gms	142.13				
<b>80243</b> [1600-27-7]	Mercuric Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial,	25 Gms	16.84	<b>20846</b> [7783-35-9]	Mercuric Sulphate extrapure AR, 99%	25 Gms	14.2
[1600-27-7]	98%	100 Gms	63.96		(Mercury (II) Sulphate)	100 Gms	52.9
	(Mercury (II) Acetate)	250 Gms	146.87			250 Gms	129.4
	meets compendial specs of Ph.Eur			43302	Mercuric Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial,	25 Gms	18.9
58263	Mercuric Bromide extrapure AR,	25 Gms	17.77	[7783-35-9]	99%	100 Gms	56.0
[7789-47-1]	ACS, 99% (Mercury (II) Bromide)	100 Gms	58.96		(Mercury (II) Sulphate)	250 Gms	134.2
25699	Mercuric Chloride extrapure, 98%	25 Gms	15.53		meets compendial specs of USP, Ph.Eur		
[7487-94-7]	(Mercury (II) Chloride)	100 Gms	60.01	48274	Mercuric Thiocyanate extrapure,	25 Gms	22.3
		250 Gms	145.29	[592-85-8]	98% (Mercury (II) Thiocyanate)	100 Gms	78.9
		500 Gms	284.26	93119	Mercuric Thiocyanate extrapure	25 Gms	24.3
29828	Mercuric Chloride extrapure AR,	25 Gms	17.11	[592-85-8]	AR, ExiPlus, Multi-Compendial,	100 Gms	84.2
[7487-94-7]	ACS, ExiPlus, Multi-Compendial,	100 Gms	63.17		98%		
	98%	250 Gms	151.60		(Mercury (II) Thiocyanate) meets compendial specs of Ph.Eur		
	(Mercury (II) Chloride)	500 Gms	296.89	47104	Mercurous Chloride pure, 98%	25 Gms	15.0
	meets compendial specs of USP	333 35	200.00	<b>47184</b> [10112-91-1]	(Mercury (I) Chloride, Calomel)	100 Gms	58.0
98926	Mercuric lodide Red pure, 99%	25 Gms	17.11		•	500 Gms	281.1
[7774-29-0]	(Mercury (II) lodide)	100 Gms	63.17		Marauraua Chlorida autoro - AD		
•		250 Gms	151.34	<b>37921</b> [10112-91-1]	Mercurous Chloride extrapure AR,  ACS, 99.5%	25 Gms	16.7
20024	Mayanyia ladida Dad antuanna AD			[10115-91-1]	(Mercury (I) Chloride, Calomel)	100 Gms	61.5
<b>36881</b> [7774-29-0]	Mercuric lodide Red extrapure AR, 99%	25 Gms	18.42			250 Gms	151.3
25 3]	(Mercury (II) lodide)	100 Gms	68.43	36004	Mercurous Nitrate Dihydrate	25 Gms	17.3
(1)	, , , , , , , , , , , , , , , , , , ,	250 Gms	164.50	[14836-60-3]	extrapure, 97%	100 Gms	67.9

[14836-60-3] <b>84229</b>	Mercurous Nitrate Dihydrate extrapure AR, ACS, 98%	25 Gms	40.05	21944			
84229		100 Gms	18.95	<b>21944</b> (811-98-3)	Methanol-d4 for NMR spectroscopy, 99.8 atom%D	10 Gms	125.0
	(Mercury (I) Nitrate Dihydrate)	250 Gms	72.64 177.66	19305	L-Methionine extrapure CHR, 99%	25 Gms	4.3
				[63-68-3]	· · · · · · · · · · · · · · · · · · ·	100 Gms	9.:
	Mercury AAS Standard Solution in 0.5N HNO3	100 ml	32.90			1 Kg	76.
	0.51 11100	250 ml	50.01			5 Kg	355.
	Mercury (II) Amidochloride	25 Gms	17.11	65167	Methyl Cellosolve extrapure, 99%	500 ml	6.
	extrapure, 98% (Ammoniated Mercury)	100 Gms	68.43	[109-86-4]	,	2500 ml	27.
	( a.m.e.matea mereary)	500 Gms	289.52	00000	Methyl Collegelys sytronyrs AD		
	Mesitylene extrapure, 98%	500 ml	13.29	<b>38200</b> [109-86-4]	Methyl Cellosolve extrapure AR, 99.5%	500 ml 1000 ml	7. 12.
[108-67-8]	(1,3,5-Trimethyl Benzene)	1000 ml	20.13	. ,		2500 ml	29.
		2500 ml	48.17				
53383 🗸	Mercury Metal extrapure, 99%	250 Gms	157.92	<b>60451</b> [108-87-2]	Methyl Cyclohexane extrapure, 99%	500 ml	7.
[7439-97-6]		500 Gms	302.68	[100-07-2]	33/6	2500 ml	27.
86556	Methacrylic Acid extrapure, 99%	500 ml	7.11	46985	Methyl Red Sodium Salt (water	25 Gms	3.
[79-41-4]		2500 ml	34.22	[845-10-3]	<b>soluble) ACS, 95%</b> (C.I. No. 13020) (Acid Red 2)	500 Gms	63.
37726	Methanesulphonic Acid (MSA)	100 ml	2.90	38862	N,N-Methylene Bisacrylamide	100 Gms	13.
	pure, 99%	500 ml	12.50	[110-26-9]	(bis-Acrylamide) pure, 98%	500 Gms	38.
		2500 ml	57.90			5 Kg	289.
		25 Ltr	552.72	38516	N,N-Methylene Bisacrylamide	25 Gms	7
46989	Methanesulphonyl Chloride pure,	100 ml	2.90	[110-26-9]	(bis-Acrylamide) 3x cryst. extrapure	100 Gms	22
	98%	500 ml	12.50		AR, 99.5%	500 Gms	92
		2500 ml	57.90	67320	N,N-Methylene Bisacrylamide 3x	25 Gms	7
		25 Ltr	552.72	<b>67320</b> [110-26-9]	cryst. for molecular biology, 99.5%	25 Gms	23
	Mathamasulmhamul Chlavida			. ,	(Bis-Acrylamide)	250 Gms	58
	6644 Methanesulphonyl Chloride [124-63-0] extrapure, 99%	100 ml	3.29			500 Gms	113
[.2.000]		500 ml 2500 ml	14.48 60.54	0	N.N. Mathadaya Birasandayalda 00/		
		2500 IIII 25 Ltr	579.04	<b>58779</b> [110-26-9]	N,N`-Methylene Bisacrylamide 2% aq. solution for molecular biology	25 ml	47
	Mathamataman 2007				•	100 ml	127
<b>59029</b> [67-56-1]	Methanol pure, 99%	500 ml	3.29	<b>60363</b> [7220-79-3]	Methylene Blue Trihydrate	25 Gms	5
[07 00 1]		2500 ml	8.82	[/220-/9-3]		100 Gms	21
		25 Ltr	75.67			500 Gms	105
6 <b>5524</b> [67-56-1]	Methanol extrapure AR, 99.8%	500 ml	3.55	97866	Methylene Blue 1% aq. Solution	125 ml	1
[07-30-1]		1000 ml	6.84			250 ml	3
		2500 ml	9.61	77248	Methyl lodide (lodomethane)	100 ml	87
	Methanol extrapure AR, ACS,	500 ml	4.21	[74-88-4]	extrapure, 99%	250 ml	189
[67-56-1]	ExiPlus, Multi-Compendial, 99.8%	1000 ml	7.11	64889	Methyl Isobutyl Carbinol extrapure,	500 ml	13
		2500 ml	10.79	[108-11-2]	98%		
	meets compendial specs of USP, BP,			15926	Methyl Isobutyl Ketone (MIBK)	500 ml	4
	Ph.Eur			[108-10-1]	pure, 98%	2500 ml	18
<b>37655</b> [67-56-1]	Methanol GC-HS, 99.9%	500 ml	9.21	61929	Methyl Isobutyl Ketone (MIBK)	500 ml	5
[07-30-1]		1000 ml	16.19	[108-10-1]	extrapure AR, 99.5%	2500 ml	22
	Methanol for HPLC & UV	500 ml	4.87	10416	Methyl Isobutyl Ketone (MIBK) for	500 ml	16
[67-56-1]	Spectroscopy, 99.8%	1000 ml	6.58	[108-10-1]	UV spectroscopy, 99.5%		
		2500 ml	12.77	72387	4-Methyl Morpholine pure, 99%	250 ml	8
	Methanol electronic grade, 99.8%	2500 ml	15.66	[109-02-4]	(N-Methyl Morpholine)	500 ml	16
[67-56-1]				70280	Methyl Orange	25 Gms	2
	Methanol Dried extrapure AR, 99.8%, water 0.02%	500 ml	4.74	[547-58-0]		100 Gms	7
[1-06-10]	0.070, Water 0.0270	1000 ml	6.58			1 Kg	63
	Methanol for molecular biology,	500 ml	11.98	51369	N-Methyl-2-Pyrrolidone (NMP)	500 ml	10.
	99.5%	1000 ml	21.58	[872-50-4]	extrapure, 99.5%	2500 ml	44.

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Pric
86263	N-Methyl-2-Pyrrolidone (NMP)	500 ml	11.19	31444	Molybdenum Trioxide extrapure,	100 Gms	27.6
[872-50-4]	extrapure AR, 99.5%	2500 ml	47.38	[1313-27-5]	99.5%	250 Gms	65.8
11118	N-Methyl-2-Pyrrolidone (NMP)	500 ml	11.84			500 Gms	128.9
[872-50-4]	extrapure AR, ACS, ExiPlus,	2500 ml	48.69	72615	Molybdenum Trioxide extrapure	100 Gms	30.2
	Multi-Compendial, 99.5%			[1313-27-5]	AR, ACS, 99.5%	250 Gms	69.0
25903	meets compendial specs of USP, BP	050	11.04			500 Gms	135.5
25903 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) GC-HS, 99.9%	250 ml 500 ml	11.84 15.79	49664	Molybdic Acid pure, 85%	100 Gms	21.3
[]	,	1000 ml		[7782-91-4]	,	250 Gms	51.3
			28.95			500 Gms	98.7
10331 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) for HPLC, 99.5%	1000 ml	26.32	98466	Molybdic Acid extrapure AR, 85%	100 Gms	23.0
89975	N-Methyl-2-Pyrrolidone (NMP) for	250 ml	10.00	[7782-91-4]	morybaic Acid extrapare Ari, 00%	250 Gms	55.2
[872-50-4]	molecular biology, 99.5%	200 1111	10.00			500 Gms	105.2
44055	Methyl-4-Hydroxybenzoate (Methyl	500 Gms	17.11		Mahihalia Asid sukusuus AD ACC		
[99-76-3]	Paraben) ExiPlus,	5 Kg	157.92	<b>71772</b> [7782-91-4]	Molybdic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 85%	100 Gms	26.5
	Multi-Compendial, 98-102% meets compendial specs of USP, BP			[7702 01 4]		250 Gms	57.2
60905	Methyl-4-Hydroxybenzoate Sodium	500 Gms	15.66			500 Gms	111.8
[5026-62-0]	Salt (Methyl Paraben Sodium)	500 Gills 5 Kg	151.60		meets compendial specs of USP		
. ,	ExiPlus, Multi-Compendial,	5 Ng	151.00	<b>44630</b> [110-91-8]	Morpholine extrapure, 99%	500 ml	8.1
	95-102%			[110-91-0]		2500 ml	38.3
	meets compendial specs of USP, BP					25 Ltr	290.4
<b>49449</b> [493-52-7]	Methyl Red extrapure AR	25 Gms	3.29	96740	Morpholine extrapure AR, 99.5%	250 ml	4.8
[493-32-7]		100 Gms	12.50	[110-91-8]		500 ml	9.3
		1 Kg	118.44	11287	Morpholine extrapure AR, ACS,	500 ml	14.
	Methyl Red ACS, ExiPlus,	25 Gms	6.05	[110-91-8]	ExiPlus, Multi-Compendial, 99.5%		
	Multi-Compendial	100 Gms	14.34		meets compendial specs of USP, BP,		
		1 Kg	128.97	00000	Ph.Eur	r. C	0.4
meets compendial specs of BP,	meets compendial specs of BP, Ph.Eur			<b>98293</b> [3051-09-0]	Murexide extrapure AR (Ammonium Purpurate), 98%	5 Gms 25 Gms	3.4 12.9
99983	2-Methyl Tetrahydrofuran pure,	100 ml	4.34		•	100 Gms	49.0
[96-47-9]	98%	500 ml	18.42			500 Gms	217.0
		2500 ml	78.96				
37689	Methyl Violet	25 Gms	2.90	<b>99571</b> [3051-09-0]	Murexide extrapure AR, ACS, ExiPlus, Multi-Compendial	5 Gms	4.0
[8004-87-3]		100 Gms	6.84	[0031-08-0]	(Ammonium Purpurate), 98%	25 Gms	14.3
90121	Metol extrapure, 99%	100 Gms	12.90			100 Gms	51.4
[55-55-0]	(4-Methylaminophenol Sulphate)	500 Gms	55.27			500 Gms	237.8
98254	Molecular Sieve 3A (0.3nm)	250 Gms	7.24		meets compendial specs of Ph.Eur		
	(1.6-3mm Beads)	1 Kg	20.13	<b>13280</b> [91-20-3]	Naphthalene extrapure AR, ExiPlus, Multi-Compendial, 99.5%	100 Gms	4.0
		5 Kg	80.41	[91-20-3]	Multi-compendial, 33.376	500 Gms	7.2
	Malagular Ciava 4A (0.4mm)					1 Kg	13.6
<b>72866</b> [70955-01-0]	Molecular Sieve 4A (0.4nm) (1.6-3mm Beads)	250 Gms	7.24		meets compendial specs of USP, BP,		
[/0955-01-0]	(1.5 Shiii Beads)	1 Kg	20.13		Ph.Eur		
		5 Kg	80.41	26320 [01-20-3]	Naphthalene scintillation grade, 99%	100 Gms	4.7
75690	Molecular Sieve 5A (0.5nm)	250 Gms	7.90	[91-20-3]		500 Gms	8.8
[70955-01-0]	(1.6-3mm Beads)	1 Kg	21.58			1 Kg	16.8
		5 Kg	86.07	89740	Naphthalene-1-Acetic Acid (NAA)	25 Gms	2.7
27764	Molecular Sieve 13X (2-4mm	250 Gms	7.24	[86-87-3]	extrapure, 99% (1-Naphthylacetic Acid)	100 Gms	8.4
[63231-69-6]	Beads)	1 Kg	20.13		(Traphinyacono Acia)	500 Gms	37.2
		5 Kg	80.41	75928	Naphthalene-1-Acetic Acid (NAA)	25 Gms	3.4
38717	Molybdenum AAS Standard	100 ml	19.74	[86-87-3]	for tissue culture, 99%	100 Gms	9.2
	Solution in 0.5N H2SO4	250 ml	31.58		(1-Naphthylacetic Acid)	500 Gms	43.0
				04000	a Nambabal mura 200/	100.0	4.8
				84226	a-Naphthol pure, 99%	100 Gms	4.0

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
36309	a-Naphthol extrapure AR, 99.5%	25 Gms	2.76	10081	Nickel (II) Chloride Hexahydrate	100 Gms	7.63
[90-15-3]		100 Gms	6.84	[7791-20-0]	extrapure AR, ACS, ExiPlus,	500 Gms	32.90
		500 Gms	26.32		Multi-Compendial, 99% (Nickelous Chloride Hexahydrate)		
30585	a-Naphthol extrapure AR, ExiPlus,	100 Gms	8.16		meets compendial specs of BP		
[90-15-3]	Multi-Compendial, 99.5%	500 Gms	28.95	75546	Nickel Metal powder extrapure,	100 Gms	15.92
	meets compendial specs of USP, BP,	ood ame	20.00	[7440-02-0]	99.5%, ~100 mesh	500 Gms	61.59
	Ph.Eur				Nit-lead (II) Niterate Harrachardente		
74770	B-Naphthol extrapure AR, 99%	100 Gms	4.47	<b>57709</b> [13478-00-7]	Nickel (II) Nitrate Hexahydrate pure, 98%	500 Gms	21.00
[135-19-3]	is-respirator extrapare Art, 55%	500 Gms	18.42	[10470-00-7]	(Nickelous Nitrate Hexahydrate)		
				30795	Nickel (II) Nitrate Hexahydrate	250 Gms	14.7
<b>19261</b> [135-19-3]	b-Naphthol extrapure AR, ExiPlus, Multi-Compendial, 99%	100 Gms	5.26	[13478-00-7]	-	500 Gms	28.2
[135-19-3]	Mulu-Compendial, 99%	500 Gms	21.58		(Nickelous Nitrate Hexahydrate)		
	meets compendial specs of USP, BP,			33568	Nickel (II) Nitrate Hexahydrate	250 Gms	17.1
	Ph.Eur			[13478-00-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	32.2
77807	1-Naphtholbenzein extrapure	5 Gms	11.19		(Nickelous Nitrate Hexahydrate)		
[145-50-6]	(a-Naphtholbenzein, p-naphtholbenzein, 4,4'-	25 Gms	50.01		meets compendial specs of Ph. Eur		
	(a-Hydroxybenzylidene)di-1-naphthol)			49487	Nickel (II) Oxide pure, 77% Ni	100 Gms	23.6
86079	Neissers Stain A (Methylene Blue)	125 ml	1.71	[1313-99-1]	(Nickel Monoxide)	500 Gms	105.2
				12125	Nickel (II) Sulphate Heptahydrate	500 Gms	26.3
20379	Neissers Stain B (Crystal Violet)	125 ml	1.97		pure, 98%		250.0
					(Nickelous Sulphate Heptahydrate)	5 Kg	250.0
23058	Neissers Stain C (Chrysoidine)	125 ml	1.71	93377	Nickel (II) Sulphate Heptahydrate	500 Gms	30.2
				[10101-98-1]		5 Kg	282.9
36248	Neutral Red (High Purity), 85%	10 Gms	12.50		(Nickelous Sulphate Heptahydrate)		
[553-24-2]		25 Gms	28.29	48105	Nickel (II) Sulphate Heptahydrate	100 Gms	10.2
		100 Gms	107.91	[10101-98-1]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%	500 Gms	34.2
90691	Neutral Red extrapure AR, 60%	10 Gms	6.58		(Nickelous Sulphate Heptahydrate)		
[553-24-2]	(C.I. No. 50040)	25 Gms	14.48		meets compendial specs of USP, BP,		
		100 Gms	47.38		Ph.Eur		
18559	Neutral Red (High Purity) ACS,	10 Gms	13.16	61397	Nickel (II) Sulphate Hexahydrate	100 Gms	8.1
[553-24-2]	ExiPlus, Multi-Compendial, 85%	25 Gms	30.27	[10101-97-0]	ACS, 99%	500 Gms	34.2
	meets compendial specs of BP	25 55	55.2.		(Nickelous Sulphate Heptahydrate)	5 Kg	325.3
72240	· · ·	100 Gms	12.11	86097	Nicotinic Acid	100 Gms	5.5
<b>73342</b> [12635-27-7]	Nickel Aluminium Alloy powder, 50% Ni, 50% Al			[59-67-6]	(Pyridine-3-Carboxylic Acid) pure,	500 Gms	20.1
		500 Gms	45.80		99%		
48615	Nickel AAS Standard Solution in	100 ml	19.74	67066	Nigrosin (water soluble)	25 Gms	2.3
	0.5N HNO3	250 ml	31.58	[8005-03-6]		100 Gms	6.8
42591	Nickel (II) Acetate Tetrahydrate	100 Gms	9.74	75529	Nigrosin (alcohol soluble)	25 Gms	2.6
[6018-89-9]	pure, 98%	500 Gms	35.14	[11099-03-9]		100 Gms	6.9
	(Nickelous Acetate Tetrahydrate)			71131	Nigrosin 10% w/v Solution	100 ml	1.5
<b>66489</b> 958638-02-3]	Nickel (II) Carbonate Basic Hydrate extrapure, 44-47% Ni	500 Gms	65.01	71101			
936036-02-3]	(Nickelous Carbonate Hydroxide			36317	Nile Blue Chloride	25 Gms	17.6
	Hydrate, Nickel Hydroxide Carbonate			[2381-85-3]			
	Hydrate)			62887	Nile Blue Sulphate	10 Gms	10.6
58481	Nickel (II) Carbonate Basic	500 Gms	37.90	[3625-57-8]		25 Gms	21.5
12607-70-4, 39430-27-8]	Tetrahydrate extrapure, 44-47% Ni (Nickelous Carbonate Hydroxide	5 Kg	351.37	47353	Nile Red	100 Mg	39.4
55-100-2 <i>1</i> =0]	Tetrahydrate, Nickel Hydroxide			[7385-67-3]	(Nile Blue A Oxazone)	1 Gms	210.5
	Carbonate Tetrahydrate)					5 Gms	394.8
84421	Nickel (II) Chloride Hexahydrate	500 Gms	27.64		Minhadala auto AP a		
[7791-20-0]	pure, 98%	5 Kg	261.88	<b>55058</b> [485-47-2]	Ninhydrin extrapure AR, 99%	10 Gms	9.2
	(Nickelous Chloride Hexahydrate)			[+00-47-2]		25 Gms	21.0
27303	Nickel (II) Chloride Hexahydrate	100 Gms	6.58			100 Gms	81.5
[7791-20-0]	extrapure AR, 99%	500 Gms	28.95				

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
93940	Ninhydrin extrapure AR, ACS,	10 Gms	9.74	52761	Octyl Sulphate Sodium Salt for	5 Gms	30.66
[485-47-2]	ExiPlus, Multi-Compendial, 99%	25 Gms	22.37	[142-31-4]	HPLC, 99%	25 Gms	130.02
		100 Gms	85.54	87572	(Sodium Octyl Sulphate, SOS)  Oleic Acid extrapure	500 ml	6.45
	meets compendial specs of BP, Ph.Eur			[112-80-1]	(cis-9-Octadecenoic acid, Elainic acid)	2500 ml	26.19
48081	Nitrilotriacetic Acid (NTA) extrapure	100 Gms	3.95		Olais Asid Between a Olay dayd		
[139-13-9]	AR, ACS, 99%	500 Gms	14.48	28460 [112-80-1]	Oleic Acid Reference Standard, 99%(GC)	1 Gms	23.69
	(N,N-Bis(carboxymethyl)glycine, Tris(carboxymethyl)amine)			[112 00 1]	. ,	5 Gms	56.19
15319	o-Nitroaniline extrapure, 99%	250 Gms	9.74	87519	Oleylamine pure, 95% (cis-9-Octadecenylamine)	250 ml	9.34
[88-74-4]				[112-90-3]	(cis-s-Octadecenylamine)	1000 ml	31.06
34003	m-Nitroaniline extrapure, 99%	250 Gms	23.03			2500 ml	66.98
[99-09-2]	a Nither and like a substantial and a control	252.0		79576	Olive Oil	100 ml	6.58
<b>99409</b> [100-01-6]	p-Nitroaniline extrapure, 98%	250 Gms	8.82	[8001-25-0]		250 ml	11.84
69114	p-Nitroaniline (High Purity)	25 Gms	4.47	13756	Orange G	25 Gms	3.42
[100-01-6]	extrapure AR, 99.5%	100 Gms	11.58	[1936-15-8]		100 Gms	10.66
FF440	Nitrohannana nura 000/		4.47	66366	Orcinol Anhydrous extrapure (3,5-	5 Gms	21.58
<b>55410</b> [98-95-3]	Nitrobenzene pure, 98%	500 ml 2500 ml	19.74	[504-15-4]	dihydroxytoluene), 99%	25 Gms	54.22
						100 Gms	135.28
<b>75010</b> [98-95-3]	Nitrobenzene extrapure AR, 99%	500 ml	5.00	49330	Orcinol Monohydrate extrapure	10 Gms	12.77
[90-93-3]		2500 ml	22.37	[6153-39-5]	(3,5- dihydroxytoluene	25 Gms	30.27
40208	Nitrobenzene extrapure AR, ACS,	500 ml	5.79		monohydrate), 99%	100 Gms	93.96
[98-95-3]	ExiPlus, Multi-Compendial, 99%	2500 ml	25.00	36916	Orcinol Monohydrate ExiPlus,	10 Gms	15.66
	meets compendial specs of USP, BP,			[6153-39-5]	Multi-Compendial (3,5-	25 Gms	35.14
	Ph.Eur				dihydroxytoluene monohydrate),	100 Gms	100.28
20509	Nitromethane ACS, 98% 500 ml 13.95 99% (Nitrocarbol, Nitroparaffin) 1000 ml 24.61 meets compendial specs of USP, BP	100 ams	100.20				
[75-52-5]	24.01						
		2500 ml	57.38	<b>36678</b> [7664-38-2]	Orthophosphoric Acid extrapure, 85%	500 ml	7.90
50337	p-Nitrophenol pure, 98%	100 Gms	3.82	[7004-00-2]	(Phosphoric Acid)	2500 ml	36.85
[100-02-7]	(4-Nitrophenol)	500 Gms	17.77			20 Ltr	276.36
25170	p-Nitrophenol (High Purity)	25 Gms	5.53	50056	Orthophosphoric Acid extrapure	500 ml	8.55
[100-02-7]	extrapure AR, 99.5%	100 Gms	15.66	[7664-38-2]	AR, ACS, 85% (Phosphoric Acid)	2500 ml	39.48
		500 Gms	68.96	38048	Orthophosphoric Acid for HPLC &	250 ml	17.77
59687	p-Nitrophenol (High Purity)	25 Gms	6.32	[7664-38-2]	UV Spectroscopy, 85%	1000 ml	60.54
[100-02-7]	extrapure AR, ExiPlus,	100 Gms	17.24	83577	Osmic Acid extrapure, 99%	1 Gms	99.49
	Multi-Compendial, 99.5%			[20816-12-0]	Como Acia exaupare, co/o	1 Gillo	00.10
	meets compendial specs of BP, Ph.Eur	5.0	04.04	40510	Oxalic Acid extrapure AR, 99.5%	500 Gms	5.00
<b>49301</b> [100-02-7]	p-Nitrophenol for Spectrophotometry, 99.5%	5 Gms	24.61	[6153-56-6]	·		
[.00 02 /]	(4-Nitrophenol)	25 Gms	62.38	72425	Oxalic Acid Dihydrate extrapure	500 Gms	5.66
54373	Nonane Sulphonic Acid Sodium	5 Gms	38.69	[6153-56-6]	AR, ACS, ExiPlus, Multi-Compendial, 99.5%		
[35192-74-6]	Salt Anhydrous for HPLC, 98%	25 Gms	176.74		meets compendial specs of USP, BP,		
07050	(Sodium 1-Nonanesulfonate)	05.0	15.70		Ph.Eur		
<b>67956</b> [5324-84-5]	Octane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	15.79	64056	Palladium (II) Acetate (Palladium	250 Mg	47.38
[]	•	100 Gms	57.38	[3375-31-3]	Diacetate) extrapure, 99%, 47% Pd	1 Gms	111.86
		250 Gms	140.68			5 Gms	552.72
<b>72554</b>	Octane Sulphonic Acid Sodium Salt	25 Gms	15.79			25 Gms	2632.00
[ZU/ 3 <del>8</del> 0-29-0]	Monohydrate for HPLC, 99%	100 Gms	57.38	59548	Palladium (II) Acetylacetonate	250 Mg	43.43
		250 Gms	140.68	[14024-61-4]	(Pd(acac)2) extrapure, 34.7% Pd	1 Gms	109.23
38732	1-Octanol (1-Octyl Alcohol) pure,	500 ml	9.87		(Bis(2,4-Pentanedionato) Palladium(II),	5 Gms	421.12
[111-87-5]	99% (n-Octanol, n-Octyl Alcohol)	2500 ml	46.06	60000	Bis(Acetylacetonato) Palladium(II))  Palladium AAS Standard Solution		
		500 ml	26.32	69263	Palladium AAS Standard Solution in 0.5N HCI	100 ml 250 ml	39.48 65.80
40334	1-Octanol (1-Octyl Alcohol) for						nn x()

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
33080	Palladium (II) Chloride pure, 99%, 59-60% Pd	250 Mg	67.12	60536	Paraffin Yellow pure	500 Gms	8.16
[7647-10-1]	(Palladium Dichloride)	1 Gms	157.92	[8002-74-2] <b>45057</b>	Pectin pure	100 Gms	10.79
	,	5 Gms	684.32	[9000-69-5]	(Poly-D-Galacturonic Acid Methyl	500 Gms	43.43
		25 Gms	3290.00		Ester)	1 Kg	73.70
96917	Palladium (II) Chloride ACS,	250 Mg	71.06	00000	n Dentene extremure 200/		
[7647-10-1]	ExiPlus, Multi-Compendial, 99%, 59-60% Pd	1 Gms	184.24	<b>96096</b> [109-66-0]	n-Pentane extrapure, 99%	500 ml 2500 ml	8.42 39.48
	(Palladium Dichloride)	5 Gms	736.96	. ,		2500 IIII 25 Ltr	329.00
		25 Gms	3553.20		Doubles of the second		
	meets compendial specs of USP, BP			<b>41730</b> [109-66-0]	n-Pentane extrapure AR, 99%	500 ml	8.95
<b>19694</b> [32916-07-7]	Palladium (II) Nitrate Dihydrate extrapure, 99%, 40% Pd	250 Mg	47.38			2500 ml	43.43
[02910-07-7]	(Palladium Dinitrate Dihydrate)	1 Gms 5 Gms	111.86 552.72	<b>94510</b> [109-66-0]	n-Pentane extrapure AR, ExiPlus, Multi-Compendial, 99%	500 ml 2500 ml	9.74 46.06
92345	Palladium 5% On Asbestos	1 Gms	34.74		meets compendial specs of USP, BP,		
[7440-05-3]	Tanadam 0% on Assestes	10 Gms	157.92		Ph.Eur		
57033	Palladium 10% On Asbestos	1 Gms	44.22	49135	n-Pentane for HPLC & UV	500 ml	15.79
[7440-05-3]	Pallaululli 10 % Oli Aspesios	10 Gms	284.26	[109-66-0]	Spectroscopy, 99%	1000 ml	28.95
	Della dissa 50/ On Anthony			47040	1,2-Pentanediol pure, 98%	25 ml	39.48
<b>44002</b> [7440-05-3]	Palladium 5% On Activated Carbon	1 Gms	36.85	[5343-92-0]	(1,2-Dihydroxypentane)	250 ml	144.76
. ,		10 Gms 50 Gms	144.76 618.52	18486	Pentane Sulphonic Acid Sodium	25 Gms	15.79
	Della dissa 50/ On Anthony			[22767-49-3]	Salt Anhydrous for HPLC, 99%	100 Gms	57.38
<b>45685</b> [7440-05-3]	Palladium 5% On Activated Carbon (50% wet)	1 Gms	23.69			250 Gms	140.68
[	(****	10 Gms	105.28	90760	Pentane Sulphonic Acid Sodium	25 Gms	15.79
		50 Gms	394.80	[207605-40-1]	Salt Monohydrate for HPLC, 99%	100 Gms	57.38
<b>52944</b> [7440-05-3]	Palladium 10% On Activated Carbon	1 Gms	42.11			250 Gms	140.68
[7440-05-5]	Carbon	10 Gms	263.20	26312	Periodic Acid extrapure, 99%	25 Gms	12.50
		50 Gms	1210.72	[10450-60-9]	Torroute Acta extrapare, 65%	100 Gms	42.11
<b>46494</b> [7440-05-3]	Palladium 10% On Activated Carbon (50% wet)	1 Gms	23.69	11778	Petroleum Ether 40-60 extrapure	500 ml	6.71
[7440-05-3]	Carbon (30% Wet)	10 Gms	157.92	[8032-32-4]	retroleum Ether 40-60 extrapure	2500 ml	27.77
		50 Gms	631.68	00440	Datus laves Ethan 40 CO autronom		
<b>40822</b> [7440-05-3]	Palladium 10% on Calcium Carbonate	1 Gms	31.58	<b>26440</b> [8032-32-4]	Petroleum Ether 40-60 extrapure AR	500 ml 2500 ml	7.63 31.58
[7440-05-3]	Carbonate	5 Gms	128.97		B		
32049	Palladium (II) Oxide pure, 85% Pd	250 Mg	59.22	<b>58415</b> [8032-32-4]	Petroleum Ether 60-80 pure	500 ml	4.61
[1314-08-5]	(Palladium Monoxide)	1 Gms	210.56	[0002 02 .]		2500 ml	17.24
81249	Palladium (II) Sulphate extrapure,	250 Mg	59.75			25 Ltr	145.81
[13566-03-5]	99%	1 Gms	157.92	<b>36651</b> [8032-32-4]	Petroleum Ether 60-80 extrapure AR	500 ml	5.26
18211	Paraffin Liquid Light (Mineral Oil	500 ml	3.55			2500 ml	19.21
[8012-95-1, 8042-47-5]	Light) extrapure, 25-80mPas	2500 ml	15.13	<b>15340</b> [8032-32-4]	Petroleum Ether 60-80 for HPLC & UV Spectroscopy	500 ml	8.42
		25 Ltr	138.18	[0032-32-4]	от ореспоясору	1000 ml	15.13
79167	Paraffin Liquid Heavy (Mineral Oil	500 ml	3.95			2500 ml	35.40
[8012-95-1, 8042-47-5]	Heavy) extrapure, 110-230mPas	2500 ml	17.11	15590	Petroleum Ether 80-100 pure	500 ml	5.53
0072-77-0]		25 Ltr	164.50	[8032-32-4]		2500 ml	22.24
86715	Paraffin Wax Pellets (Type 1 -	500 Gms	5.66	52226	Petroleum Ether 100-120 extrapure	500 ml	5.79
[8002-74-2]	56-58) extrapure	1000 Gms	10.40	[8032-32-4]		2500 ml	21.06
47994	Paraffin Wax Pellets (Type 2 -	500 Gms	5.66	69031	Phenol:Chloroform:Isoamyl	100 ml	20.00
[8002-74-2]	58-60) extrapure	1000 Gms	10.40	[136112-00-0]	Alcohol (25:24:1) pH 8.0 for molecular biology	250 ml	45.40
84381	Paraffin Wax Pellets (Type 3 -	500 Gms	5.66			500 ml	61.72
[8002-74-2]	60-62) extrapure	1000 Gms	10.40	17080	Phenol:Chloroform:Isoamyl	100 ml	37.11
74193	Paraffin Wax White Soft pure	100 Gms	2.37		Alcohol (125:24:1) pH 4.5 for	500 ml	126.34
[8002-74-2]	(Petroleum Jelly White)	500 Gms	5.79	79030	molecular biology Phenol:Chloroform:Isoamyl	100 ml	38.82
		31110		19030 0	Alcohol (49.5:49.5:1) pH 6.7 for	500 ml	133.05
					molecular biology	500 1111	100.00

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
36976	Phenol:Chloroform: Isoamyl	100 ml	40.53	40170	L-Phenylalanine ExiPlus,	100 Gms	8.55
	Alcohol (49.5:49.5:1) pH 8.0 for molecular biology	500 ml	143.18	[63-91-2]	Multi-Compendial, 99%	500 Gms 1 Kg	32.90 60.54
28104 🗸	• • •	500 Gms	7.63		mosts compandial appear of PD	i ng	00.54
[108-95-2]	(Hydroxybenzene, Carbolic Acid)	2.5 Kg	34.87	64075	meets compendial specs of BP  Phenylhydrazine pure, 98%	100 ml	7.90
		25 Kg	286.10	<b>64975</b> [100-63-0]	Frienymydrazme pure, 90%	500 ml	34.22
14892 🗸	Phenol Crystalline extrapure AR,	500 Gms	8.55			2500 ml	177.66
[108-95-2]	99.5%	2.5 Kg	37.90		D		
07745 4	(Hydroxybenzene, Carbolic Acid)	500 Gms	9.48	<b>31804</b> [100-63-0]	Phenylhydrazine extrapure AR, 99%	100 ml	14.48
<b>97745</b> ✓ [108-95-2]	Phenol Crystalline extrapure AR, ACS, ExiPlus, Multi-Compendial,	2.5 Kg	40.93			500 ml	68.43
. ,	99.5%	2.5 Ng	40.93	40555	Phenylhydrazine Hydrochloride pure, 99%	100 Gms	10.0
	(Hydroxybenzene, Carbolic Acid)			[59-88-1]	puie, 95%	250 Gms	22.50
4=000 0	meets compendial specs of USP, BP	400.0		12109	Phenylhydrazine Hydrochloride	100 Gms	13.29
17286 <b>J</b> [108-95-2]	Phenol Crystalline for molecular biology, 99.5%	100 Gms	6.05	[59-88-1]	extrapure AR, 99%	250 Gms	31.58
[100 00 2]	(Hydroxybenzene, Carbolic Acid)	500 Gms	22.77	26892	Phenylhydrazine Hydrochloride	100 Gms	17.50
47484	Phenol Equilibrated with 0.1M	100 ml	14.21	[59-88-1]	extrapure AR, ExiPlus,	250 Gms	40.8
[108-95-2]	Citrate Buffer pH 4.5 for molecular	500 ml	57.25		Multi-Compendial, 99% meets compendial specs of USP, BP,		
40000	biology w/ Stabilizer	60	10.40		Ph.Eur		
<b>12692</b> [108-95-2]	Phenol Tris Equilibrated for molecular biology w/ Stabilizer	60 ml	19.48	64732	Phenylhydrazine Hydrochloride	5 Gms	11.84
[]	(Hydroxybenzene, Carbolic Acid)	100 ml 500 ml	26.45	[59-88-1]	Superior extrapure AR, 99%	100 Gms	31.0
0			72.25	28022	Phenyltrimethylammonium	100 Gms	8.10
<b>78348</b> [108-95-2]	Phenol Tris Equilibrated for molecular biology w/o Stabilizer	100 ml	26.45	[138-24-9]	Chloride (PTMAC) pure, 97%	500 Gms	36.9
[100-93-2]	molecular biology w/o clabilizer	500 ml	72.25	00000	Dhaanhamaluhdia Asid autranura		
83275	Phenol Saturated w/ 10% water for	100 ml	11.98	<b>82322</b> [51429-74-4]	Phosphomolybdic Acid extrapure AR, ACS, 99%	25 Gms	15.79
[108-95-2]	molecular biology (Phenol Liquid w/ 10% water), 90%	500 ml	42.38	[	, ,	100 Gms 500 Gms	50.5
90179	Phenolphthalein extrapure AR, 99%	50 Gms	5.13		<u> </u>		210.56
[77-09-8]		100 Gms	7.76	<b>78861</b> [13598-36-2]	Phosphorous Acid Crystals (Phosphonic Acid) extrapure, 99%	500 Gms	11.0
		500 Gms	37.24	[10030-00-2]	(Orthophosphorous Acid)	2.5 Kg	53.96
74785	Phenolphthalein extrapure AR,	100 Gms	9.34	72656	Phosphorus Red pure 97%	500 Gms	31.0
[77-09-8]	ACS, ExiPlus, Multi-Compendial,	500 Gms	39.61	[7723-14-0]			
	99%			80653	Phosphotungstic Acid Hydrate	25 Gms	9.74
	meets compendial specs of BP, Ph.Eur			[12501-23-4]	extrapure (Tungstophosphoric Acid)	100 Gms	32.51
<b>79563</b> [77-09-8]	Phenolphthalein Indicator 1% Soln in Ethanol	125 ml	2.11		,	500 Gms	138.18
[77-09-6]	III Luianoi	500 ml	5.79	57855	Phosphotungstic Acid Hydrate	25 Gms	11.84
90817	Phenol Red	25 Gms	8.16	[12501-23-4]	extrapure AR	100 Gms	40.80
[143-74-8]		100 Gms	28.95			500 Gms	157.92
68313	Phenol Red ACS, ExiPlus,	25 Gms	8.82	67397	Phthalic Acid pure, 99%	500 Gms	8.95
[143-74-8]	Multi-Compendial	100 Gms	31.58	[88-99-3]			
	meets compendial specs of BP, Ph.Eur			32624	Phthalic Anhydride pure, 97%	500 Gms	5.66
59462	Phenol Red Sodium Salt ACS	5 Gms	3.03	[85-44-9]		5 Kg	48.82
[34487-61-1]	(water soluble), 95% (Phenolsulfonephthalein Sodium Salt)	25 Gms	8.55	93665	Phthalic Anhydride ACS, 99%	500 Gms	11.45
	(i Herioisunonephinalein Joulum Jaily	100 Gms	32.64	[85-44-9]		5 Kg	110.94
40919	D-Phenylalanine extrapure CHR,	5 Gms	5.79	44745	Phytic Acid Sodium Salt Hydrate	5 Gms	46.45
[673-06-3]	99%	25 Gms	23.03	[17211-15-3]	(InsP6) extrapure, 70% (Inositol hexaphosphoric acid	25 Gms	208.59
		100 Gms	86.07		dodecasodium salt, myo-Inositol		
67602	DL-Phenylalanine extrapure CHR,	25 Gms	9.34		hexakis(dihydrogen phosphate)		
[150-30-1]	99%	100 Gms	31.72		dodecaso		
85081	L-Phenylalanine extrapure CHR,	100 Gms	6.58	94847	Picric Acid extrapure, 99%	100 Gms	4.87
[63-91-2]	99%	500 Gms	28.95	[88-89-1]		500 Gms	13.69
		1 Kg	50.01	47998	Picric Acid extrapure AR, 99.8%	100 Gms	5.79
		5 Kg	210.56	[88-89-1]		500 Gms	18.42

Code	Name	Packing	\$ Price
16462	Platinum (IV) Oxide Hydrate	1 Gms	184.24
[52785-06-5]	extrapure, 76-80% Pt Platinum Dioxide Hydrate, Adam's Catalyst	250 Mg	66.33
41175	Podophyllum Resin pure	25 Gms	80.14
[9000-55-9]		100 Gms	240.04
<b>79133</b> [25322-68-3]	Polyethylene Glycol 400 (PEG 400) (Carbowax 400)	500 Gms	6.58
<b>87919</b> [25322-68-3]	Polyethylene Glycol 400 (PEG 400) ExiPlus, Multi-Compendial (Carbowax 400) meets compendial specs of BP	500 Gms	7.76
<b>61213</b> [25322-68-3]	Polyethylene Glycol 3350 (PEG 3350) ExiPlus, Multi-Compendial	500 Gms	10.79
30970	Polyethylene Glycol 4000 (PEG	500 Gms	6.58
[25322-68-3]	4000)	5 Kg	63.96
		25 Kg	303.21
76937	Polyethylene Glycol 4000 (PEG	500 Gms	7.90
[25322-68-3]	4000) ExiPlus, Multi-Compendial	5 Kg	73.96
	meets compendial specs of USP		
67429	Polyethylene Glycol 6000 (PEG	500 Gms	7.24
[25322-68-3]	6000)	5 Kg	63.17
26029	Polyethylene Glycol 6000 (PEG	500 Gms	8.55
[25322-68-3]	6000) ExiPlus, Multi-Compendial	5 Kg	74.62
	meets compendial specs of USP		
54866	Polyethylene Glycol 8000 (PEG	500 Gms	23.03
[25322-68-3]	8000) for molecular biology (Carbowax 8000)	5 Kg	208.06
<b>94701</b> [25322-68-3]	Polyethylene Glycol 8000 (PEG 8000) ExiPlus, Multi-Compendial (Carbowax 8000)	500 Gms 5 Kg	10.00 93.83
<b>64651</b> [25322-68-3]	Polyethylene Glycol 9000 (PEG	500 Gms	15.92
<b>46505</b> [25322-68-3]	Polyethylene Glycol 9000 (PEG 9000) ExiPlus, Multi-Compendial (Carbowax 9000)	500 Gms	19.21
75727	Polyethylene Glycol 20000 (PEG	100 Gms	19.74
[25322-68-3]	20000)	500 Gms	65.80
		1 Kg	111.86
		5 Kg	236.88
33817	Polyethylene Glycol 20000 (PEG	100 Gms	23.69
[25322-68-3]	20000) ExiPlus, Multi-Compendial	500 Gms	73.70
		1 Kg	128.97
	meets compendial specs of USP, BP		
41098	Polyphosphoric Acid extrapure,	500 ml	20.92
[8017-16-1]	83-87% P2O5	2500 ml	97.65
28599	Polysorbate 20 (Tween 20)	500 Gms	11.19
[9005-64-5]	extrapure	2.5 Kg	48.82
		5 Kg	92.12
		25 Kg	438.89
33712	Polysorbate 20 (Tween 20) for	500 Gms	15.27

Code	Name	Packing	\$ Pric
<b>23610</b> [9005-64-5]	Polysorbate 20 (Tween 20) ExiPlus, Multi-Compendial	500 Gms	13.6
	meets compendial specs of BP		
65296	Polysorbate 20 (Tween 20) for	100 Gms	20.7
[9005-64-5]	molecular biology	500 Gms	33.5
31453	Polysorbate 40 (Tween 40)	250 Gms	8.0
[9005-66-7]	extrapure	5 Kg	125.0
62539	Polysorbate 40 (Tween 40) ExiPlus,	250 Gms	14.3
[9005-66-7]	Multi-Compendial	5 Kg	164.5
	meets compendial specs of USP, BP, Ph.Eur		
12502	Polysorbate 60 (Tween 60)	100 Gms	6.3
[9005-67-8]	extrapure	500 Gms	13.9
		5 Kg	105.2
86878	Polysorbate 60 (Tween 60) ExiPlus,	500 Gms	15.9
[9005-67-8]	Multi-Compendial	5 Kg	118.4
	meets compendial specs of USP, BP, Ph.Eur		
28940	Polysorbate 80 (Tween 80)	500 Gms	11.9
[9005-65-6]	extrapure	5 Kg	87.7
		25 Kg	399.0
95188	Polysorbate 80 (Tween 80) ExiPlus,	500 Gms	13.8
[9005-65-6]	Multi-Compendial	5 Kg	103.8
		25 Kg	494.6
	meets compendial specs of BP		
41030	Polyvinylpyrrolidone (PVP K-30)	100 Gms	8.5
[9003-39-8]		500 Gms	35.5
		5 Kg	342.1
		25 Kg	1447.6
65155	Polyvinylpyrrolidone (PVP K-30)	100 Gms	9.8
[9003-39-8]	ExiPlus, Multi-Compendial	500 Gms	39.4
		5 Kg	368.4
	meets compendial specs of BP		
	Potassium Acetate pure, 99%	500 Gms	7.9
[127-08-2]		5 Kg	72.3
79156	Potassium Acetate extrapure AR,	500 Gms	8.9
[127-08-2]	99%	5 Kg	84.2
40480	Potassium Acetate extrapure AR,	500 Gms	9.6
[127-08-2]	ACS, ExiPlus, Multi-Compendial, 99%	5 Kg	90.8
00040	meets compendial specs of USP, BP  Potassium Acetate for molecular	100 0	
<b>96248</b> [127-08-2]	biology, 99.5%	100 Gms 500 Gms	5.2 15.7
<b>81955</b> [127-08-2]	Potassium Acetate for tissue culture, 99.5%	100 Gms 500 Gms	3.9 11.8
<b>99644</b> [7758-01-2]	Potassium Bromate pure, 99.5%	500 Gms 5 Kg	13.8 134.2
80833	Potassium Bromide pure, 98.5%	500 Gms	14.4
<b>80823</b> [7758-02-3]	i otaosium biomine pule, 30.3%	500 Gms 5 Kg	134.2
			21.0
66453	Potassium Bromide extrapure AR,	500 Gms	

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>25707</b> [7758-02-3]	Potassium Bromide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms 5 Kg	23.69 223.72	<b>80233</b> [7778-50-9]	Potassium Dichromate extrapure AR, 99.9%	500 Gms 5 Kg	13.82 119.76
	meets compendial specs of USP, BP			55353	Potassium Dichromate extrapure	500 Gms	15.79
<b>13873</b> [7758-02-3]	Potassium Bromide Powder for IR & FTIR spectroscopy, 99.5%	100 Gms	56.19	[7778-50-9]	AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP,	5 Kg	128.97
87005	Potassium AAS Standard Solution	100 ml	19.74		Ph.Eur		
	in 0.5N HCI	250 ml	31.58	52403	Potassium Dihydrogen	500 Gms	8.69
93649	Potassium Bromide 0.1M Solution	500 ml	4.08	[7778-77-0]	Orthophosphate pure, 99%	5 Kg	85.54
[7758-02-3]		1000 ml	7.37			25 Kg	394.80
79982	Potassium Bromide 0.5M Solution	500 ml	4.34	50451	Potassium Dihydrogen	500 Gms	9.87
[7758-02-3]		1000 ml	8.03	[7778-77-0]	Orthophosphate extrapure AR,	5 Kg	94.75
29988	Potassium Bromide 1M Solution	500 ml	4.74	78297	99.5% Potassium Dihydrogen	500 Gms	10.53
[7758-02-3]		1000 ml	8.42	[7778-77-0]	Orthophosphate extrapure AR,	5 Kg	100.02
<b>24794</b> [298-14-6]	Potassium Bicarbonate extrapure, 99%	500 Gms	5.66		ACS, ExiPlus, Multi-Compendial, 99.5%	o ng	100.02
	(Potassium Hydrogen Carbonate)				meets compendial specs of BP	050 0	7.00
<b>57674</b> [298-14-6]	Potassium Bicarbonate AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	6.19	<b>54358</b> [7778-77-0]	Potassium Dihydrogen Orthophosphate for molecular	250 Gms	7.90
[290-14-0]	(Potassium Hydrogen Carbonate)			[]	biology, 99.5%	500 Gms 5 Kg	15.13 144.76
	meets compendial specs of BP				(Potassium Phosphate Monobasic)		
87272	Potassium Carbonate anhydrous	500 Gms	5.13	<b>30955</b> [7778-77-0]	Potassium Dihydrogen Orthophosphate for HPLC & UV	500 Gms	12.90
[584-08-7]	extrapure, 99%	5 Kg	44.74	[	Spectroscopy, 99.5%	5 Kg	125.02
83342	Potassium Carbonate anhydrous	500 Gms	5.92	32360	Potassium Dihydrogen	500 Gms	11.19
[584-08-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	51.19	[7778-77-0]	Orthophosphate for tissue culture, 99.5%	1 Kg	21.06
	meets compendial specs of USP				(Potassium Phosphate Monobasic)	5 Kg	102.65
38630	Potassium Chloride extrapure AR,	500 Gms	4.08	77012	Potassium Ethyl Xanthate (PEX)	100 Gms	18.42
[7447-40-7]	99.5%	5 Kg	30.14	[140-89-6]	extrapure, 98% (O-Ethyl Xanthic Acid Potassium Salt)	500 Gms	76.33
		25 Kg	140.68	15766	Potassium Ferricyanide extrapure,	100 Gms	5.92
50016	Potassium Chloride extrapure AR,	500 Gms	4.47	[13746-66-2]	•	500 Gms	25.66
[7447-40-7]	ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	34.48			5 Kg	236.88
	meets compendial specs of BP, Ph.Eur,			59558	Potassium Ferricyanide ACS,	250 Gms	15.13
	USP			[13746-66-2]		500 Gms	28.03
84984	Potassium Chloride for molecular	500 Gms	11.84			5 Kg	261.09
[7447-40-7]	biology, 99.5%	1 Kg	18.03		meets compendial specs of USP, Ph.Eur		
<b>71088</b> [7447-40-7]	Potassium Chloride for tissue culture, 99.5%	250 Gms	10.13	<b>32294</b> [14459-95-1]	Potassium Ferrocyanide extrapure AR, 99%	500 Gms	14.08
<b>84390</b> [7789-00-6]	Potassium Chromate pure, 99%	500 Gms	12.11	<b>12914</b> [14459-95-1]	Potassium Ferrocyanide extrapure AR, ACS, ExiPlus,	500 Gms	15.53
<b>93448</b> [7789-00-6]	Potassium Chromate extrapure AR, 99.5%	500 Gms	13.16		Multi-Compendial, 99% meets compendial specs of USP, Ph.Eur		
<b>31751</b> [7789-00-6]	Potassium Chromate extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms	14.61	<b>97535</b> [7789-23-3]	Potassium Fluoride Anhydrous pure, 97%	500 Gms	10.53
	99.5%			91489	Potassium Hexachloroplatinate (IV)	250 Mg	39.48
	meets compendial specs of USP, BP, Ph.Eur			[16921-30-5]	pure, 40% Pt (Platinum Potassium Chloride,	1 Gms	92.12
49890	Potassium Citrate Tribasic	500 Gms	8.55		Potassium Chloroplatinate)	5 Gms	394.80
[6100-05-6]	Monohydrate extrapure AR, 99%	5 Kg	82.91			25 Gms	1842.40
74176	Potassium Citrate Tribasic	500 Gms	9.87	42414	Potassium Hexafluorophosphate	25 Gms	10.53
[6100-05-6]	Monohydrate extrapure AR,	500 Giris 5 Kg	94.75	[17084-13-8]	extrapure, 99%	100 Gms	26.32
	<b>ExiPlus, Multi-Compendial, 99%</b> meets compendial specs of BP	J Ng	370			500 Gms	92.12
13250	Potassium Dichromate pure, 99.5%	500 Gms	12.50				

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
40180	Potassium Hexafluorotitanate pure, 98%	100 Gms	7.90	78240	Potassium lodide pure, 99%	25 Gms	8.55
[16919-27-0]	(Potassium Fluotitanate, Potassium	500 Gms	19.74	[7681-11-0]		100 Gms	32.24
	Titanium Fluoride, Dipotassium	5 Kg	105.28			250 Gms	77.64
	hexafluorotitanate, Titanium potas					500 Gms	151.34
37466	Potassium Hexafluorozirconate	100 Gms	14.08	27874	Potassium Iodide extrapure AR,	25 Gms	9.21
[16923-95-8]	pure, 97%	500 Gms	32.90	[7681-11-0]	99.8%	100 Gms	33.56
39535	Potassium Hexaiodoplatinate (IV)	250 Mg	29.61			250 Gms	81.59
[16905-14-9]	pure, 18-19% Pt	1 Gms	75.67			500 Gms	161.21
80633	Potassium Hydrogen Phthalate	500 Gms	9.48	97028	Potassium Iodide extrapure AR,	25 Gms	9.54
[877-24-7]	extrapure AR, 99.9%	500 C	10.70	[7681-11-0]	ACS, ExiPlus, Multi-Compendial, 99.8%	100 Gms	36.19
<b>29467</b> [877-24-7]	Potassium Hydrogen Phthalate extrapure AR, ACS, ExiPlus,	500 Gms	10.79			250 Gms	88.17
. ,	Multi-Compendial, 99.9%					500 Gms	171.08
	meets compendial specs of BP, Ph.Eur				meets compendial specs of USP, BP		
<b>49017</b> [877-24-7]	Potassium Hydrogen Phthalate for HPLC & UV Spectroscopy, 99.9%	500 Gms	12.90	<b>11677</b> [7681-11-0]	Potassium Iodide 0.1M Solution	500 ml 1000 ml	6.58 11.84
65031	Potassium Hydrogen Sulphate	500 Gms	7.90		Data ashum ta dista 4M Ostudian		
[7646-93-7]	(Potassium Bisulphate) pure, 99%	5 Kg	76.33	<b>74567</b> [7681-11-0]	Potassium Iodide 1M Solution	500 ml	26.32
10942	Potassium Hydrogen Sulphate	500 Gms	9.48	[/ 55 6]		1000 ml	51.32
[7646-93-7]	extrapure AR, ACS, ExiPlus,	300 GIII3	0.40	26645	Potassium Iodide 3M Solution	500 ml	78.96
	Multi-Compendial, 99%			[7681-11-0]		1000 ml	151.34
	(Potassium Bisulphate) meets compendial specs of BP, Ph.Eur			<b>93842</b> [4429-42-9]	Potassium Metabisulphite pure, 95%	500 Gms	5.92
76131	Potassium Hydrogen Tartrate	500 Gms	11.19	13413	Potassium Periodate extrapure AR,	100 Gms	31.85
[868-14-4]	(Potassium Bitartrate) pure, 99%	5 Kg	103.96	[7790-21-8]	99.8%	500 Gms	151.34
84749	(Potassium L-Tartrate Monobasic)  Potassium Hydroxide pellets	500 Gms	6.32	86742	Potassium Periodate extrapure AR,	100 Gms	34.87
[1310-58-3]	extrapure, 85%	1 Kg	11.19	[7790-21-8]	ACS, ExiPlus, Multi-Compendial,	500 Gms	166.47
		5 Kg	53.96		99.8%		
70000	Data acium Hudvavida Dallata				meets compendial specs of USP, BP, Ph.Eur		
<b>78269</b> [1310-58-3]	Potassium Hydroxide Pellets extrapure AR, 85%	500 Gms 1 Kg	6.84 13.16	77407	Potassium Oxalate Monohydrate	500 Gms	8.42
		5 Kg	57.90	[6487-48-5]	pure, 99%	5 Kg	78.96
18543	Potassium Hydroxide Pellets	500 Gms	7.37	40707	Potassium Oxalate Monohydrate	500 Gms	9.74
[1310-58-3]	extrapure AR, ACS, ExiPlus,	5 Kg	63.17	[6487-48-5]	extrapure AR, ACS, 99.5%	5 Kg	92.12
	Multi-Compendial, 85%	5 Ng	03.17	26002	Potassium Permanganate	500 Gms	8.82
	meets compendial specs of USP, BP,			<b>36903</b> [7722-64-7]	extrapure, 99%		68.96
	Ph.Eur					5 Kg	
26035	Potassium Hydroxide Powder	500 Gms	6.58	<b>51470</b> [7722-64-7]	Potassium Permanganate extrapure AR, 99.5%	500 Gms	9.61
[1310-58-3]	extrapure, 85%, 80-100 mesh	1 Kg	12.50	[7722-04-7]	extrapare Art, 55.5%	5 Kg	83.30
		5 Kg	55.27	26500	Potassium Permanganate	500 Gms	10.40
67864	Potassium Iodate pure, 99.5%	100 Gms	25.00	[7722-64-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	86.07
[7758-05-6]		250 Gms	60.54		meets compendial specs of USP, BP		
		500 Gms	115.81	10322	Potassium Persulphate extrapure,	500 Gms	6.84
11041	Potassium Iodate extrapure AR,	100 Gms	26.32	[7727-21-1]	97%		
[7758-05-6]	99.9%	250 Gms	63.17		• •	500 Gms	7.90
		500 Gms	119.76	[7727-21-1]	AR, 98%	=ac =	
10809	Potassium Iodate extrapure AR,	100 Gms	28.29	48319 (7727-21-1)	Potassium Persulphate extrapure AR, ACS, ExiPlus,	500 Gms	8.69
[7758-05-6]	ACS, ExiPlus, Multi-Compendial,	250 Gms	67.12	,	Multi-Compendial, 99%		
	99.9%	500 Gms	128.97		meets compendial specs of USP, BP,		
	meets compendial specs of USP, BP,				Ph.Eur	505.0	
	Ph.Eur			<b>90654</b> [7758-11-4]	Potassium Phosphate Dibasic Anhydrous pure, 99%	500 Gms	9.21
				[,,,50   1   4]		5 Kg	84.22
				27387	Potassium Phosphate Dibasic	500 Gms	10.79

5 Kg

[7758-11-4] Anhydrous extrapure AR, 99.5%

96.07

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>31964</b> [7758-11-4]	Potassium Phosphate Dibasic Anhydrous extrapure AR, ACS,	500 Gms 5 Kg	11.58 101.33	<b>48218</b> [333-20-0]	Potassium Thiocyanate pure, 97%	500 Gms	10.26
	<b>ExiPlus, Multi-Compendial, 99.5%</b> meets compendial specs of USP	3 Ng	101.00	<b>41027</b> [333-20-0]	Potassium Thiocyanate extrapure AR, 99%	500 Gms	12.11
<b>41295</b> [7758-11-4]	Potassium Phosphate Dibasic Anhydrous for HPLC, 99.5%	500 Gms	15.79	<b>59115</b> [333-20-0]	Potassium Thiocyanate extrapure AR, ACS, ExiPlus,	500 Gms	15.13
57419	Potassium Phosphate Dibasic	500 Gms	10.53		Multi-Compendial, 99%		
[7758-11-4]	Anhydrous for tissue culture, 99%	5 Kg	94.75		meets compendial specs of USP, Ph.Eur		
15914	Potassium Phosphate Tribasic	500 Gms	15.79	69285	Potato Starch pure	500 Gms	4.74
[7778-53-2]	Anhydrous extrapure AR, ACS, 98% (Tripotassium Phosphate)			[9005-25-8] 	D-Proline extrapure CHR, 99%	5 Kg	41.45 19.74
37423	Potassium Pyroantimonate	100 Gms	8.69	[344-25-2]	D-1 Tollic extrapare of it, 35%		63.69
[12208-13-8]	extrapure, 98%	500 Gms	39.48				
	(Potassium			<b>35139</b> [147-85-3]	L-Proline extrapure CHR, 99%		3.95
	Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)			[147-00-0]			9.87
94527	Potassium Pyroantimonate	100 Gms	10.53			=	85.54
[12208-13-8]	extrapure AR, 99%	500 Gms	46.06			h.Eur  500 Gms 5 Kg 5 Gms 25 Gms 100 Gms 1 Kg 5 Kg 25 Gms 100 Gms 100 Gms 500 Gms 1 Kg 5 Kg 5 Kg 5 Kg 5 Kg 5 Kg 6 Kg 6 Kg 6 Kg 6 Kg 7 Kg 7 Kg 7 Kg 7 Kg 7 Kg 8 Kg 8 Kg 9	394.80
	(Potassium			56073	L-Proline for tissue culture, 99%	25 Gms	4.61
	Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)			[147-85-3]		100 Gms	11.84
50862	Potassium Pyrophosphate	500 Gms	12.50			500 Gms	47.38
[7320-34-5]	extrapure, 98%			96877	L-Proline ExiPlus,	100 Gms	16.58
	Tetra Potassium Pyrophosphate,			[147-85-3]	Multi-Compendial, 99%	1 Kg	105.28
	Potassium diphosphate tetrabasic, Tetrapotassium diphosphate, Potassi					5 Kg	479.29
53158	Potassium Pyrosulphate	100 Gms	23.69		meets compendial specs of BP, Ph.Eur		
[7790-62-7]	(Potassium Disulfate) extrapure,	500 Gms	85.54	61988	Proline BP	1 Kg	105.28
	97.5%			[147-85-3]	(L-Proline BP)	5 Kg	493.50
86344	Potassium Ricinoleate extrapure	500 Gms	12.50			25 Kg	2303.00
[7492-30-0]	(Ricinoleic Acid Potassium Salt, Potassium Ricinolate)	5 Kg	118.44	68128	L-Proline USP	1 Kg	121.07
44277	Potassium Sulphate extrapure, 99%	500 Gms	5.53	[147-85-3]		5 Kg	559.30
[7778-80-5]		5 Kg	44.74			25 Kg	2632.00
<b>52182</b> [7778-80-5]	Potassium Sulphate for tissue culture, 99%	500 Gms	7.24	<b>39236</b> [71-23-8]	n-Propanol pure, 99%		4.61 19.74
26253	Potassium Sulphate extrapure AR,	500 Gms	6.05		n Brananal autrenus AB 00 50/		
[7778-80-5]	99.5%	5 Kg	55.27	<b>24501</b> [71-23-8]	n-Propanol extrapure AR, 99.5%		5.26 22.37
73900	Potassium Sulphate extrapure AR,	500 Gms	6.58	53790	n-Propanol extrapure AR, ACS,	500 ml	5.66
[7778-80-5]	ACS, ExiPlus, Multi-Compendial,	5 Kg	59.22	[71-23-8]	ExiPlus, Multi-Compendial, 99.5%		25.00
	99.5% meets compendial specs of USP, BP				meets compendial specs of BP, Ph.Eur	2000 1111	25.00
66691	Potassium Tellurite Anhydrous	10 Gms	23.69	42328	n-Propanol GC-HS (1-propanol),	250 ml	6.32
[7790-58-1]	extrapure, 98%	25 Gms	47.38	[71-23-8]	99.9%	1000 ml	21.06
	(Dipotassium Tellurite, Potassium	100 Gms	190.82				
35889	Tellurate, Potassium Tellurium Oxide)  Potassium Tellurite Monohydrate	10 Gms	18.42	<b>45909</b> [71-23-8]	n-Propanol for HPLC, 99.8%	1000 ml	28.95
[123333-66-4]	extrapure, 90%	25 Gms	40.80	85994	n-Propanol Dried, 99.5%, 0.005%	1000 ml	19.74
	(Potassium Tellurate (IV) Hydrate,	100 Gms	157.92	[71-23-8]	water		
40000	Dipotassium Tellurite Monohydrate)			E2111	(1-Propanol)  Propionaldehyde (Propanal) pure,	500 ml	5.13
<b>16273</b> [10025-99-7]	Potassium Tetrachloroplatinate (II) pure, 47% Pt	250 Mg	41.06	<b>52111 8</b> [123-38-6]	97%	2500 ml	26.32
	(Potassium Platinum (II) Chloride)	1 Gms	126.34		Purantanta Antidonatura Concert		
		5 Gms	600.10	<b>12931</b> [79-09-4]	Propionic Acid extrapure, C3-99% (GC)	500 ml	6.32
34570	Potassium Tetrafluoroaluminate	500 Gms	11.84	[13-03-4]	\/	2500 ml	30.14
[14484-69-6]	pure, 98% (Potassium Aluminium Fluoride, PAF)	5 Kg	94.75	43883	Propionic Acid extrapure AR,	500 ml	8.42
99928	Potassium Tetrafluoroborate pure,	250 Gms	3.29	[79-09-4]	C3-99.5% (GC)	2500 ml	37.37
	98%	1 Kg	11.84				
	(Potassium Fluoroborate, Potassium	3					

Fluoborate, Potassium Borofluoride)

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
42263	Propionic Acid extrapure AR, ACS,	500 ml	9.21	92665	Pyridine AR, ACS, ExiPlus,	250 ml	6.84
[79-09-4]	ExiPlus, Multi-Compendial, C3-99.5% (GC)	2500 ml	44.48	[110-86-1]	Multi-Compendial, 99.5%	500 ml	12.77
	meets compendial specs of USP, BP,					2500 ml	56.59
	Ph.Eur				meets compendial specs of USP, BP,		
52810	Propionic Anhydride extrapure,	500 ml	17.24	48918	Ph.Eur  Pyridinium Chlorochromate (PCC)	25 Gms	6.58
[123-62-6]	98%	2500 ml	74.62	[26299-14-9]		100 Gms	17.77
21587	Propionyl Chloride extrapure, 99%	100 ml	3.68			500 Gms	78.83
[79-03-8]		500 ml	10.79	13584	Pyridinium Dichromate (Cornforth	25 Gms	9.74
85159	Propionyl Chloride extrapure AR	500 ml	15.79	[20039-37-6]	•	100 Gms	26.58
[79-03-8] <b>28849</b>	(Specially purified), 99.5% n-Propylamine pure, 99%	500 ml	7.24			500 Gms	116.60
[107-10-8]	n-Propylamine pure, 99%	500 1111	7.24	71646	Pyrogallol extrapure AR, 99%	100 Gms	26.32
30754	Propylene Glycol (1,2-Propanediol)	500 ml	5.26	[87-66-1]	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	500 Gms	123.70
[57-55-6]	pure, 99%	2500 ml	24.35	30205	Pyrogallol extrapure AR, ACS,	100 Gms	27.37
		25 Ltr	223.72	[87-66-1]	ExiPlus, Multi-Compendial, 99%	500 Gms	128.31
53054	Propylene Glycol (1,2-Propanediol)	500 ml	6.05		meets compendial specs of USP, BP,		
[57-55-6]	extrapure AR, 99.5%	2500 ml	27.64		Ph.Eur		
95961	Propylene Glycol (1,2-Propanediol)	500 ml	6.58	58050	Rhodamine B	25 Gms	3.16
[57-55-6]	extrapure AR, ACS, ExiPlus,	2500 ml	31.58	[81-88-9]	(Tetraethylrhodamine, Violet 10)	100 Gms	11.45
	Multi-Compendial, 99.5% meets compendial specs of USP, BP,			20707	Rubidium (I) Chloride ultrapure,	5 Gms	47.38
	Ph.Eur			[7791-11-9]	99.5%	25 Gms	223.72
40011	Propyl Gallate extrapure, 98%	100 Gms	14.34	75420	Ruthenium Metal Powder, 99.9%	1 Gms	125.41
[121-79-9]		500 Gms	56.06	[7440-18-8]			
47638	Propyl Gallate IP	1 Kg	105.28	<b>60633</b> [11103-72-3]	Ruthenium Red Tetrahydrate	1 Gms	75.80
[121-79-9]		5 Kg	493.50	[11100-72-0]		5 Gms	363.22
		25 Kg	2303.00	<b>75268</b> [14898-67-0]	Ruthenium (III) Trichloride Hydrate pure, 38-40% Ru	1 Gms	60.54
14086	Propyl Gallate BP	1 Kg	105.28	[14090-07-0]	pare, 55-45 % Hu	5 Gms	252.67
[121-79-9]		5 Kg	493.50	<b>77862</b> [90-02-8]	Salicylaldehyde pure, 99% (2-Hydroxybenzaldehyde,	100 ml	9.61
		25 Kg	2303.00	[90-02-0]	o-Hydroxybenzaldehyde)	250 ml	21.58
16067	Propyl Gallate NF	1 Kg	121.07			1000 ml	78.96
[121-79-9]		5 Kg	559.30	<b>24922</b> [90-02-8]	Salicylaldehyde extrapure AR, 99.5%	100 ml	14.08
		25 Kg	2632.00	[00 02 0]	(2-Hydroxybenzaldehyde,	500 ml	47.38
53898	Propyl-4-Hydroxybenzoate (Propyl	500 Gms	17.63		o-Hydroxybenzaldehyde)		
[94-13-3]	Paraben) ExiPlus, Multi-Compendial, 98-102%	5 Kg	156.47	<b>63504</b> [90-02-8]	Salicylaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99.5%	100 ml	13.03
	meets compendial specs of USP, BP			[90-02-0]	(2-Hydroxybenzaldehyde,	250 ml	27.37
52950	Propyl-4-Hydroxybenzoate Sodium	500 Gms	23.95		o-Hydroxybenzaldehyde)	500 ml	54.61
[35285-69-9]	Salt (Propyl Paraben Sodium)	5 Kg	199.51		meets compendial specs of Ph.Eur		
	ExiPlus, Multi-Compendial, 94-102%			<b>11453</b> [69-72-7]	Salicylic Acid pure, 99%	500 Gms	8.55
	meets compendial specs of USP, BP					5 Kg 25 Kg	81.59 394.80
61808	Pyridine extrapure, 99%	250 ml	5.92	40500	Caliculia Asid automorpus AD 00.00/		
[110-86-1]		500 ml	11.19	<b>42568</b> [69-72-7]	Salicylic Acid extrapure AR, 99.9%	500 Gms	9.87 47.38
		2500 ml	52.64			2.5 Kg	
<b>51952</b> [110-86-1]	Pyridine Dried, 99.5%, water 0.01%	500 ml	17.11	<b>62657</b> [69-72-7]	Salicylic Acid extrapure AR, ACS, 99.9%	500 Gms 2.5 Kg	11.19 53.96
83329	Pyridine for HPLC & UV	500 ml	15.79	27769	Selenium AAS Standard Solution in	100 ml	19.74
[110-86-1]	Spectroscopy, 99.5%	1000 ml	28.69		0.5N HNO3	250 ml	31.58
75453	Pyridine (For Karl Fischer	500 ml	13.82	52228	Seralite SRA-400	250 Gms	7.63
[110-86-1]	Titration), 99.5%					500 Gms	14.21

Code	Name	Packing	\$ Price
89830	Seralite WRC-50	250 Gms	8.29
		500 Gms	16.06
53457	D-Serine extrapure, 99%	5 Gms	3.95
[312-84-5]		25 Gms	10.53
		100 Gms	39.48
		500 Gms	131.60
24425	DL-Serine extrapure CHR, 99%	25 Gms	7.90
[302-84-1]		100 Gms	26.32
		500 Gms	118.44
84131	L-Serine extrapure CHR, 99%	25 Gms	7.90
[56-45-1]		100 Gms	25.93
		500 Gms	98.70
63503	L-Serine for tissue culture, 99%	25 Gms	10.13
[56-45-1]		100 Gms	30.14
		500 Gms	105.28
84494	L-Serine ExiPlus,	25 Gms	10.79
[56-45-1]	Multi-Compendial, 99%	100 Gms	31.58
		1 Kg	210.56
	meets compendial specs of BP		
85148	Silica Gel Blue (Self Indicating)	500 Gms	6.97
[112926-00-8]	(Coarse), 5-8 mesh	5 Kg	65.67
84210	Silica Gel Fumed 200 (Hydrophilic)	100 Gms	6.19
[112945-52-5]	(Silicon Dioxide amorphous , Aerosil	250 Gms	13.03
	200)	2.5 Kg	86.86
71548	Silica Gel Orange (Self Indicating),	500 Gms	7.90
[112926-00-8]	2-5mm	5 Kg	76.33
65856	Silica Gel 60-120 mesh	500 Gms	6.19
[112926-00-8]		5 Kg	57.64
		25 Kg	270.83
40449	Silica Gel 60-200 mesh	500 Gms	7.37
[112926-00-8]		5 Kg	65.93
95178	Silica Gel 100-200 mesh	500 Gms	6.19
[112926-00-8]		5 Kg	57.64
		25 Kg	270.83
63025	Silica Gel 200-400 mesh	500 Gms	7.37
[112926-00-8]		5 Kg	68.83
		25 Kg	329.39
96671	Silica Gel 230-400 mesh	500 Gms	8.16
[112926-00-8]	55u dei 250 450e5	5 Kg	77.64
		25 Kg	365.98
36934	Silica Gel 400-700 mesh	500 Gms	10.40
<b>36834</b> [112926-00-8]	55. Get 700-700 incoll	1 Kg	19.21
	Silion Col C for TI C 225-mask w/		
<b>51849</b> [112926-00-8]	Silica Gel G for TLC, 325mesh, w/ CaSO4	500 Gms	7.11
		5 Kg	64.48 307.55
	011 O-1114 TI O 227	25 Kg	
<b>52797</b> [112926-00-8]	Silica Gel H for TLC, 325mesh, w/o CaSO4	500 Gms	7.11
[.12020-00-0]	·	5 Kg	64.48
		25 Kg	307.55

Code	Name	Packing	\$ Price
38062	Silica Gel GF254 for TLC, 325mesh,	500 Gms	51.32
[112926-00-8]	w/ Fluorescent Indicator w/ CaSO4	5 Kg	500.08
29774	Silica Gel HF254 for TLC, 325mesh,	500 Gms	51.32
[112926-00-8]	w/ Fluorescent Indicator w/o CaSO4	5 Kg	500.08
81618	Silicon Antifoaming Agent 30%	100 ml	4.6
	(Non-ionic)	500 ml	14.48
72243	Silicone Oil 100 CPS	250 ml	11.19
[63148-62-9]		1000 ml	39.48
		2500 ml	89.49
82045	Silicone Oil 330-370 CPS	250 ml	9.8
[63148-62-9]		1000 ml	34.22
		2500 ml	81.59
85160	Silver Acetate pure, 98%	10 Gms	34.22
[563-63-3]		25 Gms	78.96
		100 Gms	286.89
32737	Silver AAS Standard Solution in	100 ml	26.3
	0.5N HNO3	250 ml	57.38
77701	Silver Bromide extrapure, 98%	10 Gms	34.22
[7785-23-1]		25 Gms	78.9
		100 Gms	272.4
90097	Silver Carbonate pure, 99%	25 Gms	93.83
[534-16-7]		100 Gms	363.22
80647	Silver Chloride extrapure AR, 99%	25 Gms	93.83
[7783-90-6]		100 Gms	363.22
14417	Silver Diethyldithiocarbamate	5 Gms	23.82
[1470-61-7]	extrapure AR	25 Gms	92.65
16810	Silver Diethyldithiocarbamate	5 Gms	29.48
[1470-61-7]	extrapure AR, ACS, ExiPlus,	25 Gms	117.39
	Multi-Compendial meets compendial specs of USP, BP, Ph.Eur		
86633	Silver lodate extrapure, 99%	10 Gms	28.9
[7783-97-3]		25 Gms	63.1
		100 Gms	236.88
24607	Silver Iodide extrapure AR, 99%	10 Gms	32.90
[7783-96-2]		25 Gms	77.64
		100 Gms	276.30
32814	Silver Nitrate extrapure, 99.5%	10 Gms	26.3
[7761-88-8]		25 Gms	61.85
		100 Gms	243.46
		500 Gms	1184.40
91233	Silver Nitrate for tissue culture,	10 Gms	31.58
[7761-88-8]	99.5%	25 Gms	73.70
94118	Silver Nitrate extrapure AR, 99.9%	10 Gms	27.64
[7761-88-8]	70000 Ontapare Fri, 00.070	25 Gms	64.48
		100 Gms	256.62

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Pric
96045	Silver Nitrate extrapure AR, ACS,	25 Gms	68.43	44981	Sodium Acetate Trihydrate	500 Gms	4.2
[7761-88-8]	ExiPlus, Multi-Compendial, 99.9%	100 Gms	269.78	[6131-90-4]	extrapure AR, ACS, ExiPlus,	5 Kg	39.4
		500 Gms	1302.84		Multi-Compendial, 99.5% meets compendial specs of BP		
	meets compendial specs of USP, BP			88035	Sodium Acetate Trihydrate for	250 Gms	4.4
51535	Silver Nitrate 0.1N Solution	500 ml	32.24	[6131-90-4]	molecular biology, 99.5%	500 Gms	8.5
[7761-88-8]		1000 ml	62.64	04050	Codium Apotato Tribuduoto for		
54023	Silver Nitrate 0.02N Solution	500 ml	12.77	<b>84658</b> [6131-90-4]	Sodium Acetate Trihydrate for tissue culture, 99.5%	500 Gms	11.1
[7761-88-8]		1000 ml	23.42	56315	Sodium Acetate Trihydrate for	500 Gms	19.7
47262	Silver Nitrate 0.05N Solution	500 ml	16.45	[6131-90-4]	HPLC, 99.5%		
[7761-88-8]		1000 ml	30.40	21636	Sodium Acid Pyrophosphate	500 Gms	6.0
49430	Silver Nitrate 1N Solution	100 ml	76.33	[7758-16-9]	(SAPP) extrapure, 95% (Sodium Pyrophosphate Dibasic,		
[7761-88-8]	Silver Militate III estation	500 ml	364.27		Disodium Diphosphate Dibasic,		
00000	Silver Ovide nure 00%				Disodium Dihydrogen Diphosphate)		
<b>69668</b> [20667-12-3]	Silver Oxide pure, 99%	10 Gms 25 Gms	42.77 100.02	80726	Sodium Alginate LV extrapure,	500 Gms	28.9
		100 Gms	381.64	[9005-38-3]	4-12cps, 30mesh	5 Kg	282.9
				52775	Sodium Alginate HV extrapure,	500 Gms	44.7
<b>76610</b> [20667-12-3]	Silver Oxide extrapure AR, 99%	10 Gms	47.38	[9005-38-3]	1000cps, 100mesh (Alginic Acid Sodium Salt)	5 Kg	421.1
[20007-12-0]		25 Gms	111.86	75063	Sodium AAS Standard Solution in	100 ml	19.7
63976	Silver Phosphate extrapure, 98%	5 Gms	21.06	75005	0.5N HCI	250 ml	31.5
[7784-09-0]	[7784-09-0] (Silver Orthophosphate, Trisilver Phosphate)	25 Gms	88.17		On diama Anida antonoma AD AGO		
86887	,	5 Gms	26.32	<b>84070</b> [26628-22-8]	Sodium Azide extrapure AR, ACS, 99%	100 Gms	8.5
[7784-09-0]	99%	25 Gms	94.75			500 Gms	39.4
	(Silver Orthophosphate, Trisilver			17782	Sodium Azide for molecular	100 Gms	10.5
00110	Phosphate) Silver Sulfadiazine ExiPlus,	E Cmo	EE 67	[20028-22-8]	biology, 99%	500 Gms	46.0
<b>60112</b> [22199-08-2]	Multi-Compendial, 98%	5 Gms 25 Gms	55.67 166.74	65171	Sodium Benzoate pure, 99%	500 Gms	5.7
	(Silver (I) Sulfadiazine, Sulfadiazine	25 GIIIS	100.74	[532-32-1]		5 Kg	52.6
	Silver)			56398	Sodium Bicarbonate extrapure,	500 Gms	3.1
17929	Silver Sulphate pure, 98.5%	10 Gms	36.32	[144-55-8]	99%	5 Kg	25.0
[10294-26-5]		25 Gms	78.04			25 Kg	118.4
		100 Gms	302.68	45437	Sodium Bicarbonate extrapure AR,	500 Gms	3.6
59940	Silver Sulphate extrapure AR, ACS,	10 Gms	37.90	[144-55-8]	99.5%	5 Kg	28.9
[10294-26-5]	99%	25 Gms	80.28			25 Kg	125.0
		100 Gms	317.81	89399	Sodium Bicarbonate extrapure AR,	500 Gms	4.0
38119	Soda Lime with Indicator extrapure	500 Gms	7.24	[144-55-8]	ACS, ExiPlus, Multi-Compendial,	5 Kg	31.5
[8006-28-8]	AR	5 Kg	71.20		99.5%	J	
31378	Sodium Acetate Anhydrous pure,	500 Gms	3.68		meets compendial specs of USP		
[127-09-3]	98%	5 Kg	34.22	<b>36328</b> [144-55-8]	Sodium Bicarbonate for molecular biology, 99.7%	500 Gms	10.5
74537	Sodium Acetate Anhydrous	500 Gms	5.40	92957	Sodium Bicarbonate for tissue	500 Gms	9.2
[127-09-3]	extrapure AR, 99%	5 Kg	43.43	[144-55-8]	culture, 99.7%	5 Kg	78.9
51483	Sodium Acetate Anhydrous	500 Gms	6.58	02000	Sodium Borobydrido (nowder)	<del>-</del>	
[127-09-3]	extrapure AR, ACS, ExiPlus,	Jou ams	0.50	<b>93982</b> [16940-66-2]	Sodium Borohydride (powder) extrapure AR, ACS, 98%	25 Gms 100 Gms	7.3 15.6
	Multi-Compendial, 99%				(Sodium Tetrahydridoborate)	500 Gms	70.2
	meets compendial specs of USP, BP,					500 Gills 5 Kg	534.5
00040	Ph.Eur	050 0		40471	Codium Development (amounts)		
<b>22342</b> [127-09-3]	Sodium Acetate Anhydrous for molecular biology, 99%	250 Gms	6.84	<b>43471</b> [16940-66-2]	Sodium Borohydride (crystals) extrapure, 98%	25 Gms	7.7
		500 Gms	11.84	[.55-10 00-2]	(Sodium Tetrahydridoborate)	100 Gms	16.1
70509	Sodium Acetate Anhydrous for	500 Gms	17.24			500 Gms	75.8
[127-09-3]	HPLC & UV Spectroscopy, 99%  Sodium Acetate Trihydrate	E00 C	2 90	<b>32769</b>	Sodium Bromate extrapure AR,	100 Gms	3.5
<b>54966</b> [6131-90-4]	extrapure AR, 99.5%	500 Gms	3.82	[7789-38-0]	99%	500 Gms	11.8
4	. ,	5 Kg	34.22	43327	Sodium Bromide extrapure, 99%	500 Gms	15.1
				[7647-15-6]		5 Kg	131.6

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Pric
84486	Sodium Cacodylate Trihydrate	10 Gms	44.74	43819	Sodium Cobaltinitrite extrapure AR,	25 Gms	15.2
[6131-99-3]	extrapure, 98%	25 Gms	108.57	[13600-98-1]		100 Gms	35.5
	(Dimethyl Arsenic Acid Sodium Salt Trihydrate)	100 Gms	421.12		(Sodium Hexanitrocobaltate III)	500 Gms	101.2
42215	Sodium Caprylate extrapure, 99%	100 Gms	9.74	12680	Sodium Cyanoborohydride pure,	5 Gms	10.7
[1984-06-1]	(Caprylic Acid Sodium Salt)	250 Gms	18.42	[25895-60-7]	95%	25 Gms	33.6
		500 Gms	32.90		(Sodium Cyanotrihydridoborate,	100 Gms	125.5
50000	Codium Commisto DD 00 1019/			0.4000	Sodium Biotromata Bibuduata		0.4
<b>50090</b> [1984-06-1]	Sodium Caprylate BP, 99-101%	1 Kg	118.44	<b>94963</b> [7789-12-0]	Sodium Dichromate Dihydrate pure, 98%	500 Gms	9.4
[		5 Kg	565.88	[7.00 12 0]	F,	5 Kg	82.9
81340	Sodium Caprylate NF, 99-101%	1 Kg	121.07	54750	Sodium Dichromate Dihydrate	500 Gms	10.5
[1984-06-1]		5 Kg	559.30	[7789-12-0]	extrapure AR, 99.5%	5 Kg	97.3
89382	Sodium Carbonate Anhydrous	500 Gms	3.16	11996	Sodium Dichromate Dihydrate	500 Gms	11.8
[497-19-8]	pure, 99.5%	5 Kg	27.64	[7789-12-0]	extrapure AR, ACS, ExiPlus,	5 Kg	111.8
		25 Kg	131.60		Multi-Compendial, 99.5% meets compendial specs of USP		
51938	Sodium Carbonate Anhydrous	500 Gms	4.34	11226	Sodium Diethyldithiocarbamate	100 Gms	8.0
[497-19-8]	extrapure AR, 99%, 80-100mesh	5 Kg	39.48	[20624-25-3]	Trihydrate extrapure AR, 99%	500 Gms	33.2
64079	Sodium Carbonate Anhydrous	500 Gms	4.08		2 11 21 11 11 11		
[497-19-8]	extrapure AR, 99.9%	5 Kg	35.14	22607	Sodium Diethyldithiocarbamate Trihydrate extrapure AR, ACS,	100 Gms	9.2
		25 Kg	167.66	[20024-25-5]	ExiPlus, Multi-Compendial, 99%	500 Gms	40.8
					meets compendial specs of USP, BP,		
<b>93857</b> [497-19-8]	Sodium Carbonate Anhydrous extrapure AR, ACS, ExiPlus,	500 Gms	4.61		Ph.Eur		
[497-19-0]	Multi-Compendial, 99.9%	5 Kg	41.59	49653	Sodium Dithionite extrapure, 85%	500 Gms	5.
	meets compendial specs of USP, BP,			[7775-14-6]	(Sodium Hypodisulphite, Sodium		
	Ph.Eur			10001	Hydrosulfite)  Sodium Ferrocyanide Decahydrate	500 C	٦.
41721	Sodium Chloride extrapure AR,	500 Gms	2.76	<b>10961</b> [14434-22-1]	extrapure AR, 99%	500 Gms	7.1
[7647-14-5]	99.9%	1 Kg	5.26	[	(Sodium Hexacyanoferrate(II),	5 Kg	74.6
		5 Kg	17.11		Tetrasodium Hexacyanoferrate		
		25 Kg	79.09		Decahydrate)		
76945	Sodium Chloride extrapure AR,	500 Gms	2.90	<b>57010</b> [7681-49-4]	Sodium Fluoride pure, 98%	500 Gms	11.5
[7647-14-5]	ACS, ExiPlus, Multi-Compendial,	1 Kg	5.66			5 Kg	110.5
	99.9%	5 Kg	17.77	29821	Sodium Fluoride extrapure AR, 99%	500 Gms	12.3
	meets compendial specs of USP, BP			[7681-49-4]		5 Kg	118.4
33205	Sodium Chloride for molecular	500 Gms	8.69	40544	Sodium Fluoride extrapure AR,	500 Gms	13.0
[7647-14-5]	biology, 99.9%	1 Kg	15.79	[7681-49-4]	ACS, ExiPlus, Multi-Compendial, 99%	5 Kg	126.3
		5 Kg	73.17		meets compendial specs of USP, BP		
26416	Sodium Chloride for tissue culture,	500 Gms	9.21	86307	Sodium Formate pure, 98%	500 Gms	2.3
[7647-14-5]	99.9%	1 Kg	15.79	[141-53-7]		5000 Gms	19.7
					0-4		
76154	Sodium Chloride for HPLC, 99.9%	500 Gms	6.32	<b>39728</b> (1)	Sodium Formate extrapure AR, ACS	500 Gms	5.2
[7647-14-5] <b>83407</b>	Sodium Citrate Tribasic Dihydrate	500 Gms	5.79	84439		500 Gms	7.5
[6132-04-3]	extrapure, 98%	1 Kg	11.45	[149-44-0]	Hydrate (Rongalite) pure, 95%	555 55	• • •
. ,	(Trisodium Citrate Dihydrate)	_			(Monosodium		
		5 Kg	54.61		Hydroxymethanesulfinate)		
85919	Sodium Citrate Tribasic Dihydrate extrapure AR, 99%	500 Gms	6.32	11407 ✓	Sodium Formaldehyde Sulfoxylate Hydrate (Rongalite) ExiPlus,	500 Gms	9.0
[6132-04-3]	CAMAPAIC AII, 99/0	5 Kg	61.72	[149-44-0]	Multi-Compendial, 95%		
94968	Sodium Citrate Tribasic Dihydrate	500 Gms	7.37		(Monosodium		
[6132-04-3]	extrapure AR, ACS, ExiPlus,				Hydroxymethanesulfinate)		
	Multi-Compendial, 99% meets compendial specs of USP, BP,			54762	Sodium Hexafluorosilicate pure,	1 Kg	6.8
	ssto sompondidi spess ti toti , bi ,			[16893-85-9]	99%	5 Kg	31.9
	Ph.Eur				(Sodium Fluorosilicate, Sodium		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Pri
32537	Sodium Hexametaphosphate	500 Gms	8.55	99671	Sodium Lauryl Sulphate (SDS, SLS)	25 Gms	21.
68915-31-1]	extrapure AR, 65-70%	5 Kg	78.96	[151-21-3]	for HPLC, 99% (Sodium Dodooyl Sulphato)	100 Gms	58.
	(SHMP, Calgon, Sodium Polyphosphate)				(Sodium Dodecyl Sulphate)	250 Gms	119
98060	Sodium Hydrogen Sulphate	500 Gms	5.79			1 Kg	295
[10034-88-5]				32096	Sodium Lauryl Sulphate (SDS, SLS)	25 Gms	7
	extrapure AR, 99%			[151-21-3]	for molecular biology, 99%	100 Gms	23.
96311	Sodium Hydroxide Pellets purified,	500 Gms	3.82		(Sodium Dodecyl Sulphate)	500 Gms	79.
[1310-73-2]	97%	5 Kg	23.95			1 Kg	150
		25 Kg	114.10	35825	Sodium Lauryl Sulphate (SDS, SLS)	25 Gms	10
8151	Sodium Hydroxide Pellets	500 Gms	4.08	[151-21-3]	High Purity, 99.5%	100 Gms	27
[1310-73-2]	extrapure AR, 98%	5 Kg	29.48		(Sodium Dodecyl Sulphate)	100 Gills	21
13913	Sodium Hydroxide Pellets	500 Gms	4.34	85369	Sodium Lauryl Sulphate (SDS, SLS)	100 ml	5
[1310-73-2]	extrapure AR, ACS, ExiPlus,	5000 Gms	34.35		10% Solution		
	Multi-Compendial, 98%				(10% SDS Solution)	050	
	meets compendial specs of USP, BP			87547	Sodium Lauryl Sulphate (SDS, SLS) 20% Solution	250 ml	7.
39700	Sodium Hydroxide Powder	500 Gms	4.08		(20% SDS Solution)		
[1310-73-2]	extrapure, 96%, 80-100 mesh	1 Kg	7.37	34378	Sodium Lauryl Sulphate (SDS, SLS)	1 Kg	23
		5 Kg	27.11	[151-21-3]	BP, 85%	5 Kg	107
13994	Sodium Hydroxide 0.1N Solution	500 ml	2.11		(Sodium Dodecyl Sulphate)	25 Kg	473
[1310-73-2]		1000 ml	3.68	21705	Sodium Metabisulphite extrapure	500 Gms	3
27382 Sodium Hydroxide 0.2N Solution	500 ml	2.11	[7681-57-4]	AR, 98%	5 Kg	37	
[1310-73-2]	•	1000 ml	3.82			25 Kg	177
89978	Sodium Hydroxide 1N Solution	500 ml	2.24				
[1310-73-2]	Sociali Hydroxide IN Solution	1000 ml	4.08	<b>52693</b> [7681-57-4]	Sodium Metabisulphite extrapure AR, ACS, ExiPlus,	500 Gms	4
•			[/001-5/-4]	Multi-Compendial, 98%	5 Kg	41	
9 <b>8760</b>	Sodium Iodate extrapure, 99%	25 Gms	10.53		meets compendial specs of USP, BP		
[7681-55-2]		100 Gms	31.58	51153	Sodium Metaperiodate (Sodium	100 Gms	24
		500 Gms	134.23	[7790-28-5]	Periodate) pure 99%	500 Gms	115
71964	Sodium Iodate extrapure AR, 99.5%	25 Gms	12.50	23621	Sodium Metaperiodate (Sodium	100 Gms	26
[7681-55-2]		100 Gms	34.22	[7790-28-5]	Periodate) extrapure AR, 99.5%	500 Gms	121
		500 Gms	142.13	00007	Cadium Matanaviadata (Cadium		
77758	Sodium Iodide pure, 99%	25 Gms	9.48	<b>30037</b> [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) extrapure AR, ACS,	100 Gms	28
[7681-82-5]		100 Gms	36.19	[7,00,20,0]	ExiPlus, Multi-Compendial, 99%	500 Gms	123
		250 Gms	82.25		meets compendial specs of USP, BP,		
21704	Sodium lodido 1M Solution	100 ml	0.97		Ph.Eur		
21704	Sodium Iodide 1M Solution	100 ml 500 ml	9.87	94601	Sodium Metasilicate Pentahydrate	500 Gms	3
			32.90	[10213-79-3]		1 Kg	5
11004	Sodium Lauryl Ether Sulphate	1 Ltr	9.61		extrapure	5 Kg	26
[9004-82-4]	(SLES, AES), 28-30% (Sodium Laureth Sulfate)	5 Ltr	25.66	20660	Sodium Metasilicate Nonahydrate	500 Gms	3
16821	Sodium Lauryl Sulphate (SLS, SDS)	500 Gms	8.03	[13517-24-3]	(Sodium Silicate Hydrated)	1 Kg	5
[151-21-3]	(Needle-shaped) extrapure, 90%	5 Kg	70.67		extrapure	5 Kg	26
	(Sodium Dodecyl Sulphate)			41670	Sodium Methoxide Powder pure,	500 Gms	9
14374	Sodium Lauryl Sulphate (SDS, SLS)	500 Gms	8.16	41670 [124-41-4]	98%	JOU GITIS	9
[151-21-3]	ExiPlus, Multi-Compendial, 85% (Sodium Dodecyl Sulphate)	5 Kg	74.22	13547	Sodium Molybdate Dihydrate pure,	100 Gms	19
	meets compendial specs of USP, BP,			[10102-40-6]		250 Gms	43
	Ph.Eur					500 Gms	84
34468	Sodium Lauryl Sulphate (SDS, SLS)	100 Gms	17.63	10100	Sodium Molybdate Dihydrate		
[151-21-3]	extrapure AR, ACS, 99%	250 Gms	38.43	<b>18108</b> [10102-40-6]	extrapure AR, 99%	100 Gms	21
	(Sodium Dodecyl Sulphate)	500 Gms	70.27	[.0.02 40 0]	J-oj <b>extrapure Ari, 99%</b>	250 Gms	45
		1 Kg	135.68			500 Gms	88.

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>70851</b> [10102-40-6]	Sodium Molybdate Dihydrate extrapure AR, ACS, ExiPlus,	100 Gms 250 Gms	22.37 46.72	<b>87258</b> [10028-24-7]	Sodium Phosphate Dibasic Dihydrate extrapure AR, 99.5%	500 Gms 5 Kg	8.16 77.64
	Multi-Compendial, 99%	500 Gms	89.49	87027	Sodium Phosphate Dibasic	250 Gms	5.92
	meets compendial specs of USP, BP, Ph.Eur			[10028-24-7]	Dihydrate for molecular biology, 99.5%	500 Gms	11.32
44618	Sodium Nitrate extrapure AR, ACS,	500 Gms	6.84			5 Kg	102.6
[7631-99-4]	99%	5 Kg	64.62	<b>86858</b> [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for HPLC, 99.5%	500 Gms	13.8
28182	Sodium Nitroprusside Dihydrate	100 Gms	14.48	57085	Sodium Phosphate Dibasic	500 Gms	5.9
[13755-38-9]	pure, 98% (Sodium Nitroferricyanide)	500 Gms	65.80	[10039-32-4]	<b>Dodecahydrate extrapure, 98.5%</b> (Sodium Hydrogen Phosphate	5 Kg	46.0
71750	Sodium Nitroprusside Dihydrate	100 Gms	15.79		Dodecahydrate)		
[13755-38-9]	extrapure AR, 99%	500 Gms	68.43	83417	Sodium Phosphate Dibasic	500 Gms	6.5
58403	Sodium Nitroprusside Dihydrate	100 Gms	17.11	[10039-32-4]	Dodecahydrate extrapure AR, 99% (Sodium Hydrogen Phosphate	5 Kg	60.5
[13755-38-9]	extrapure AR, ACS, ExiPlus,	500 Gms	72.38		Dodecahydrate)		
	Multi-Compendial, 99%			18134	Sodium Phosphate Dibasic	100 Gms	10.5
00004	meets compendial specs of BP, Ph.Eur	500 C	4.07	[7782-85-6]	Heptahydrate ACS, 98-102%	500 Gms	28.9
<b>62381</b> [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate pure, 98%	500 Gms	4.87		(Disodium Hydrogen Phosphate Heptahydrate, Disodium Phosphate)	2.5 Kg	134.2
[	(Sodium Phosphate Tribasic	5 Kg	44.22	22249	Sodium Phosphate Monobasic	500 Gms	8.8
	Dodecahydrate (Trisodium Phosphate			[7558-80-7]	Anhydrous extrapure AR, 99%	5 Kg	82.9
	Dodecahydrate))	500.0		98336	Sodium Phosphate Monobasic	500 Gms	14.8
73670 tri-Sodium Orthophosphate [10101-89-0] Dodecahydrate extrapure AR, 99% (Sodium Phosphata Tribogia	500 Gms 5 Kg	5.92 57.11	[7558-80-7]	Anhydrous for HPLC, 99% (Sodium Dihydrogen Orthophosphate	500 GIIIS	14.0	
	(Sodium Phosphate Tribasic  Dodecahydrate, Trisodium Phosphate				Anhydrous)		
	Dodecahydrate)			59443	Sodium Phosphate Monobasic	250 Gms	14.0
69199	tri-Sodium Orthophosphate	500 Gms	7.11	[7558-80-7]	Anhydrous for molecular biology,	500 Gms	22.3
[10101-89-0]	Dodecahydrate extrapure AR, ACS,	5 Kg	65.41		99%		
	ExiPlus, Multi-Compendial, 99% (Sodium Phosphate Tribasic			<b>91826</b> [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for tissue culture, 99%	250 Gms	7.9
	Dodecahydrate, Trisodium Phosphate			[7550-00-7]	Annyarous for assue culture, 55%	1 Kg	23.6
	Dodecahydrate)			27092	Sodium Phosphate Monobasic	500 Gms	5.7
	meets compendial specs of USP			[13472-35-0]	Dihydrate extrapure, 99%	5 Kg	52.6
<b>36176</b> [62-76-0]	Sodium Oxalate pure, 99%	500 Gms	5.53	<b>40597</b> [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure AR, 99%	500 Gms	7.1
57554	Sodium Oxalate extrapure AR,	500 Gms	6.05			5 Kg	64.4
[62-76-0]	99.9%			<b>79088</b> [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure AR, ExiPlus,	500 Gms	8.0
<b>36984</b> [62-76-0]	Sodium Oxalate extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms	7.11	[10472-05-0]	Multi-Compendial, 99%	5 Kg	72.3
[02-70-0]	99.9%				meets compendial specs of USP		
	meets compendial specs of USP, BP,			93494	Sodium Phosphate Monobasic	500 Gms	10.8
	Ph.Eur			[13472-35-0]	Dihydrate for molecular biology, 99%	5 Kg	94.7
<b>97295</b> [7775-27-1]	Sodium Persulphate pure, 98% (Sodium Peroxodisulfate)	500 Gms	6.45		(Sodium Hydrogen Phosphate		
53046	Sodium Phosphate Dibasic	500 Gms	8.29	61707	Dihydrate)  Sodium Phosphate Monobasic	500 Gms	7.9
[7558-79-4]	Anhydrous extrapure, 99%	5 Kg	77.64	<b>61/0/</b> [10049-21-5]	•	500 Gms 5 Kg	7.9 70.4
66273	Sodium Phosphate Dibasic	500 Gms	8.95		(Sodium Dihydrogen Orthophosphate	3 Ng	70.4
[7558-79-4]	Anhydrous extrapure AR, 99%	5 Kg	81.59		Monohydrate, Monosodium phosphate, Sodium dihydrogen		
45932	Sodium Phosphate Dibasic	500 Gms	10.53		phosphate mon		
[7558-79-4]	Anhydrous extrapure AR, ACS,	5 Kg	93.44	97768	Sodium Phosphate Monobasic	500 Gms	12.9
	ExiPlus, Multi-Compendial, 99% meets compendial specs of USP			[10049-21-5]	Monohydrate for HPLC, 99% (Sodium Dihydrogen Orthophosphate		
21669	Sodium Phosphate Dibasic	250 Gms	10.92		Monohydrate, Monosodium		
[7558-79-4]	Anhydrous for molecular biology,	500 Gms	20.40		phosphate, Sodium dihydrogen		
	99.5%	5 Kg	184.24	70505	phosphate mon	E00 O	0.5
32080	Sodium Phosphate Dibasic	500 Gms	6.32	<b>78535</b> [7601-54-9]	Sodium Phosphate Tribasic Anhydrous extrapure, 96%	500 Gms	8.5
[10028-24-7]	Dihydrate extrapure, 99%		55.27	0.0]	(Sodium Orthophosphate, Trisodium	5 Kg	77.6
	• •	5 Kg	55.∠1		Phosphate)		

Section   Section Persistant Terrarie   Section   Sect	Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
18-24   Social monopolity			500 Gms	8.16			500 Gms	6.71
Section   Technologies   Section   Technologies   Section   Technologies   Section	[6381-59-5]	Tetranydrate pure, 99%	5 Kg	78.96	[1303-96-4]		5 Kg	55.93
Second   S			500 Gms	8.69		(Disodium Tetraborate Decahydrate)		
Section   Sect	[6381-59-5]	Tetranydrate extrapure AH, 99%	5 Kg	82.91			500 Gms	
Explain, Multi-Compendial, 99%   500 Gms   700 Gms   7				9.34	[1303-96-4]		5 Kg	65.80
Section   Sect	[6381-59-5]	-	5 Kg	86.86		Multi-Compendial, 99.5%		
						· · ·		
		Sodium Propionate pure, 99%	500 Gms	11.19	29701	Sodium Tetraborate Pentahydrate	500 Gms	5.53
	58568	Sodium Ricinoleate extrapure, 45%	500 Gms	5.00	[12179-04-3]		5 Kg	52.64
Second   S	[5323-95-5]		1000 Gms	9.21				
		•			58581	•	500 Gms	11.58
	43874	·	500 Gms	10.53	[13755-29-8]			
Social mar2-stylinthocarcoate    54286   Social mar2-stylinthocarcoate    10 Gms   2.5 kg	[54-21-7]					,		
16590   Sodium Salicylate extrapure AR, 95 % Gms   15.79   95.6%   9					54285	Sodium Tetraphenyl Borate	10 Gms	12.50
	36590	· · · · · · · · · · · · · · · · · · ·	250 Gms	15.79	[143-66-8]	, , ,	25 Gms	28.95
1   1   1   1   1   1   1   1   1   1		99.5%	500 Gms			(Sodium Tetraphenyi Boron)	100 Gms	105.28
Cacasa   Socium Schiem					30888	Sodium Tetraphenyl Borate	10 Gms	14.48
Section   Sect					[143-66-8]		100 Gms	110.54
Second   S	62399	Sodium Selenate Anhydrous	25 Gms	6.58		•		
Sodium Starch Glycolate ex. Maize   500 Gms   6.32   2444   360 Gms   6.38   36313   360 Gms   6.30   360 Gms   6.30   360 Gms   6.30   360 Gms   6.30   360 Gms   3.00 Gms   3.0	[13410-01-0]	extrapure AR, 99%	100 Gms	19.74		meets compendial specs of BP, Ph.Eur		
Second   S			500 Gms	78.96	94408	Sodium Thiocyanate pure, 98%	500 Gms	6.32
Section   Sect	83627	Sodium Starch Glycolate ex. Maize	500 Gms	6.32		On the Thirty and the AD		
Section	[9063-38-1]	(SSG) ExiPlus, Multi-Compendial	5 Kg	60.54			500 Gms	7.90
		meets compendial specs of USP				·	500 Gms	6.84
Sodium Succinate Hexahydrate   100 Gms   3.16   10102-17-7    extrapure, 99%   5 Kg   26.32   25 Kg   25 Kg   26.32   25 Kg   25 Kg   26.32   25 Kg		100 Gms	2.50	[7772-98-7]	extrapure AR, 99.5%	5 Kg	65.80	
Solium Sulphate Anhydrous   Sol Gms   12.50   Solium Sulphate Anhydrous   Sol Gms   Solium Sulphate Anhydrous   Sol Gms   Solium Sulphate Anhydrous   Solium Sulphate An	[6106-21-4]	Dibasic extrapure, 99%	500 Gms	9.08	52304	Sodium Thiosulphate Pentahydrate	500 Gms	2.90
Sodium Sulphate Anhydrous   So Gms			100 Gms	3.16	[10102-17-7]	extrapure, 99%	5 Kg	26.32
Type	[6106-21-4]	Dibasic extrapure AR, 99%	500 Gms	12.50			25 Kg	118.44
Total   Tota			500 Gms	3.03	49479	Sodium Thiosulphate Pentahydrate	500 Gms	3.55
14725	[7757-82-6]	extrapure AR, 99.5%	1 Kg	5.13	[10102-17-7]	extrapure AR, 99.5%	5 Kg	32.90
			5 Kg	22.37			25 Kg	157.92
Multi-Compendial, 99.5% meets compendial specs of USP, BP   Soldium Sulphide Flakes extrapure,   500 Gms   3.68   2761-45-3  60%			500 Gms	3.68	62148	Sodium Thiosulphate Pentahydrate	500 Gms	3.82
The second pendial specs of USP, BP	[7757-82-6]	-	5 Kg	26.32	[10102-17-7]		5 Kg	36.19
25365   Sodium Sulphide Flakes extrapure,   500 Gms   3.68   27610-45-3]   60%   1000 ml   2.50     27610-45-3]   60%   1000 ml   4.34     27610-45-3]   60%   1000 ml   2.50 ml     27610-45-		•						
1000 ml   4.34   32246   Sodium Sulphite Anhydrous   500 Gms   4.61   5 kg   36.85   5 kg   36.85   26   29814   Sodium Sulphite Anhydrous   500 Gms   5.26   2785-83-7]   extrapure AR, ACS, ExiPlus, Multi-Compendial, 98% meets compendial specs of USP, BP   56580   Sodium Tetraborate (Borax   100 Gms   40.01   2.5 kg   130.42   (Disodium Tetraborate)   2.5 kg   130.42   100 Gms   4.21   100 Gm	25365	•	500 Gms	3.68	33737	· · · · · · · · · · · · · · · · · · ·	500 ml	2.50
T757-83-7  extrapure AR, 98%   5 Kg   36.85   20 Gms   5.26   2785-84-4  extrapure AR, 95%				[7772-98-7]		1000 ml	4.34	
29814   Sodium Sulphite Anhydrous   500 Gms   5.26					40023	Sodium Trimetaphosphate (STMP)	100 Gms	40.01
Cyclotriphosphate   Cyclotriphosphate   Cyclotriphosphate   Multi-Compendial, 98%   Multi-Compendial, 98%   Multi-Compendial specs of USP, BP   Multi-Compendial specs of US						•		
Multi-Compendial, 98%   meets compendial specs of USP, BP   1000 Gms   17.77   1776-29-4   1758-29-4								
Total Part   Management   Man	[	-	5 Kg	43.43	85124		1000 Gms	8.16
56580 [1330-43-4]         Sodium Tetraborate (Borax (Disodium Tetraborate)         100 Gms         17.77 (Pentasodium Tripolyphosphate, Sodium Tripolyphosphate)         57-59% as P205 (Pentasodium Tripolyphosphate, Sodium Tripolyphosphate)         15.00 Gms         40.01 (Pentasodium Tripolyphosphate)         15.00 Gms         15		meets compendial specs of USP, BP				Anhydrous (STPP) extrapure,		
Dissodium Tetraborate   Sod Glins   40.01   Sodium Triphosphate Pentabasic		. •	100 Gms					
2.5 Kg   130.42   81499   Sodium Tungstate Dihydrate   100 Gms   15.00	[1330-43-4]							
[1303-96-4] (Borax Decahydrate) extrapure, 99%		,	2.5 Kg	130.42	81499	Sodium Tungstate Dihydrate	100 Gms	15.00
99% 2.5 Kg 332.95  (Disodium Tetraborate Decahydrate) 49110 Sodium Tungstate Dihydrate 100 Gms 15.79				4.21	[10213-10-2]	extrapure, 98%	250 Gms	34.74
(Disodium Tetraborate Decahydrate) 49110 Sodium Tungstate Dihydrate 100 Gms 15.79	[1303-96-4]		5 Kg	34.22			2.5 Kg	332.95
[10213-10-2] <b>extrapure AR, 99%</b> 250 Gms 38.69					49110	Sodium Tungstate Dihydrate	100 Gms	15.79
					[10213-10-2]	extrapure AR, 99%	250 Gms	38.69

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>46215</b> [10213-10-2]	Sodium Tungstate Dihydrate extrapure AR, ACS, ExiPlus,	100 Gms 250 Gms	17.24 42.11	<b>58254</b> [9005-25-8]	Starch Corn pure	500 Gms 5 Kg	2.90 26.32
	Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur			<b>86106</b> [9005-84-9]	Starch Hydrolysed extrapure	100 Gms 500 Gms	13.55 63.96
<b>85446</b> [2538-85-4]	Solochrom Dark Blue (Calcon), 50%	5 Gms 25 Gms	4.47 13.03	<b>14418</b> [9005-84-9]	Starch Soluble extrapure	500 Gms 5 Kg	15.13 142.13
<b>59985</b> [110-44-1]	Sorbic Acid pure, 98%	500 Gms	18.42	<b>64698</b> [9005-84-9]	Starch Soluble extrapure AR	500 Gms 5 Kg	16.45 155.29
<b>62016</b> [1338-39-2]	Sorbitan Monolaurate (SPAN 20®) extrapure	100 ml 500 ml	26.32 78.96	<b>76601</b> [9005-84-9]	Starch Soluble extrapure AR, ACS, ExiPlus, Multi-Compendial	500 Gms 5 Kg	17.63
		2500 ml	368.48		meets compendial specs of USP	o ng	100.40
78338	Sorbitan Monooleate (SPAN 80®)	500 ml	11.71	91944	Strontium AAS Standard Solution in	100 ml	19.74
[1338-43-8]	extrapure	2500 ml	55.27		0.5N HCI	250 ml	31.58
36179	Sorbitan Monostearate (SPAN 60®)	500 Gms	9.87	66731	Strontium Bromide (Strontium	5 Gms	26.32
[1338-41-6]	extrapure	500 C	6.07	[10476-81-0]		25 Gms	65.80
14281 [50-70-4]	D-Sorbitol Powder extrapure, 98%	500 Gms	6.97 13.69			100 Gms	157.92
. ,		1 Kg 5 Kg	65.80	67911	Strontium Carbonate extrapure,	250 Gms	4.61
	D-Sorbitol Powder for tissue	500 Gms		[1633-05-2]	98%	500 Gms	8.55
<b>33320</b> [50-70-4]	culture, 98%		8.03	61832	Strontium Chloride Hexahydrate	250 Gms	5.13
		1 Kg	14.48	[10025-70-4]		500 Gms	10.00
<b>63443</b> [50-70-4]	D-Sorbitol Powder ExiPlus, Multi-Compendial, 98%	500 Gms	8.16			5 Kg	85.54
[65.5.]		1 Kg 5 Kg	15.79 70.27	<b>29563</b> [10042-76-9]	Strontium Nitrate Anhydrous extrapure, 98%	500 Gms	7.90
	meets compendial specs of BP	500.0	40.07	96330	Succinic Acid extrapure, 99%	100 Gms	3.95
<b>99103</b> [50-70-4]	D-Sorbitol Powder for molecular biology, 98%	500 Gms	19.87	[110-15-6]		500 Gms	7.50
[]	377	1 Kg 5 Kg	38.03 127.26	85752	Succinic Acid extrapure AR, 99.5%	100 Gms	5.53
	CDADNC outronius AD ACC			[110-15-6]		500 Gms	21.58
<b>47886</b> [23647-14-5]	SPADNS extrapure AR, ACS	1 Gms 5 Gms	5.26 17.11	62321	Succinic Acid extrapure AR, ACS,	100 Gms	6.05
		25 Gms	52.64	[110-15-6]	ExiPlus, Multi-Compendial, 99.5%	500 Gms	24.48
00407	Stannia Chlavida anhydraus				meets compendial specs of BP, Ph.Eur		
<b>30467</b> [7646-78-8]	Stannic Chloride anhydrous extrapure, 99% (Tin (IV) Chloride, Tin Tetrachloride)	100 ml 500 ml	27.37 121.99	<b>10917</b> [123-56-8]	Succinimide (Butanimide) extrapure AR, 99%	100 Gms 500 Gms	6.32 23.03
79862 🗸	Stannic Chloride 1M in	100 ml	16.32	84973	Sucrose pure	500 Gms	3.82
[7646-78-8]	Dichloromethane	500 ml	59.22	[57-50-1]	,	5 Kg	24.48
	(Tin (IV) Chloride/Tin Tetrachloride in 1M MDC)					25 Kg	114.76
60006	Stannic Chloride 1M in Heptane	100 ml	34.08	90701	Sucrose extrapure AR, ACS	500 Gms	5.79
[7646-78-8]	(Tin (IV) Chloride/Tin Tetrachloride in			[57-50-1]		1 Kg	10.79
09017 11	1M Heptane)  Stannic Chloride 1M in Toluene	100 !	24.00			5 Kg	51.72
<b>98017</b> ✓ [7646-78-8]	(Tin (IV) Chloride/Tin Tetrachloride in	100 ml	34.08			25 Kg	229.51
- ,	1M Toluene)			27580	Sucrose for molecular biology	500 Gms	7.90
91068	Stannous Chloride Dihydrate pure,	100 Gms	12.63	[57-50-1]		1 Kg	15.66
[10025-69-1]	97% (Tin (II) Chloride Dihydrate)	250 Gms	30.93			5 Kg	59.48
		500 Gms	58.83	92696	Sucrose for tissue culture	500 Gms	5.79
23329	Stannous Chloride Dihydrate	100 Gms	14.08	[57-50-1]		1 Kg	10.13
[10025-69-1]	extrapure AR, 99% (Tin (II) Chloride Dihydrate)	250 Gms	32.37			5 Kg	43.03
	(,,,,,	500 Gms	61.72	82958	Sucrose IP (Non-Parenteral Use)	1 Kg	10.13
89673	Stannous Chloride Dihydrate	100 Gms	15.13	[57-50-1]	,	5 Kg	49.35
[10025-69-1]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	250 Gms	34.48			25 Kg	236.88
	(Tin (II) Chloride Dihydrate)	500 Gms	63.17				

meets compendial specs of USP , Ph.Eur

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
38142	Sucrose BP (Non-Parenteral Use)	1 Kg	10.13	20669	Tetrabutylammonium Bromide	100 Gms	5.26
[57-50-1]		5 Kg	49.35	[1643-19-2]	(TBAB) pure, 98%	250 Gms	10.79
		25 Kg	236.88			500 Gms	19.48
56799	Sucrose NF (USP) (Non-Parenteral	1 Kg	15.79	57594	Tetrabutylammonium Bromide	25 Gms	6.58
[57-50-1]	Use)	5 Kg	72.38	[1643-19-2]	(TBAB) extrapure AR, ACS, 99%	100 Gms	21.06
		25 Kg	329.00			500 Gms	98.70
57335	Sudan IV for microscopy (C.I. No.	25 Gms	3.16	54423	Tetrabutylammonium Bromide	25 Gms	18.42
[85-83-6]	26105), 95%	100 Gms	7.90	[1643-19-2]	(TBAB) for HPLC, 99.5%	100 Gms	68.43
47256	Sudan Black	10 Gms	7.90	37256	Tetrabutylammonium Dihydrogen	5 Gms	43.43
[4197-25-5]	Judan Black	25 Gms	15.79	[5574-97-0]	Phosphate (TBADP) extrapure AR,	25 Gms	157.92
		100 Gms	52.64		98%	20 Gm3	107.02
	Outribunity Asid www 2007				(Tetrabutylammonium Phosphate Monobasic)		
<b>24073</b> [5329-14-6]	Sulphamic Acid pure, 99% (Amido Sulphonic Acid)	500 Gms	3.95	78262	· · · · · · · · · · · · · · · · · · ·	5 Gms	60.27
[0020 14 0]	( That Calphone / tota)	5 Kg	32.77	[5574-97-0]		25 Gms	205.16
42773	Sulphamic Acid extrapure AR,	100 Gms	4.34		(Tetrabutylammonium phosphate	25 Gills	205.10
[5329-14-6]	99.5% (Amido Sulphonic Acid)	500 Gms	15.27		monobasic)		
81645	Sulphamic Acid extrapure AR, ACS,	100 Gms	5.66		Tetrabutylammonium Dihydrogen	100 ml	68.43
[5329-14-6]	ExiPlus, Multi-Compendial, 99.5%	500 Gms	19.21	[5574-97-0]	Phosphate, 0.1M in HPLC Water (Tetrabutylammonium Phosphate	500 ml	329.00
	(Amido Sulphonic Acid)	300 dilis	19.21		Monobasic 0.1M in HPLC Water)		
	meets compendial specs of BP, Ph.Eur			57968	Tetrabutylammonium Dihydrogen	10 ml	26.32
89762	Sulphanilamide pure, 99%	100 Gms	10.53	[5574-97-0]	Phosphate, 0.5M in HPLC Water	100 ml	105.28
[63-74-1]	[63-74-1] (p-Aminobenzenesulphonamide)	500 Gms	39.48		(Tetrabutylammonium Phosphate	500 ml	394.80
		5 Kg	368.48		Monobasic 0.5M in HPLC Water)	50	00.70
65404	Sulphanilamide extrapure AR, 99%	100 Gms	11.84	<b>53856</b> ✓ [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 1M in HPLC Water	50 ml	98.70
[63-74-1]	(p-Aminobenzenesulphonamide)	500 Gms	53.82	[00.10.0]	(Tetrabutylammonium Phosphate	100 ml	157.92
19689	Sulphanilamide extrapure AR,	100 Gms	14.08		Monobasic 1M in HPLC Water)	500 ml	434.28
[63-74-1]	ExiPlus, Multi-Compendial, 99%	500 Gms	58.83	50283	Tetrabutylammonium Fluoride	25 Gms	17.11
	(p-Aminobenzenesulphonamide)			[87749-50-6]	Trihydrate extrapure, 98%	100 Gms	50.01
	meets compendial specs of USP, BP,			91958	Tetrabutylammonium Hydrogen	100 Gms	8.16
	Ph.Eur			[32503-27-8]	Sulphate (TBAHS) pure, 98%	250 Gms	15.66
<b>15354</b> [121-57-3]	Sulphanilic Acid pure, 99% (p-Aminobenzenesulphonamide)	100 Gms	2.63			500 Gms	27.64
	, ,	500 Gms	9.21	83955	Tetrabutylammonium Hydrogen	25 Gms	7.50
93360	Sulphanilic Acid (High Purity) extrapure AR, 99.5%	100 Gms	4.34	[32503-27-8]		100 Gms	21.58
[121-57-3]	extrapule An, 55.5%	500 Gms	17.24		99%	500 Gms	100.41
97979	Sulphanilic Acid (High Purity)	100 Gms	6.19	10778	Tetrabutylammonium Hydrogen	100 Gms	25.93
[121-57-3]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	23.03	[32503-27-8]		roo amo	20.00
	meets compendial specs of BP				ExiPlus, Multi-Compendial, 99%		
44445	5-Sulphosalicylic Acid extrapure,	250 Gms	7.37		meets compendial specs of USP, BP,		
[5965-83-3]	99%	500 Gms	11.19		Ph.Eur		
	Tala Bassalas Eira EsiBlua			88383	Tetrabutylammonium Hydrogen Sulphate (TBAHS) for HPLC, 99.5%	25 Gms	8.69
<b>92635</b> [14807-96-6]	Talc Powder Fine ExiPlus, Multi-Compendial, -325 mesh	500 Gms	2.24	[32503-27-8]	Sulpliate (IBAHS) for HPLC, 99.5%	100 Gms	23.69
[	(Hydrous Magnesium Silicate, Talcum	5 Kg	17.24			500 Gms	114.76
	Powder, Soapstone)			52162	Tetrabutylammonium Hydroxide	500 ml	23.16
92101	Tannic Acid extrapure AR, ACS,	100 Gms	15.92	[2052-49-5]	0.1N aq. solution extrapure AR		
[1401-55-4]	ExiPlus, Multi-Compendial (Gallotannin, Tannin)	250 Gms	31.06	28342	Tetrabutylammonium Hydroxide 0.1N in Isopropanol extrapure AR	500 ml	25.00
	(Ganotairiiri, Tariffili)	500 Gms	55.80	[2052-49-5] <b>94836</b>	Tetrabutylammonium Hydroxide 1M	100 ml	30.27
	meets compendial specs of BP			[2052-49-5]	aq. solution ACS		
52931	Tartrazine, 87%	100 Gms	5.00		•	500 ml	138.18
[1934-21-0]		1 Kg	39.48	41728	Tetrabutylammonium Hydroxide	100 ml	16.45
20428	Terephthalic Acid pure, 98%	500 Gms	5.00	[2052-49-5]	10% aq. solution extrapure	500 ml	68.43
[100-21-0]		5 Kg	46.06	15134	Tetrabutylammonium Hydroxide	100 ml	17.77
		J 119	.5.50	[2052-49-5]	10% in methanol extrapure		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
41715	Tetrabutylammonium Hydroxide	100 ml	23.69	64674	Tetraethylammonium Hydrogen	10 Gms	27.37
[2052-49-5]	20% aq. solution extrapure	500 ml	92.12	[16873-13-5]	Sulphate (TEAHS) extrapure, 99%	25 Gms	59.22
54722	Tetrabutylammonium Hydroxide	100 ml	25.00	93314	Tetraethyl Orthosilicate (TEOS)	100 ml	13.03
[2052-49-5]	25% aq. solution extrapure	500 ml	107.91	[78-10-4]	extrapure, 98%, 28-28.8% SiO2 (Silicon Tetraethoxide,	500 ml	23.16
68032	Tetrabutylammonium Hydroxide	100 ml	40.80		Tetraethoxysilane, Tetraethyl Silicate)	2500 ml	89.75
[2052-49-5]	40% aq solution pure	250 ml	98.70	21957	Tetraheptyl Ammonium Bromide	5 Gms	31.19
		500 ml	184.24	[4368-51-8]	(THAB) extrapure, 99%	25 Gms	116.20
		1000 ml	315.84			100 Gms	420.99
30064	Tetrabutylammonium Hydroxide	100 ml	98.70	82863	Tetrahydrofuran (THF) (Stabilized)	500 ml	8.69
[2052-49-5]	54-56% aq. solution extrapure AR	500 ml	394.80	[109-99-9]	pure, 99.5%	2500 ml	42.11
13656	Tetrabutylammonium Hydroxide	100 ml	25.00			25 Ltr	394.80
[2052-49-5]	25% in Methanol extrapure	250 ml	56.59	74497	Tetrahydrofuran (THF) (Stabilized)	500 ml	9.21
		500 ml	107.91	[109-99-9]	extrapure AR, 99.5%	2500 ml	44.74
74212	Tetrabutylammonium Hydroxide	100 ml	40.80	83642	Tetrahydrofuran (THF) (Stabilized)	500 ml	10.00
[2052-49-5]	40% in Methanol extrapure	250 ml	98.70	[109-99-9]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	2500 ml	48.69
		500 ml	184.24		meets compendial specs of USP, BP,		
40878	Tetrabutylammonium Hydroxide	500 ml	22.37		Ph.Eur		
[2052-49-5]	0.1N in Methanol for non-aqueous titration extrapure AR			32661	Tetrahydrofuran (THF) GC-HS,	250 ml	7.90
45205	Tetrabutylammonium Hydroxide	500 ml	20.00	[109-99-9]	99.9%	1000 ml	26.32
[2052-49-5]	0.1N in Methanol/Toluene extrapure			94842	Tetrahydrofuran (THF) for HPLC &	500 ml	12.90
14991	AR Tetrabutylammonium Hydroxide	100 ml	26.32	[109-99-9]	UV Spectroscopy, 99.9%	1000 ml	23.69
[2052-49-5]	20% in Methanol/Toluene extrapure	100 1111	20.32			2500 ml	55.93
28051	Tetrabutylammonium lodide (TBAI)	25 Gms	19.74	59167	Tetrahydrofuran (THF) Dried,	500 ml	12.50
[311-28-4]	extrapure AR, 99%	100 Gms	69.75	[109-99-9]	99.5%, 0.005% water	1000 ml	22.37
62390	Tetrabutylammonium lodide (TBAI)	25 Gms	22.37	92562	Tetrahydrofuran (THF) for	250 ml	6.32
[311-28-4]	extrapure AR, ExiPlus,	100 Gms	73.70	[109-99-9]	molecular biology, 99.8%	500 ml	11.32
	Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur			<b>22698</b> [1693-74-9]	Tetrahydrofuran-d8 (THF-d8) for NMR spectroscopy, 99.5 Atom %D	5 ml	256.62
26158	Tetra-N-Butyl Orthotitanate (TNBT)	100 ml	11.84	11088	1,2,3,4-Tetrahydronaphthalene	500 ml	16.45
[5593-70-4]	extrapure, 23-24% TiO2	500 ml	31.58	[119-64-2]	(Tetralin) pure, 98%	2500 ml	68.43
	(Tetrabutyl Orthotitanate, Titanium(IV) n-Butoxide, Tetrabutyl Titanate,	2500 ml	92.12	91496	Tetramethylammonium Hydroxide	50 ml	10.66
	Orthotitanic Acid Tetrabuty			[75-59-2]	10% aq. solution pure	250 ml	40.80
69105	Tetrachloroethylene pure, 99%	500 ml	7.90	94620	Tetramethylammonium Hydroxide	100 ml	36.85
[127-18-4]	(Perchloroethylene)	2500 ml	34.22	[75-59-2]	25% aqueous solution pure	250 ml	69.75
25058	Tetrachloroethylene extrapure AR,	500 ml	10.00			500 ml	125.02
[127-18-4]	99.5%	2500 ml	43.43	21371	Tetramethylammonium Hydroxide	100 ml	39.48
74438	(Perchloroethylene)  Tetrachloroethylene for UV	500 ml	11.19	[75-59-2]	25% in methanol pure	250 ml	65.80
<b>/4438</b> [127-18-4]	spectroscopy, 99.5%	1000 ml	20.40			500 ml	111.86
	(Perchloroethylene)	1000 1111		42209	Tetramethylammonium Hydroxide	100 ml	18.42
<b>48448</b> [127-18-4]	Tetrachloroethylene GC-HS, 99.9%	250 ml	9.21	[75-59-2]	0.1N in isopropanol/ methanol extrapure	500 ml	40.80
[121-10-4]		1000 ml	25.00	56874	Tetramethylammonium Hydroxide	100 ml	14.48
7 <b>0427</b>	Tetradecylammonium Bromide	5 Gms	35.53	[75-59-2]	1M aq. solution ACS	250 ml	34.22
14937-42-9]	(TDAB) extrapure AR, 99% (Tetrakis(decyl) Ammonium Bromide)	25 Gms	134.23	29740	Tetramethylammonium Hydroxide	5 Gms	10.92
	·	100 Gms	447.44	[10424-65-4]	Pentahydrate extrapure, 98%	25 Gms	19.21
5 <b>9256</b>	Tetradecylammonium Bromide (TDAB) for HPLC, 99%	5 Gms	42.11			100 Gms	64.75
14937-42-9]	(Tetrakis(decyl) Ammonium Bromide)	25 Gms	164.50	84666	N,N,N,N-Tetramethyl	100 ml	11.05
67902	Tetraethylammonium Bromide	100 Gms	6.45	[110-18-9]	Ethylenediamine (TEMED)	250 ml	18.29
[71-91-0]	(TEAB) pure, 98%	500 Gms	26.32		extrapure AR, 99%	500 ml	30.00
		1 Kg	50.01				

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
84198	N,N,N,N-Tetramethyl	100 ml	12.63	16994	Thiourea Superior extrapure AR,	100 Gms	8.03
[110-18-9]	Ethylenediamine (TEMED)	500 ml	33.16	[62-56-6]	99%	250 Gms	15.79
	extrapure AR, ExiPlus, Multi-Compendial, 99%					500 Gms	30.27
	meets compendial specs of Ph.Eur			20491	Thiourea Superior extrapure AR,	500 Gms	34.22
52145	N,N,N,N-Tetramethyl	25 ml	7.24	[62-56-6]	ACS, ExiPlus, Multi-Compendial,	5 Kg	315.84
[110-18-9]	Ethylenediamine (TEMED) for	100 ml	14.61		99%	0.19	0.0.0
	molecular biology, 99.5%				meets compendial specs of USP, Ph.Eur		
80909	Tetrapropylammonium Chloride	10 Gms	67.51	27179	Thymol Blue	5 Gms	2.90
[5810-42-4]	extrapure, 98%	50 Gms	225.04	[76-61-9]		25 Gms	13.29
70177	Tetrasodium Pyrophosphate	500 Gms	16.45	79617	Thymol Blue ACS, ExiPlus,	5 Gms	3.68
[7722-88-5]	Anhydrous (TSPP anhy) extrapure,			[76-61-9]	Multi-Compendial	25 Gms	15.92
	95% (Sodium Diphosphate Tetrabasic,				meets compendial specs of BP, Ph.Eur		
	Sodium Pyrophosphate Tetrabasic,			40817	Thymol Blue Solution (0.1% in	125 ml	2.24
49473	Tetrasodium Pyrophosphate	500 Gms	34.87		methanol)		
[13472-36-1]		2.5 Kg	132.92	24474	Thymolphthalein ACS, ExiPlus,	5 Gms	3.16
	extrapure AR, 99%	9		[125-20-2]	Multi-Compendial	25 Gms	13.16
	(Sodium Diphosphate Tetrabasic,					100 Gms	50.01
56135	Sodium Pyrophosphate Tetrabasic)  Theophylline anhydrous pure, 99%	25 Gms	4.87		meets compendial specs of BP, Ph.Eur		
[58-55-9]	meophynine annyurous pure, 99%			19710	Tin AAS Standard Solution in 2N	100 ml	19.74
		100 Gms	12.50		HCI	250 ml	31.58
17942	Thioacetamide extrapure AR, 99%	25 Gms	6.58	56283	Tin Metal Granular extrapure,	100 Gms	22.37
[62-55-5]	[62-55-5]	100 Gms	22.37	[7440-31-5]	99.5%	250 Gms	50.67
		500 Gms	98.70				
48979	Thioacetamide extrapure AR, ACS,	25 Gms	7.63			500 Gms	98.70
[62-55-5]	ExiPlus, Multi-Compendial, 99%	100 Gms	25.00	24737	Tin Metal Granular extrapure AR,	100 Gms	24.35
		500 Gms	114.49	[7440-31-5]	99.7%	250 Gms	56.59
	meets compendial specs of USP, BP,					500 Gms	107.91
	Ph.Eur			42780	Tin Metal Powder extrapure AR,	100 Gms	20.40
42174	Thioanisole extrapure, 99%	25 ml	12.50	[7440-31-5]	99.9%, ~325 mesh	250 Gms	47.38
[100-68-5]	(Methyl Phenyl Sulfide	100 ml	32.90	37139	Titanium (IV) Chloride THF	5 Gms	36.72
	Methylthiobenzene)	500 ml	119.76	[31011-57-1]	Complex	25 Gms	142.13
75241	2-Thiobarbituric Acid (TBA)	25 Gms	14.48		(Tetrachlorobis(Tetrahydrofuran)		
[504-17-6]	extrapure AR, 99%	100 Gms	50.01		Titanium)		
	(4,6-Dihydroxy-2-Mercaptopyrimidine,	roo amo	00.01	<b>55788</b>	Titanium Dioxide extrapure, 98% (Titanium (IV) Oxide)	500 Gms	7.11
	4,6-Dihydroxypyrimidine-2-Thiol)			[10400-07-7]	(mailan (iv) Oxide)	1 Kg	13.29
75493	Thioflavin T for microscopy (C.I.	5 Gms	19.74			5 Kg	55.80
[2390-54-7]	<b>No. 49005), 90%</b> (Basic Yellow 1)	25 Gms	43.03	91482	Titanium Ethoxide (ET) extrapure,	100 ml	21.06
35357	Thioglycolic Acid pure, 80%	500 ml	23.69	[3087-36-3]	33-35% TiO2 (Tetraethyl Titanate, Titanium (IV)	250 ml	28.95
[68-11-1]		2500 ml	111.86		Ethoxide, Tetraethyl Orthotitanate)		
	This about the Antid EndDisc			56993	Titanium Isopropoxide (TTIP)	100 ml	8.03
<b>74118</b> [68-11-1]	Thioglycolic Acid ExiPlus, Multi-Compendial, 80%	500 ml	27.64	[546-68-9]	extrapure, 27.8-28.6% TiO2	500 ml	15.53
[00-11-1]	•	2500 ml	118.44		(Tetraisopropyl Orthotitanate, Titanium	2500 ml	72.51
	meets compendial specs of USP				(IV) Isopropoxide, Titanium Tetraisopropoxide)	2000	. 2.0
80599	Thionin Acetate, 90%	5 Gms	31.45	70472	Titan Yellow, 65%	10 Gms	5.66
[78338-22-4]		25 Gms	130.81	[1829-00-1]	Than Tenow, 55/5		
74681	Thiosemicarbazide pure, 98%	25 Gms	4.34			25 Gms	12.11
[79-19-6]		100 Gms	13.16			50 Gms	20.66
		500 Gms	57.90	47556	Toluene pure, 99%	500 ml	3.75
58658	Thiosemicarbazide extrapure AR,	25 Gms	6.84	[108-88-3]		2500 ml	14.48
[79-19-6]	99%	100 Gms	19.74			25 Ltr	125.02
00100	Thiourog pure 200/			39984	Toluene (Sulphur free) extrapure,	500 ml	3.95
<b>88196</b> [62-56-6]	Thiourea pure, 98%	500 Gms	8.16	[108-88-3]	99.5%	2500 ml	15.79
		5 Kg	76.85				

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
85577	Toluene extrapure AR, 99.5%	500 ml	4.61	15886	D-Trehalose Dihydrate for tissue	5 Gms	7.24
[108-88-3]		2500 ml	17.11	[6138-23-4]	culture	25 Gms	25.66
		25 Ltr	142.13			100 Gms	62.25
95227	Toluene extrapure AR, ACS,	500 ml	5.26	90544	Trichloroacetic Acid extrapure, 99%	100 Gms	2.63
[108-88-3]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	19.74	[76-03-9]		500 Gms	8.55
	meets compendial specs of USP, BP,			60677	Trichloroacetic Acid extrapure AR,	100 Gms	3.82
	Ph.Eur			[76-03-9]	ACS, 99.5%	500 Gms	9.48
17213	Toluene Dried, 99.5%, 0.005% water	500 ml	5.13	31445	Trichloroacetic Acid 10% solution	100 ml	2.63
[108-88-3]		1000 ml	9.74	[76-03-9]	Themoroacetic Acid 10% solution	500 ml	5.66
		2500 ml	18.42				
80156	Toluene Dried Special (Low	250 ml	5.92	<b>54290</b> [76-03-9]	Trichloroacetic Acid 20% solution	500 ml	5.92
[108-88-3]	Benzene, 25ppm), 99.5%, 0.005%	1000 ml	14.48	15106	Trichloroethylene extrapure, 99%	500 ml	7.90
	water			[79-01-6]	,	2500 ml	35.53
<b>83662</b> [108-88-3]	Toluene GC-HS, 99.9%	500 ml	9.87			25 Ltr	302.68
[100-00-3]		1000 ml	17.77	00000	Trichlere ethylene sytrenure AD		
29490	Toluene for HPLC & UV	500 ml	6.19	<b>92390</b> [79-01-6]	Trichloroethylene extrapure AR, 99.5%	500 ml	8.55
[108-88-3]	Spectroscopy, 99.8%	1000 ml	10.79	[]		2500 ml	39.48
		2500 ml	19.08			25 Ltr	329.00
85590	Toluene-d8 for NMR spectroscopy,	10 ml	179.37	86976	Trichloroethylene extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 ml	9.87
[2037-26-5]	99.5 Atom %D			[79-01-6]	99.5%	2500 ml	42.11
33635	m-Toluidine extrapure, 99%	500 ml	7.50		meets compendial specs of BP, Ph.Eur		
[108-44-1]	(3-Methylaniline, m-Aminotoluene)	2500 ml	29.61	76338	Trichloroethylene electronic grade,	500 ml	13.16
82225	p-Toluenesulfonamide (PTSamide)	100 Gms	4.08	[79-01-6]	99.5%	2500 ml	59.22
[70-55-3]	pure, 98% (4-Toluenesulfonamide)	500 Gms	15.79	97681	Trichloroethylene for UV	500 ml	12.50
29423	p-Toluenesulphonic Acid	500 Gms	6.84	[79-01-6]	spectroscopy, 99.5%	1000 ml	23.03
[6192-52-5]	Monohydrate pure, 98%	5 Kg	51.85	42943	Trichloroethylene Dried, 99.5%,	500 ml	15.79
	(Toluene-4-Sulphonic Acid, PTSA)			[79-01-6]	0.005% water		
77948	p-Toluenesulphonic Acid	100 Gms	4.21	20779	Triethanolamine pure, 98%	500 ml	5.26
[6192-52-5]	Monohydrate extrapure AR, ACS, 99%	500 Gms	16.84	[102-71-6]		2500 ml	21.06
	(Toluene-4-Sulphonic Acid, PTSA)			29306	Triethylamine pure, 98%	500 ml	5.26
55580	p-Toluenesulphonic Acid	100 Gms	8.16	[121-44-8]		2500 ml	21.71
[6192-52-5]	Monohydrate (High Purity)	500 Gms	29.48			25 Ltr	177.66
	extrapure AR,ACS, ExiPlus,Multi-Compendial, 99.5%			75198	Triethylamine extrapure AR, 99.5%	500 ml	5.92
	(Toluene-4-Sulphonic Acid, PTSA)			[121-44-8]	,,,,,	2500 ml	23.69
	meets compendial specs of USP, BP,			05005	Triothylamina extranura AP		
	Ph.Eur			<b>95205</b> [121-44-8]	Triethylamine extrapure AR, ExiPlus, Multi-Compendial, 99.5%	1000 ml	13.49
86763	p-Toluenesulphonic Acid Sodium	500 Gms	24.35	. ,	manta commandial anno of LICE DE	2500 ml	28.95
[657-84-1]	Salt pure, 98% (Sodium p-Toluenesulfonate, PTSA				meets compendial specs of USP, BP, Ph.Eur		
	Sodium)			67352	Triethylamine for HPLC, 99.5%	250 ml	6.05
73222	Triacetin pure, 99%	500 ml	10.66	[121-44-8]	Thompson 101 Th 20, 00.070	1000 ml	17.11
[102-76-1]		2500 ml	51.72		Totalisate of a section		
21559	Tributylamine extrapure, 99%	250 ml	3.03	<b>55221</b> [121-44-8]	Triethylamine for molecular biology, 99.5%	500 ml	7.90
[102-82-9]		1000 ml	10.53	37817	Triethylene Glycol extrapure, 99%	500 ml	5.26
74315	Tributylphosphate extrapure, 99%	500 ml	23.69	[112-27-6]		2500 ml	22.37
[126-73-8]		2500 ml	110.54	96475	Triethylene Glycol extrapure AR,	500 ml	6.84
01004	D Trabalaga Dibudrata autranura			96475 [112-27-6]	99%	2500 ml	26.32
<b>91094</b> [6138-23-4]	D-Trehalose Dihydrate extrapure CHR	5 Gms	4.87				
,		25 Gms	16.84 55.03	<b>86570</b> [112-24-3]	Triethylenetetramine (mix. of isomers) pure, 97%	500 ml	12.24
		100 Gms	55.93 164.50	[112-24-0]		2500 ml	51.72
		1 Kg	164.50	81085	Triethyl Orthoformate extrapure,	500 ml	7.90
				[122-51-0]	99%	2500 ml	38.16

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
78984	Trifluoroacetic Acid (TFA) pure,	100 ml	20.92	55219	Triton X-405 (70% solution)	100 ml	31.85
[76-05-1]	99%	500 ml	65.67	[9036-19-5]	extrapure (Octylphenolethoxylate,Polyethylenegly	500 ml	67.77
		2500 ml	308.60		col	1000 ml	103.57
65415	Trifluoroacetic Acid (TFA)	100 ml	31.85		t-Octylphenylether,Polyoxyethylene(40)i sooctylphenylether)		
[76-05-1]	extrapure AR, 99.5%	250 ml	54.75	64315	Tropaeolin O Sodium Salt	25 Gms	8.42
		500 ml	70.54	[547-57-9]	(Acid Orange 6, Chrysoin)	100 Gms	30.14
<b>67869</b> [76-05-1]	Trifluoroacetic Acid (TFA) extrapure AR, ExiPlus,	100 ml	37.11	10233	DL-Tryptophan extrapure CHR, 99%	5 Gms	6.45
[70-03-1]	Multi-Compendial, 99.5%	500 ml	75.93	[54-12-6]	· · · · · · · · · · · · · · · · · · ·	25 Gms	26.32
	meets compendial specs of USP, BP,			10263	L-Tryptophan extrapure CHR, 99%	25 Gms	5.26
	Ph.Eur	051		[73-22-3]		100 Gms	14.48
<b>82818</b> [76-05-1]	Trifluoroacetic Acid (TFA) for HPLC & UV Spectroscopy, 99.9%	25 ml 100 ml	14.21 41.85			1 Kg	111.86
. ,		500 ml	81.20	49102	L-Tryptophan for tissue culture,	5 Gms	4.74
40801	Trifluoroacetic Acid (TFA) for	100 ml	44.09	[73-22-3]	99%	25 Gms	15.27
[76-05-1]	molecular biology, 99.9%	500 ml	149.89		L-Tryptophan ExiPlus,		39.48
23947	Trifluoroacetic Acid (TFA) for HPLC	10 x1 ml	317.42	48288	L-Tryptophan ExiPlus,	25 Gms	7.24
[76-05-1]	& Sequencing, 99.9%	10 X1 1111	317.42	[73-22-3]	Multi-Compendial, 99%	100 Gms	19.74
78716	Trifluoroacetic Acid-d (TFA-d1) for	10 ml	111.99		Multi-Compendial, 99%  100 Gm  1 k  meets compendial specs of BP, Ph.Eur  D-Tryptophan (base) extrapure,  10 Gm		125.02
[599-00-8]	NMR spectroscopy, 99.5 Atom %D				meets compendial specs of BP, Ph.Eur		
<b>82395</b> [4574-04-3]	Trimethyltetradecylammonium Chloride extrapure, 99%	25 Gms	64.35	<b>26579</b> [153-94-6]		10 Gms	46.32
	·	100 Gms	163.97				
<b>38476</b> [519-73-3]	Triphenylmethane pure, 99%	100 Gms	15.92	10726	Tungsten AAS Standard Solution in H20	100 ml	19.74
	Trio Duffey AD ACC for molecular	500 Gms	65.27				
<b>71033</b> [77-86-1]	Tris Buffer AR, ACS for molecular biology, 99.9%	100 Gms 500 Gms	11.58 54.61	<b>71290</b> [12027-43-9]	Tungstosilicic Acid Hydrate extrapure AR		
. ,	(Tris (Hydroxymethyl) Aminomethane,	500 Gills 5 Kg	459.02	[12027-40-0]	(Silicotungstic Acid Hydrate)	100 Gms	25 Gms 8.42 100 Gms 30.14 5 Gms 6.45 25 Gms 26.32 25 Gms 5.26 100 Gms 14.48 1 Kg 111.86 5 Gms 4.74 25 Gms 15.27 100 Gms 39.48 25 Gms 7.24 100 Gms 19.74 1 Kg 125.02 10 Gms 46.32 25 Gms 100.94 1 Kg 125.02 10 Gms 51.32 25 Gms 14.21 100 Gms 51.32 25 Gms 15.79 100 Gms 56.59 5 Gms 26.32 25 Gms 92.12 5 Gms 92.12 5 Gms 42.64 25 Gms 42.64 1 Kg 92.12 25 Gms 65.80 100 Gms 52.64 1 Kg 92.12 25 Gms 65.80 25 Gms 65.80 25 Gms 65.80 25 Gms 52.66 100 Gms 55.80 25 Gms 65.80 25 Gms 65.80 25 Gms 65.80 25 Gms 52.66
70400	Trio Buffer Superior extremure AB			67134	Tungstosilicic Acid Hydrate	25 Gms	15.79
<b>79420</b> [77-86-1]	Tris Buffer Superior extrapure AR, ACS, 99.9%	100 Gms 500 Gms	13.69 60.27	[12027-43-9]	extrapure AR, ExiPlus, Multi-Compendial	100 Gms	56.59
	(Tris (Hydroxymethyl) Aminomethane,	5 Kg	516.40		(Silicotungstic Acid Hydrate)		
07000	Trio Buffer Superior for molecular				meets compendial specs of BP, Ph.Eur		
<b>37969</b> [77-86-1]	Tris Buffer Superior for molecular biology, 99.9%	100 Gms 500 Gms	14.61 68.96	<b>70600</b> [556-02-5]	D-Tyrosine extrapure, 98%		
	(Tris (Hydroxymethyl) Aminomethane,	5 Kg	588.12	[550-02-5]		25 Gms	92.12
ECODE	Tromethamine)  Tris Buffer for HPLC, 99.9%	100 Gms		<b>10342</b> [556-03-6]	DL-Tyrosine extrapure CHR, 99%		
<b>56995</b> [77-86-1]	(Tris (Hydroxymethyl) Aminomethane,	500 Gms	20.13 86.07				
	Tromethamine)			<b>16796</b> [60-18-4]	L-Tyrosine extrapure CHR, 99%		
<b>16622</b> [77-86-1]	Tris Buffer USP, 99-101% (Non Injectable Use)	1 Kg	105.28	[00 10 4]			
[77-00-1]	(Tris (Hydroxymethyl) Aminomethane,	5 Kg	493.50				
	Tromethamine)			19017	L-Tyrosine for tissue culture, 99%		
<b>99438</b> [1185-53-1]	Tris Hydrochloride (Tris HCI) extrapure AR, 99%	100 Gms	14.34	<b>18917</b> [60-18-4]	L-1 yrosine for ussue culture, 33 /6		
[1100-00-1]	(Tris (Hydroxymethyl) Aminomethane	500 Gms	68.96 645.50				
	Hydrochloride)	5 Kg	645.50	91772	L-Tyrosine ExiPlus,		
<b>89781</b> [1185-53-1]	Tris Hydrochloride (Tris HCI) for molecular biology, 99%	100 Gms	18.03	[60-18-4]	Multi-Compendial, 99%		
[00 00-1]	(Tris (Hydroxymethyl) Aminomethane	500 Gms	78.96				
	Hydrochloride)	1 Kg	129.10		meets compendial specs of BP, Ph.Eur		
<b>30190</b> [9002-93-1]	Triton X-100 extrapure for scintillation	500 ml	8.69	62762	Urea extrapure, 99%	500 Gms	4.61
		2500 ml	41.72	[57-13-6]		5 Kg	44.09
<b>64518</b> [9002-93-1]	Triton X-100 for molecular biology	100 ml	11.58	69120	Urea extrapure AR, 99.5%	500 Gms	8.16
20 .]		500 ml	17.24	[57-13-6]		5 Kg	76.33
						25 Kg	355.32

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>86854</b> [57-13-6]	Urea extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms 5 Kg	9.48 81.59	<b>29280</b> [108-38-3]	m-Xylene pure, 98% (1,3-Dimethylbenzene)	500 ml	8.16
	meets compendial specs of USP, BP	· ·		24923	p-Xylene pure, 99%	500 ml	8.42
21113	Urea for molecular biology, 99.5%	500 Gms	12.50	[106-42-3]	(1,4-Dimethylbenzene)	2500 ml	36.72
[57-13-6]		1 Kg	22.37	54717	Xylene pure, 99%	500 ml	4.74
		5 Kg	103.83	[1330-20-7]		2500 ml	19.48
44255	Urea for tissue culture, 99.5%	500 Gms	10.53			25 Ltr	142.79
[57-13-6]		1 Kg	19.74	63797	Xylene Cyanol FF	5 Gms	23.42
12859	L-Valine extrapure CHR, 99%	25 Gms	3.95	[2650-17-1]	(Acid Blue 147, C.I. No. 42135)	25 Gms	86.07
[72-18-4]	•	100 Gms	9.21			100 Gms	232.80
		1 Kg	56.59	75122	Xylene Cyanol FF extrapure AR,	5 Gms	23.42
55269	L-Valine for tissue culture, 99%	5 Gms	5.40	[2650-17-1]	ExiPlus, Multi-Compendial	25 Gms	86.07
[72-18-4]		100 Gms	16.45		(Acid Blue 147, C.I. No. 42135)	100 Gms	268.60
		500 Gms	65.54		meets compendial specs of USP		
42749	Vanadium AAS Standard Solution	100 ml	19.74	49672	p-Xylenol Blue extrapure AR, 95%	1 Gms	7.24
127.10	in 2N H2SO4	250 ml	31.58	[125-31-5]	(p-Xylenosulphonaphthalein)	5 Gms	33.56
76132	Vanadium Pentoxide extrapure AR,	25 Gms	4.61	49992	Xylenol Orange Tetrasodium Salt	5 Gms	6.84
[1314-62-1]	99.5%	100 Gms	15.13	[3618-43-7]	extrapure AR	10 Gms	11.84
		500 Gms	71.06	31557	Xylenol Orange Tetrasodium Salt	10 Gms	14.48
83822	Vanadium Pentoxide extrapure AR,	25 Gms	5.26	[3618-43-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial	25 Gms	34.22
[1314-62-1]	ExiPlus, Multi-Compendial, 99.5%	100 Gms	16.84		meets compendial specs of BP, Ph.Eur		
		500 Gms	74.35	96240	Xylene Sulphur Free extrapure,	500 ml	5.00
	meets compendial specs of USP			[1330-20-7]	99%	2500 ml	20.00
83080	Vanillic Acid extrapure, 99%	25 Gms	16.84			25 Ltr	147.52
[121-34-6]	(4-Hydroxy-3-Methoxybenzoic Acid)	100 Gms	57.51	90998	Xylene extrapure AR, 99.5%	500 ml	5.92
98842	Vanillin pure, 99%	25 Gms	4.21	[1330-20-7]		2500 ml	21.58
[121-33-5]	(4-hydroxy-3-Methoxybenzaldehyde)	100 Gms	11.19	89159	Xylene extrapure AR, ACS, ExiPlus,	500 ml	6.58
		500 Gms	42.11	[1330-20-7]	Multi-Compendial, 99.5%	2500 ml	24.74
20563	Vanillin extrapure AR, 99%	25 Gms	4.47		meets compendial specs of USP		
[121-33-5]	(4-hydroxy-3-Methoxybenzaldehyde)	100 Gms	12.50	45122	Xylene for molecular biology,	250 ml	5.40
		500 Gms	44.74	[1330-20-7]	99.5%	500 ml	9.61
49456	Vanillin extrapure AR, ExiPlus,	25 Gms	4.74			2500 ml	28.69
[121-33-5]	Multi-Compendial, 99%	100 Gms	13.82	85471	Xylene Dried, 99.5%, 0.005% water	1000 ml	9.34
	(4-hydroxy-3-Methoxybenzaldehyde)	500 Gms	50.01	[1330-20-7]	·		
	meets compendial specs of BP			46561	Yttrium (III) Oxide extrapure AR,	10 Gms	6.97
14553 🗸	Vitamin A Acetate (Retinyl Acetate,	5 Gms	11.19	[1314-36-9]	99.9%	25 Gms	16.32
[127-47-9]	Vitamin B3) for tissue culture (Retinol Acetate)	25 Gms	47.90	<b>76192</b> [5970-45-6]	Zinc Acetate Dihydrate extrapure, 98.5%	500 Gms	10.53
	Vitamin A Palmitate (Retinyl	5 Gms	11.19	76205	Zinc Acetate Dihydrate extrapure	500 Gms	11.45
[79-81-2]	Palmitate) for tissue culture, 1.615-1.860MIU/g	25 Gms	47.90	[5970-45-6]	AR, 99.5%		
<b>92605</b> [7732-18-5]	Water for HPLC	1000 ml	5.26	<b>53174</b> [5970-45-6]	Zinc Acetate Dihydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	12.77
64236	Xanthan Gum ExiPlus,	100 Gms	5.66		meets compendial specs of USP, BP,		
[11138-66-2]	Multi-Compendial	500 Gms	19.74		Ph.Eur		
	meets compendial specs of USP, BP,			43758	Zinc AAS Standard Solution in 1N	100 ml	19.74
	Ph.Eur				HNO3	250 ml	31.58
23749	o-Xylene pure, 98%	500 ml	5.53	97765	Zinc Carbonate Basic pure, 58% Zn	500 Gms	11.84
[95-47-6]	(1,2-Dimethylbenzene)	2500 ml	20.79	[5263-02-5, 51839-25-9]	(Zinc Hydroxide Carbonate, Carbonic Acid Zinc Salt Basic)		
62231	o-Xylene extrapure AR, 99%	500 ml	8.55	99367			10.53
[95-47-6]	(1 2-1 )imethylhenzene)	(Citric Acid Zinc Salt)	500 Gms				

Code	Name	Packing	\$ Price
<b>87288</b> [7646-85-7]	Zinc Chloride pure, 97%	500 Gms	6.45
80004	Zinc Chloride extrapure AR, ACS,	500 Gms	10.53
[7646-85-7]	98%	5 Kg	98.70
<b>67514</b> [7646-85-7]	Zinc Chloride for tissue culture, 98%	500 Gms	24.61
86783	Zinc Fluoride pure, 98%	100 Gms	24.61
[7783-49-5]		500 Gms	84.22
<b>46621</b> [7440-66-6]	Zinc Metal Dust pure, 95%, -325 mesh	500 Gms	11.84
[7440-00-0]	illesii	2.5 Kg	55.27
<b>27008</b> [7440-66-6]	Zinc Metal Dust pure, 99%, -325 mesh	500 Gms	14.21
[7440-00-0]	illesii	2.5 Kg	69.48
<b>20050</b> [7440-66-6]	Zinc Metal Dust extrapure AR, 99.5%, -325 mesh	500 Gms	16.58
[7440-00-0]	99.976, -02.9 mesn	2.5 Kg	78.17
<b>73932</b> [7440-66-6]	Zinc Metal Dust extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%,	500 Gms	18.16
[/440-00-0]	-325 mesh	2.5 Kg	82.91
	meets compendial specs of Ph.Eur		
<b>75001</b> ✓ [10196-18-6]	Zinc Nitrate Hexahydrate extrapure, 99%	500 Gms	7.90
<b>24693</b> ✓ [10196-18-6]	Zinc Nitrate Hexahydrate extrapure AR, 99%	500 Gms	9.21
87531	Zinc Oxide extrapure, 99%	500 Gms	7.63
[1314-13-2]		5 Kg	68.43
67062	Zinc Oxide extrapure AR, 99.5%	500 Gms	8.55
[1314-13-2]		5 Kg	76.33
51508	Zinc Oxide extrapure AR, ACS,	500 Gms	9.08
[1314-13-2]	ExiPlus, Multi-Compendial, 99.5%	5 Kg	80.28
12420	meets compendial specs of BP  Zinc Stearate extrapure, 10-15%	500 Gms	7.90
<b>13439</b> [557-05-1]	ZnO	1 Kg	7.90 14.48
	(Stearic acid zinc salt)		
<b>67106</b> [7446-20-0]	Zinc Sulphate Heptahydrate for tissue culture, 99%	500 Gms	7.50
		1 Kg	13.29
<b>76455</b> [7446-20-0]	Zinc Sulphate Heptahydrate pure, 99%	500 Gms	3.82
[11.0200]		1 Kg 5 Kg	6.97 33.56
70404	Zine Culphite Aphydraus cutumuus		
<b>78494</b> [13597-44-9]	Zinc Sulphite Anhydrous extrapure, 80%	500 Gms	18.16
<b>62294</b> [7488-52-0]	Zinc Sulphite Dihydrate extrapure, 98%	500 Gms	17.50
47482	Zinc Sulphide extrapure, 98%	100 Gms	9.48
[1314-98-3]		500 Gms	31.58
75738	Zinc Sulphate Heptahydrate	500 Gms	4.47
[7446-20-0]	extrapure AR, 99.5%	5000 Gms	40.80
35243	Zinc Sulphate Heptahydrate	500 Gms	5.66
[7446-20-0]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	51.32
	meets compendial specs of BP		
12077	Zirconium Oxychloride Octahydrate	100 Gms	6.58
[13520-92-8]	extrapure, 99.5%	250 Gms	11.84
		500 Gms	21.71

Name	Packing	\$ Price
Zirconium Oxychloride Octahydrate ACS, 99.5%	100 Gms 250 Gms	13.82 23.69
Zirconium Sulphate extrapure, 99.5%	100 Gms	28.16
Zirconyl Nitrate Hydrate ExiPlus, Multi-Compendial, 99.5% (Zirconium Oxynitrate) meets compendial specs of USP. Ph Fur	100 Gms 500 Gms	13.82 56.59
	Zirconium Oxychloride Octahydrate ACS, 99.5%  Zirconium Sulphate extrapure, 99.5%  Zirconyl Nitrate Hydrate ExiPlus, Multi-Compendial, 99.5%	Zirconium Oxychloride Octahydrate ACS, 99.5%  250 Gms  Zirconium Sulphate extrapure, 99.5%  Zirconyl Nitrate Hydrate ExiPlus, Multi-Compendial, 99.5% (Zirconium Oxynitrate)  100 Gms 500 Gms

# Sodium Lauryl Sulphate

A highly versatile product for Drug Dissolution Testing, Quality Control, Research and Electrophoresis applications.

#### **For Drug Dissolution Testing Studies**

Sodium Lauryl Sulphate (Sodium Dodecyl Sulphate, SLS, SDS) is a strong component of the media used for Dissolution Testing in In Vitro methods for water-soluble and slightly-water-soluble drugs. It's importance as a simulated gastric/intestinal media ingredient makes it's quality a critical factor in the accuracy of results.



Our Premier Product, Sodium Lauryl Sulphate High Purity (99.5%) (35825) can,

- Eliminate further purification by the customer by foaming & other processes, demonstrate exceptionally lower lauryl alcohol (LA) impurities
- Improve testing accuracy and confirm lot-to-lot bioequivalence
- Ensure consistent and reliable results in In Vitro Testing and Intrinsic Dissolution Rate (IDR) studies
- Secure accurate Dissolution profiles (suitable to fast-release and slow-release drugs)
- · Assist in detection of relevant product changes so as to ensure the quality and consistent performance of final products

#### For SDS Polyacrylamide Gel Electrophoresis (SDS-PAGE) Studies

Primarily used in the denaturing of proteins, Sodium Lauryl Sulphate of high purity and molecular biology grades play a critical role in PAGE electrophoresis techniques as well as SDS Gradient Gel Electrophoresis to,

- Unfold normally buried polypeptide chains while retaining their normal (native) structure
- Bind to difficult regions (hydrophobic regions) within the protein chains
- Induce a predominant negative charge for the subsequent electrophoresis
- Ensure a electrophoretic separation for a large number (and types) of proteins



#### Types of Sodium Lauryl Sulphate we offer:


Product code	Product Name	Assay	Pack Size
54468	Sodium Lauryl Sulphate extrapure AR, ACS	(C12) min. 99% (GC)	100g, 250g, 500g, 1kg
99671	Sodium Lauryl Sulphate for HPLC	(C12) min. 99% (GC)	10g, 25g, 100g, 1kg
32096	Sodium Lauryl Sulphate for molecular biology	(C12) min. 99.5% (GC)	25g, 100g, 500g
35825	Sodium Lauryl Sulphate High Purity	(C12) min. 99.5% (GC)	25g, 100g, 500g
85369	Sodium Lauryl Sulphate (10%) solution	10%	100ml
87545	Sodium Lauryl Sulphate (20%) solution	20%	250ml
34378	Sodium Lauryl Sulphate BP	min. 85%	1kg
93117	Sodium Lauryl Sulphate IP	min. 85%	1kg
14374	Sodium Lauryl Sulphate pure	min. 85% (dry basis)	500g, 5kg


#### **Part B**



# **Linkers & Cross-Linkers for Protein Chemistry**

Cross-linking is the process of chemically joining two or more molecules by a covalent bond. SRL introduced linking and cross-linking reagents are important reagents used in protein chemistry applications. Typically, they are commonly used reagents to modify nucleic acids, drugs and solid surfaces. Areas of research where these products find application are bio-conjugation, immobilization, surface modification and biomolecule labeling. These reagents contain reactive ends to specific functional groups, such as primary amines and sulfhydryls, on proteins or other molecules. The availability of several chemical groups in proteins and peptides make them targets for conjugation and for study using cross-linking methods. Some common applications of cross-linkers is for the identification of near-neighbor protein relationships and for ligand-receptor interactions.





- 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm))
- 3-(Benzylthio)-Propionic Acid
- DABCYL-N-Succinimidyl Ester
- DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol)
- 5-(Ethylthio)-1H-Tetrazole (ETT)
- HMBA Linker (4-(Hydroxymethyl)benzoic Acid)
- HMPA Linker
- Ramage Linker
- Rink Amide Linker (Knorr Linker)
- Sieber Linker
- Weinreb Linker

#### **Compounds for Peptide Synthesis**

Peptide synthesis is characterized as the formation of a peptide bond between two amino acids. While the definition of a peptide is not definitive, it usually refers to chains of up to 30-50 amino acids. Peptide synthesis today is a common approach in even high-throughput biological research and product and drug development, although it is a technique about 100 years old. We offer various types of peptide reagents that can be used for biological production and research work.

Amino Acids and Derivatives

- BOC
- FMOC
- L/D/DL
- Z/CBZ

N,N'-Dicyclohexylcarbodimide DCC

Diisopropylcarbodimide DIPC

1-(3 Dimethylaminopropyl)-3-Carbodimide Hydrochloride (EDC.HCI), EDAC.HCI)

1,4 Dithioerythritol (DTE)

DL-Dithiothreitol (DTT)

**EEDQ** 

1,2 Ethanedithiol (EDT)

9-Fluorenylmethanol

9-Fluorenylmethyl-N-succinimidyl Carbonate

1-Fluoro-2,4 Dinitrobenzene

**HABU** 

**HOAT** 

HOBT

Hydrobromic Acid

2-Hydroxypyridine-N-oxide

(1-Hydroxy-2-pyridone) (HOPO)

N-Hydroxysuccinamide

Di-(n-succinimidyl) Carbonate

**TBTU** 

**TNTU** 

Trifluoroacetic Acid

Wang Resin (100-200 mesh)

Z-OSU

For more details, please feel free to mail us at marketing@srlchem.com

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
66308		25 Mg	19.35	70538	N-Acetyl-L-Aspartic Acid extrapure,	5 Gms	26.32
[21293-29-8]	for tissue culture, 98%	100 Mg	53.96	[997-55-7]	98%	25 Gms	111.86
	(Dormin, Abscissin II)	500 Mg	248.72	23157	1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-D-	5 Gms	32.90
31240	(+/-)-Abscisic Acid Synthetic (ABA)	25 Mg	22.11	[6974-32-9]	Ribofuranose extrapure, 98%	25 Gms	105.28
[14375-45-2]	for tissue culture, 98%	100 Mg	56.72		(b-D-Ribofuranose 1-Acetate		
	(Dormin, Abscissin II)			00500	2,3,5-Tribenzoate)	1.Cma	160.60
	ABTS extrapure AR (2,2-Azino-bis	100 Mg	36.85	23598 <b>J</b> [3080-30-6]	1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-L- Ribofuranose extrapure, 98%	1 Gms	160.68
[30931-67-0]	(3-ethylbenzothiazoline-6-sulfonic acid) Diammonium Salt), 98.5%	500 Mg	111.86	[0000 00 0]	(b-L-Ribofuranose 1-Acetate	5 Gms	520.35
28042	ABTS extrapure (2,2-Azino-bis	500 Mg	60.54		2,3,5-Tribenzoate)		
[30931-67-0]	(3-ethylbenzothiazoline-6-sulfonic	1 Gms	92.12		1-O-Acetyl-2,3,5-Tri-O-Benzoyl-D-Ri	5 Gms	32.24
	acid) Diammonium Salt), 98%	5 Gms	355.06	[14215-97-5]	-	25 Gms	145.42
					(D-Ribofuranose 1-Acetate 2,3,5-Tribenzoate)		
83088	ABTS Peroxidase Stop Solution (5% SDS solution) suitable for	25 ml	21.45	72981	1-O-Acetyl-2,3,5-Tri-O-Benzyl-b-D-R	50 Mg	298.47
	molecular biology	100 ml	58.96		ibofuranose extrapure, 95%	200 Mg	658.00
33108	ABTS Substrate Solution (Single	25 ml	21.45	20000	4 O Acetyl C C F Tri O Bennyl D Bib		298.47
	Solution)	100 ml	45.67		1-O-Acetyl-2,3,5-Tri-O-Benzyl-D-Rib ofuranose extrapure, 98%	50 Mg	
GE 4E 7	Acarbose extrapure, 95%	1 Gms	78.96	[0000: 20 0]		200 Mg	658.00
<b>65457</b> [56180-94-0]	Acarbose extrapure, 35%	5 Gms			Acetylcholine Chloride extrapure,	25 Gms	75.14
			263.20	[60-31-1]	99%	05.0	
66822	ACES Buffer extrapure, 99%	25 Gms	35.80	<b>53182</b> [60-31-1]	Acetylcholine Chloride ExiPlus, Multi-Compendial, 99%	25 Gms	88.83
[7365-82-4]	(2-[(2-Amino-2-Oxoethylamino)Ethane] Sulphonic Acid)	100 Gms	130.81	[00-31-1]	meets compendial specs of USP, BP,		
62316	Acetone Sodium Bisulfite pure,	100 Gms	52.38		Ph.Eur		
[540-92-1]	98%	250 Gms	118.44	71332	Acetylcholine lodide extrapure,	5 Gms	33.16
	(2-Hydroxy-2-Propanesulfonic Acid	200 00		[2260-50-6]	99%	25 Gms	118.44
	Monosodium Salt)			26904	Acetyl Coenzyme A Trilithium Salt	5 Mg	38.82
89561	Acetoxime (Acetone Oxime) extrapure, 98%	25 Gms	16.58		extrapure, 90%	•	152.79
[127-06-0]	extrapure, 90 %	100 Gms	37.37	. ,	• ,	25 Mg	
		250 Gms	89.88			100 Mg	531.93
	AEBSF Hydrochloride extrapure	25 Mg	15.13		N-Acetyl-L-Cysteine ExiPlus, Multi-Compendial, 99%	10 Gms	5.26
[30827-99-7]		100 Mg	46.72	[616-91-1]	wuti-compendial, 99 %	25 Gms	11.05
	(4- (2-Aminoethyl)benzenesulfonylfluoride	500 Mg	222.01			100 Gms	34.61
	Hydrochloride)					500 Gms	110.54
59750	PUGNAc extrapure, 95%	5 Mg	213.59		meets compendial specs of BP		
[132489-69-1]					N-Acetyl-D-Galactosamine	100 Mg	33.16
	(2-Acetamido-2-Deoxy-D-Glucopyrano sylidenamino) N-Phenylcarbamate)			[14215-68-0]	extrapure, 98%	1 Gms	99.36
20140		1 Gms	69.22	59012	N-Acetyl-D-Glucosamine extrapure	10 Gms	12.37
<b>20140</b> • [52574-08-0]	Acid (MPA(Acm)) extrapure, 98%	i dilis	09.22	[7512-17-6]	AR, 99%	50 Gms	34.48
12052	4-Acetamido-2,2,6,6-Tetramethylpip	1 Gms	25.66			100 Gms	60.54
[14691-89-5]	eridine-1-Oxyl (Acetamido TEMPO)	5 Gms	56.98			500 Gms	275.57
	pure, 97%	25 Gms	135.28	50241	N-Acetyl-L-Glutamic Acid	10 Gms	6.58
04407	Acatahwama D Chiasaa autraniira			50241 • [1188-37-0]	extrapure, 99%		
<b>34437</b> [572-09-8]	Acetobromo-D-Glucose extrapure for biochemistry, 98%	10 Gms	96.73		<u> </u>	100 Gms	56.32
	Acetobromo-D-Galatose w/ 2%	5 Gms	85.54		N-Acetyl-L-Glutamine extrapure,	25 Gms	20.40
[3068-32-4]	Calcium Carbonate extrapure, 98%	o dino	00.01	[2490-97-3]	99%	100 Gms	64.22
43717	1-Acetonaphthone pure, 98%	100 ml	18.03	56115	N-Acetylglycine extrapure, 99%	25 Gms	13.55
[941-98-0]	(Acetylnaphthalene, Naphthyl Ketone)	250 ml	35.01	[543-24-8]	(Acetamidoacetic Acid, Aceturic Acid)	100 Gms	36.85
21009	2-Acetonaphthone pure, 98%	100 Gms	12.37			500 Gms	86.86
[93-08-3]	(Acetylnaphthalene)	250 Gms	27.77	76097	N-Acetyl-L-Leucine extrapure, 99%	5 Gms	13.55
	Assistant Park			[1188-21-2]	• • •	25 Gms	56.06
<b>24168 (66-23-9)</b>	Acetylcholine Bromide extrapure, 98%	5 Gms	36.32	26104	N-Acetyl-I -Methionine extremine		
[00-23-8]		25 Gms	121.07	26124 <b>8</b> [65-82-7]	N-Acetyl-L-Methionine extrapure, 99%	5 Gms	10.66
17884	N-Acetyl-L-Alanine extrapure, 99%	5 Gms	16.45	[-3 02 .]		25 Gms	44.48
[97-69-8]		25 Gms	66.33			100 Gms	155.55

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
90430	N-Acetyl-L-Proline extrapure, 98%	5 Gms	20.53	35188	Acriflavine Hydrochloride for	5 Gms	7.11
[68-95-1]		25 Gms	77.38	[8063-24-9]	molecular biology, 98.5%-105%	25 Gms	31.58
		100 Gms	205.82		(3,6-Diamino-10-Methylacridinium Chloride Hydrochloride, Euflavine)		
81977	N-Acetylimidazole extrapure AR,	25 Gms	25.93	39309	Actin extrapure, 99%	1 Mg	428.49
[2466-76-4]	99%	100 Gms	79.22	[51005-14-2]			
32414	N-Acetyl-DL-Methionine extrapure,	10 Gms	10.26	28269	Actinomycin D (AMD) extrapure,	2 Mg	74.09
[1115-47-5]		100 Gms	23.03	[50-76-0]	98%	5 Mg	173.71
86419	N-Acetylneuraminic Acid extrapure	100 Mg	24.87	44597	Acylase 1 (ACY1) ex. Porcine	50 Mg	36.19
[131-48-6]	(NANA), 98%	500 Mg	63.56	[9012-37-7]	Kidney, 1000U/mg	250 Mg	126.60
		1 Gms	103.70			1 Gms	397.70
10197	2-Acetyl Pyridine extrapure, 99%	25 ml	24.35	37690	ADA Buffer extrapure, 98%	10 Gms	15.27
[1122-62-9]	2-Acetyl Fyrianie extrapule, 95%	100 ml	86.86	[26239-55-4]		25 Gms	32.24
				83468	ADA Monosodium Salt Buffer	5 Gms	61.33
14507 [350-03-8]	3-Acetyl Pyridine pure, 99%	25 ml	21.06	[7415-22-7]	extrapure, 98%	25 Gms	122.52
[050-00-0]		100 ml	52.64	35609	ADA Disodium Salt Buffer	25 Gms	50.01
38998	S-Acetylthiocholine Iodide	1 Gms	29.22	[41689-31-0]		25 01115	30.01
[1866-15-5]	extrapure AR, 99%	5 Gms	115.81	50300	Adenine extrapure, 98%	5 Gms	4.21
99703	2-Acetyl Thiophene pure, 99%	100 ml	34.08	[73-24-5]		25 Gms	16.98
[88-15-3]		500 ml	154.50	87583	Adenine Sulphate extrapure, 99%	10 Gms	7.24
11644	N-Acetyl-L-Tryptophan extrapure,	5 Gms	18.69	[321-30-2]	• • • •	25 Gms	17.37
[1218-34-4]	99%	25 Gms	80.54			100 Gms	65.01
48861	N-Acetyl-L-Tryptophan ExiPlus,	5 Gms	21.45	81951	Adenine Sulphate for tissue	10 Gms	11.45
[1218-34-4]	Multi-Compendial, 99%	25 Gms	79.62	[321-30-2]	culture, 99%	25 Gms	27.64
	meets compendial specs of BP, Ph.Eur					100 Gms	96.73
51031	N-Acetyl-DL-Tryptophan extrapure,	25 Gms	26.98	FCC00	Adenine Culmbete EviDiue		
[87-32-1]	99%	100 Gms	105.02	<b>56603</b> [321-30-2]	Adenine Sulphate ExiPlus, Multi-Compendial, 99%	25 Gms 100 Gms	33.16 110.54
		1 Kg	994.90	. ,	manta compandial areas of LICD	100 GIIIS	110.54
98070	N-Acetyl-L-Tyrosine extrapure, 98%	5 Gms	27.37	54865	meets compendial specs of USP  Adenosine extrapure, 99%	5 Gms	4.61
[537-55-3]		25 Gms	104.49	54665 • [58-61-7]	Adenosine extrapure, 33%	25 Gms	17.63
16756	N-Acetyl-L-Tyrosine Ethyl Ester	5 Gms	77.25				
	(ATEE) extrapure, 99%	10 Gms	144.63	<b>94149</b> [58-61-7]	Adenosine ExiPlus, Multi-Compendial, 99%	25 Gms	24.61
C1040 ■	N Acetyl I Voline outronure 000/			[00 01 1]	meets compendial specs of USP, BP,		
<b>61942</b> [96-81-1]	N-Acetyl-L-Valine extrapure, 99%	1 Gms	35.53		Ph.Eur		
97412	Acridine Orange hemi (Zinc	5 Gms	14.48	84910	Adenosine-2',3' Cyclic	25 Mg	46.19
[10127-02-3]		10 Gms	24.35	[37063-35-7]	Monophosphate Sodium Salt	100 Mg	141.21
	(C.I. No. 46005)	25 Gms	55.14	98333	extrapure, 98%  Adenosine-3',5'-Cyclic-Monophosp	100 Mg	59.48
37751	Acridine Orange hemi(Zinc	5 Gms	21.71	[60-92-4]	horic Acid extrapure, 98%	500 Mg	163.45
[10127-02-3]	Chloride) Salt for molecular	10 Gms	36.85				
	biology	25 Gms	72.38	<b>43801</b> [16178-48-6]	Adenosine-5-Diphosphate Disodium Salt (ADP-Na2)	500 Mg	11.58
62255	Acridine Orange hemi(Zinc	5 Gms	20.79	[10170 40 0]	extrapure, 98%	1 Gms	20.00
[10127-02-3]	Chloride) Salt for tissue culture	25 Gms	63.17			5 Gms	91.20
					Adenosine-5-Diphosphate	500 Mg	23.16
<b>82407</b> [65-61-2]	Acridine Orange Hydrochloride Hydrate for molecular biology, 99%	1 Gms	18.56	[72696-48-1]	Monopotassium Salt Dihydrate (ADP-K) extrapure, 97%		
[00 01 2]	(3,6-Bis(dimethylamino)Acridine	5 Gms	80.80	90697	Adenosine-5-Monophosphate	5 Gms	11.05
	Hydrochloride)			[4578-31-8]		25 Gms	48.30
42070	Acridine Yellow G	5 Gms	20.66		extrapure, 99%		
[135-49-9]	(Basic Yellow K, 3,6-Diamino-2,7-Dimethylacridine	25 Gms	71.20	<b>84878</b> [34369-07-8]	Adenosine-5'-Triphosphate Disodium Salt (ATP-Na2) extrapure	1 Gms	3.29
	Hydrochloride)			[0-1008-07-0]	vanadium free, 98%	5 Gms	13.16
42428	Acriflavine Neutral for molecular	5 Gms	5.53			25 Gms	45.40
[8048-52-0]	biology, 98%	25 Gms	23.69		S-(5-Adenosyl)-L-Homocysteine	10 Mg	489.68
	(3,6-Diamino-10-Methylacridinium Chloride, Acriflavine Base)	100 Gms	64.48	[979-92-0]	extrapure, 99% 5'-Deoxy-S-adenosyl-L-homocysteine		
	, ,				,		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
85934	(S)Adenosyl-L-Methionine	500 Mg	24.21	96244	DL-Alanine extrapure CHR, 99%	100 Gms	8.03
[97540-22-2]	DisulphateTosylate, 98%	1 Gms	45.67	[302-72-7]		1 Kg	39.48
40257 <b>■</b>	Adipic Acid Dihydrazide (ADH)	25 Gms	39.48	32344	•	10 Mg	150.29
[1071-93-8]	extrapure, 95% (Hexanedioic Acid Dihydrazide)	100 Gms	152.26	[77471-41-1]	in Free Base extrapure, 97% (D-Alanine-7-Amido-4-Methylcoumarin)	25 Mg	273.20
75101	Adonitol (Ribitol) extrapure, 99%	5 Gms	23.69	11180	B-Alanine-7-Amido-4-Methylcoumar	10 Mg	162.39
[488-81-3]	, , ,	25 Gms	99.36		in Trifluoroacetate Salt extrapure,	25 Mg	331.90
37575	Adrenaline Bitartarate (Epinephrine	1 Gms	30.27		99% (B-Alanine-7-Amido-4-Methylcoumarin	•	
[51-42-3]	Bitartrate) extrapure, 98%	5 Gms	111.86		Trifluoroacetate Salt,		
	(L-Adrenaline Hydrogen Bitartrate, L-Epinephrine Hydrogen Bitartrate)				β-Alanine-AMC.TFA salt)		
59783	L-Adrenaline (L-Epinephrine)	1 Gms	39.48		D-Alanine-7-Amido-4-Methylcoumar in Trifluoroacetate Salt extrapure,	10 Mg	116.86
[51-43-4]	extrapure, 98%	5 Gms	184.24	[201047-52-1]	99%	25 Mg	227.14
60645	Agarose High EEO for molecular	25 Gms	24.21		(D-Alanine-7-Amido-4-Methylcoumarin		
[9012-36-6]	biology	100 Gms	86.99		Trifluoroacetate Salt, D-Alanine-AMC.TFA salt)		
		500 Gms	418.75	25696	L-Alanine-7-Amido-4-Methylcoumar	25 Mg	77.78
36601	Agarose Low EEO for molecular	10 Gms	8.95	[96594-10-4]	in Trifluoroacetate Salt extrapure,	100 Mg	222.01
[9012-36-6]	biology	25 Gms	17.77		98%	S	
		100 Gms	56.46		(L-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt,		
		500 Gms	257.67		L-Alanine-AMC.TFA salt)		
		1 Kg	507.32		L-Alanine Benzyl Ester p-Toluene	25 Gms	81.99
23287	Agarose Low EEO Superior Grade	10 Gms	10.53		Sulfonate extrapure, 98%	OF Cmo	71.00
[9012-36-6]	for molecular biology	25 Gms	22.64	17737 [5557-83-5]	L-Alanine Benzyl Ester Hydrochloride extrapure, 98%	25 Gms	71.20
		100 Gms	66.06		L-Alanine-ß-Naphthylamide	100 Mg	83.70
		500 Gms	297.94	[3513-56-2]	Hydrobromide extrapure, 98%		
		1 Kg	563.64		L-Alanyl-L-Alanine extrapure, 99%	100 Mg	53.03
10423	Agarose Medium EEO for	10 Gms	11.84	[1948-31-8]		500 Mg	254.51
[9012-36-6]	molecular biology	25 Gms	28.95	31622		1 Gms	11.05
		100 Gms	76.33	[39537-23-0]	99%	5 Gms	33.16
		500 Gms	338.21		L-Alanyl Glycine extrapure, 99%	1 Gms	49.09
27813	Agarose UltraPhor for molecular	10 Gms	131.60	[687-69-4]		5 Gms	232.41
[9012-36-6]	biology	25 Gms	315.84	73721	L-Alanyl-L-Leucine extrapure, 99%	500 Mg	122.65
		100 Gms	1210.72	[3303-34-2]	N. Alamada I amaina I. Bhanadalamina	400.14	405.00
32417	Agarose Low Melting for molecular	5 Gms	39.48	31550	L-Alanyl-L-Leucine-L-Phenylalanine extrapure	100 Mg	105.28
[9012-36-6]	biology	10 Gms	46.06	97088	L-Alanyl Methyl Ester	5 Gms	23.56
		25 Gms	105.28	[2491-20-5]	Hydrochloride extrapure, 99%	25 Gms	89.88
		100 Gms	394.80	41859	L-Alanyl-L-Tyrosine extrapure, 99%	100 Mg	41.85
		250 Gms	921.20	[3061-88-9]			
93419	Agarose TAE mix 1.0%	100 Gms	112.25		Alar extrapure AR, 99%	1 Gms	6.19
		400.0		[1596-84-5]		5 Gms	26.06
67900	Agarose TAE mix 2.0%	100 Gms	112.25			25 Gms	110.28
76171	Agarose TBE mix 1.0%	100 Gms	112.25		Albumin Bovine (pH 5.2) fraction V	5 Gms	10.92
	· ·			[9048-46-8]	(Bovine Serum Albumin, BSA), 98%	50 Gms	102.65
12375	Agarose TBE mix 2.0%	100 Gms	112.25			100 Gms	200.69
10330	Aimalicina pura 98%	10 Mc	46 50			250 Gms	460.60
1 <b>9339 4</b> [483-04-5]	Ajmalicine pure, 98%	10 Mg	46.59 176.48		Albumin Bovine (pH 6-7) fraction V	5 Gms	10.53
	Almost transport	50 Mg	176.48	[9048-46-8]	(Bovine Serum Albumin, BSA), 98%	25 Gms	50.01
52821 4 [4360-12-7]	Ajmaline pure, 98%	1 Gms	44.48			100 Gms	190.82
64422	D-Alanine extrapure CHR, 99%	5 Gms	5.53			250 Gms	447.44
[338-69-2]		25 Gms	23.03				
[]							

Set     Albumin Bovine (pH 6-7) fraction V   25 Gms   5.24   118.02-23   (Cl. N., 58005)   (Metachrome Yellow, Mocratury Yellow I, Callward Yellow, ICL N., 14005)   118.02-23   (Cl. N., 58005)   (Metachrome Yellow, Mocratury Yellow, Incurn Yell	25 Gms 5 Gms 25 Gms 100 Mg 500 Mg 1 Gms 100 Units 200 Units 5 Gms 25 Gms 100 Mg 500 Mg 500 Units 25 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	18.82  8.69 17.37  85.41 128.97 210.56  474.42 887.51 11.45 43.43 101.86  166.74 287.02 69.22 193.58 740.64 1651.19 39.87  78.96 30.40 130.15
Serum Albumin, BSA), 98%   207.93   500 Gms   947.52   584-429   (Machrome Yellow, Mordant Yellow 1, 584-429)   (Machrome Yellow, Mordant Yellow 1, 584-549)   (Mach	25 Gms  100 Mg 500 Mg 1 Gms 100 Units 200 Units 5 Gms 25 Gms 100 Mg 50 Mg 500 Units  25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	17.37 85.41 128.97 210.56 474.42 887.51 11.45 43.43 101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
14438	100 Mg 500 Mg 1 Gms 100 Units 200 Units 5 Gms 25 Gms 100 Mg 50 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	85.41 128.97 210.56 474.42 887.51 11.45 43.43 101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
14438	500 Mg 1 Gms 100 Units 200 Units 5 Gms 25 Gms 100 Mg 50 Mg 500 Units 25 Mg 100 Mg 100 Mg 200 Mg 1 Gms 50 Mg	128.97 210.56 474.42 887.51 11.45 43.43 101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
	500 Mg 1 Gms 100 Units 200 Units 5 Gms 25 Gms 100 Mg 50 Mg 500 Units 25 Mg 100 Mg 100 Mg 200 Mg 1 Gms 50 Mg	128.97 210.56 474.42 887.51 11.45 43.43 101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
Serum Albumin, BSA), 98%   Some	1 Gms 100 Units 200 Units 5 Gms 25 Gms 100 Mg 25 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	210.56 474.42 887.51 11.45 43.43 101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
32257	100 Units 200 Units 5 Gms 25 Gms 100 Mg 25 Mg 50 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	474.42 887.51 11.45 43.43 101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
Serum Albumin, BSA), 98%   25 cms   10.0 cm   67.38   121.99   1	200 Units 5 Gms 25 Gms 100 Mg 25 Mg 50 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	887.51 11.45 43.43 101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
Selection   Sele	5 Gms 25 Gms 100 Mg 25 Mg 50 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	11.45 43.43 101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
	25 Gms 100 Mg 25 Mg 50 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	43.43 101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
Albumin, BSA), 99%   100 Gms   264.65   264.65   264.65   265.00   264.65   264.65   265.00   264.65   264.65   265.00   265.00	100 Mg  25 Mg  50 Mg  500 Units  25 Mg  100 Mg  200 Mg  1 Gms  50 Mg	101.86 166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
100 Gms   284.65	25 Mg 50 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
93630	25 Mg 50 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	166.74 287.02 69.22 193.58 740.64 1651.19 39.87 78.96
19007     Albumin Bovine Solution (20mg/ml)   1 ml   15.79   73583     L-Alpha Glycerophosphate Oxidase   19048-46-8    19048-	50 Mg 500 Units 25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	287.02 69.22 193.58 740.64 1651.19 39.87 78.96
19007   Albumin Bovine Solution (20mg/ml)   1 ml   15.79   5x1 ml   31.58   [904e-2e-0] (GPO) ex. Microorganism, 15U/mg   1904e-4e-8]   100 ml   43.43   1990-2e-0]   1904e-2e-0]   19	500 Units  25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	69.22 193.58 740.64 1651.19 39.87 78.96
Sx1 ml   31.58	25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	193.58 740.64 1651.19 39.87 78.96
Strict   S	25 Mg 100 Mg 200 Mg 1 Gms 50 Mg	193.58 740.64 1651.19 39.87 78.96
[9048-46-8]   Diluent Solution in PBS (BSA 10% Diluent/Blocking Solution in PBS)	100 Mg 200 Mg 1 Gms 50 Mg	740.64 1651.19 39.87 78.96
[1990-29-0]   [1990-29-0]	100 Mg 200 Mg 1 Gms 50 Mg	1651.19 39.87 78.96 30.40
Diluent/Blocking Solution in PBS    45017	1 Gms 50 Mg 1 Gms	39.87 78.96 30.40
100 Gms   31.85   7-48mino-4-Methylcoumarin   26093-31-2  (7-AMC) extrapure, 99%   31.85   25096-59-1    500 Gms   102.12   21840	1 Gms 50 Mg 1 Gms	39.87 78.96 30.40
Soo Gms   31.85	50 Mg	78.96
100 Gms   102.12   18036	1 Gms	30.40
21840 Albumin Human Serum (Lipid [70024-90-7] Enhanced), 95%		
21840		
1 Gms   134.36   253.72     1 Gms   253.72     2	5 Gms	130.15
100 Mg   52.64		
T-Albumin Human - Type Standard   100 Mg   52.64	100 Gms	6.71
Toolay-90-7  ACF ex. Plants, 97% (Human Serum Albumin Recombinant, rHSA)	500 Gms	23.95
[99-92-3] AR, 99%  [90-92-3] AR, 99%  [100-28-2] 98%  [1118-90-7] 98%  [1118-90-7] 98%	25 Gms	11.19
T-Albumin Human - Type EG ex.   100 Mg   59.22   100 Mg   59.22   100 Mg   72.38   100 Mg	100 Gms	39.74
Tool Mg   S9.22   Tool Mg	250 Mg	40.53
(Human Serum Albumin, rHSA)  83428	1 Gms	149.89
83428 r-Albumin Human - Type LE ex. 100 Mg 72.38 [1118-90-7] 98%  [70024-90-7] Yeast, 98% 1 Gms 513.24  (Human Serum Albumin Recombinant,		
[70024-90-7] Yeast, 98% 1 Gms 513.24 (Human Serum Albumin Recombinant,	250 Mg	35.40
(Human Serum Albumin Recombinant,	1 Gms	112.91
rHSA)	5 Gms	353.61
46832 Amino Acids Kit	1 Kit	49.09
48261 Alcian Blue 5 Gms 25.79		
[33864-99-2] (C.I. No. 74240, Alcian Blue 8 GX) 10 Gms 48.43 86936 L-Amino Acids Kit	1 Kit	58.30
46822 Alcian Blue for tissue culture 5 Gms 50.01		
[33864-99-2] (C.I. No. 74240, Alcian Blue 8 GX)  25 Gms  228.72  68384	50 Units	148.18
90008 Alcohol Dehydrogenase (ALD) ex. 7500 Units 61.33 6000U/g	100 Units	259.25
[9031-72-5] Bakers Yeast, 300U/mg protein 98437 p-Aminoazobenzene pure, 98%	100 Gms	8.16
<b>67482</b> ■ Alexidine Dihydrochloride 250 Mg 72.51 [60-09-3]	500 Gms	31.58
[1715-30-6] extrapure, 96% 79793 m-Aminobenzoic Acid pure, 98%	100 Gms	6.97
(1,1-Hexamethylene-bis(5- [2-Ethylhexyl]biguanide)) [99-05-8]	500 Gms	29.61
Alginia Asid av Braum Algae		
[905-32-7] 19-25% 250 Gms 12.37 [99-05-8] AR, 99%	25 Gms	10.53
500 Gms 23 42	100 Gms	40.53
99839 p-Aminobenzoic Acid pure, 99%	100 Gms	7.90
<b>29186 Alizarin Red S</b> 25 Gms 8.82 [150-13-0] (PABA) [130-22-3] (C.I. No. 58005)		16.45
[130-22-3] (C.I. NO. 30003) 100 Gms 31.58	250 Gms	31.58

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
19196	p-Aminobenzoic Acid ExiPlus,	100 Gms	9.48		2-Aminopurine extrapure, 98%	100 Mg	42.38
[150-13-0]	Multi-Compendial, 99% (PABA)	500 Gms	35.53	[452-06-2]		250 Mg	90.94
	meets compendial specs of USP, BP,					1 Gms	306.63
	Ph.Eur			<b>65377</b> [504-29-0]	2-Aminopyridine pure, 98%	100 Gms	8.95
<b>56960</b> [2835-77-0]	2-Aminobenzophenone pure, 98%	5 Gms	23.69	[304-29-0]		250 Gms	20.79
[2000-11-0]		25 Gms	61.06			1 Kg	76.99
26345	4-Aminobutyric Acid extrapure CHR, 99%	10 Gms	4.74	<b>29786</b> [462-08-8]	3-Aminopyridine pure, 98%	25 Gms	11.84
[56-12-2]	Crin, 99%	25 Gms	11.71	[402-00-0]		100 Gms	39.48
65081	DL-a-Aminobutyric Acid extrapure,	25 Gms	25.79			500 Gms	138.18
[2835-81-6]	99% (DL-2-Aminobutyric Acid)	100 Gms	76.99	<b>16104</b> [504-24-5]	4-Aminopyridine pure, 98%	10 Gms	6.19
10498	2-Amino-5-Chlorobenzophenone	100 Gms	49.48	[304-24-3]		25 Gms	13.16
[719-59-5]	pure, 98%	500 Gms	241.49			100 Gms	44.61
18125	1-Amino-1-Cyclopropanecarbonitril	1 Gms	32.90	12920 <b>8</b> [584-13-4]	4-Amino-1,2,4-Triazole pure, 98%	25 Gms	18.42
[127946-77-4]	e Hydrochloride extrapure, 98%	5 Gms	105.28			100 Gms	67.12
68678	3-Amino-9-Ethyl Carbazole (AEC),	10 Gms	82.91	<b>40057</b> [54723-94-3]	Ammonium Phosphomolybdate Hydrate extrapure, 61% Mo	25 Gms	34.61
[132-32-1]	95%	25 Gms	165.82	[54725-94-5]	(Ammonium-12-Molybdophosphate,M	100 Gms	52.51
44285	4-Amino-3-Hydrazino-5-Mercapto-1,	1 Gms	28.95		olybdophosphoric Acid		
[1750-12-5]	2,4-Triazole (AHMT), 98%	5 Gms	118.44		Ammonium,Phosphomolybdic Acid Ammonium Hydrate)		
94283	2-Amino-3-Hydroxypyridine pure,	100 Gms	73.96	31438	Ammonium Tetrachloropalladate	250 Mg	39.48
[16867-03-1]	97%			[13820-40-1]	(II) extrapure, 98% (Palladium (II) Ammonium Chloride)	1 Gms	98.70
33864 [5451-09-2]	5-Amino Levulinic Acid Hydrochloride extrapure, 97%	100 Mg	28.95	32285	Ammonium Tetrachloroplatinate (II)	250 Mg	46.06
[	, ,	500 Mg 1 Gms	59.75 90.41	[13820-41-2]	extrapure, 99%	1 Gms	118.44
	Di O Amelia da abantanta Astal			04045	(Platinum (II) Ammonium Chloride)	1.0	0.05
<b>19902</b> [144-90-1]	DL-3-Aminoisobutyric Acid extrapure, 98%	1 Gms	55.27	<b>24645</b> [61336-70-7]	Amoxicillin Trihydrate (AMOT), 97%	1 Gms 5 Gms	3.95 16.98
	(2-Amino-2-Methyl-Propionic Acid)	5 Gms	165.82			10 Gms	30.66
86898	DL-3-Aminoisobutyric Acid Hydrate	25 Mg	15.27	-4740 A	Amphotericin B (AMT)		
[214139-20-5]	extrapure, 98%	100 Mg	34.61	<b>54713</b> [1397-89-3]	Amphotericin B (AWT)	250 Mg 1 Gms	16.98 64.62
87907	5-Aminoisophthalic Acid (5-AIPA)	25 Gms	15.66			5 Gms	315.18
[99-31-0]	pure, 99% (5-Aminobenzene-1,3-Dicarboxylic	100 Gms	49.88	61314	Ampicillin Sodium Salt (AMP-Na)	1 Gms	5.00
	acid)			[69-52-3]	Amplemin Sociali Can (Amr-iva)	5 Gms	22.77
50407	2-Amino-2-Methyl-1-Propanol (AMP	500 ml	26.32			25 Gms	82.78
[124-68-5]	Buffer) pure, 95%	2500 ml	125.81	00047	Ampicillin Sodium Salt (AMP-Na)		
91085	5-Aminonaphthalene-1-Sulphonic	25 Gms	34.61	<b>26647</b> [69-52-3]	for tissue culture	1 Gms 5 Gms	6.05 22.50
[84-89-9]	Acid pure, 90%	100 Gms	124.36			25 Gms	88.44
	(1-Naphthylamine-5-Sulfonic Acid, Laurents Acid)			82904	Ampicillin Trihydrate (AMP)		
98372	5-Aminonaphthalene-2-Sulphonic	25 Gms	38.69	<b>82904</b> • [7177-48-2]	Amplemm Timydrate (AMP)	1 Gms 5 Gms	4.34 18.69
[119-79-9]	Acid pure, 98%	100 Gms	131.34			10 Gms	33.82
79911	1-Amino-2-Naphthol-4-Sulphonic	25 Gms	6.84	00450	AMPSO Buffer extrapure, 99%	5 Gms	55.40
[116-63-2]	Acid (1,2,4-Acid) extrapure AR,	100 Gms	22.90	<b>96459</b> [68399-79-1]	(N-(1,1-Dimethyl-2-Hydroxyethyl)	25 Gms	184.50
	ACS, 98% (1-Amino-2-Hydroxy-4-Naphthalenesulf				-3-Amino-2-Hydroxypropane Sulphonic Acid)	25 GIII3	104.50
01467	onic acid)	0F C	20.00	85441	D-Amygdalin extrapure, 97%	1 Gms	18.95
<b>21407</b> [1775-95-7]	2-Amino-5-Nitrobenzophenone extrapure, 98%	25 Gms	38.69	[29883-15-6]		10 Gms	58.04
		100 Gms	127.26			25 Gms	117.65
<b>58513</b> [2973-50-4]	2-Aminophenyl-Acetonitrile pure, 97%	250 Mg	78.70	95114	a-Amylase ex. Porcine Pancreas,	1 Gms	12.37
		1 Gms	200.43	[9000-90-2]	5U/mg	5 Gms	43.16
<b>33993</b> [919-30-2]	(3-Aminopropyl)triethoxysilane (APTES) extrapure, 98%	100 ml	15.79	28588	a-Amylase ex. Porcine Pancreas,	100 Mg	52.38
[2-00-2]	(3-(Triethoxysilyl)Propylamine)	500 ml	65.80	[9000-90-2]	10-25U/mg		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
46504 <b>■</b>	a-Amylase ex. Malt 1:2000 (Fungal	100 Gms	6.71	89657	Arachidic Acid extrapure, 99%	1 Gms	32.90
[9000-92-4]	Diastase ex. Aspergillus Oryzae)	500 Gms	28.29	[506-30-9]	(Eicosanoic Acid, Arachic Acid,	5 Gms	78.96
40321	8-Anilino-1-Naphthalene Sulphonic	5 Gms	35.93		Arachidinic Acid)	25 Gms	210.56
	Acid Ammonium Salt Hydrate (ANS	25 Gms	103.70	20975	Arachidonic Acid (non-animal)	10 Mg	46.98
	Hydrate) extrapure, 98%	100 Gms	399.41	[506-32-1]	extrapure, 99%	25 Mg	99.75
	(8-Anilino-1-Naphthalenesulfonic Acid Ammonium Salt Hydrate)					100 Mg	185.03
42275	8-Anilino-1-Naphthalenesulphonic	5 Gms	38.69	13492	p-Arbutin extrapure, 98%	10 Gms	84.36
[82-76-8]	Acid (ANS) extrapure, 98%	25 Gms	110.54	[497-76-7]		25 Gms	172.40
	(8-Anilino-1-Naphthalenesulfonic Acid, N-Phenyl Peri Acid)	100 Gms	248.72			50 Gms	293.60
89119	Anisaldehyde extrapure, 99%	100 ml	5.26	89184	D-Arginine (free base) extrapure	1 Gms	31.32
[123-11-5]	(p-Methoxybenzaldehyde)	250 ml	12.37	[157-06-2]	CHR, 99%	5 Gms	65.80
		500 ml	24.08		((R)-2-Amino-5-Guanidinopentanoic Acid)		
90820	p-Anisic Acid extrapure, 98%	100 Gms	7.76	34537	L-Arginine Ethyl Ester	5 Gms	16.84
[100-09-4]	(p-Methoxybenzoic Acid)	500 Gms	32.24	[36589-29-4]		25 Gms	65.01
70940	Anisole extrapure, 99%	500 ml	8.55			100 Gms	211.35
[100-66-3]	<u>'</u>			11249	L-Arginine Methyl Ester	5 Gms	15.13
64447	Anisole extrapure AR, 99.5%	500 ml	13.29		Dihydrochloride extrapure, 98%	25 Gms	59.35
[100-66-3]						100 Gms	196.61
<b>75797</b> [105-13-5]	4-Methoxybenzyl Alcohol (p-Anisyl Alcohol) pure, 98%	100 Gms	12.37	17299	Arsenazo I Trisodium (Neothorone)	1 Gms	13.42
[100 10 0]	(p-Methoxybenzyl Alcohol)	500 Gms	42.11	[520-10-5]	extrapure AR	5 Gms	56.72
59553	Anthrone pure, 95%	25 Gms	7.90	47044	Arsenazo III Free Acid (High Purity)		
[90-44-8]		100 Gms	28.95	<b>47014</b> [1668-00-4]	extrapure AR, 85%	1 Gms 5 Gms	98.70 460.60
96476	Anthrone extrapure AR, 98%	10 Gms	6.97		(2,7-Bis(2-Arsonophenylazo)	5 Gills	400.00
[90-44-8]		25 Gms	11.45		-1,8-Dihydroxynaphthaline-3,6-Disulfon ic Acid)		
		100 Gms	40.40	57656		2500 Units	123.05
63714	Anthrone extrapure AR, ACS,	25 Gms	12.37	[9029-44-1]	Cucurbita Sp., 150U/mg	2000 011110	120.00
[90-44-8]	ExiPlus, Multi-Compendial, 98%	100 Gms	43.82	60402	L-Ascorbate Oxidase (Type 2) ex.	1000 Units	93.83
	meets compendial specs of USP, BP,			[9029-44-1]	Acremonium Sp., 350U/mg		
	Ph.Eur			<b>27999</b> [464-92-6]	Asiatic Acid pure, 97% (2a,23-Dihydroxyursolic Acid,	50 Mg	53.82
	Apple Seed (PyrusMalus) Oil	250 ml	31.98	[404-92-0]	Dammarolic acid, NSC 166063)	200 Mg	189.11
[85251-63-4]		500 ml	59.75	11479	D-Asparagine Monohydrate	5 Gms	9.21
62179	· • • • • • • • • • • • • • • • • • • •	5 Mg	24.61	[5794-24-1]	extrapure, 99%	25 Gms	28.95
[9087-70-1]	5400U/mg	10 Mg	47.77	86883	L-Asparagine Monohydrate	25 Gms	4.87
		25 Mg	88.57	[5794-13-8]	extrapure CHR, 99%	100 Gms	9.21
		100 Mg	308.08			1 Kg	76.33
23848	D-Arabinose extrapure	5 Gms	4.61	92468	L-Asparagine Monohydrate for	25 Gms	6.58
[10323-20-3]	(D-(-)-Arabinose)	25 Gms	17.11	[5794-13-8]	tissue culture, 99%	100 Gms	14.48
		100 Gms	65.80			500 Gms	59.22
52392	L-Arabinose extrapure	25 Gms	7.24	44444	L-Asparagine Monohydrate	100 Gms	11.84
[87-72-9, 5328-37-0]	(L-(+)-Arabinose)	100 Gms	19.74	[5794-13-8]	ExiPlus, Multi-Compendial, 99%	1 Kg	82.91
5526-57-0]		500 Gms	63.17		meets compendial specs of BP	· ·	
52384	L-Arabinose ExiPlus,	25 Gms	11.19	90601	D-Aspartic Acid extrapure CHR,	5 Gms	10.53
[87-72-9,	Multi-Compendial	500 Gms	78.96	[1783-96-6]	99%	25 Gms	32.90
5328-37-0]	(L-(+)-Arabinose) meets compendial specs of BP, Ph.Eur			71353	L-Aspartic Acid Diethyl Ester	5 Gms	26.32
74926	D(+)Arabitol (D-Arabinitol)	1 Gms	9.61		Hydrochloride extrapure, 98%	25 Gms	78.96
[488-82-4]	extrapure 99%	5 Gms	40.01	50144	L-Aspartic Acid Dimethyl Ester	1 Gms	13.95
		25 Gms	135.94		Hydrochloride extrapure, 98%	5 Gms	51.85
91121	L-(-) Arabitol (L-Arabinitol)	1 Gms	15.27			25 Gms	159.37
[7643-75-6]	extrapure 99%	10 Gms	68.04			100 Gms	541.40
		13 01113	55.04				

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Pric
<b>21505</b> [1405-69-2]	Avidin ex. Egg White for molecular biology, 10U/mg Protein	10 Mg 25 Mg	28.56 66.98	<b>17327</b> • [1405-87-4]	Bacitracin (BCT) ex. Bacillus Licheniformis	50000 Units	18.9
		100 Mg	227.80			250000 Units	47.7
34476	5-Azacytidine extrapure, 98%	25 Mg	7.50	52571	Barfoed`s Reagent	250 ml	8.
[320-67-2]		100 Mg	23.03		<u> </u>		
		1 Gms	62.25	29090	Barium Diphenylamine Sulphonate	5 Gms	4.
59070	Azaerythromycin (AZAE)	1 Gms	29.74	[6211-24-1]	extrapure AR	25 Gms	12.
[76801-85-9]		5 Gms	70.27	78095	Bathocuproine (BCP) extrapure AR,	100 Mg	18.
81947	6-Azathymine extrapure, 98%	1 Gms	76.99	[4733-39-5]	99%	250 Mg	43.
[932-53-6]	Di 7 A-strontonton Ilindusta	400.14		27297	Bathocuproine (BCP) extrapure AR, ACS, 99%	100 Mg	21.
13131 <b>J</b> [7303-50-6]	DL-7-Azatryptophan Hydrate extrapure, 98%	100 Mg	62.51	[4733-39-5]	ACS, 99%	250 Mg	49.
		1 Gms	265.31	28242	Bathocuproinedisulphonate	100 Mg	28.
<b>61898</b> • [30516-87-1]	3-Azido-3-Deoxythymidine extrapure, 99%	25 Mg	54.75	[52698-84-7]	Disodium Salt extrapure AR, 98%	250 Mg	69.
[000.00]	(AZT, Azidothymidine)	100 Mg	140.55	50221	Bathophenanthroline extrapure AR,	100 Mg	18.
		250 Mg 500 Mg	265.31 452.57	[1662-01-7]	99%	250 Mg	30.
17156	Anishman and Pilembert (AZA) 000/					1 Gms	56.
<b>17156</b> 4	Azithromycin Dihydrate (AZA), 96%	1 Gms 5 Gms	14.08		1-Cyclohexene-1-Carboxylic Acid	1 Gms	29
•		10 Gms	60.93 101.46	[636-82-8]	extrapure, 97% (3,4,5,6-Tetrahydrobenzoic Acid)	5 Gms	131
47138	2.2 Archie/2 Methylprenianemidine			69160	3-Cyclohexene-1-Carboxaldehyde	25 ml	26
	2,2-Azobis(2-Methylpropionamidine ) Dihydrochloride (AAPH)	5 Gms 25 Gms	32.90 55.80	[100-50-5]	extrapure, 98%	100 ml	68
	extrapure, 98%	100 Gms	90.15		(1,2,3,6-Tetrahydrobenzaldehyde, 4-Formyl-1-cyclohexene)		
	a,a'-Azodiisobutyramidine dihydrochloride	100 GITIS	90.13	98680	Bathophenanthroline Disulphonate	100 Mg	43
11029	2,2-Azobisisobutyronitrile (AIBN)	100 Gms	13.82	[52746-49-3]	Disodium Salt extrapure AR, 99%	250 Mg	93
[78-67-1]	pure, 98%	500 Gms	59.22			1 Gms	226
	(2,2-Azobis(2-Methylpropionitrile))			36333	9-BBN Triflate Solution (0.5M in	500 ml	102
	Azoalbumin (Bovine) prepared from Bovine fraction V powder	250 Mg	45.01	[21205-91-4]	hexanes) pure	1000 ml	167
102110700]	extrapure	500 Mg	85.93		(9-[{9-(Trifluoromethyl)sulfonyl} oxy]9-Borabicyclo(3.3.1)Nonane)		
		1 Gms	163.84	64733	Behenic Acid pure, 85%	25 Gms	19
<b>21070</b> • 102110-74-7]	Azocasein extrapure, 98%	250 Mg	34.22	[112-85-6]	(Docosanoic acid, 1-Docosanoic acid,	250 Gms	117
,		500 Mg 1 Gms	59.22 111.86		n-Docosanoic acid, Docosoic acid)		
0				<b>35591</b> ✓ [112-85-6]	Behenic Acid extrapure, 99% (Docosanoic acid, 1-Docosanoic acid,	5 Gms	78
	Azomethine H Monosodium Salt Hydrate, 97%	1 Gms	9.21	[112 00 0]	n-Docosanoic acid, Docosoic acid)		
	,,	5 Gms	40.80		1-Docosanol (Behenyl Alcohol)	25 Gms	15
		25 Gms	190.82	[661-19-8]	extrapure, 98%	500 Gms	110
<b>13741 5</b> [78110-38-0]	Aztreonam (AZN), 96%	100 Mg	93.70	82142	Benzalacetophenone (Chalcone)	25 Gms	19
53953	1-Cyclohexene-1-Carboxaldehyde	1 Gms	78.96	[94-41-7]	pure, 98%	100 Gms	59
[1192-88-7]	extrapure, 97%	5 Gms	355.32		(1,3-Diphenyl-2-Propenone)	500 Gms	223
76432	3-(Carbamimidoylthio)	5 Gms	26.32		Benzamidine Hydrochloride	5 Gms	17
[21668-81-5]	-1-Propanesulfonic Acid extrapure,	25 Gms	59.22	[206752-36-5]	Hydrate extrapure, 98%	25 Gms	42
	98%	100 Gms	92.12			100 Gms	132
11730	Azur I (B)	25 Gms	11.19	13740	Benzanilide pure, 98%	100 Gms	7.
[531-55-5]	(C.I. No. 52010)	100 Gms	39.61	[93-98-1]		500 Gms	30.
62151	Azur II	10 Gms	4.47	<b>42689</b> [98-09-9]	Benzenesulphonyl Chloride pure, 98%	500 ml	10
[37247-10-2]		25 Gms	8.82	41035	Benzenesulphonyl Chloride	500 ml	12
25003	Azur A	10 Gms	5.40	[98-09-9]	ExiPlus, Multi-Compendial, 98%	- 20	
[531-53-3]	(C.I. No. 52005)	25 Gms	10.79		meets compendial specs of USP		
		100 Gms	40.53	57730	Benzhydrylamine pure, 97%	100 ml	31.

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
17851	Benzohydroxamic Acid extrapure,	10 Gms	59.35	98924	Benzyltrimethylammonium	100 Gms	3.55
[495-18-1]	99%	25 Gms	116.20	[56-39-9]	Chloride pure, 98%	500 Gms	15.53
<b>17192</b> [134-81-6]	Benzil extrapure, 98%	250 Gms	11.05	<b>60168</b> [56-39-9]	Benzyltrimethylammonium Chloride ExiPlus,	100 Gms 500 Gms	4.87 17.37
93528	Benzilic Acid extrapure, 99%	100 Gms	16.84		Multi-Compendial, 98%	300 ams	17.57
[76-93-7]	(Diphenylglycolic Acid)	250 Gms	41.32		meets compendial specs of USP, BP,		
35034	Benzimidazole extrapure, 99%	25 Gms	3.16	20027	Ph.Eur  Benzyltrimethyl Ammonium	100	16.32
[51-17-2]		100 Gms	9.74	<b>30307</b> [100-85-6]	Hydroxide 40% in Methanol	100 ml 500 ml	53.43
		500 Gms	45.67		extrapure	300 1111	55.45
31398	a-Benzoinoxime extrapure AR, 99%	25 Gms	5.92		(Triton B)		
[441-38-3]	(Cupron)	100 Gms	17.37	<b>18437</b> ✓ [8007-75-8]	Bergamot Oil extrapure	500 ml	74.49
44371	Benzophenone Hydrazone pure,	100 Gms	40.01			1000 ml	134.10
[5350-57-2]	99%	500 Gms	158.84	34489	BES Buffer extrapure, 99% (N,N-bis(2-Hydroxyethyl)2-Aminoethan	25 Gms	16.32
47554	1-Benzoylacetone pure, 98%	10 Gms	29.08	[10191-10-1]	esulphonic Acid)	100 Gms	60.14
[93-91-4]	,,,,	50 Gms	110.94			500 Gms	275.97
76356	N-a-Benzoyl-L-Arginine Ethyl Ester	1 Gms	12.50	<b>59299</b> [66992-27-6]	BES Sodium Salt Buffer extrapure,	10 Gms	26.06
[2645-08-1]	Hydrochloride (BAEE) extrapure	5 Gms	57.90	[00992-27-0]	33 /6	25 Gms	48.43
	AR, 99%	25 Gms	276.36			100 Gms	186.74
	N a Danmard DI Arminina 4 Nitraani					250 Gms	353.74
<b>96249</b> • [911-77-3]	N-a-Benzoyl-DL-Arginine-4-Nitroani lide Hydrochloride (BANI,	100 Mg	34.48	83710	Bial's Reagent	250 ml	8.16
[]	L-BAPNA) extrapure, 98%	250 Mg 1 Gms	51.59 103.04	84867	Bicinchoninic Acid Disodium Salt	1 Gms	37.37
				[979-88-4]	(BCA) extrapure, 98%	5 Gms	110.54
<b>51003</b> • [913-04-2]	N-a-Benzoyl-DL-Arginine-B-Naphth ylamide Hydrochloride (BANA)	250 Mg	38.56		(2,2-Biquinoline-4,4-Dicarboxylic Acid	5 dillis	110.54
[010 04 2]	extrapure, 97%	1 Gms	121.47		Disodium Salt)	25.0	
46170	· • • • • • • • • • • • • • • • • • • •	500 Mg	143.31	<b>39849</b> [150-25-4]	BICINE Buffer extrapure, 99% (N,N-bis(2-Hydroxyethyl) Glycine)	25 Gms	8.29
[23405-15-4]	(Bz-OSu) extrapure, 99%	1 Gms	198.98	[100 20 4]	(ti, ti zio(z ti yai oxyoany) onyonio	100 Gms	19.35
	(Benzoic Acid N-Succinimidyl Ester, N-Succinimidyl Benzoate)					500 Gms	93.96
46651	6-Benzyladenine (6-BAP) extrapure	5 Gms	8.42		Big CHAPS, 95% N,N'-Bis(3-D-gluconamidopropyl)	500 Mg	129.89
[1214-39-7]	AR, 99%	25 Gms	12.37	[00000 22 2]	cholamide	1 Gms 5 Gms	227.27
	(6-Benzylaminopurine)	100 Gms	43.82				730.25
38728	Benzylamine pure, 99%	500 ml	14.61	<b>64839</b> [635-65-4]	Bilirubin extrapure AR, 99%	100 Mg	11.45
[100-46-9]		1000 ml	27.90			1 Gms	84.22
		2500 ml	67.12		Bilirubin Oxidase ex. Myrothecium, 1.2U/mg powder	25 Units	72.38
64554	Benzylamine extrapure AR, 99.5%	250 ml	14.48		D-Biotin extrapure, 99%	1 Gms	8.55
[100-46-9]		500 ml	27.11	[58-85-5]	(Vitamin H)	10 Gms	63.83
91695	4-Benzyloxy-Phenylboronic Acid	1 Gms	18.82			25 Gms	123.05
[146631-00-7]	extrapure, 97%	5 Gms	75.01	89932	D-Biotin for tissue culture, 99%	1 Gms	10.26
		25 Gms	222.40	[58-85-5]	(Vitamin H)	10 Gms	71.06
47102	S-Benzyl-L-(+)-Cysteine extrapure,	25 Gms	229.64			25 Gms	154.50
[3054-01-0]	98%			92196	Biphenyl extrapure, 99%	100 Gms	6.19
<b>26862</b> [472696-9]	O-Benzyl-L-Serine extrapure, 99%	1 Gms	21.85	[92-52-4]		1 Kg	44.48
[2000 0]		5 Gms	79.75	79363	2,2-Bipyridyl extrapure AR, 99.5%	5 Gms	8.82
		10 Gms	153.71	[366-18-7]		25 Gms	36.45
		25 Gms	350.06			100 Gms	103.04
<b>50562</b> [2899-66-3]	3-(Benzylthio)-Propionic Acid extrapure, 98%	1 Gms	46.85	37025	Bis(Acetonitrile)Dichloropalladium	500 Mg	85.54
	<u> </u>	5 Gms	124.89	[14592-56-4]	(II) extrapure, 99%, ~41% Pd	1 Gms	144.76
<b>75036</b>	5-(Benzylthio)-1H-Tetrazole (BTT	5 Gms	27.77		(Palladium (II) Chloride Diacetonitrile	5 Gms	526.40
[21871-47-6]	Activator) extrapure, 99%	25 Gms	92.25	98369	Complex)  1,3-Bis(3-Aminophenoxy) Benzene	5 Gms	73.83
29161	Benzyltriethylammonium Chloride	500 Gms	8.69		(APB) pure, 98%	25 Gms	73.83 273.73
[56-37-1]	pure, 98%	5 Kg	82.91		(Resorcinol bis(3-Aminophenyl) Ether)	23 GIIIS	210.10

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
47063	4,4-Bis(4-Aminophenoxy)Diphenyl	5 Gms	44.61	75597	BOC Amide pure, 98%	5 Gms	11.58
[13080-89-2]	Sulfone pure, 98%	25 Gms	169.11	[4248-19-5]	(tert-Butyl Carbamate)	25 Gms	26.06
11866 🗸	Bis(benzonitrile)palladium(II)	500 Mg	46.06			100 Gms	86.86
[14220-64-5]	Dichloride extrapure, 27.4% Pd	1 Gms	81.59	23875	BOC-L-Amino Acids Kit	1 Kit	416.12
		5 Gms	368.48		N DOO 4 Amily and a station and the second		
24637	Bis(chloromethyl) Ether pure, 96%	25 Gms	72.38	<b>50647</b> [73874-95-0]	N-BOC-4-Aminopiperidine pure, 97%	5 Gms	47.38
[542-88-1]		100 Gms	210.56			25 Gms	173.32
52119	N,N-Bis(hydroxymethyl)urea (DMU)	25 Gms	10.00		N-BOC-O-Benzyl-L-Serine extrapure, 98%	10 Gms	359.93
[140-95-4]	pure, 95% (1,3-Bis(hydroxymethyl)urea,	100 Gms	25.66	[20000 01 1]	(BOC-L-Ser(Bzl)-OH)	25 Gms	629.71
	Dimethylolurea)	500 Gms	85.28	12320	N-BOC-O-Benzyl-L-Tyrosine	10 Gms	151.21
26477 🗸	N,O-Bis-(Trimethylsilyl) Acetamide	25 ml	10.26	[2130-96-3]	extrapure, 98% (BOC-L-Tyr(Bzl)-OH)	25 Gms	264.52
[10416-59-8]	(BSA) extrapure, 95%	100 ml	30.27	61900	BOC-L-Arginine Hydrochloride	25 Gms	63.56
		250 ml	65.80		extrapure, 98.5%	100 Gms	178.71
57677 🗸	N,O-Bis-(Trimethylsilyl) Trifluoro	5 ml	5.92	12202	BOC-L-Aspartic Acid-4-Benzylester	10 Gms	34.22
[25561-30-2]	Acetamide (BSTFA) extrapure, 99%	25 ml	21.71	[7536-58-5]		25 Gms	85.54
		100 ml	76.99	40000	POC D Aspersing systemure 2009/		
		500 ml	329.00	<b>19362</b> [75647-01-07]	BOC-D-Aspargine extrapure, 99%	10 Gms 25 Gms	61.98 144.50
52353	BSA+TMCS(3-5%), 93-97%	10 ml	38.69				
	(N,O-Bis(trimethylsilyl) Acetamide,	25 ml	77.38	<b>67012</b> [7536-55-2]	BOC-L-Aspargine extrapure, 99%	10 Gms	14.08
00555 1	Trimethylchlorosilane)	404	70.51	[, 555 55 2]		25 Gms	31.32
22555	BSA+TMCS+TMSI, (3:2:3) (N,O-Bis(trimethylsilyl) Acetamide,	10 x1 ml 25 ml	72.51 111.20			100 Gms	118.70
	Trimethylchlorosilane,	23 1111	111.20	<b>38230</b> [62396-48-9]	BOC-D-Aspartic Acid extrapure, 99%	10 Gms	51.46
	Trimethylsilylimidazole)					25 Gms	115.81
<b>46976</b> [25561-30-2]	N,O-Bis(trimethylsilyl) trifluoro acetamide, Trimethylchlorosilane	10 x1 ml	72.51	<b>30394</b> [13726-67-5]	BOC-L-Aspartic acid extrapure,	10 Gms	13.95
[20001 00 2]	(BSTFA+TMCS) (99:1)	25 ml	32.24	[13720-07-5]	33/8	25 Gms	30.93
		100 ml	112.78			100 Gms	116.07
<b>31817</b> [80-05-7]	Bisphenol A pure, 97% (4,4-Isopropylidenediphenol)	500 Gms	6.45		BOC-L-Acetamidomethyl-L-Cystein e extrapure, 98%	10 Gms	228.98
25417	BIS-TRIS Buffer extrapure, 99%	25 Gms	17.24	[19740-07-0]	e extrapure, 30%	25 Gms	400.59
[6976-37-0]	(bis [2-Hydroxyethyl] Aminotris	100 Gms	63.04		BOC-L-Benzyl-L-Cysteine	10 Gms	157.39
	[Hydroxymethyl] Methane (bis-Tris)	500 Gms	294.26	[5068-28-0]	extrapure, 98%	25 Gms	275.44
15893	(free base)  BIS-TRIS Hydrochloride Buffer	10 Gms	40.93		BOC-Cyclopropylamine extrapure,	10 Gms	138.31
	extrapure, 98%	25 Gms	76.59	[132844-48-5]	98%	25 Gms	242.01
		100 Gms	195.56		BOC-L-Cystine extrapure, 99%	10 Gms	13.95
40084	BIS-TRIS Propane Buffer extrapure,	25 Gms	52.64	[10389-65-8]		25 Gms	30.93
<b>49084</b> [64431-96-5]		100 Gms	171.08	92584	BOC-D-Glutamic Acid extrapure,	10 Gms	71.33
	Divert Decreet Colution EviDive			[34404-28-9]	99%	25 Gms	160.42
77031	Biuret Reagent Solution ExiPlus, Multi-Compendial	250 ml	2.90	69376	BOC-L-Glutamic acid extrapure,	10 Gms	14.08
	meets compendial specs of BP, Ph.Eur			[2419-94-5]	99%	25 Gms	31.32
20899	Bleomycin Sulfate (BLM-S), 90%	10 Mg	105.28			100 Gms	118.70
[9041-93-4]		50 Mg	289.52	82284	BOC-L-Glutamic Acid-5-Benzyl	10 Gms	162.26
22649	Blue Tetrazolium Chloride (BTC,	1 Gms	15.79	[13574-13-5]	Ester extrapure, 98%	25 Gms	283.73
[1871-22-3]	Tetrazolium Blue Chloride)	5 Gms	72.38	45707	(BOC-I-Glu(OBzI)-OH)	40.0	05.54
96004	extrapure AR	10.0	46.00	<b>45737</b> [61348-28-5]	BOC-D-Glutamine extrapure, 99%	10 Gms	85.54
<b>86204</b> [7764-95-6]	BOC-D-Alanine extrapure, 99%	10 Gms	46.98 105.67			25 Gms	192.40
	<b></b>	25 Gms	105.67	<b>46975</b> [13726-85-7]	BOC-L-Glutamine extrapure, 99%	10 Gms	13.95
<b>42849</b> • [15761-38-3]	BOC-L-Alanine extrapure, 99%	10 Gms	9.87	[10/20-00-/]		25 Gms	30.93
		25 Gms	23.42			100 Gms	116.07
50483	BOC-L-Alanine Methyl Ester extrapure, 98%	10 Gms	109.75		BOC-Glycine extrapure, 99%	25 Gms	27.37
[20073-17-4]	CAH upul C, 30 /0	25 Gms	192.00	[4530-20-5]		100 Gms	82.38

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
44986	•	10 ml	106.86		BOC-D-Phenylglycine extrapure,	1 Gms	19.87
[31954-27-5]	extrapure, 98% (BOC-Gly-OMe)	25 ml	187.00	[33125-05-2]		10.0	71.50
10733	BOC-L-Histidine extrapure, 98.5%	10 Gms	58.56	<b>40931</b> [2900-27-8]	, , , , , , , , , , , , , , , , , , , ,	10 Gms 25 Gms	71.59 125.28
[17791-52-5]		25 Gms	113.31	ESCCE	BOC-Pipecolic Acid extrapure, 99%	10 Gms	77.38
38544	BOC-L-Hydroxyproline extrapure,	5 Gms	68.96	<b>53665</b> [26250-84-0]	BOC-Pipeconic Acid extrapare, 99 %	25 Gms	135.28
[13726-69-7]		25 Gms	156.08	41311	BOC-Pipecolic Acid Methyl Ester	10 Gms	172.66
74956	(BOC-Hyp-OH)  BOC-L-Isoleucine extrapure, 99%	10 Gms	15.66		extrapure, 98%	25 Gms	302.15
[13139-16-7]	200 2 roomanic oxumpure, com	25 Gms	35.14	12098	1-BOC-Piperazine extrapure, 99%	10 Gms	36.32
		100 Gms	118.44	[57260-71-6]	,	25 Gms	78.83
55665	BOC-Isonipecotic Acid extrapure,	10 Gms	84.09	32298	1-BOC-4-Piperidone extrapure, 99%	5 Gms	20.53
[84358-13-4]		25 Gms	147.00	[79099-07-3]	• • • •	25 Gms	78.83
39190	(1-BOC-Piperidine-4-Carboxylic Acid)  BOC-Isonipecotic Acid Methyl	10 Gms	134.63	43977	BOC-L-Prolinamide extrapure, 98%	1 Gms	55.80
39190	Ester extrapure, 98%	25 Gms	235.43	[35150-07-3]	•	5 Gms	167.00
	(N-Boc-Piperidine-4-Carboxylic Acid	20 01110	200.10			10 Gms	241.09
22237	Methyl Ester)  BOC-D-Leucine extrapure, 99%	10 Gms	73.56	93481	BOC-D-Proline extrapure, 99%	10 Gms	46.98
[16937-99-8]	BOC-B-Leucine extrapure, 33%	25 Gms	160.42	[37784-17-1]		25 Gms	105.67
25833	BOC-L-Leucine Monohydrate	5 Gms	13.03	91894	BOC-L-Proline extrapure, 99%	10 Gms	16.45
	extrapure, 99%	25 Gms	42.64	[15761-39-4]		25 Gms	37.77
88985	Na-BOC-Ne-Z-L-Lysine	5 Gms	55.27			100 Gms	121.47
[2389-45-9]		25 Gms	157.66	71026	BOC-D-Proline Methyl Ester	10 Gms	220.30
	(BOC-Lys(Z)-OH)	20 01110	107.00	[733323-65-6]	extrapure, 98%	25 Gms	385.59
57147	N-a-e-T-BOC-L-Lysine-Dicyclohexyl ammonium Salt extrapure, 99%	10 Gms	76.59	31641	BOC-L-Proline Methyl Ester	10 Gms	200.30
[15096-09-6]	(BOC-L-Lys(BOC)-OH.DCHA)	25 Gms	133.97	[59936-29-7]	extrapure, 98%	25 Gms	350.45
69681	BOC-L-Lysine extrapure, 98%	10 Gms	85.41	91810	BOC-D-Serine extrapure, 98%	10 Gms	178.32
[2418-95-3]				[6368-20-3]		25 Gms	401.12
<b>81350</b> • [2488-15-5]	BOC-L-Methionine extrapure, 98.5%	25 Gms	51.85	77874	BOC-L-Serine extrapure, 99%	10 Gms	30.27
		100 Gms	159.63	[3262-72-4]		25 Gms	67.91
<b>91418</b> • [88495-54-9]	BOC-Nipecotic Acid extrapure, 99%	10 Gms	84.09			100 Gms	210.82
	2001	25 Gms	147.00		BOC-L-Serine Methyl Ester	10 ml	114.62
<b>82933</b> • [1487631-41-	BOC-Nipecotic Acid Methyl Ester extrapure, 98%	10 Gms 25 Gms	147.92	[2766-43-0]	extrapure, 98%	25 ml	200.30
1]	• ′	25 GITIS	258.73	73138	BOC-D-Threonine extrapure, 98%	10 Gms	61.98
	BOC-Nitro-L-Arginine extrapure,	10 Gms	74.09	[55674-67-4]		25 Gms	144.50
[2188-18-3]	<b>99%</b> (Boc-Arg(NO2)-OH)	25 Gms	139.23		BOC-L-Threonine extrapure, 99%	10 Gms	15.66
14910	BOC-4-Nitro-L-Phenylalanine	10 Gms	86.33	[2592-18-9]		25 Gms	35.14
[33305-77-0]	extrapure, 98%	25 Gms	151.08			100 Gms	118.44
76600	(BOC-L-Phe(4 No2)-OH)  BOC-4-Nitro-L-Phenylalanine Ethyl	10 Gms	153.18		BOC-D-Tryptophane extrapure,	10 Gms	80.80
[7535-56-0]	Ester extrapure, 98%	25 Gms	267.94	[5241-64-5]	99%	25 Gms	181.74
	(BOC-Phe-Onp)				BOC-L-Tryptophane extrapure, 99%	10 Gms	20.66
<b>40474</b> • [18942-49-9]	BOC-D-Phenylalanine extrapure, 99%	10 Gms	69.35	[13139-14-5]		25 Gms	47.77
		25 Gms	155.68			100 Gms	171.34
<b>23293</b> • [13734-34-4]	BOC-L-Phenylalanine extrapure, 99%	10 Gms	16.45	<b>61475</b> [3978-80-1]	BOC-L-Tyrosine extrapure, 99%	10 Gms	33.43
		25 Gms 100 Gms	37.77 121.47	[0970-00-1]		25 Gms	70.27
05004	POC D Dhamulalanina Matter Fatarr					100 Gms	223.59
	BOC-D-Phenylalanine Methyl Ester extrapure, 98%	10 Gms 25 Gms	171.74 300.44		BOC-L-Tyrosine Methyl Ester extrapure, 98%	10 Gms	133.57
					·	25 Gms	233.72
	BOC-L-Phenylalanine Methyl Ester extrapure, 98%	10 Gms	133.57	<b>35049</b> [22838-58-0]	BOC-D-Valine extrapure, 99%	25 Gms	50.01
,	•	25 Gms	233.72	[22000-30-0]			

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
80577	BOC-L-Valine extrapure, 99%	10 Gms	9.08	47405	3-Bromoanisole pure, 98%	50 ml	12.90
[13734-41-3]		25 Gms	18.16	[2398-37-0]	(m-Bromoanisole)	100 ml	23.69
		100 Gms	65.67			500 ml	105.28
97810	BOC-L-Valine Methyl Ester	10 Gms	96.46	54364	4-Bromoanisole pure, 98%	100 Gms	13.29
[58561-04-9]	extrapure, 98%	25 Gms	168.71	[104-92-7]	(p-Bromoanisole)	500 Gms	42.11
59946	BOP Reagent extrapure AR, 98%	5 Gms	9.87	27879	Bromobenzene extrapure, 99%	250 ml	12.11
[56602-33-6]	(Castros Reagent)	25 Gms	46.06	[108-86-1]		1000 ml	46.98
		100 Gms	177.66	61714	Bromobenzene extrapure AR, 99%	250 ml	14.48
24790	Boron Trifluoride in Methanol (50%)	50 ml	57.51	[108-86-1]			
[2802-68-8]	Complex	250 ml	270.96	20107	3-Bromobenzoic Acid extrapure,	10 Gms	11.71
48847	Boron Trifluoride in Methanol (14%)	25 ml	63.83	[585-76-2]	99%	25 Gms	33.56
[373-57-9]	Solution	100 ml	90.01	17833	p-Bromobenzophenone pure, 98%	5 Gms	15.53
		500 ml	169.11	[90-90-4]		25 Gms	50.53
19219	Bradford Reagent for Proteins	100 ml	6.71			100 Gms	160.03
10210		500 ml	19.08	69530	p-Bromobenzyl Bromide pure, 98%	100 Gms	88.17
51195	Brassinolide (BR) synthetic	25 Mg	57.90	[589-15-1]			
[76962-43-7]	* * *	100 Mg	223.33		2-Bromo-4-Chloro Acetophenone pure, 98%	100 Gms	69.75
	Dellilant Diva O 050 for made and			[536-38-9]	(O-Bromo-4-Chloro Acetophenone)		
<b>64222</b> [6104-58-1]	Brilliant Blue G-250 for molecular biology	5 Gms 25 Gms	8.16	88685	1-Bromo-4-Chloro Benzene pure,	100 Gms	10.40
. ,	(Coomassie Brilliant Blue G250)	25 GITIS	30.40	[106-39-8]	98%	500 Gms	41.32
93473	Brilliant Blue R-250 for molecular	5 Gms	7.63	11447	1-Bromo-2-Chloroethane pure, 97%	100 Gms	42.11
[6104-59-2]	biology (Coomassie Brilliant Blue R250)	25 Gms	28.95	[107-04-0]		500 Gms	202.14
84778	Brilliant Blue R Staining Solution	100 ml	41.32	83788	5-Bromo-4-Chloro-3-Indolyl Acetate	25 Mg	55.67
04110	(Coomassie Brilliant Blue R-250 solution)			[3252-36-6]		250 Mg	228.85
75824	Brilliant Cresyl Blue	5 Gms	15.92	49199	5-Bromo-4-Chloro-3-Indolyl	10 Mg	85.15
[81029-05-2]	(C.I. No. 51010)	25 Gms	53.82	[129541-42-0]	Caprylate (X-Caprylate) extrapure,	25 Mg	179.90
		100 Gms	187.00		98% (5-Bromo-4-chloro-3-Indolyl		
60343	Bromelain ex. Pineapple Stem,	25 Gms	15.79		Octanoate)		
[9001-00-7]	2400 GDU/g	100 Gms	36.85		5-Bromo-6-Chloro-3-Indolyl-Capryl	25 Mg	36.32
36953	Bromoacetaldehyde Dimethyl	25 ml	14.48	[209347-94-4]	ate (Magenta Caprylate) extrapure, 97%	100 Mg	88.70
[7252-83-7]	Acetal pure (Stabilized), 97%	100 ml	46.98	93775	5-Bromo-4-Chloro-3-Indolyl-a-D-Gal	25 Mg	57.90
	(2-Bromo-1,1-Dimethoxyethane)	500 ml	214.90		actopyranoside (X-a-Gal) for	100 Mg	101.33
96141	2-Bromoacetamide pure, 97%	5 Gms	27.24		molecular biology, 99%	3	
[683-57-8]	: 1	25 Gms	90.80	74004	(X-a-D-Galactoside)  5-Bromo-4-Chloro-3-Indolyl-a-D-Glu	EO Ma	157.00
25038	p-Bromoacetanilide pure, 98%	100 Gms	18.69		copyranoside (X-a-Glc) for	50 Mg	157.92
[103-88-8]	(4-Bromoactanilide)	500 Gms	81.86		molecular biology, 98%		
39903 🗸	Bromoacetic Acid pure, 99%	100 Gms	10.66	00040	(X-a-D-Glucoside)	05 Ma	70.70
[79-08-3]		500 Gms	46.98		5-Bromo-4-Chloro-3-Indolyl-b-D-Cel lobioside (X-Cellobioside,	25 Mg 100 Mg	73.70 122.65
15180	4-Bromoacetophenone pure, 98%	25 Gms	6.32		X-B-D-Cel) extrapure, 99%	Too Mg	122.00
[99-90-1]	(p-Bromoacetophenone)	100 Gms	17.24		5-Bromo-4-Chloro-3-Indolyl-b-D-Gal	100 Mg	23.69
		500 Gms	84.22	[7240-90-6]	actopyranoside (X-Gal) for tissue culture, 98%	500 Mg	93.44
30930	3-Bromoacetophenone extrapure,	25 Gms	12.90		·	1 Gms	157.92
[2142-63-4]	99%	100 Gms	37.90	10513	5-Bromo-4-Chloro-3-Indolyl-ß-D-Gal	100 Mg	15.79
	(1-Acetyl-3-Bromobenzene,			[7240-90-6]	actopyranoside (X-Gal) for molecular biology, 98%	500 Mg	50.01
47005	m-Bromoacetophenone)	051	04.64			1 Gms	92.12
<b>47085</b> [591-19-5]	m-Bromoaniline pure, 97%	25 ml	24.61		5-Bromo-6-Chloro-3-Indolyl	250 Mg	104.75
		100 ml	88.30	[93863-89-9]	b-D-Glucopyranoside (Magenta-Glc) for molecular	1 Gms	314.13
<b>22912</b> [106-40-1]	p-Bromoaniline pure, 98% (4-Bromoaniline)	100 Gms	21.45		biology, 98%		
[100-40-1]	()	500 Gms	81.59		(Magenta Glucoside)		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Pric
	5-Bromo-4-Chloro-3-Indolyl-ß-D-GI	25 Mg	40.93		5-Bromo-4-Chloro-3-Indoxyl-myo-In	20 Mg	67.7
129541-41-9]	ucuronide Sodium Anhydrous	100 Mg	96.73	[212515-11-2]	ositol-1-Phosphate Ammonium Salt	100 Mg	257.6
	(X-Gluc Sodium) extrapure, 98% (X-GlcA Sodium Salt, X-B-D-GLcA-Na,	250 Mg	177.27		(X-Phos-Inositol, X-IP) extrapure, (myo-Inositol 1-		
	X-Glucuronide, X-Glucurono Sodium	1 Gms	386.51		(5-Bromo-4-Chloro-3-Indoxylphosphat		
	Salt, BC-Indicator) (X-GlcA				e) Ammonium Salt)		
	5-Bromo-4-Chloro-3-Indolyl-ß-D-Gl ucuronide Sodium Salt Trihydrate	25 Mg	40.93		5-Bromo-4-Chloro-3-Indoxyl-a-D-N- Acetylneuraminic Acid Sodium Salt	2 Mg	222.5
570100-04-4]	extrapure, 98%	100 Mg	130.81	[100003-03-7]	extrapure (X-NANA.Na), 98%	5 Mg	370.7
	5-Bromo-4-Chloro-3-Indolyl-B-D-GI	100 Mg	61.59	37869	1-Bromo-3-Chloropropane pure,	100 ml	10.1
114162-64-0]	ucuronide Cyclohexylammonium Salt (X-Gluc CHX) extrapure, 99%	250 Mg	108.57	[109-70-6]	98% (Trimethylene Bromochloride)	500 ml	42.1
	(X-beta-Glucuronide CHX Salt)	1 Gms	209.38	78388	1-Bromodecane pure, 98%	100 ml	15.9
20077	5-Bromo-4-Chloro-3-Indolyl-B-D-GI	100 Mg	83.83	[112-29-8]	(Decyl Bromide)	250 ml	37.7
114162-64-0]	ucuronide Cyclohexylammonium	500 Mg	190.03	14422	Bromodifluoroacetyl Chloride		121.0
	Salt (X-Gluc CHX) for tissue culture,			14433 [3832-48-2]	extrapure, 97%	1 Gms	121.0
	(X-beta-Glucuronide CHX Salt)			38209	1-Bromo-2,4-Difluorobenzene pure,	25 ml	103.5
59056 <b>•</b>	•	10 Mg	39.48	[348-57-2]	98%	100 ml	369.6
144110-43-0]	ucuronide Cyclohexylammonium Salt extrapure, 99%	50 Mg	105.28	28503	1-Bromododecane pure, 98%	250 ml	42.3
	(Magenta-GlcA, Magenta Glucuronide)			[143-15-7]	(Dodecyl Bromide, Lauryl Bromide)		
32224	5-Bromo-6-Chloro-3-Indoxyl-B-D-G	50 Mg	73.70	57418	,,,,,,,,,	100 Mg	14.2
93863-88-8]	alactopyranoside			[59-14-3]	98%	500 Mg	44.0
	(Magenta-beta-D-Gal) extrapure, 99%					1 Gms	75.8
	(Magenta-beta-D-Gal)					5 Gms	316.8
2949	5-Bromo-4-Chloro-3-Indolyl-b-D-Gl	25 Mg	22.64	11849	5-Bromo-2-Deoxyuridine ExiPlus,	1 Gms	96.8
15548-60-4]	ucopyranoside (X-Glu, X-Glc) for	100 Mg	67.77	[59-14-3]	Multi-Compendial, 98%	5 Gms	334.5
4000	tissue culture, 99%	05 Ma	00.00		meets compendial specs of BP, Ph.Eur		
5 <b>1683</b> • 15548-60-4]	5-Bromo-4-Chloro-3-Indolyl-ß-D-Gl ucopyranoside (X-Glu, X-Glc) for	25 Mg	29.08	59866	2-Bromoethylamine Hydrobromide	25 Gms	13.5
10040 00 4]	molecular biology, 99%	100 Mg	37.51	[2576-47-8]	extrapure AR, 99%	100 Gms	30.4
	(X-Glucoside)	500 Mg	128.84			500 Gms	77.5
		1 Gms	185.29	94471	2-Bromo Ethyl Ether pure, 98%	250 ml	239.2
24714	5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP)	100 Mg	37.90	[592-55-2]			
102103-00-1]	extrapure, 98%	250 Mg	78.96		4-Bromo-2-Fluorobiphenyl pure,	10 Gms	52.9
	(X-Phosphate Disodium Salt)	500 Mg	157.92	[41604-19-7]	98%	25 Gms	88.1
		1 Gms	238.46			100 Gms	184.9
	5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP)	100 Mg	45.14	58421	1-Bromoheptane pure, 98%	100 ml	15.1
102185-33-1]	for tissue culture, 98%	500 Mg	169.90	[629-04-9]	(Heptyl Bromide)	250 ml	33.6
14847	5-Bromo-6-Chloro-3-Indolylphosph	25 Mg	19.35	52240	1-Bromohexadecane pure, 98%	100 ml	36.3
[6769-80-8]	ate-p-Toluidine Salt (BCIP Red)	100 Mg	56.46	[112-82-3]	(Hexadecyl Bromide)	250 ml	86.3
	extrapure, 95% (Magenta Phosphate p-Toludine Salt)	500 Mg	173.19			500 ml	105.6
15366	5-Bromo-4-Chloro-3-Indolyl	25 Mg	32.24	26459	1-Bromohexane pure, 99%	100 ml	11.5
[6578-06-9]	Phosphate p-Toluidine Salt (BCIP	100 Mg	69.35	[111-25-1]	(Hexyl Bromide)	500 ml	37.5
	p-toluidine salt) for molecular biology,	500 Mg	177.27	25036	4-Bromoindole pure, 96%	1 Gms	25.0
	(X-phosphate p-Toluidine Salt)			[52488-36-5]		5 Gms	98.7
75531	BCIP Red/NBT Solution A (BCIP	100 ml	233.59	54635 ¥	5-Bromoindole pure, 99%	5 Gms	5.7
	Red Solution)			[10075-50-0]		25 Gms	20.2
73654	BCIP Red/NBT Solution B (NBT Solution)	100 ml	29.87		5-Bromo-3-Indolyl-B-D-Glucuronide	25 Mg	219.9
	5-Bromo-4-Chloro-3-Indolyl-ß-D-Rib	25 Mg	265.57	[18656-96-7]	Cyclohexylammonium Salt (X-GlcA CHX salt) extrapure, 97%		
18033-33-5]	ofuranoside extrapure, 95%	100 Mg	758.54		(Blue Glucuronide CHX,		
		250 Mg	1517.08		X-beta-D-GlcA.CHX)		
					5-Bromo-3-Indolyl-B-D-Galactopyra noside (Bluo-Gal) for molecular	100 Mg	67.3
						1 Gms	333.3

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Pric
43675	5-Bromoindoxylacetate extrapure	100 Mg	32.11	93829	N-Bromosuccinimide pure, 98%	100 Gms	5.2
[17357-14-1]	AR, 99%	500 Mg	148.18	[128-08-5]		500 Gms	21.5
85999 •	5-Bromo-3-Indoxyl Phosphate	250 Mg	145.29	51059	N-Bromosuccinimide extrapure AR,	100 Gms	6.9
[80008-69-1]				[128-08-5]	ExiPlus, Multi-Compendial, 99%	500 Gms	26.7
00045	(Lapis-phos.p-tol, Lapis-phos PT)  1-Bromo-3-Methylbutane	100 ml	10.74		meets compendial specs of USP		
<b>82645</b> [107-82-4]	(Stabilized w/ Ag) pure, 98.5%	250 ml	19.74 34.74	22628	1-Bromotetradecane pure, 98%	250 ml	65.9
	(Isopentyl Bromide, Isoamyl Bromide)	500 ml	55.27	[112-71-0]	(Myristyl Bromide)	1000 ml	242.2
	1 Brown and hitheless may 2000/			55570	2-Bromothiophene pure, 98%	50 ml	21.0
<b>89943</b> [90-11-9]	1-Bromonaphthalene pure, 98%	100 ml	25.27	[1003-09-4]		100 ml	38.1
		250 ml	60.67	46714	3-Bromothiophene pure, 98%	10 ml	18.5
<b>97167</b> [580-13-2]	2-Bromonaphthalene pure, 98%	5 Gms	20.66	[872-31-1]	• • •	25 ml	37.1
[300-13-2]		25 Gms	68.43			100 ml	144.7
	6-Bromo-2-Naphthoic Acid pure,	5 Gms	32.90	11521	2-Bromotoluene pure, 98%	25 ml	21.1
[5773-80-8]	98%	25 Gms	115.81	[95-46-5]		100 ml	74.6
	6-Bromo-2-Napthol pure, 98%	100 Gms	159.76	02125	3-Bromotoluene pure, 98%	10 ml	13.2
[15231-91-1]				<b>92125</b> [591-17-3]	3-Biomotoidene pure, 36 %	25 ml	30.5
<b>22753</b>	6-Bromo-2-Naphthyl-ß-D-Galactopy ranoside extrapure, 98%	1 Gms	87.65		4. Durant a la contra de  la contra de la contra del la contra del la contra de  la contra de la contra del la c		
86429 <b>■</b>	•	100 Mg	38.69	<b>52250</b> [106-38-7]	4-Bromotoluene extrapure, 99%	100 Gms	14.0
	noside extrapure, 98%	500 Mg	172.92			500 Gms	62.3
79945 <b>■</b>	6-Bromo-2-Naphthyl-a-D-Mannopyr	25 Mg	160.03	<b>27964</b> • [51-20-7]	5-Bromouracil extrapure, 99%	1 Gms	6.1
	anoside extrapure, 98%	100 Mg	591.67	[51-20-7]		5 Gms	26.3
	5 Drama 5 Nitra 4 0 Diavana					25 Gms	91.0
<b>51879</b> ✓ [30007-47-7]	5-Bromo-5-Nitro-1,3-Dioxane (Bronidox) extrapure, 99%	1 Gms	19.35	12211	5-Bromouridine extrapure, 99%	100 Mg	27.2
		5 Gms	48.43	[957-75-5]		500 Mg	40.9
93052	2-Bromo-2-Nitro-1,3-Propanediol (Bronopol, BNPD) ExiPlus,	100 Gms	6.32	42338	Borax Carmine (Grenacher)	25 Gms	15.7
[52-51-7]	Multi-Compendial, 99-101%	500 Gms	26.19				
	meets compendial specs of BP			<b>32202</b> ✓ [7128-64-5]	2,5-bis(5-tert-Butylbenzoxazol-2-yl) Thiophene (BBOT) scintillation	5 Gms	28.4
31868	1-Bromooctane pure, 98%	100 ml	11.84	[/ 120 04 0]	grade, 99%	25 Gms	105.8
[111-83-1]	(Octyl Bromide)	250 ml	25.00	34186	n-Butyl Bromide pure, 98%	250 ml	10.8
64493	1-Bromooctadecane pure, 98%	100 ml	24.74	[109-65-9]	(1-bromobutane)	500 ml	21.0
[112-89-0]	(Octadecyl Bromide)	500 ml	119.76			1000 ml	39.4
10459	1-Bromopentane pure, 98%	100 ml	13.82	58390	sec-Butyl Bromide pure, 98%	100 ml	9.3
[110-53-2]	(Pentyl Bromide, Amyl Bromide)	250 ml	21.06	[78-76-2]	(2-bromobutane)	500 ml	23.6
		500 ml	40.80	33781	2-Bromo-2-Methylpropane	100 ml	23.6
78478	3-Bromophenol pure, 98%	10 Gms	19.48	[507-19-7]	(tert-Butyl Bromide) (Stabilized w/	500 ml	94.7
[591-20-8]	, , , , , , , , , , , , , , , , , , , ,	25 Gms	49.35		Ag) pure, 98%		
		100 Gms	147.92	88194	p-tert-Butyl Catechol pure, 98% (1,2-Benzenediol)	100 Gms	4.6
45609	p-Bromophenol pure, 99%	100 Gms	20.79	[98-29-3]	(1,2-Delizeriació)	250 Gms	8.1
[106-41-2]	(4-Bromophenol)	500 Gms	89.75			500 Gms	15.4
00774 14	Promonhonal Bod (PPP) 200/				tert-Butyl Carbazate extrapure, 98%	25 Gms	26.0
<b>62771</b> ✓ [2800-80-8]	Bromophenol Red (BPR), 90% (3,3-Dibromophenolsulfonphthalein)	1 Gms	42.11	[870-46-2]	(BOC Hydrazide)	100 Gms	83.5
		5 Gms	85.93	22942	tert-Butyl Chloride extrapure, 99%	500 ml	17.2
<b>35675</b> ✓ [5467-74-3]	4-Bromophenylboronic acid extrapure, 97%	5 Gms	21.19	[507-20-0]	(2-Chloro-2-Methylpropane)	1000 ml	33.5
[3407-74-3]	Ontapulo, 01 /0	25 Gms	70.54	32431	tert-Butylchlorodiphenylsilane	10 ml	18.8
		100 Gms	274.65	[58479-61-1]		25 ml	43.4
88783	4-Bromophthalic Anhydride pure,	5 Gms	30.40		(tert-Butyldiphenylchlorosilane, tert-Butyl(chloro)diphenylsilane)	100 ml	159.2
[86-90-8]	97%	25 Gms	101.07	90611	N-tert-Butyldimethylsilyl Imidazole	1 ml	26.8
98418	2-Bromopyridine-5-boronic acid	1 Gms	44.09		(TBDMSIM) pure, 97%	5 ml	125.6
[223463-14-7]	extrapure, 95% (Boronic Acid)	5 Gms	176.08				

1902   1902   1903	Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
	39227	tert-Butyldimethylsilyl Chloride	25 Gms	6.97	29850	Butyryl Chloride extrapure, 98%	100 ml	9.61
	[18162-48-6]	(TBDMS.CI) extrapure, 98%	100 Gms	25.00	[141-75-3]		500 ml	45.67
			500 Gms	107.91	60400 🗸	Butvrylcholine Chloride extrapure.	1 Gms	31.19
Part	52573	tert-Butyldimethylsilyl	5 ml	17 11				
		• •			20000	C. Dutum dahi sahalima ladida		
		• •						
		· ·	100 1111	107.10	[1000 10 0]			
100 ml   72.38   100	20072		25 ml	21.06			25 Gms	
		n Batyr Ioulus extrapare, 50%						
					[402-94-2]			
		and District Landidge masses 000%				(Pentamethylenediamine,	25 ml	187.53
Second   S						1,5-Pentanediamine)		
Part	[010404]	(E lodobatario)	100 ml	123.70		the same of the sa	5 Gms	46.98
200ms   197.40   19			10 Gms	13.16	[1306-25-8]	99.99%	25 Gms	145.81
Section   Sect	[79917-90-1]	Chloride (BMIM CI) extrapure, 98%	25 Gms	26.32	65201	Calcein Reagent extrapure AR	1 Gms	3.42
			250 Gms	197.40	[1461-15-0]	(Fluorescein Complexone)	5 Gms	10.13
15748	50807	1-Butyl-3-Methylimidazolium	5 Gms	87.12			25 Gms	41.98
15748	[448245-52-1]	Dicyanamide (BMIM.DC) pure, 98%	25 Gms	368.48	99100	Calciferol (Vitamin D2), 97%	500 Mg	26.32
174501-84-5    Hexaflucrophosphate (BMIM PFe) extrapure, 98%   100 Gms   293.82   100 Gms   293.72   100 G	15748 🗸	1-Butyl-3-Methylimidazolium	5 Gms	38.16			=	
1.58   1.58			25 Gms	92.12			5 Gms	
194903		extrapure, 98%	100 Gms	236.88	47700	Calcium Casainata extranura 90%		
25 Gms   65.80	94003	1 Rutul 3 Mathylimidazalium	10 Gms					
Strapure, 95%   Strapure, 95		-				(Casein Calcium Salt)	500 GIIIS	39.74
	. ,				31269	Calcium-D-Pantothenate pure, 98%	25 Gms	5.26
Trissn-8-6  Tetralluoroborate (BMIMBF4)   25 Gms   65.80					[137-08-6]		100 Gms	14.48
Second   S		-				vitariiri Bo)	500 Gms	68.43
1-8   1-8	[174501-05-0]	· · · · · · · · · · · · · · · · · · ·	25 Gms	65.80	65326	Calconcarboxylic Acid extrapure	5 Gms	2.63
Calcium   Calc	61005	·	1 Gms	23.69	[3737-95-9]		25 Gms	10.66
1.5   1.5	[174899-66-2]	· · · · · · · · · · · · · · · · · · ·	5 Gms	55.27		•		
46178			25 Gms	184.24	66406	·	25 Gms	11 58
Part   Bis(triffuoromethylsulfonyl)imide (BMP TFSI) extrapure, 98%   25 Gms   32.24     Arsson-3s-1  Chloride extrapure, 98%   25 Gms   145.02     Arsson-3s-1  Chloride extrapure, 98%   25 Gms   145.02     Arsson-3s-1  Chloride extrapure, 98%   25 Gms   145.02     Arsson-2s-9-9  Hexafluorophosphate (BMP FP6)   25 Gms   145.55     Arsson-2s-9-9  Hexafluorophosphate (BMP BF4)   25 Gms   145.55     Arsson-2s-9-9  Phexafluorophosphate (BMP BF4)   25 Gms   145.55     Arsson-2s-9-9  Phexafluoro	46170 V		5 Gms	32.00				
S2426						(Patton & Reeders Indicator for	100 dilis	40.50
Age		(BMP TFSI) extrapure, 98%	25 01115	123.02		•		
S2 Gris   145.02			5 Gms	32.24		<u> </u>		
1-Butyl-1-Methylpyrrolidinium   5 Gms   57.25     1-Butyl-1-Methylpyrrolidinium   1 Gms   145.55     1-Butyl-1-Methylpyrrolidinium   1 Gms   41.72   1-Butyl-1-Methylpyrrolidinium   1 Gms   145.55   1-Butyl-1-Methylpyrrolidinium   1 Gms   145.55   1-Butyl-1-Methylpyrrolidinium   1 Gms   145.55   1-Butyl-1-Methylpyrrolidinium   1 Gms   145.55   1-Butyl-1-Methylpyrrolidinium   1 Gms   145.02   1-Butyl-1-Butyl-1-Butyl-1-Butyl-1-Butyl-1-Butyl-1-Butyl-1-Butyl-1-Butyl-1-Butyl-1-Butyl-1-Butyl-1-Butyl	[479500-35-1]	Chloride extrapure, 98%	25 Gms	145.02		_		
Sample   Properties   Propert	52735 <b>Y</b>	1-Butyl-1-Methylpyrrolidinium	5 Gms	57.25	[3147-14-0]	(Ourver II)		
Sacration   Sacr	[330671-29-9]	Hexafluorophosphate (BMP FP6)	25 Gms	145.55			100 Gms	112.91
[345984-11-4] Tetrafluoroborate (BMP BF4) extrapure, 97% 500 Gms extrapure, 97% 500 Gms   145.55						• •	25 Gms	11.32
extrapure, 97%  34317 ✓ p-tert-Butyl Phenol pure, 98%					[3144-16-9]	•	100 Gms	30.66
Section   Sect	[343964-11-4]	· · · · · · · · · · · · · · · · · · ·	5 Gms	145.55		(B Gamphor Galphorno / tota)	500 Gms	145.02
[98-54-4]  80049	34317	·	500 Gms	8.69	25421	D-10 Camphor Sulphonic Acid	100 Gms	33.03
1 Gms   46.72   20940   20940   25 Gms   13.82   20940   35 Gms   16.332   35 Gms	[98-54-4]	· 			[3144-16-9]	• •	500 Gms	157.92
1 Gms   46.72   20940   L-10 Camphor Sulphonic Acid pure,   25 Gms   13.82   20940   [35963-20-3]   99%   100 Gms   43.56   29.87   [106-31-0]   100 Gms   29.87   20040   L-10 Camphor Sulphonic Acid pure,   25 Gms   13.82   20940   L-10 Camphor Sulphonic Acid pure,   25 Gms   13.82   20940   L-10 Camphor Sulphonic Acid pure,   25 Gms   13.82   20940   L-10 Camphor Sulphonic Acid pure,   25 Gms   13.82   20940   L-10 Camphor Sulphonic Acid pure,   25 Gms   13.82   20940   L-10 Camphor Sulphonic Acid pure,   25 Gms   13.82   20940   L-10 Camphor Sulphonic Acid   20940   L-10 Camphor Sulphonic Acid pure,   25 Gms   13.82   20940   L-10 Camphor Sulphonic Acid   20940			250 Mg	16.58		, ,		
12749   n-Butyric Anhydride pure, 98%   500 ml   29.87   29.87	[18822-58-7]	97%	1 Gms	46.72	20940		25 Gms	13.82
12749   n-Butyric Anhydride pure, 98%   500 ml   29.87   (L-(-)-Camphor Sulphonic Acid)   74616   Canada Balsam Natural for   100 ml   5.00     16490   n-Butyric Anhydride extrapure AR,   100 ml   8.95   [8007-47-4]   microscopy   500 ml   24.21     106-31-0  99%   500 ml   35.53   64210   CAPS Buffer extrapure, 99%   25 Gms   14.87     51971   Y-Butyrolactone extrapure, 99%   500 ml   9.87   [1135-40-6] (3-[Cyclohexylamino]-1-Propane   100 Gms   45.93			5 Gms	163.32				
16490 [106-31-0]         n-Butyric Anhydride extrapure AR, [100 ml]         8.95 [8007-47-4]         microscopy         500 ml         24.21           500 ml         35.53         64210 [35-40-6]         CAPS Buffer extrapure, 99%         25 Gms         14.87           51971 [135-40-6]         Y-Butyrolactone extrapure, 99%         500 ml         9.87         [1135-40-6]         (3-[Cyclohexylamino]-1-Propane Sulphonic Acid)         100 Gms         45.93		n-Butyric Anhydride pure, 98%	500 ml	29.87		(L-(-)-Camphor Sulphonic Acid)		
[106-31-0] 99% 500 ml 35.53 64210 CAPS Buffer extrapure, 99% 25 Gms 14.87  51971 Y-Butyrolactone extrapure, 99% 500 ml 9.87 [1135-40-6] (3-[Cyclohexylamino]-1-Propane 100 Gms 45.93		n-Ruturio Anhydrida ovtranura AD	100!	9.05				
500 ml 9.87 [1135-40-6] (3-[Cyclohexylamino]-1-Propane 100 Gms 45.93								
Sulphonic Acid)						• •		
2500 ml 46.06 500 Gms 179.90		Y-Butyrolactone extrapure, 99%			[1135-40-6]			
	[90-48-0]		2500 ml	46.06		. ,	500 Gms	179.90

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
39271	CAPSO Buffer extrapure, 99%	25 Gms	22.24	14299	Cefazolin Sodium Salt (CFZL),	100 Mg	58.43
[73463-39-5]	(3-(Cyclohexylamino) -2-Hydroxypropane Sulphonic Acid)	100 Gms	70.67	[27164-46-1]	89-110%	500 Mg	100.02
71222	CAPSO Sodium Salt Buffer	25 Gms	28.95		Cefixime Trihydrate (CFX), 95-101%	1 Gms	12.24
[102601-34-3]	extrapure, 99%	100 Gms	110.54	[125110-14-7]		5 Gms	33.56
54338	Carbazole pure, 95%	100 Gms	26.32		Cefpodoxime (CFPD) free acid	25 Mg	39.48
[86-74-8]	(9-Azaflluorene, 9H-Carbazole, Dibenzopyrrole, Diphenylenimine)	500 Gms	119.76	[80210-62-4]	extrapure, 96%	100 Mg	118.44
66964		250 Mg	25.79	<b>58597</b> • [33564-30-6]	Cefoxitin Sodium Salt (CTX), 94%	100 Mg	25.14
[4800-94-6]	tissue culture, 90%	1 Gms	37.64	[33304-30-0]		250 Mg	50.14
		5 Gms	84.62	0	0.4.1.11.0.11.0.11.0000	1 Gms	83.43
10566	Carbenicillin Disodium Salt, 90%	500 Mg	11.58	<b>80223</b> [52152-93-9]	Cefsulodin Sodium Salt (CFS) extrapure, 97%	10 Mg	41.06 98.57
[4800-94-6]		1 Gms	19.08			250 Mg	
32943 🗸	Carbocysteine extrapure, 98%	1 Gms	13.16	<b>79364</b> • [104376-79-6]	Ceftriaxone Disodium Salt Hemiheptahydrate (CFTZ)	1 Gms 5 Gms	22.90 76.06
[638-23-3]	(s-Carboxymethyl-l-Cysteine)	5 Gms	40.93		(Ceftriazone Sodium Salt)	5 GITIS	76.06
98536	Carbohydrates Kit Type I	1 Kit	53.96		Cefuroxime Sodium Salt, 86-100%	2 Gms	16.45
				[56238-63-2]		10 Gms	63.43
88515	Carbohydrates Kit Type II	1 Kit	106.33			25 Gms	133.44
67852	N,N-Carbonyldiimidazole (CDI)	25 Gms	6.71	85294	D-Cellobiose extrapure	5 Gms	14.48
[530-62-1]	extrapure AR, 98%	100 Gms	26.19	[528-50-7]		25 Gms	63.69
		500 Gms	116.07			100 Gms	247.41
87379	3-Carboxybenzeneboronic Acid	1 Gms	39.48	<b>95382</b> [9012-54-8]	Cellulase ex. Aspergillus Niger (Meicellase), 13000CMC U/g	100 Mg	19.08
	extrapure, 97%	5 Gms	112.25	[9012-04-0]	(Melechase), 100000MC 0/g	1 Gms	105.02
	(3-Carboxyphenylboronic Acid)	25 Gms	251.22			5 Gms	367.43
51171	4-Carboxyphenylboronic Acid	1 Gms	18.42	<b>32970</b> [9012-54-8]	Cellulase Onozuka FA ex. Trichoderma Viride, 2500U/g	1 Gms 5 Gms	80.01
[14047-29-1]	extrapure, 97%	5 Gms	58.96	[	(Meicellase)	5 Gms	308.34
35982 🗸	5-Carboxyuracil extrapure, 98%	5 Gms	46.32	24801		1 Gms	83.70
[23945-44-0]		10 Gms	89.75	[9012-54-8]	Trichoderma Viride, 10000U/g	5 Gms	341.50
24352	L-Carnitine extrapure, 99%	5 Gms	14.21		Cellulase Onozuka RS ex.	1 Gms	158.31
[541-15-1]		25 Gms	60.80	[9012-54-8] <b>45662</b>	Trichoderma Viride, 16000U/g Cellulose Acetate Phthalate	100 Gms	10.92
85641	ß-Carotene extrapure, 90%	1 Gms	26.32	[9004-38-0]	extrapure	500 Gms	47.77
[7235-40-7]		5 Gms	59.22	33340	Cellulose microcrystalline pure for	500 Gms	8.16
71953	Casein Protein Rich Alkali Soluble	500 Gms	18.82	[9004-34-6]	TLC, 98%	5 Kg	75.28
[9000-71-9]	extrapure, 80% Protein	5 Kg	166.74			25 Kg	270.96
27012	Casein Fat Free Ultrapurified, 0.2%	500 Gms	36.19	56338	Cephalexin Hydrate (CFL), 95-103%	1 Gms	29.22
[9000-71-9]	Fat	400.0		[15686-71-2]	(Cefalexin Hydrate)	5 Gms	108.44
<b>23845</b> [9000-71-9]	Casein acc. to Hammarsten, 95% Protein	100 Gms 500 Gms	34.61			25 Gms	255.04
. ,		1 Kg	151.87 270.96	36413	Cephalothin Sodium Salt (CF), 97%	1 Gms	41.72
40169 <b>•</b>	Catalase (CAT) (Type 1) ex. Bovine		45.53	[58-71-9]		5 Gms	106.73
<b>42168</b> [9001-05-2]	Liver, 11700U/mg	25 Mg 100 Mg	100.02	19660	•	1 Gms	18.42
78695 <b>■</b>	Catalase (CAT) (Type 2) ex. Bovine	1 Gms	91.20	[64485-93-4]	98%	5 Gms	39.48
[9001-05-2]	Liver, 2000-5000U/mg protein	i dilis	31.20	40111	Cerium (III)	5 Gms	55.01
<b>92063</b> [53994-73-3]	Cefacior (CFC), 95%	1 Gms	18.95	[76089-77-5]	Trifluoromethanesulfonate extrapure, 98%	25 Gms	182.40
	Cefadroxil Monohydrate (CFD),	1 Gms	22.90		(Cerium triflate, Trifluoromethanesulfonic Acid Cerium		
[66592-87-8]	95%	5 Gms	76.06		Salt)		
85254	1 ,	1 Gms	15.92	54784	Cesium Bromide extrapure AR,	10 Gms	15.79
[62893-20-3]	Cefaperazone Sodium)	5 Gms	65.14	[7787-69-1]	99.5%	50 Gms	71.06

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
95125	Cesium Carbonate extrapure, 99%	25 Gms	20.27	21420 🗸	CHAPS Buffer for molecular	1 Gms	18.82
[534-17-8]		100 Gms	79.62	[75621-03-3,	biology, 99.5%	5 Gms	83.96
		500 Gms	296.10	331717-45-4]		25 Gms	318.47
22966	Cesium Chloride extrapure AR for	25 Gms	25.66	66903	CHAPSO Buffer extrapure, 99%	1 Gms	72.91
[7647-17-8]	molecular biology, 99.9%	100 Gms	95.41	[82473-24-3]	(3-[(3-Cholamidopropyl)	5 Gms	289.39
		500 Gms	447.44		Dimethylammonio]-2-Hydroxy		
32355	Cesium Chloride ultrapure for	25 Gms	31.58	10001	1-Propanesulphonate)  CHES Buffer extrapure, 99%	25 Gms	32.90
[7647-17-8]	molecular biology, 99.9%	100 Gms	118.44	<b>18081</b> ✓ [103-47-9]	(2-(N-Cyclohexylamino)	25 Gms 100 Gms	103.96
		500 Gms	572.46	[]	Ethanesulphonic Acid)		
						500 Gms	421.12
<b>36117</b> [13400-13-0]	Cesium Fluoride extrapure AR, 99%	25 Gms	28.29	<b>98507</b> ✓ [1398-61-4]	Chitin (Poly-(b1-4)-N-acetyl glucosamine) extrapure	25 Gms	45.14
[10.00 10 0]		100 Gms	107.91	[1390-01-4]	glacosamine, example	100 Gms	133.44
73254	Cesium Iodide ultrapure, 99.99%	5 Gms	22.37	27391	Chitosan (Low MW) extrapure,	25 Gms	12.63
[7789-17-5]		10 Gms	36.85	[9012-76-4]	10-150m.Pas, 90% DA (Deacetylated Chitin)	100 Gms	40.93
		25 Gms	69.09		(Deacetylated Grittin)	500 Gms	148.31
57455	Cesium Sulphate extrapure for	10 Gms	13.16	18824 🗸	Chitosan (Medium MW) extrapure,	10 Gms	7.63
[10294-54-9]	molecular biology, 99.9%	25 Gms	33.56	[9012-76-4]	150-500m.Pas, 90% DA	25 Gms	14.87
40649	Benzyldimethylhexadecylammoniu	100 Gms	10.00		(Deacetylated Chitin)	100 Gms	48.43
[122-18-9]	m Chloride (BDHDAC) pure, 97%					500 Gms	160.03
	(Cetyldimethylbenzylammonium			96266	Chitosan (High MW) extrapure,	25 Gms	25.40
77040	Chloride, Cetalkonium Chloride)	100 Cma	10.74	[9012-76-4]	800m.Pas, 90% DA	100 Gms	86.86
<b>77040</b> [140-72-7]	Cetylpyridinium Bromide (CPB) pure, 98%	100 Gms	19.74		(Deacetylated Chitin)	500 Gms	318.47
[]	(Hexadecylpyridinium Bromide)	500 Gms	90.80	44007	Chitagan Oligagaaaharida (water		
59088	Cetylpyridinium Chloride (CPC)	100 Gms	9.21		Chitosan Oligosaccharide (water soluble) extrapure, 90% DA	10 Gms	57.25
[6004-24-6]	extrapure, 98%	500 Gms	32.90	[		25 Gms	101.46
99698	Cetylpyridinium Chloride (CPC)	100 Gms	10.53			100 Gms	171.74
[6004-24-6]	ExiPlus, Multi-Compendial, 98%	500 Gms	39.48		Chitosan Dimer extrapure, 98%	5 Mg	331.76
	meets compendial specs of BP, Ph.Eur			[577-76-4]	(Chitobiose Dihydrochloride)	10 Mg	636.94
66302	Cetyltrimethyl Ammonium Bromide	100 Gms	6.45		Chitosan Trimer extrapure, 98%	5 Mg	761.70
[57-09-0]	(CTAB) extrapure AR, 99%	500 Gms	27.24		(Chitotriose Trihydrochloride)		
	(Hexadecyltrimethyl Ammonium	000 00			Chitosan Tetramer extrapure, 98% (Chitotetraose Tetrahydrochloride)	5 Mg	422.83
	Bromide)	100.0			Chitosan Pentamer extrapure, 98%	5 Mg	204.24
<b>59771</b> [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, ExiPlus,	100 Gms	7.11		(Chitopentaose Pentahydrochloride)	3 Mg	204.24
[37-09-0]	Multi-Compendial, 99%	500 Gms	32.11	36824	Chitotriose Hexamer extrapure,	5 Mg	845.53
	(Hexadecyltrimethyl Ammonium			[41708-95-6]	98%	_	
	Bromide)				(Chitohexaose Hexahydrochloride)		
	meets compendial specs of BP, Ph.Eur				a-Chloralose pure, 98%	25 Gms	39.09
1 <b>2779</b> [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for molecular biology, 99%	100 Gms	7.37	[15879-93-3]	(Anhydro-D-Glucochloral, a-D-Glucochloralose)		
[57-09-0]	(Hexadecyltrimethyl Ammonium	500 Gms	34.74	50146	Chloranitine Fast Red BB	1 Gms	44.74
	Bromide)				(C.I. No. 25380)	5 Gms	62.64
23595	Cetyltrimethyl Ammonium Chloride	25 Gms	26.58	20042	Chloramphenicol (CFP) for tissue		
[112-02-7]	(CTAC) extrapure AR, 99% (Cetrimonium Bromide,	100 Gms	78.17	28812 • [56-75-7]	culture, 98-102%	5 Gms 25 Gms	14.34
	Hexadecyltrimethyl Ammonium	500 Gms	117.26			25 Gms	33.29
	Bromide)			0.000	Chloramphenicol (CFP), 98-102%	5 Gms	10.92
68623	Cetyltrimethyl Ammonium Chloride	25 Gms	39.09	[56-75-7]		25 Gms	30.40
[112-02-7]	(CTAC) for molecular biology, 99%	100 Gms	106.33			100 Gms	75.28
	(Cetrimonium Bromide, Hexadecyltrimethyl Ammonium			37281	p-Chloroacetanilide extrapure AR,	25 Gms	8.29
	Bromide)			[539-03-7]	99%	100 Gms	25.40
87868 🗸	,	1 Gms	10.13	77863	p-Chloroacetanilide extrapure AR,	100 Gms	26.98
[75621-03-3,	(3-[(3-Cholamidopropyl)	5 Gms	47.77	[539-03-7]	ExiPlus, Multi-Compendial, 99%		
331717-45-4]	Dimethylaminonio]				meets compendial specs of USP, BP,		
	-1-Propanesulphonate)	25 Gms	224.38		Ph.Eur		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>70179</b> [532-27-4]	<b>2-Chloroactophenone pure, 97%</b> (Phenacyl Chloride)	25 Gms 100 Gms	30.27 96.07	<b>17691</b> ✓ [2578-45-2]	2-Chloro-3,5-Dinitropyridine extrapure AR, 99%	1 Gms 5 Gms	67.38 206.88
40585	p-Chloroacetophenone extrapure,	100 ml	18.69	38825	4-Chlorophenylboronic Acid	5 Gms	23.69
[99-91-2]	98%	500 ml	75.80	[1679-18-1]	extrapure, 97%	25 Gms	97.78
		1000 ml	143.18	22654	2-Chloroethylphosphonic Acid	100 ml	16.98
92804	m-Chloroaniline (MCA) pure, 99%	500 ml	16.58	[16672-87-0]	(ETHREL, Ethephon) 40% soln.	250 ml	32.24
[108-42-9]		2500 ml	72.51	10455	3-Chloro-4-Fluoroaniline pure, 98%	100 Gms	10.66
43265	o-Chlorobenzaldehyde pure, 98%	100 ml	6.58	[367-21-5]		500 Gms	48.17
[89-98-5]	(2-Chlorobenzaldehyde)	500 ml	15.00	17703	2-Chloro-4-Fluorobenzoic Acid	5 Gms	21.71
		2500 ml	67.12	[2252-51-9]	pure, 98%	25 Gms	70.27
17927	p-Chlorobenzaldehyde pure, 97%	100 Gms	8.03	36393	2-Chloro-5-Fluorobenzoic Acid	10 Gms	38.69
[104-88-1]	(4-Chlorobenzaldehyde)	250 Gms	13.82	[2252-50-8]	pure, 98%	100 Gms	201.35
		5 Kg	125.02	84538	2-Chloro-6-Fluorobenzoic Acid	5 Gms	36.32
91019	4-Chlorobenzhydrol pure, 98%	50 Gms	48.43	[434-75-3]	pure, 98%	25 Gms	84.88
[119-56-2]		100 Gms	84.62	33676	3-Chloro-2-Fluorobenzoic Acid	5 Gms	58.96
69159	o-Chlorobenzoic Acid pure, 98%	100 Gms	5.13	[161957-55-7]	pure, 98%	10 Gms	101.07
[118-91-2]		500 Gms	20.27	69932	2-Chloro-4-Nitrophenyl	250 Mg	157.92
30519	o-Chlorobenzoic Acid extrapure	100 Gms	6.45	[157381-11-8]		1 Gms	460.60
[118-91-2]	AR, 99.5%	500 Gms	29.08		e (Gal-G2-a-CNP, Gal CNPG2) extrapure, 90%	5 Gms	1974.00
34366	m-Chlorobenzoic Acid extrapure,	25 Gms	10.66		(a-(2-Chloro-4-Nitrophenyl)		
[535-80-8]	99%	100 Gms	39.87		-ß-1,4-Galactopyranosylmaltoside)		
		500 Gms	125.55	85563	Chloroform : Isoamyl Alcohol (24:1) for molecular biology	100 ml	14.87
24711	p-Chlorobenzoic Acid pure, 99%	100 Gms	4.74			500 ml	31.19
[74-11-3]		500 Gms	18.69	<b>41117 9</b>	3-Chloro-1-Phenyl Propanone pure, 98%	25 Gms	31.19
<b>97199</b> [74-11-3]	p-Chlorobenzoic Acid extrapure AR, 99.7%	100 Gms	14.61	[,	(3-Chloropropiophenone, B-Chloropropiophenone)	100 Gms	114.49
53378	p-Chlorobenzophenone extrapure,	100 Gms	10.13	72928	Chlorophosphonazo III for	100 Mg	55.01
[134-85-0]	99%	500 Gms	45.53	[1914-99-4]	Spectrophotometry (Bis(4-chloro-2-Phosphonobenzolazo)	500 Mg	231.62
98001	2-Chlorobenzylamine pure, 98%	25 ml	21.71		Chromotropic acid)		
[89-97-4]	(o-Chlorobenzylamine)	100 ml	70.14	51562	Chlorogenic Acid Hemihydrate	100 Mg	6.32
95074	4-Chlorobutyronitrile pure, 98%	100 ml	39.74	[6001-76-9]	extrapure, 98%	1 Gms	49.48
[628-20-6]		500 ml	172.92	78193	· · · · · · · · · · · · · · · · · ·	1 Gms	25.00
29440	4-Chlorobutyryl Chloride pure, 98%	250 ml	18.69	[10310-21-1]	(2-Amino-6-Chloropurine)	5 Gms	99.75
[4635-59-0]		500 ml	36.85		6-Chloro-3-Indolyl-Caprylate	50 Mg	78.96
		1000 ml	58.43	[159954-35-5]	(Salmon Caprylate) for molecular biology, 97%		
<b>23843</b> [999-81-5]	Chlorocholine Chloride (CCC) extrapure, 98%	5 Gms	25.00		(6-Chloro-3-Indoxyl-Octanoate)		
[999-01-5]	(2-Chloroethyl)trimethylammonium	25 Gms	70.14	79621		100 Mg	79.62
	chloride, Chlormequat chloride,			[135313-63-2]	· · ·		
40004 14	Choline dichloride, Cycocel)	5.0	16.06	<b>98551</b> [138182-21-5]	6-Chloro-3-Indolyl  B-D-Galactopyranoside (Salmon	100 Mg	44.74
<b>10231</b> ✓ [3140-73-6]	2-Chloro-4,6 Dimethoxy-1,3,5 Triazine extrapure, 99%	5 Gms 25 Gms	16.06 69.48	[.50102-21-0]	Gal) extrapure, 98%	500 Mg	86.59
•		100 Gms	253.46		(Red Gal, Rose Gal)		
42687	1-Chloro-2,4-Dinitrobenzene	500 Gms	9.74	<b>82947</b> [138182-20-4]		10 Mg	53.56
[97-00-7]	extrapure, 99%	300 dilia	5.74	[.50.02.20 4]	extrapure, 98%	50 Mg	178.19
69297	1-Chloro-2,4-Dinitrobenzene	25 Gms	2.50		(RED-GLUC, Rose-Glucuronide CHA Salt, Salmon-Glucuronide CHA Salt)		
[97-00-7]	extrapure AR, 99%	100 Gms	7.50	89432	6-Chloro-3-Indoxyl-a-D-Glucopyran	100 Mg	64.48
93937	1-Chloro-2,4-Dinitrobenzene	100 Gms	8.03	[467214-46-6]		500 Mg	228.72
[97-00-7]	extrapure AR, ExiPlus, Multi-Compendial, 99%	500 Gms	33.82		98% (Salmon-alpha-D-Glucoside)	J	
	meets compendial specs of BP				(Salmon-alpha-D-Glucoside)		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
71848	5-Chloro-7-lodo-8-Quinolinol	25 Gms	28.95	50217	S-2-Chloropropionic Acid pure,	5 ml	12.90
[130-26-7]	(Clioquinol,	100 Gms	76.33	[29617-66-1]		25 ml	40.27
	Iodochlorohydroxyquinoline) ExiPlus, 97-103%	500 Gms	289.52		(S-(-)-2-Chloropropionic Acid)	100 ml	145.02
	(5-Chloro-8-Hydroxy-7-lodoquinoline)			70774	3-Chloropropiophenone pure, 98%	25 Gms	37.11
	4-Chloromercuribenzenesulphonic	10 Mg	402.70	[34841-35-5]		100 Gms	134.76
[14110-97-5]	Acid Monosodium Salt (pCMBS) extrapure, 95%					500 Gms	589.30
	(p-Chloromercuriphenylsulfonic Acid			53313	4-Chloropropiophenone pure, 98%	100 Gms	37.24
26004	Sodium Salt)	1 Gms	44.61	[6285-05-8]		500 Gms	168.05
26004 ✓ [138-85-2]	p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98%	5 Gms	161.34	62020	6-Chloropurine extrapure, 99%	1 Gms	11.58
04000	4 Chiana 4 Namhthal Subatrata			[87-42-3]		5 Gms	40.93
<b>81929</b> • [604-44-4]	4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	2.5 Gms	34.61			25 Gms	161.87
[00]		5 Gms	52.38	57430	6-Chloropurine Riboside extrapure	250 Mg	28.43
		25 Gms	253.46	[2004-06-0]		1 Gms	96.20
85267	1-Chloro-3-Nitrobenzene pure, 98%	250 Gms	7.11	26176	5-Chlorosalicylic Acid pure, 98%	100 Gms	7.50
[121-73-3]		500 Gms	13.69	[321-14-2]		500 Gms	21.71
77459	2-Chloro-5-Nitrobenzoic Acid pure,	25 Gms	4.74	59838	p-Chlorotoluene pure, 98%	500 ml	17.24
[2516-96-3]	99%	100 Gms	13.82	[106-43-4]	• • • • • • • • • • • • • • • • • • • •	1000 ml	29.08
		500 Gms	52.64	97389	Cholecalciferol (Vitamin D3) for	1 Gms	15.92
21259	· · · · · · · · · · · · · · · · · ·	25 Mg	111.20	[67-97-0]	tissue culture, 97%	5 Gms	70.14
[157843-41-9]					(7-Dehydrocholesterol Activated)	5 Gills	70.14
	extrapure, 98% (AFU)				Cholesterol extrapure AR, 99%	5 Gms	7.63
48958		25 Mg	51.59	[57-88-5]		25 Gms	33.29
[118291-90-0]		100 Mg	118.44			100 Gms	123.05
	extrapure, 95%					500 Gms	506.66
<b>66684</b> [3970-40-9]	2-Chloro-3-Nitrotoluene extrapure, 98%	1 Gms	19.74	38615	Cholesterol Reference Standard	5 Gms	16.98
[3970-40-9]	30 /8	5 Gms	78.96	[57-88-5]	Grade for molecular biology, 99%	25 Gms	50.80
41107	3-Chlorophenol pure, 98%	25 Gms	11.05			100 Gms	193.85
[108-43-0]	(m-Chlorophenol)	100 Gms	37.11	51626	Cholesterol Esterase (CE) ex.	10 Mg	137.26
		500 Gms	176.87	[9026-00-0]	Porcine Pancreas, 35U/mg solids		
94280	o-Chlorophenol pure, 98%	500 ml	11.58		Cholesterol Oxidase ex.	500 Units	98.17
[95-57-8]		1000 ml	22.77	[9028-76-6]	Streptomyces Sp., 15U/mg solids	2500 Units	425.07
		2500 ml	43.95		Cholesteryl Acetate extrapure, 99%	5 Gms	11.32
74230	p-Chlorophenol pure, 98%	500 Gms	11.84	[604-35-3]		25 Gms	50.01
[106-48-9]	(4-Chlorophenol)	5.0	0.10	54908 <b>Y</b>	Cholic Acid extrapure, 98%	25 Gms	44.74
<b>18344</b> [4430-20-0]	Chlorophenol Red	5 Gms	8.16	[81-25-4]		100 Gms	157.92
[++00 20 0]		25 Gms	31.98			500 Gms	723.80
87976	Chlorophenol	25 Mg	111.60	53645	Cholic Acid Sodium Salt Hydrate	25 Gms	50.01
[99792-79-7]	Red-ß-D-Galactopyranoside (CPRG) extrapure, 90%			[361-09-1,	pure, 99%	100 Gms	171.08
21524 🗸		25 Gms	5.92	206986-87-0]	(Sodium Cholate Hydrate)	500 Gms	789.60
[122-88-3]	for tissue culture, 98%	100 Gms	20.92	93319 🗸	Chromotrope 2R	10 Gms	8.16
	(Parachlorophenoxyacetic acid)	500 Gms	96.99	[4197-07-3]	•	25 Gms	16.19
91145 🗸	2-(3-Chlorophenoxy)-Propionic	10 Gms	38.95	31723	Chromotropic Acid Disodium Salt	10 Gms	9.87
[101-10-0]	Acid (3-CPA) technical grade, 99%	25 Gms	91.20	[5808-22-0]	Dihydrate extrapure AR, 99%	25 Gms	22.90
28272 🗸	4-Chlorophenylacetic Acid pure,	100 Gms	16.84			100 Gms	89.75
[1878-66-6]	98%	500 Gms	58.04	72580	Chromotropic Acid Disodium Salt	10 Gms	13.55
40004	Chlorogenic Acid outronize CRR/			[5808-22-0]	Dihydrate extrapure AR, ACS,	25 Gms	29.74
<b>40881</b> ✓ [327-97-9]	Chlorogenic Acid extrapure, 98% (1,3,4,5-Tetrahydroxycyclohexanecarb	100 Mg	6.58 57.25		ExiPlus, Multi-Compendial, 99%	100 Gms	112.25
	oxylic acid 3-(3,4-dihydroxycinnamate),	1 Gms	57.25			500 Gms	412.57
	3-(3,4-Dihydroxycinnamoy	5 Gms	253.46		meets compendial specs of USP, BP,	330 Gills	112.01
23727	2-Chloropropionic Acid pure, 97%	100 ml	17.77		Ph.Eur		
[598-78-7]		500 ml	77.38		<del></del>		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>35085</b> [9004-07-3]	a-Chymotrypsin (3x cryst) ex. Bovine Pancreas, 7500ATEE U/mg	250 Mg 500 Mg	16.06 31.19	<b>93156</b> ✓ [64-86-8]	Colchicine ExiPlus, Multi-Compendial, 98%	1 Gms 5 Gms	29.35 138.31
	(1000NF U/mg)	1 Gms	49.09		meets compendial specs of USP, BP,		
		5 Gms	212.53		Ph.Eur		
87063	a-Chymotrypsinogen A (5x cryst)	100 Mg	37.64	45830	Colchicine for tissue culture, 98%	1 Gms	27.50
[9035-75-0]	, ,, ,	250 Mg	79.35	[64-86-8]		5 Gms	132.13
		1 Gms	220.69	51681	Colistin Sulphate (CLS)	500 Mg	21.71
		5 Gms	1062.41	[1264-72-8]	• • • •	1 Gms	43.43
88213	Cinnamonitrile extrapure, 97%	25 ml	11.58			5 Gms	130.28
[1885-38-7]	(3-Phenylacrylonitrile)	100 ml	34.48	90443	Collagen ex. Marine Fish extrapure,	5 Gms	28.95
	Cimpomoul Chlorida mura 000/			[9007-34-5]	-	25 Gms	86.86
<b>26591</b> [102-92-1]	Cinnamoyl Chloride pure, 98%	100 ml	31.19			100 Gms	275.04
[102 02 1]		500 ml	123.44		Colleidal Protein Staining Solution		
78079	•	1 Gms	5.79	51581 <b>Y</b>	Colloidal Protein Staining Solution	100 ml	44.74
[86393-32-0]	Hydrate (CPFX), 98-102%	5 Gms	21.71	94278	2,4,6-Collidine pure, 98%	100 ml	23.69
29965	Citral pure, 95%	100 ml	7.63	[108-75-8]	(2,4,6-Trimethylpyridine)	500 ml	110.54
[5392-40-5]	(3,7-Dimethyl-2,6-Octadienal)	500 ml	36.85	24275	Congo Red ACS, 75%	5 Gms	2.24
13294	Citronella Oil extrapure, 34%	250 ml	36.19	[573-58-0]	Congo neu Aco, 73/8	25 Gms	4.08
[8000-29-1]		500 ml	66.33			100 Gms	11.58
35417	L-Citrulline extrapure CHR, 99%	25 Gms	5.92				
[372-75-8]	•	100 Gms	15.79	<b>10408</b> [8064-90-2]	Co-Trimoxazole (CTX), 95%	100 Mg	33.29
		500 Gms	59.22	[000+002]		500 Mg	157.92
41694	Citrazinic Acid extrapure, 97%	25 Gms	28.95	42074	•	100 Gms	7.90
[99-11-6]	(2,6-Dihydroxypyridine-4-Carboxylic	100 Gms	65.80	[91-64-5]	(1-Benzopyran-2-one)	500 Gms	36.06
	acid, Dihydroxyisonicotinic Acid)	500 Gms	203.98	76072	Creatine Monohydrate extrapure,	25 Gms	4.21
	0. 0. 0.			[6020-87-7]	99%	100 Gms	12.50
<b>78746</b> [8000-34-8]	Clove Oil extrapure, 80%	100 ml	14.74			1 Kg	118.44
[0000-04-0]		500 ml	63.43	25758	Creatine Phosphate Disodium Salt	1 Gms	16.45
68320	•	5 Gms	10.40	[71519-72-7]	Tetrahydrate extrapure, 99%	5 Gms	56.72
[128595-07-3]	(Cyclopentyloxycarbonyloxy)succin imide) extrapure, 99%	25 Gms	41.32		(Sodium Creatine Phosphate Dibasic Tetrahydrate, Phosphocreatine		
	(N-(Cyclopentyloxy Carbonyloxy)				Disodium Salt Tetrahydrate)		
	Succinimide)			25074	Creatininase ex. Recombinant	2 K.Units	88.70
68636	Cloxacillin Sodium Monohydrate	1 Gms	21.71	[9025-13-2]	E.Coli, 500U/mg	5 K.Units	193.32
[7081-44-9]	(CSX), 95-102%	5 Gms	72.38	65142	Creatinine extrapure CHR, 99%	25 Gms	9.08
	Coelenterazine Native (CLZN) ex.	$250\mu\mathrm{g}$	188.06	[60-27-5]	•	100 Gms	31.58
[55779-48-1]	Aequorea Sp., 95%	1 Mg	310.58	10/100	Creatinine extrapure AR, 99%	25 Gms	10.26
40804	Coenzyme A Free Acid extrapure,	10 Mg	43.56	<b>19428</b> ✓ [60-27-5]	Greatiline extrapure Art, 33/8	100 Gms	34.48
[85-61-0]	90%	25 Mg	72.51			500 Gms	164.50
		100 Mg	225.56		10		
95225	Coenzyme A Sodium Salt Hydrate	10 Mg	72.38		Creatinine Deiminase ex. Microorganism, 10U/mg solids	250 Units	128.84
[55672-92-9	(CoA Na2) for molecular biology,	25 Mg	127.39	29121	o-Cresolphthalein AR, 95%	5 Gms	2.11
(anhy)]	85%			[596-27-0]	• , , , , , , , , , , , , , , , , , , ,	25 Gms	7.63
64147	Coenzyme A Trilithium Salt ex. Yeast extrapure, 90% CoA	25 Mg	79.62			100 Gms	29.48
[18439-24-2] <b>15039</b>	•	100 Ma	0.61	64000	o-Cresolphthalein Complexone	1 Gms	6.32
[303-98-0]	Occursing a ro extrapute, 33%	100 Mg 500 Mg	9.61 36.85	<b>64982</b> [2411-89-4]	(Phthalein Purple) extrapure AR,	5 Gms	24.35
		•		1	80%		
		1 Gms	73.04			25 Gms	78.96
		5 Gms	142.92	<b>72278</b> [94442-10-1]	o-Cresolphthalein Complexone Disodium Salt extrapure	1 Gms	17.37
<b>17701</b> ✓ [64-86-8]	Colchicine extrapure, 98%	1 Gms	24.21	[04442-10-1]		5 Gms	72.38
[04-00-0]		5 Gms	116.07	31393	m-Cresol Purple extrapure AR	1 Gms	3.42
		10 Gms	225.56	[2303-01-7]		5 Gms	15.00

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
60837	Crotonic Acid pure, 99%	100 Gms	8.29	86620	Cycloheximide extrapure, 94%	100 Mg	5.79
[107-93-7]		250 Gms	14.48	[66-81-9]	(Actidione)	1 Gms	28.95
		500 Gms	27.11			5 Gms	123.05
51665	r-CRP ex. E.Coli (Recombinant	1 Mg	155.29	95581	Cycloheximide for tissue culture,	100 Mg	9.48
	C-reactive protein) extrapure			[66-81-9]	94% (Actidione)	1 Gms	34.74
<b>12295</b> [3572-06-3]	Cuelure pure, 95% (4-[4-(Acetyloxy)phenyl]-2-Butanone)	25 Gms	9.87		(Actidione)	5 Gms	141.86
[0572-00-0]	(Ter (tootyloxy)phonylj z Bataliono)	100 Gms	33.03	38772	Cyclopentanone (Keto	100 ml	6.19
		500 Gms 1 Kg	153.05 293.20	[120-92-3]	Cyclopentane) pure, 99%	500 ml	18.82
		2.5 Kg	649.05		(Keto Cyclopentane)	2500 ml	69.48
07070 4	4 Cyananhanyihayania Asid			88410	Cyclopentyl Methyl Ether (CPME)	250 ml	23.03
	4-Cyanophenylboronic Acid extrapure, 95%	1 Gms 5 Gms	19.74 85.54	[5614-37-9]	extrapure AR, 99%	500 ml	43.43
	• /	25 Gms	250.04			1000 ml	71.99
	O Commando anado anado Antid			74083	Cyclopropanecarboxylic Acid pure,	100 Gms	44.09
	3-Cyanophenylboronic Acid extrapure, 97%	1 Gms 5 Gms	17.77 44.22	[1759-53-1]	98%	250 Gms	108.31
	• /	25 Gms	183.98	62160 Ū	Cyclopropylboronic Acid	1 Gms	11.19
	4 Occurs 4 Discretization in consulting			[411235-57-9]	Monohydrate extrapure, 97%	5 Gms	42.11
<b>51458</b> • [59016-56-7]	1-Cyano-4-Dimethylaminopyridiniu m Tetrafluoroborate (CDAP)	100 Mg	90.01	41269	D-Cycloserine (D-CSR), 90%	1 Gms	11.84
	extrapure, 97.5%	250 Mg 1 Gms	204.37 792.76	[68-41-7]	(D-4-Amino-3-Isoxazolidone)	5 Gms	36.85
				73383	D-Cysteine (base) extrapure, 99%	1 Gms	40.27
<b>57902</b> ✓ [879866-74-7]	1-(3-Cyanopropyl) -3-Methylimidazolium Dicyanamide	5 Gms	87.12	[921-01-7]	((S)-2-Amino-3-Mercaptopropionic		
[0.0000]	(CPMIM.DC) pure, 98%	25 Gms	368.48		Acid)		
	(1-Methyl-3-			<b>98973</b> [65-46-3]	Cytidine extrapure, 99%	5 Gms	7.76
	(3-Cyanopropyl)imidazolium  Dicyanamide)			[00 10 0]		25 Gms	20.27
65291	Cyanogen Bromide pure, 98%	25 Gms	11.19			500 Gms	376.38
[506-68-3]		100 Gms	29.48	<b>87600</b> • [63-37-6]	Cytidine-5-Monophosphate (5-CMP) extrapure, 99%	1 Gms	8.16
31787	Cyanogen Bromide ExiPlus,	25 Gms	13.82		· , ,	5 Gms	32.24
[506-68-3]	Multi-Compendial, 98%	100 Gms	33.43		Cytidine-5-Triphosphate Disodium Salt (5-CTP-Na2) extrapure, 97%	100 Mg	21.32
	meets compendial specs of USP, Ph.Eur					500 Mg	96.59
94952	3-Cyanoindole pure, 98%	5 Gms	37.64	<b>81551</b> • [9007-43-6]	Cytochrome C (Oxidized) (Type 1) ex. Horse Heart extrapure, 90%	100 Mg	64.48
[5457-28-3]		25 Gms	155.29	[9007-45-0]	ex. Horse Heart extrapare, 30%	500 Mg	277.81
33202	5-Cyanoindole pure, 98%	10 Gms	347.82			1 Gms	531.53
[15861-24-2]		25 Gms	863.16	90777	Cytochrome C (Oxidized) (Type 2) ex. Horse Heart, 95%	100 Mg	145.02
83244	β-Cyclodextrin, base (BCD) for	100 Gms	9.21	[9007-45-0]	ex. Horse Heart, 55%	500 Mg	515.35
[7585-39-9]	tissue culture, 98%	500 Gms	27.64	62682	Cytosine Arabinoside extrapure, 98%	100 Mg	15.13
76496	ß-Cyclodextrin, base (BCD), 98%	5 Gms	7.37	[147-94-4]	30%	500 Mg	47.77
[7585-39-9]		25 Gms	19.74	75543	•	50 Mg	73.70
		100 Gms	50.01	[146998-31-4]	extrapure, 98% (4-[4-	250 Mg	242.01
98395	Cyclohexanecarboxaldehyde pure,	25 ml	45.93		(Dimethylamino)phenylazo]Benzoic		
[2043-61-0]	97%	100 ml	178.19		Acid N-Succinimidyl Ester)		
	(Hexahydrobenzaldehyde)			31920 [552-66-9]	Daidzin extrapure, 98% (Daidzein-7-O-ß-D-Glucopyranoside)	25 Mg	86.99
<b>37594 6</b> [637-88-7]	1,4-Cyclohexanedione pure, 99%	25 Gms	10.92			100 Mg	293.99
		100 Gms	17.11		Danofloxacin Mesylate (DM), 98%	100 Mg	90.01
55799 [108-93-0]	Cyclohexanol extrapure, 99%	500 ml	8.03	[119478-55-6] <b>64018</b> •	Dansyl Chloride (DNSCI) extrapure,	1 Gms	55.01
[108-93-0]		2500 ml	34.08	[605-65-2]	99%	5 Gms	209.90
31668	Cyclohexene (Tetrahydrobenzene)	100 ml	5.00		(5-Dimethylaminonaphthalene-1-Sulfon	o dillo	_55.50
[110-83-8]	pure, 99%	500 ml	21.71	40000	yl Chloride)	40.14	F7 ^
		2500 ml	102.65	18668	DAPI Dihydrochloride	10 Mg	57.25
				[28718-90-3]	(4,6-Diamidino-2-Phenylindole	25 Mg	117.78

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
28488 •	•	100 Mg	70.93	43421	, , ,	1 Gms	11.84
[28718-90-3]	(4,6-Diamidino-2-Phenylindole Dihydrochloride) for tissue culture,			[154-17-6]	extrapure AR, 99.9%	5 Gms	53.96
	95%					25 Gms	263.20
80145	DAPI Dihydrochloride	1 ml	11.32		2-Deoxyguanosine Monohydrate	100 Mg	34.22
[28718-90-3]	(4,6-Diamidino-2-Phenylindole	5 x1 ml	53.17	[312693-72-4]	extrapure, 99%	500 Mg	105.67
	Dihydrochloride) Solution (1mg/ml in H2O)					1 Gms	178.71
22499	•	1 Gms	8.88			5 Gms	563.91
	Sulfurtrifluoride) extrapure AR, 95%	5 Gms	39.48	25695	2'-Deoxyguanosine	500 Mg	220.69
		25 Gms	131.60	[52558-16-4,		1 Gms	392.30
		100 Gms	486.92	33430-61-4]	(dGMP) extrapure, 98%	5 Gms	1797.92
40396	DDAPS	2 Gms	13.03	16516	2'-Deoxyinosine extrapure, 98%	100 Mg	8.29
[14933-08-5]	(N-Dodecyl-N,N-dimethyl-3-ammoni	10 Gms	38.95	[890-38-0]		250 Mg	19.35
	o-1-propanesulfonate, Lauryl	50 Gms	190.82			1 Gms	68.70
	sulfobetaine) extrapure, 98%			61824	Deoxyribonuclease I (DNase I) -	10 K.Units	31.85
<b>47478</b> [9013-34-7]	DEAE Cellulose 11 analytical grade for molecular biology	5 Gms	32.24	[9003-98-9]		50 K.Units	101.33
[0010 047]		25 Gms	132.13		MB, 2000Kunitz U/mg Protein, 80%	200	332.95
57136	DEAE Cellulose 23 analytical grade	5 Gms	36.32		Pr	K.Units	
[9013-34-7]	for molecular biology	25 Gms	153.05	15409	• • • • • • • • • • • • • • • • • • • •	10 Mg	51.46
92321	DEAE Cellulose 32 analytical grade	5 Gms	45.14	[9003-98-9]	Type 1B ex. Bovine Pancreas for	50 Mg	231.62
[9013-34-7]	for molecular biology	25 Gms	190.03		MB, 2000Kunitz U/mg Protein, 80% Pr	100 Mg	419.80
10529	DEAE Cellulose 52 analytical grade	5 Gms	28.56	14658		5000 Units	14.48
[9013-34-7]	for molecular biology	25 Gms	132.39	[9003-98-9]		50000	73.70
		100 Gms	460.60		MB, 180Kunitz U/mg, 85% Protein	Units	
54665	Decalin (Decahydronaphthalene)	500 ml	25.00			100000	138.97
[91-17-8]	pure, 98%	2500 ml	118.44	52942	Deoxyribonuclease I - Type 2B	Units 10 Mg	8.16
72007	1-Decanethiol pure, 95%	100 ml	73.70	[9003-98-9]		100 Mg	77.38
[143-10-2]	, , , , , , , , , , , , , , , , , , , ,	500 ml	327.03		MB, 180Kunitz U/mg	1 Gms	289.91
91106	Decanoyl Chloride pure, 98%	100 ml	12.11		I De consilhe acceptate Actel Force Actel		
[112-13-0]	(Capric Acid Chloride)	500 ml	58.04		Deoxyribonucleic Acid Free Acid (DNA) ex. Fish Sperm	5 Gms	27.64
	<b>D</b> 111 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			[	, ,	10 Gms	52.64
<b>48467</b> [112-30-1]	Decyl Alcohol pure, 99% (1-Decanol)	100 ml	3.68			25 Gms	105.28
[2 00 .]	( ,	500 ml	11.45	<b>30295</b> [9007-49-2,	Deoxyribonucleic Acid Sodium Salt (DNA Sodium Salt) ex. Salmon Milt	5 Gms	29.61
		2500 ml	55.93	[9007-49-2, 68938-01-2]	,	25 Gms	111.86
43940	Decyltrimethylammonium Bromide (DTMAB) extrapure, 98%	10 Gms	28.29	68451	Deoxyribonucleic Acid Sodium Salt	25 Mg	36.19
[2082-84-0]	(DTWAB) extrapure, 90%	25 Gms	61.85	[73049-39-5]	(DNA Sodium Salt Highly	100 Mg	78.96
40133	, ,	500 Mg	327.03		Polymerized) ex. Calf Thymus extrapure	250 Mg	184.24
[86303-23-3]	N,N'-Bis(3-D-gluconamidopropyl deoxycholamide			84384	2-Deoxy-D-Ribose extrapure	1 Gms	6.58
83158	2-Deoxyadenosine Monohydrate	1 Gms	16.71	[533-67-5]		5 Gms	26.19
	extrapure, 98%	5 Gms	74.49			25 Gms	96.59
20100	2'-Deoxyadenosine-5'-Monophosph	100 Mg	37.77	00007	2'-Deoxyuridine extrapure, 98%		
<b>39192</b> [2922-74-9]	ate Disodium Salt (dAMP-Na2)	100 Mg	31.11	<b>92627</b> [951-78-0]	2 -Deoxyunume extrapure, 96 %	250 Mg 1 Gms	30.27 109.89
	extrapure, 98%						
	2-Deoxycytidine extrapure, 98%	100 Mg	10.40		2`-Deoxyuridine-5`-Monophosphat e Disodium Salt (dUMP-Na2)	100 Mg	65.80
[951-77-9]		500 Mg	29.48	[-72 100-0]	extrapure, 98%		
		1 Gms	47.51	41143	Deoxycholic Acid extrapure, 99%	25 Gms	47.38
	2`-Deoxycytidine	500 Mg	131.60	[83-44-3]		100 Gms	168.45
[13085-50-2]	-5`-Monophosphate Disodium Salt			24417	Deoxycholic Acid Sodium Salt	25 Gms	28.95
84476	(dCMP-Na2) extrapure, 98% 2-Deoxygalactose extrapure, 98%	1 Gms	63.83	[302-95-4]	(Sodium Deoxycholate) Bacto	100 Gms	104.23
[1949-89-9]	2-Deoxygaiaciose exitapute, 30%				grade, 99%	500 Gms	509.56
,1		5 Gms	245.30				

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
96876	Deoxycholic Acid Sodium Salt	25 Gms	31.85	99629	Dextran Sulphate Sodium Salt 500	10 Gms	61.59
[145224-92-6]	-	100 Gms	107.12	[9011-18-1]	(DSS 500) ex. Leuconostoc Sp. for	25 Gms	143.97
	Deoxycholate Monohydrate) Bacto grade, 99%	500 Gms	535.61		molecular biology	100 Gms	525.74
43767		1 Gms	3.68			250 Gms	986.61
[87413-09-0]	97%	5 Gms	8.55	17379	DHP Linker	5 ml	161.74
		25 Gms	35.93	[3749-36-8]	(3,4-Dihydro-2H-Pyran-2-Methanol)	25 ml	583.12
		100 Gms	135.81		extrapure, 98%  Diacetone-D-Glucose (DAG)	05.0	04.40
47601	Dextran ex. Leuconostoc Sp Tech	5 Gms	20.27	34224 ✓ [582-52-5]	extrapure, 98%	25 Gms	34.48
[9004-54-0]		25 Gms	76.85	[]	(1,2:5,6-Di-O-Isopropylidene-a-D-Gluc	100 Gms	104.62
		100 Gms	266.88		ofuranose, D-Glucose Diacetonide)	500 Gms	392.30
41570	Dextran ex. Leuconostoc Sp Tech	5 Gms	93.04	72352	Diacetylmonoxime extrapure AR,	25 Gms	6.45
[9004-54-0]	40 (35-45)	25 Gms	313.08	[57-71-6]	99% (2,3-Butanedione Monoxime)	100 Gms	20.79
					,	500 Gms	101.46
35270	Dextran ex. Leuconostoc Sp Tech 110 (100-120)	5 Gms	20.27		1,4-(Diacryloyl) Piperazine	5 Gms	228.85
[3004-34-0]	110 (100 120)	25 Gms	76.85	[6342-17-2]	extrapure, 99% (Piperazine Diacrylamide)		
		100 Gms	258.86	62736	L-2,4 Diaminobutyric Acid	1 Gms	32.77
62753	Dextran ex. Leuconostoc Sp Tech	5 Gms	218.46	[1482-98-0]	Monohydrochloride extrapure, 98%	5 Gms	155.29
[9004-54-0]	250 (225-275)	10.0	74.00			25 Gms	596.67
<b>19301</b> [9004-54-0]	Dextran ex. Leuconostoc Sp Tech 500 (450-550)	10 Gms	71.20	0			
[]	(,	25 Gms	105.15	94524 <b>4</b> [91-95-2]	3,3-Diaminobenzidine (DAB) pure, 98%	5 Gms	21.71
		100 Gms	331.63	[81-85-2]	55.5	25 Gms	86.33
		500 Gms	873.43			100 Gms	300.31
	Dextran Blue 5 ex. Leuconostoc Sp.	500 Mg	283.07		3,3'-Diaminobenzidine	1 Gms	17.24
[87915-38-6]	Dextran Blue 40 ex. Leuconostoc	1 Gms	302.68	[868272-85-9]	Tetrahydrochloride Hydrate (DAB.4HCl.xH2O) extrapure AR,	5 Gms	83.43
[87915-38-6]		i Gilis	302.00		98%	25 Gms	375.98
<b>57356</b> [87915-38-6]	Dextran Blue 110 ex. Leuconostoc Sp.	1 Gms	302.68	98465	3,3-Diaminobenzidine Tetrahydrochloride (DAB.4HCl)	100 ml	98.17
<b>14420</b> [87915-38-6]	Dextran Blue 500 ex. Leuconostoc Sp.	1 Gms	302.68		Buffer Substrate Solution for Peroxidase		
67045	Dextran Blue 2000 ex. Leuconostoc	1 Gms	302.68	17758	3,5-Diaminobenzoic Acid extrapure,	100 Gms	12.11
[87915-38-6]	Sp.			[535-87-5]	98%	500 Gms	54.88
<b>83826</b> [9015-73-0]	DEAE-Dextran 500 ex. Leuconostoc	1 Gms	127.39	<b>20723</b> [618-56-4]	3,5-Diaminobenzoic Acid Dihydrochloride extrapure, 98%	25 Gms	72.51
	•	5 Gms	327.55	16368	trans-1,2-Diaminocyclohexane-N,N,	10 Gms	18.56
	DEAE-Dextran Hydrochloride 500	5 Gms	52.90		N,N Tetraacetic Acid Monohydrate	25 Gms	41.98
[9064-91-9]	ex. Leuconostoc Sp.	25 Gms	154.76		extrapure AR (CDTA), 99%	100 Gms	154.63
		100 Gms	388.22		0.4 Diaminanhanal Dibudua shlavida		
	FITC-Dextran 4000 ex. Leuconostoc	100 Mg	86.86	<b>85122</b> [137-09-7]	2,4-Diaminophenol Dihydrochloride (Amidol) extrapure, 98%	5 Gms	50.67
[60842-46-8]	Sp. (Fluorescein Isothiocyanate–Dextran)	250 Mg	188.19			25 Gms	122.65
36454	FITC-Dextran 40000 ex.	100 Mg	94.09		2,6-Diaminopurine extrapure, 98%	1 Gms	10.53
[60842-46-8]	Leuconostoc Sp.	250 Mg	217.14	[1904-98-9]		5 Gms	50.01
· ·	(Fluorescein Isothiocyanate-Dextran)	250 IVIG	£11.14			25 Gms	203.98
92901		100 Mg	86.86		o-Dianisidine Dihydrochloride	1 Gms	11.19
[60842-46-8]	Leuconostoc Sp. (Fluorescein Isothiocyanate–Dextran)	250 Mg	188.19	[20325-40-0]	extrapure, 98% (3,3-Dimethoxybenzidine	5 Gms	26.32
82221		100 Mg	85.41		Dihydrochloride)	25 Gms	125.02
[60842-46-8]	Leuconostoc Sp.	250 Mg	173.71	94912	1,1-Dianthrimide extrapure AR, 98%	1 Gms	40.53
65163	(Fluorescein Isothiocyanate–Dextran)  Dextran Phenyl 40 (30-50)	1 Gms	96.20	[82-22-4]	(Di(1-anthraquinoyl)amine) (1,1-Iminodianthraquinone) (for	5 Gms	173.71
		5 Gms	315.45		determination of Boron)		
76203	Dextran Sulphate Sodium Salt	10 Gms	63.83	<b>90405</b> [9001-18-7]		500 Units	70.27
[9011-18-1]	30-50(DSS 35-50) ex. Leuconostoc	25 Gms	148.31	23144	Dibenzylamine pure, 98%	100 ml	11.32
	Sp.Colitis Grade for molecular	100 Gms	558.25	[103-49-1]	_, F , 22/2	500 ml	53.17
	biology					300 1111	55.17

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
96661	Dibenzyl Ether pure, 97%	500 ml	11.98		2,4-Dichlorophenol pure, 98%	25 Gms	6.58
[103-50-4]	(Benzyl Ether)	2500 ml	43.30	[120-83-2]		250 Gms	19.74
88749	1,4-Dibromobenzene pure, 98%	500 Gms	31.85	87188	2,6-Dichlorophenol extrapure, 99%	10 Gms	4.08
[106-37-6]	1,4-Dibromobutane pure, 98%	050 ml	07.64	[87-65-0]		25 Gms	9.08
<b>43589</b> [110-52-1]	1,4-Dibioinobutaile puie, 96%	250 ml	27.64			100 Gms	30.93
74600 🗸	1,3-Dibromo-5,5-Dimethylhydantoin	500 Gms	15.79	42180	2,4-Dichlorophenylboronic Acid	1 Gms	14.08
[77-48-5]	(DBDMH) extrapure, 98%			[68716-47-2]	extrapure, 98%	5 Gms	39.09
22224	(Dibromantin)  1,2-Dibromoethane pure, 98%	250 ml	18.82			25 Gms	136.60
<b>33384</b> [106-93-4]	(Ethylene Dibromide)	1000 ml	62.38	93611	3,4-Dichlorophenylboronic Acid	1 Gms	13.16
04575	2 5 Dibyomonhonol nuvo 000/			[151109-75-4]	extrapure, 97%	5 Gms	32.90
<b>31575</b> [626-41-5]	3,5-Dibromophenol pure, 98%	1 Gms	40.53			25 Gms	117.12
		5 Gms	183.58	33017	, <u> </u>	5 Gms	21.19
<b>34890</b> [109-64-8]	<b>1,3-Dibromopropane pure, 99%</b> (Trimethylene Dibromide)	100 ml	14.87	[101-38-2]	(Gibbs Reagent) extrapure AR, 99% (N,2,6-Trichloro-p-Benzoquinoneimide)	25 Gms	85.93
	(Timethylene Distorting)	500 ml	60.54		(HE) Themere p Benzequinenenniae)	100 Gms	280.97
96763	Di-tert-Butyldicarbonate (BOC	25 Gms	4.61	38762	2,4-Dichloro-1,3,5-Triazine pure,	1 Gms	232.27
[24424-99-5]	Anhydride, DiBOC) extrapure, 98%	100 Gms	9.21	[2831-66-5]	98%	5 Gms	773.94
		500 Gms	32.90	57262	Dicyclohexylamine pure, 99%	500 ml	10.92
		5 Kg	289.52	[101-83-7]		2500 ml	50.01
	N6,2-O-Dibutyryl-Adenosine-3,5-Cy	25 Mg	73.70	79596	N,N-Dicyclohexyl Carbodiimide	100 Gms	7.24
[16980-89-5]	clic-Monophosphate Sodium Salt, 97%	100 Mg	179.90	[538-75-0]	(DCC) pure, 99%	500 Gms	31.58
26414		250 Mg	36.85			5 Kg	276.36
[1918-00-9]	(3,6-Dichloro-2-Methoxybenzoic Acid)	1 Gms	144.76	95525	2,3-Dideoxyadenosine (ddA)	5 Mg	38.69
62578	Di-(N-Succinimidyl) Carbonate	5 Gms	11.19	[4097-22-7]	extrapure, 98%	g	
[74124-79-1]	• • • • • • • • • • • • • • • • • • • •	25 Gms	36.85	47248		25 Mg	41.45
		100 Gms	94.75	[7481-89-2]	extrapure, 98%		
29154	2,4-Dichloroacetophenone pure,	100 Gms	9.21	<b>73273</b> [69655-05-6]	2,3-Dideoxyinosine (ddl, ddlno) extrapure, 98%	25 Mg	68.43
[2234-16-4]	98%	500 Gms	28.95		2,3-Dideoxythymidine	25 Mg	82.91
04450	4.2 Diablambanana automina			[3416-05-5]	(3-Deoxythymidine, ddT) extrapure,	_5g	02.0
<b>94453</b> [541-73-1]	1,3-Dichlorobenzene extrapure, 99%	250 ml 1000 ml	9.21 34.22		98%		
. ,	(m-Dichlorobenzene)	2500 ml	76.33	<b>17412</b> [5983-09-5]	2,3-Dideoxyuridine (ddU) extrapure, 98%	25 Mg	110.54
0440	O O Dishlamahamasia Asidamasa OOO			[5965-09-5]	extrapure, 30%	100 Mg	331.63
<b>91427</b> [50-45-3]	2,3-Dichlorobenzoic Acid pure, 98%	25 Gms	15.79	16312	DEPBT (3-(Diethoxyphosphoryloxy)	5 Gms	48.43
		100 Gms	55.27	[165534-43-0]	-1,2,3-benzotriazin-4(3H)-one) extrapure, 98%	25 Gms	134.76
<b>62122</b> [50-84-0]	2,4-Dichlorobenzoic Acid extrapure, 98%	100 Gms	4.61	86283	p-Diethylaminobenzaldhyde pure,	100 Gms	34.35
[50-64-0]	extrapure, 30%	500 Gms	21.06	[120-21-8]	99%		
66481	3,4-Dichlorobenzoic Acid pure, 98%	25 Gms	30.27	19885	•	25 Gms	10.53
[51-44-5]		100 Gms	92.12	[869-24-9]	Hydrochloride extrapure, 99% (2-Chlorotriethylamine Hydrochloride)	100 Gms	21.06
85048	,	25 Mg	34.22		(2 Officially latting 1 lyan commonac)	500 Gms	78.96
[4091-99-0]	(DCFH) extrapure, 97% (DCFH-DA,	100 Mg	125.02	33684		5 Gms	28.95
	2,7-Dichlorodihydrofluorescein			[10369-83-2]	(DA-6) technical grade, 98%	25 Gms	101.46
	Diacetate)			64699	Diethylenetriaminepentaacetic Acid	100 Gms	6.45
	2,3-Dichloro-5,6-Dicyano-1,4-Benzo	25 Gms	18.56	[67-43-6]	(DTPA) extrapure AR, 99%	500 Gms	25.14
[84-58-2]	quinone (DDQ) pure, 98%	100 Gms	66.19	04046	(Pentetic Acid)  Diethylenetriaminepentaacetic Acid	500 ml	0.24
		500 Gms	322.81	<b>81346</b> (140-01-2)	Pentasodium Salt (DTPA)	500 ml 1000 ml	9.34 18.03
52979		25 ml	54.75		extrapure, 40% (Liquid)	1000 1111	10.00
[4885-02-3]	97%	100 ml	199.77	17598	Diethylenetriamine pure, 98%	500 ml	14.74
88912	2,5-Dichloronitrobenzene pure,	100 Gms	5.92	[111-40-0]		2500 ml	65.80
[89-61-2]	99% (1,4-Dichloro-2-Nitrobenzene)	250 Gms	11.84	46791	Diethyl Pyrocarbonate (DEPC) for	5 ml	15.79
	(1,4 Dictiloro-2-Milliopelizerie)			[1609-47-8]	molecular biology, 99%	25 ml	33.03
						100 ml	116.86

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
84254	N,N-Diethyl-m-Toluidine pure, 98%	100 ml	13.29	33878	2-Methylresorcinol pure, 98%	25 Gms	17.11
[91-67-8]		500 ml	41.45	[608-25-3]	(2,6-Dihydroxytoluene)	100 Gms	51.06
99823	2,4-Difluoroaniline extrapure, 99%	25 Gms	17.63			250 Gms	125.28
[367-25-9]	<del>.</del>	100 Gms	63.04	16517	DL-Dihydrozeatin (DHZ) pure, 98%	10 Mg	85.93
29553	1,3-Difluorobenzene (MDFB)	25 ml	13.16	[14894-18-9]		25 Mg	142.00
[372-18-9]	extrapure, 99%	100 ml	27.77		(4-Hydroxy-3-Methylbutylamino)Purine)		
	(m-Diflourobenzene)	500 ml	130.68	<b>19022</b> [83-73-8]	5,7-Diiodo-8-Quinolinol (Diiodohydroxyquinoline,	25 Gms	28.95
72081	2,4-Difluorobenzoic Acid pure, 98%	5 Gms	29.74	[00-70-0]	lodoquinol) ExiPlus, 96.5%	100 Gms	76.33
[1583-58-0]	2,4-Diliuolobelizoic Acid pule, 96%	25 Gms	101.46		(5,7-Diiodo-8-Hydroxyquinoline)	500 Gms	289.52
	0.4 Difference its above and a second				N,N-Diisopropyl Carbodiimide	25 Gms	14.08
<b>10670</b> [446-35-5]	2,4-Difluoronitrobenzene extrapure, 99%	25 Gms	26.19	[693-13-0]	(DIPC) extrapure, 99%	100 Gms	51.59
[]		100 Gms 500 Gms	62.25			500 Gms	237.27
			286.10	95423	1,2,3,4-Di-O-Isopropylidene	10 Gms	90.94
90309	2,4-Difluorophenylboronic Acid extrapure, 95%	5 Gms	71.85		L-Arabinopyranoside extrapure	400	
[144025-00-0]		10 Gms	124.89	<b>94784</b> [4064-06-6]	1,2,3,4-Di-O-Isopropylidene a-D-Galactopyranoside extrapure,	10 Gms	90.94
53755	Digitonin (Digitin) extrapure, 50%	100 Mg	41.85	[4004 00 0]	98%		
[11024-24-1]		1 Gms	358.22	10232	2,3-Dimercaptosuccinic Acid	1 Gms	22.90
48712	Digoxin extrapure, 95%	50 Mg	22.77	[304-55-2]	(DMSA, Succimer) extrapure, 98%	5 Gms	75.54
[20830-75-5]		250 Mg	53.03	00500	(meso-2,3-Dimercaptosuccinic Acid)	OF Cmo	19.05
		1 Gms	103.04	<b>98526</b> [1072-71-5]	2,5-Dimercapto-1,3,4-Thiadiazole (Bismuthiol, DMTD) pure, 98%	25 Gms 500 Gms	18.95 110.54
91374	3,4-Dihydro-3-Hydroxy-4-Oxo-1,2,3-	5 Gms	24.87		(1,3,4-Thiadiazole-2,5-Dithiol)	500 GITIS	110.54
[28230-32-2]	Benzotriazine (DHOBT, DHBT)	25 Gms	85.67	76620	2,5-Dimethoxyacetophenone pure,	100 Gms	105.15
86580 🗸	extrapure, 98%	05!	0.04	[1201-38-3]	99%	500 Gms	409.41
<b>86580</b> ✓ [110-87-2]	3,4-Dihydro-2H-pyran (3,4-DHP) pure, 97%	25 ml 100 ml	9.34	40824	2,5-Dimethoxybenzaldehyde	25 Gms	18.03
	(2,3-Dihydropyran)	500 ml	21.58 80.01	[93-02-7]	(2,5-DMB) pure, 98%	100 Gms	69.09
	2.50			24116	2,4-Dimethoxybenzaldehyde	25 Gms	31.19
<b>65437</b> [89-84-9]	2,4-Dihydroxyacetophenone extrapure, 99%	25 Gms	9.21	[613-45-6]	extrapure AR, 98%	100 Gms	58.83
[00 0 . 0]	(Resacetophenone)	100 Gms	29.22	82410	1,4-Dimethoxybenzene pure, 99%	250 Gms	24.61
41384	2,5-Dihydroxyacetophenone	5 Gms	16.45	[150-78-7]	(Hydroquinone Dimethyl Ether)		
[490-78-8]	extrapure, 99%	25 Gms	65.80	66053	2,2-Dimethoxypropane pure, 98%	500 ml	6.58
	(2-Acetylhydroquinone, Quinacetophenone)			[77-76-9]		1000 ml	12.90
58494	2,6-Dihydroxyacetophenone	5 Gms	18.69			2500 ml	31.58
[699-83-2]	extrapure, 99%	10 Gms	33.69	84774	4-Dimethylaminoantipyrine	25 Gms	22.11
	(2-Acetylresorcin)	25 Gms	73.83	[58-15-1]	(Aminopyrine) extrapure, 99%	100 Gms	82.91
		100 Gms	257.54		(4-Dimethylamino-2,3-Dimethyl-1-Phen yl-3-Pyrazolin-5-one)		
15395	2,4-Dihydroxybenzoic Acid pure,	25 Gms	12.50	42442	5-(4-Dimethylaminobenzylidene)	5 Gms	25.66
[89-86-1]	98%	100 Gms	24.61	[536-17-4]	Rhodanine pure, 98%	25 Gms	106.60
	(ß-Resocylic Acid)	500 Gms	94.36	58451	p-Dimethylamino-Cinnamaldehyde	5 Gms	35.66
69911	1,3-Dihydroxynaphthalene	1 Gms	32.90	[6203-18-5]	extrapure, 98%	25 Gms	152.00
[132-86-5]	(Naphthoresorcinol) extrapure AR,	5 Gms	131.60	50040	C Dimethyleminesthenel outroning		
	99%	25 Gms	500.08	<b>58048</b> [108-01-0]	2-Dimethylaminoethanol extrapure, 98%	500 ml	7.63
41110	(1,3-Naphthalenediol)  1,5-Dihydroxynaphthalene pure,				(N,N-Dimethylethanolamine)	2500 ml	34.35
41110 <b>8</b> [83-56-7]	98%	100 Gms 500 Gms	33.16 127.65	18814	2-Dimethylaminoethyl Chloride	100 Gms	5.53
			127.65	[4584-46-7]	Hydrochloride pure, 98% (2-Chloro-N,N-Dimethylethylamine	500 Gms	20.79
<b>65796</b> [575-38-2]	1,7-Dihydroxynaphthalene pure, 97%	5 Gms	78.17		Hydrochloride)	1 Kg	38.69
[0/0-00-2]	(1,7-Naphthalenediol)	25 Gms	280.97	49235	1-(3-Dimethylaminopropyl)-3-Ethyl	25 Gms	12.90
33580	2,7-Dihydroxynaphthalene pure,	5 Gms	17.11	[25952-53-8]		100 Gms	43.43
[582-17-2]	98%	25 Gms	34.22		(EDC.HCI, EDAC.HCI) extrapure,	500 Gms	170.82
	(2,7-Naphthalenediol)	100 Gms	75.54		(N-Ethyl-N'-(3-Dimethylaminopropyl		
63370	3,4-Dihydroxy-5-Nitro	25 Gms	49.09		Ethylcarbodimide Hydrochloride)		
[116313-85-0]	Benzaldehyde pure, 98%	100 Gms	122.65				

1	Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
2.4-Dimethylaniline pure, 99%   250 ml   4.74   256 ms   2.6-Dimethylaniline pure, 99%   250 ml   11.19   250 Mg   150 ms   2.6-Dimethylaniline pure, 99%   250 ml   11.19   150 ms   2.6-Dimethylaniline pure, 99%   250 ml   11.19   150 ms   2.6-Dimethylaniline pure, 99%   250 ml   11.19   150 ms   2.6-Dimethylaniline pure, 99%   250 ml   42.11   11.19   250 mg   2.6-Dimethylaniline pure, 99%   250 ml   42.11   11.19   250 mg   2.6-Dimethylaniline pure, 99%   250 ml   42.11   11.19   250 mg   2.6-Dimethylaniline pure, 99%   250 ml   42.11   11.19   250 mg   2.6-Dimethylaniline (MDCS)   500 ml   42.11   11.19   250 mg   2.6-Dimethylaniline (MDCS)   500 ml   40.27   150 ms   250	3088 🗸	4-Dimethylaminopyridine (DMAP)	25 Gms	7.11	87464	3,5-Dinitrobenzoic Acid extrapure	100 Gms	11.05
	[1122-58-3]	extrapure, 98%	100 Gms	18.56	[99-34-3]	•	500 Gms	42.77
2.4-Dimethylaniline pure, 95%   250 ml   48.74   (14.25 a.4.4)   extrapure, 48.4-90%, Pd   1.00 ml   1.00 ml   2.75 ml   (14.25 a.4.4)   extrapure, 48.4-90%, Pd   1.00 ml   2.00 ml   2.15 ml   (14.25 a.4.4)   extrapure, 48.4-90%, Pd   1.00 ml   2.00 ml   2.15 ml   (14.25 a.4.4)   extrapure, 48.4-90%, Pd   1.00 ml   2.00 ml   2.15 ml   (14.25 a.4.4)   extrapure, 48.4-90%, Pd   1.00 ml   2.00 ml   2.15 ml   (14.25 a.4.4)   extrapure, 48.4-90%, Pd   1.00 ml   2.00 ml   2			500 Gms	58.43				
\$4.50   \$4.5	50593	2,4-Dimethylaniline pure, 98%	250 ml	8.29	56569		250 Mg	50.01
2.6 Dimethyloinine pure, 99%   250 ml   1.10   250 ml   4.211   11.20   26.5 Wildright   250 ml   4.211   11.20   250 ml   4.211   11.20   250 ml   250 ml   4.211   11.20   250 ml	[95-68-1]	(2,4-Xylidine)	2500 ml	49.74		· <u> </u>	=	131.60
	33029	2.6-Dimethylaniline pure. 99%	250 ml	11.19	00000	2.4 Dinitranhanylhydrazina		
								3.03 9.74
1909-98	86330	Dimethyl Carbonate pure 99%	500 ml					46.98
21800		Billethyl Garbonate pare, 55%				0.4 Disituación accellectuación		
10-19-2   NDimethyldodecylamine   100 ml   40.27   76477   2,4-Dinitrophenythydrazine   100 ml   10-19-3   10-19		Discontrol Disklasses (DMDOO)						3.68
					[110 20 0]	· · · · · · · · · · · · · · · · · · ·	100 Gms	12.37
10452-0-5	[10 10 0]	• •	1000 ml	94.75		meets compendial specs of BP, Ph.Eur		
2.4-DNP   Pasagemi)   2.5-DNP   Pasagemi)	10192	N,N-Dimethyldodecylamine	100 ml	40.27	75477		100 ml	3.42
(Lauryddinethyladerylamine N-Ordoe, LDAO)   10.06ms	[1643-20-5]		500 ml	75.80		•		
100 Gms   120					10052		25 Gma	9.48
1643-26    N-Outde (DIAO) extrapure, 95% (Laury/dimethy/straine N-Oode: LIAO)   25 Gms   502.32   38707   3,5-Dinitrosalicytic Acid extrapure   25 Gms   100 Gms   11.55   100 Gms   12.24   1	58764 <b>Y</b>		5 Gms	120 68		3,5-Dillitrosalicylic Acid pure, 96%		34.48
Cauy/dimethylamine N-Oxide, LDAO    10 Gms   27.77   10 methyl (Spine)   10 Gms   10.05   10								
10 Gms   1		(Lauryldimethylamine N-Oxide, LDAO)	25 4115					18.16
14157   5,5-Dimethylhydantoin (DMH)   100 Gms   11.05   100 Gms			10 Gms	27.77	[609-99-4]	An, 33/0	100 Gms	65.9
14.157   5,5-Dimethylhydantoin (DMH)   100 Gms   11.05   11.	[2491-06-7]	Hydrochloride pure, 98%	50 Gms	107.65			100 ml	8.8
	14157	5,5-Dimethylhydantoin (DMH)	100 Gms	11.05	-			
Section   Sect	[77-71-4]	-	500 Gms	35.93				22.3
		· ·			[512-04-9]		5 Gms	65.80
102-04-5    102-04-5    98%   100 Gms   500 Gms   12.24   102-04-5  98%   100 Gms   500 Gms	83177	·	250 ml	7 11	37187	1,3-Diphenylacetone extrapure,	25 Gms	30.40
1938-48-2  AR, 98%					[102-04-5]	98%	100 Gms	82.91
1938-842   AR, 88%	00047 4	2.2 Dimethylpenhthiding sytronyre					500 Gms	345.45
(4,4'-Diamino-3,3'dimethyl-1,1'-binapht hyl)   100 Gms   17,90   100 Gms   35,80   100 Gms   36,80   100 Gms   25 Gms   116,07   100 Gms   26,19   100 Gms   26,10   100 Gms   26,10 Gms   26,10 Gms   26,10 Gms   26,10 Gms   26,10 Gms   26,10 Gms			•		54164 ¥	Diphenylacetonitrile pure. 98%	100 Gms	11.58
			i Gilis	132.05				
100 Gms   35.80   23957   Diphenyl Ether pure, 98%   500 ml   100 0 ml   10		hyl)			57719	Diphenylcarbinol pure, 99%	100 Gms	5.66
23957   Diphenyl Ether pure, 98%   500 ml			25 Gms	17.90	[91-01-0]	(Benzhydrol)	500 Gms	21.4
1123-49-5  extrapure, 98%   25 Gms   116.07   90574	[13290-96-5]	35 /6	100 Gms	35.80	23957	Diphenyl Ether pure, 98%	500 ml	9.61
98550   V 2,5-Dimethyl Phenol pure, 98%   100 Gms   26.19   26.5-Xylenol)   90574   V N,N-Dimethyl-p-Phenylenediamine   10 Gms   50 Gms   93287   V N,N-Dimethyl-p-Phenylenediamine   25 Gms   65.67   (4-(Dimethylamino)Aniline, 4-Amino-N,N-Dimethyl-n,1-4-Phenylenediamine, N,N-Dimethyl-1,4-Phenylenediamine, N,N-Dimethyl-1,4-Phenylenediamine   10 Gms   1 Gms		· ·	5 Gms	36.32	[101-84-8]	(Diphenyl Oxide)	1000 ml	18.56
98950   2,5-Dimethyl Phenol pure, 98%   100 Gms   26.19     536-46-9   Dihydrochloride (DMPPDA.2HCI) pure, 98%   (4-(Dimethyl-p-Phenylenediamine (DMPPDA) pure, 98%   (4-(Dimethylamino)aniline (DMPPDA) pure, 98%   (1-(DMPPDA) pure, 98%   (1-(DMPPDA) pure, 98%   (1-(DMPPDA) pure, 98%   (1-(DMPPDA) pure, 98	[1123-49-5]	extrapure, 98%	25 Gms	116.07	90574 🗸	N.N-Dimethyl-p-Phenylenediamine	10 Gms	50.01
93.87-4   (2,5-Xylenol)	98950 🗸	2,5-Dimethyl Phenol pure, 98%	100 Gms	26.19				218.46
199-98-9    (DMPPDA) pure, 98%   25 Gms   65.67   4-Amino-N,N-Dimethylamiline, 4-Amino-N,N-Dimethylamiline, N,N-Dimethylamiline, M,N-Dimethylamiline, N,N-Dimethylamiline, N,N-Dimethylamiline, M,N-Dimethylamiline, M,N-	[95-87-4]	(2,5-Xylenol)				· ·	00 01110	210.10
Carro   Carr			5 Gms	32.90				
4-Amino-N,N-Dimethylaniline, N,N-Dimethyl-1,4-Phenylenediamine, DMPD)  67318 ✓ Dimethyl Terephthalate pure, 99% [120-61-6]  91273 ✓ Dimidium Bromide extrapure, 98% [518-67-2] (3,8-Diamino-5-Methyl-6-Phenylphenan thridinium Bromide, Trypadine)  1 Gms 38.56  84846 ✓ 2,4-Dinitroaniline pure, 98% [97-02-9]  500 Gms 500 Gms 62.25  1,6-Diphenyl-1,3,5-Hexatriene 1 Gms (Dicinnamyl, 1,6-Diphenylhexatriene)  34747 ✓ 5,5-Diphenylhydantoin (Phenytoin) 100 Gms 100 Gms 100 Gms 11	[99-98-9]	· · · · · · · · · · · · · · · · · · ·	25 Gms	65.67				
DMPD    [1720-32-7]   (DPH) pure, 98%   5 Gms   5 Gm			100 Gms	215.43		dihydrochloride, N,N-Dimethy		
120-61-6    20-61-6					66525		1 Gms	75.0°
120-61-6    34747   5,5-Diphenylhydantoin (Phenytoin)   100 Gms   100 Mg   5.00   100 Mg   5.00 Mg   23.56   100		,			[1720-32-7]		5 Gms	202.93
91273		Dimethyl Terephthalate pure, 99%	500 Gms	8.95	24747		100 Gms	19.74
[518-67-2] (3,8-Diamino-5-Methyl-6-Phenylphenan thridinium Bromide, Trypadine)		Dimidium Bromide extrapure 98%	100 Ma	5.00			100 dilis	15.7-
thridinium Bromide, Trypadine)  1 Gms 38.56    530-47-2    97%   25 Gms		•	•			Diphenylhydrazine Hydrochloride,	5 Gms	21.71
84846 ✓ 2,4-Dinitroaniline pure, 98%  100 Gms  14.87  97-02-9  500 Gms  62.25  101-81-5  Diphenylmethane pure, 98%  100 Gms  500 Gms  500 Gms  29.08  100 Gms  7.37  29128 ₺ 2,2-Diphenyl-1-Picrylhydrazyl  [1898-66-4] (DPPH) extrapure, 95%  1 Gms  5 Gms  5 Gms  41855 ₺ Diphenylmethane pure, 98%  100 Gms  500 Gms  29.08  100 Gms  3880  100 Gms  41855 ₺ Diphenylmethane pure, 98%  100 Gms  500 Gms  250 Mg  1 Gms  5 Gms  5 Gms		thridinium Bromide, Trypadine)	•		[530-47-2]	97%	25 Gms	63.17
100 Gms   100	04050	0.4 Dinitra cuille - · · · · · · · · · · · · · · · · · ·			41855	Diphenylmethane pure, 98%		9.61
500 Gms 62.25  500 Gms 62.25  500 Gms 62.25  500 Gms 62.25  500 Gms 7.37  [99-34-3] 98% 500 Gms 29.08		4-كاnitroaniine pure, 98%						29.87
[99-34-3] 98% 500 Gms 29.08 [1898-66-4] (DPPH) extrapure, 95% 1 Gms  66764 3,5-Dinitrobenzoic Acid extrapure 100 Gms 9.48 5 Gms  [99-34-3] AR, 99% 500 Gms 39.48 38201 ✓ 1,3-Diphenyl-1,3-Propanedione 25 Gms	[0. 02.0]					2.2 Dinhamul 1 Pierralhurdus—1		
500 Gms 29.08  500 Gms 29.08  66764 3,5-Dinitrobenzoic Acid extrapure 100 Gms 9.48  [99-34-3] AR, 99% 500 Gms 39.48 38201 ✓ 1,3-Diphenyl-1,3-Propanedione 25 Gms		• •	100 Gms	7.37			•	43.43
66764 3,5-Dintrobenzoic Acid extrapure 100 Gms 9.48  [99-34-3] AR, 99% 500 Gms 39.48 38201 ✓ 1,3-Diphenyl-1,3-Propanedione 25 Gms	[99-34-3]	30%	500 Gms	29.08	[.550 00 4]	, , , , , , , , , , , , , , , , , , ,		85.54
500 Gills 55.40 [Dibanzoulmethana] extranura 999/	66764	•	100 Gms	9.48				322.42
[120-46-7] (Dibenzoylmethane) extrapure, 98% 100 Gms	[99-34-3]	AR, 99%	500 Gms	39.48			25 Gms	39.48
					[120-46-7]	(Dibenzoylmethane) extrapure, 98%	100 Gms	

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
52196	Diphenyl Thiourea pure, 98%	100 Gms	10.79	93089 🗸	Dodecylamine (Laurylamine) pure,	100 Gms	4.61
[102-08-9]		500 Gms	32.37	[124-22-1]	98%	500 Gms	18.42
12781	DIPSO Buffer extrapure, 99%	25 Gms	78.83	85985	1-Dodecyl-3-Methylimidazolium	5 Gms	58.43
[68399-80-4]	(2,2-bis(2-Hydroxyethyl)  -3-Amino-2-Hydroxypropane Sulphonic	100 Gms	263.20	[219947-93-0]	Hexafluorophosphate (DMIM.PF6, C12MIMPF6) extrapure, 98%	25 Gms	222.93
	Acid)				(1-Lauryl-3-Methylimidazolium		
16722	DIPSO Buffer Sodium Salt	10 Gms	92.25		Hexafluorophosphate)		
[102783-62-0]	extrapure, 98%			85755		500 Mg	62.25
93634 [119-91-5]	2,2-Biquinoline (2,2-Diquinolyl, Cuproine) extrapure AR, 99%	1 Gms	13.42	[69227-93-6]	(DDM) extrapure, 99% (Dodecyl-Maltoside)	1 Gms	121.60
[119-91-5]	(2,2'-Diquinoline)	5 Gms	60.93		<u> </u>	5 Gms	580.36
32363	5,5'-Dithiobis(2-Nitro Benzoic Acid)	1 Gms	16.06	24940	Dodecyltrimethylammonium	25 Gms	9.74
[69-78-3]	extrapure (DTNB), 98%	5 Gms	47.38	[1119-94-4]	Bromide (DOTAB) pure, 99% (Lauryl Trimethylammonium Bromide)	100 Gms	19.48
	(Ellmans Reagent)	10 Gms	90.01	42020	Dodecyltrimethylammonium	100 Gms	21.4
		25 Gms	204.37	[112-00-5]	Chloride (DOTAC) pure, 98%	500 Gms	88.44
27956	Dithioerythritol (DTE) extrapure,	1 Gms	12.50	77004	(Lauryl Trimethylammonium Chloride)	5.0	10.04
[6892-68-8]	99% (Clainda Other reagent)	5 Gms	60.40	<b>77201</b> [59-92-7]	L-Dopa extrapure, 99% (L-Hydroxy Phenylalanine)	5 Gms	12.24
	(Clelands Other reagent)	25 Gms	290.18			25 Gms	55.40
53384	Dithioerythritol (DTE) for molecular	1 Gms	16.71	<b>87943</b> [63-84-3]	<b>DL-Dopa extrapure, 99%</b> (DL-Dihydroxy Phenylalanine)	1 Gms	4.34
[6892-68-8]	biology, 99%	5 Gms	81.59	[00 04 0]	(32 Sirry arroxy : riorry ladar inter	5 Gms	12.24 55.40
48086	(Clelands Other reagent)  Dithiooxamide (Rubeanic Acid)	1 Gms	15.66			25 Gms	
[79-40-3]	extrapure AR, 99%	5 Gms	56.32	<b>45462</b> [62-31-7]	Dopamine Hydrochloride (Dopamine HCI) extrapure, 98%	1 Gms	4.2
		25 Gms	218.46	[02 0]	(	5 Gms	13.8
84834 •	DL-Dithiothreitol (DTT) extrapure,	1 Gms	7.63			25 Gms	48.4
[3483-12-3]	98%	5 Gms	26.98	<b>65094</b> • [24390-14-5]	, , , , , , , , , , , , , , , , , , , ,	1 Gms	29.7
	(Clelands Reagent)	25 Gms	127.13	[2.0000]		5 Gms	57.7
		100 Gms	493.50			10 Gms	85.93
46220	DL-Dithiothreitol (DTT) ExiPlus,	5 Gms	29.74	<b>78985</b> ✓ [7688-25-7]	DPPB (1,4-Bis(Diphenylphosphino)Butan	5 Gms	23.4
[3483-12-3]	Multi-Compendial, 98%	o dilio	20.74	[7000 20 7]	e) extrapure, 98%	25 Gms	93.7
	meets compendial specs of BP				(1,4-Butanediylbis(Diphenylphosphine)		
17315	` ,	1 Gms	9.08		, Tetramethylenebis(Diphenylphosphine)		
[3483-12-3]	molecular biology, 98% (Clelands Reagent)	5 Gms	31.85		)		
	(Colaile Floagelly	25 Gms	149.23	48237		5 Gms	12.6
		100 Gms	565.88	[1663-45-2]	(1,2-Bis(Diphenylphosphino)Ethane ) extrapure, 98%	25 Gms	62.5
15248	DL-Dithiothreitol 0.1M Solution	10 ml	11.05		(Diphos,		
	(DTT 0.1M Solution)	100 ml	34.61		Ethylenebis(Diphenylphosphine))		
16927	DL-Dithiothreitol 1M Solution (DTT	10 ml	16.58	23660 🗸		1 Gms	12.6
	1M Solution)	50 ml	48.43	[12150-46-8]	(1,1-Bis(Diphenylphosphino)Ferroc ene) extrapure, 98%	5 Gms	47.38
97980	Dithizone pure, 70%	5 Gms	10.79		(1,1-Ferrocenediyl-bis(Diphenylphosph	25 Gms	161.4
[60-10-6]	(Diphenyl Thiocarbazone, Dithiozone)				ine))		
<b>89257</b> [60-10-6]	Dithizone extrapure AR, 85% (Diphenyl Thiocarbazone, Dithiozone)	5 Gms	11.84	<b>34103</b> ✓ [6737-42-4]	DPPP (1,3-Bis(Diphenylphosphino)Propa	1 Gms	9.4
[00-10-0]		25 Gms	51.32	[0/0/ 42 4]	ne) extrapure, 98%	5 Gms	28.1
<b>46141</b>	Dithizone extrapure AR, ACS, ExiPlus, Multi-Compendial, 85%	5 Gms	13.82			25 Gms	124.8
[60-10-6]	(Diphenyl Thiocarbazone, Dithiozone)	25 Gms	55.27	<b>75470 8</b> [608-66-2]	Dulcitol (D-Galactitol) extrapure, 99%	25 Gms	19.2
	meets compendial specs of BP, Ph.Eur			[550-00-2]	(D-Galactitol)	100 Gms	65.6
56266	Dithizone Reagent	100 ml	12.11	62813	• •	10 Gms	18.82
	Divinus Culfone (DVC) 2001			[16357-59-8]	(N-Ethoxycarbonyl-2-Ethoxy-1,2-di-	25 Gms	37.5
<b>37237</b> [77-77-0]	Divinyl Sulfone (DVS) pure, 96% (Vinyl Sulfone)	5 ml	26.32		Hydroxyquinoline)	100 Gms	140.5
		25 ml	76.06	17398	Ehrlich`s Aldehyde Reagent	100 ml	2.1
<b>80704</b> [112-16-3]	Dodecanoyl Chloride pure, 99% (Lauroyl Chloride)	100 Gms	29.74				
1112-10-31	(Lauroyi Oriionae)	500 Gms	109.36	99640	Ehrlich`s Amino Sugar Reagent	100 ml	2.3

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>81802</b> [112-79-8]	Elaidic Acid Reference Standard, 99%(GC)	1 Gms	92.51 284.65	<b>96669</b> [105-39-5]	Ethyl Chloroacetate pure, 98%	500 ml	10.53
. ,	(trans-9-Octadecenoic Acid, trans-Oleic Acid)	5 Gms	204.00	95953	Ethyl 2-Chloropropionate practical	2500 ml 100 ml	39.48 16.58
11814 <b>1</b>	Elastase (ELA, PPE) ex. Porcine Pancreas, 10U/mg Protein	10 Mg	104.62	[535-13-7] <b>92052</b>	grade, 95% Ethyl Cyanoacetate extrapure, 98%	500 ml	9.48
19764	Emamectin Benzoate extrapure,	100 Mg	33.16	[105-56-6]		2500 ml	43.43
[155569-91-8]	90%	1 Gms	82.91	69674	3,4-Ethylenedioxythiophene	5 Gms	36.85
73363	Emodin extrapure, 95%	25 Mg	28.95	[126213-50-1]	(EDOT) pure, 98%	25 Gms	78.96
[518-82-1]		500 Mg	105.28	62858	Ethylene Glycol-O-O-bis-	10 Gms	37.51
90310	Emulgen B-66 (Eumulgin B66)	100 ml	53.82	[67-42-5]	(2-Aminoethyl) N,N,N,N-Tetraacetic	25 Gms	73.43
	(Polyoxyethylene Alkyl Ether)	500 ml	206.09	70044	Acid (EGTA) extrapure, 98%	0501	0.00
20790	Enrofloxacin (EFX), 98%	5 Gms	25.66	<b>78214</b> [149-57-5]	2-Ethylhexanoic Acid extrapure, 99%	250 ml	3.29
[93106-60-6]	<u> </u>					1000 ml	11.84
	Epiprogoitrin Potassium Salt	10 Mg	346.24	<b>32021</b> [104-76-7]	2-Ethyl-1-Hexanol pure, 99%	500 ml	3.95
[21087-74-1]	Reference Standard Grade, 80% ((S)-2-Hydroxy-3-Butenylglucosinolate					2500 ml	17.77
	Potassium Salt)			<b>69647</b> [124-03-8]	Ethylhexadecyldimethylammonium Bromide (EHDDMAB) extrapure,	25 Gms	18.69
97857	Epirubicin Hydrochloride	10 Mg	70.27	[124-03-0]	98%	100 Gms	62.25
[56390-09-1]	(EPR.HCI), 97%	25 Mg	140.55		(Cetyldimethylethylammonium	500 Gms	165.82
49470	EPPS Buffer extrapure, 99.5%	10 Gms	24.48		Bromide, Dimethylethylhexadecylammonium		
[16052-06-5]		50 Gms	77.91		Bromide)		
		100 Gms	154.24	71407	2-Ethylhexyl Acrylate extrapure,	500 ml	7.76
50062	N-(epsilon-Maleimidocaproyloxy)	10 Mg	67.25	[103-11-7]	99% (Acrylic acid 2-ethylhexyl Ester)	2500 ml	33.82
[55750-63-5]	Succinimide extrapure, 98%	50 Mg	122.91	30484	Ethylhexyl Triazone extrapure, 98%	100 Mg	26.32
44400	(EMCS)	F C	44.45	[88122-99-0]		1 Gms	89.49
<b>41120</b> [10025-75-9]	Erbium (III) Chloride Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	41.45 103.70		-oxy)-1,3,5-Triazine)	5 Gms	125.02
	Fuhirum (III) Niturata Harrahandurata			91018	Ethylidene Glucose extrapure, 90%	1 Gms	53.82
<b>54788</b> [13476-05-6]	Erbium (III) Nitrate Hexahydrate extrapure, 99.9%	5 Gms 25 Gms	43.43 108.57	[13224-99-2]	,,	5 Gms	138.44
				10674	Ethyl lodide extrapure, 99%	25 ml	27.64
<b>29831</b> [12061-16-4]	Erbium (III) Oxide ultrapure, 99.99%	5 Gms 25 Gms	41.45 103.70	[75-03-6]	Larry rodiue extrapare, 33%	100 ml	100.02
	Entrices (III)					250 ml	236.88
<b>12485</b> [139177-64-3]	Erbium (III) Trifluoromethanesulfonate	5 Gms	46.98	78503	N-Ethylmaleimide extrapure, 99%	5 Gms	26.32
. ,	extrapure, 98%	25 Gms	152.00	[128-53-0]		25 Gms	118.44
	(Erbium Triflate, Trifluoromethanesulfonic Acid Erbium					100 Gms	473.76
	Salt)			81176	N-Ethylmaleimide ExiPlus,	5 Gms	28.95
56488	Erythritol extrapure, 99%	25 Gms	6.84	[128-53-0]	Multi-Compendial, 99%	25 Gms	131.60
[149-32-6]	(Erythrite, meso-Erythritol)	100 Gms	20.00			100 Gms	526.40
		500 Gms	65.54		meets compendial specs of BP, Ph.Eur		
48535	Erythromycin for tissue culture	1 Gms	5.00	85108	Ethyl Methanesulphonate (EMS)	10 Gms	9.34
[114-07-8]		5 Gms	21.58	[62-50-0]	extrapure, 99%	100 Gms	79.09
51114	Esculin Sesquihydrate extrapure,	5 Gms	16.98	27035	Ethyl Methanesulphonate (EMS)	10 Gms	28.29
[66778-17-4,	98% (Accordin)	25 Gms	78.30	[62-50-0]	for tissue culture, 99%		
531-75-9] <b>77688</b> ✓	(Aesculin)  Ethambutol Dihydrochloride	1 Gms	9.87		1-Ethyl-3-Methylimidazolium	5 Gms	15.79
[1070-11-7]	•	5 Gms	9.87 26.19	[65039-09-0]	Chloride (EMIM CI) extrapure, 98%	25 Gms	52.64
90727	1.2 Ethanodithial avtranura 02 59/					100 Gms	151.34
<b>89737</b> [540-63-6]	1,2-Ethanedithiol extrapure, 98.5%	25 ml	49.74 170.63		1-Ethyl-3-Methylimidazolium Ethyl	5 Gms	27.90
. ,		100 ml 500 ml	179.63 884.35	[342573-75-5]	Sulfate (EMIM EtOSO3) extrapure, 99%	25 Gms	90.15
40045 1	<b>7</b> Fab			34543	1-Ethyl-3-Methylimidazolium	5 Gms	24.61
<b>16844</b> ✓ [31005-02-4]	7-Ethoxycoumarin extrapure, 98%	25 Mg	23.42		Hexafluorophosphate (EMIM PF6)	25 Gms	106.60
[0.000 02 4]		100 Mg	62.51		extrapure, 97%	100 Gms	375.19

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>96150</b> ✓ [80432-05-9]	1-Ethyl-3-Methylimidazolium Tetrachloroaluminate (EMIM AICI4)	5 Gms 25 Gms	41.06 145.94	33138	Exton`s Reagent	100 ml	3.03
	extrapure, 95%	20 01110	1 10.0 1	66977	Fast Blue B Salt (DBB)	25 Gms	11.45
	1-Ethyl-3-Methylimidazolium	5 Gms	62.38	[14263-94-6]	(o-Dianisidine bis(Diazotized) Zinc	100 Gms	42.24
143314-16-3]	Tetrafluoroborate (EMIM BF4) extrapure, 97%	25 Gms	80.41		Double Salt, Azoic Diazo No. 48, Diazo Blue B)		
		100 Gms	303.21	94315	Fast Blue BB Salt Hemi Zinc	5 Gms	31.72
	1-Ethyl-3-Methylimidazolium	1 Gms	39.35	[5486-84-0]	Chloride Salt, 99%	10 Gms	52.77
145022-44-2]	Trifluoromethanesulfonate (EMIM Otf), 98%	5 Gms	106.60		(4-Amino-2,5-Diethoxybenzanilide	25 Gms	79.09
	(1-Ethyl-3-Methylimidazolium Triflate)	25 Gms	204.90		Diazotated Zinc Double Salt, 4-Benzoylamino-2,5-Diethoxybenzened		
49544	5-Ethyl-2-Methylpyridine pure, 97%	100 ml	11.32		iaz		
[104-90-5]		250 ml	20.00			1 Gms	60.01
64770 🗸	1-Ethyl-1-Methylpyrrolidinium	1 Gms	26.32	[14726-29-5]	(4-Benzoylamino-2,5-dimethoxybenzen ediazonium chloride hemi(zinc	5 Gms	284.39
	3436-99-5] Bis(trifluoromethylsulfonyl)imide	5 Gms	68.43		chloride) salt, Azoic Diazo No. 24)		
	(EMP TFSI) extrapure, 99%	25 Gms	243.46	60339	Fast Green FCF (Food Green 3),	5 Gms	5.26
70945	Ethyl Oleate pure	500 ml	8.55	[2353-45-9]	85%	25 Gms	20.00
[111-62-6]	Zinyi Giodio paro	300 1111	0.00		(C.I. No. 42053)		
24489	2-Ethylphenylboronic Acid pure,	1 Gms	29.08	<b>79950</b> [89453-69-0]	Fast Red TR Salt Hemi Zinc Chloride Salt	100 Mg	35.14
[90002-36-1]		5 Gms	124.36	[09433-09-0]	(4-Chloro-2-Methylbenzenediazonium	500 Mg	140.55
	(2-Ethylbenzeneboronic Acid, o-Ethylphenylboronic Acid)				Salt, Azoic Diazo No.11) (C.I. No.		
42676 <b>✓</b>	1-Ethylpiperazine pure, 99%	50 Gms	15.79		37085)		
[5308-25-8]	(N-Ethylpiperazine)	250 Gms	32.90	<b>14977</b> ✓ [102-54-5]	Ferrocene extrapure, 98%	25 Gms	6.58
70404	Ethyl n Toluenoculfonete nure 99%	25 ml	10.13	[102-34-3]		100 Gms	19.74
<b>72424</b> [80-40-0]	Ethyl p-Toluenesulfonate pure, 98% (Ethyl Tosylate, p-Toluenesulfonic Acid	500 ml	85.15			500 Gms	78.96
	Ethyl Ester)	300 1111	05.15	38082 ✓		1 Gms	27.77
59863	5-(Ethylthio)-1H-Tetrazole(ETT	1 Gms	27.77	[69898-45-9]	(5,6-Diphenyl-3-(2-pyridyl)	5 Gms	123.05
[89797-68-2]	99797-68-2] Activator) extrapure,99%	5 Gms	58.43		-1,2,4-triazine-4',4"-disulfonic acid	25 Gms	584.17
65770	Ethyltriphenylphosphonium	25 Gms	6.32		sodium salt, PDT disulfonate)		
[1530-32-1]	Bromide pure, 97%	100 Gms	15.79	60096	1 /	5 Gms	10.92
57056	Ethyl Vanillin extrapure, 98%	100 Gms	16.06	[1135-24-6]	(4-Hydroxy-3-Methoxycinnamic Acid)	25 Gms	31.72
[121-32-4]		500 Gms	76.99			100 Gms	111.99
24820 🗸	Ethyl Vinyl Ether pure, 98%	100 ml	9.34		Ficoll 400® for molecular biology	5 Gms	27.37
[109-92-2]		500 ml	23.03	[26873-85-8]	(Polysucrose 400)	25 Gms	124.89
00050	Eucalyptus Oil extrapure, 60%		29.22			100 Gms	468.10
<b>93050</b> [8000-48-4]	Eucaryptus On extrapure, 60%	250 ml	29.22	87939	Flavine Adenine Dinucleotide	25 Mg	28.16
	Eugenol extrapure, 99%	100 ml	18.03	[146-14-5]	Sodium Salt (FAD) extrapure, 95%	100 Mg	90.54
[97-53-0]	(2-Methoxy-4-(2-Propenyl)phenol,	500 ml	67.77			250 Mg	156.08
	4-Allyl-2-Methoxyphenol,					500 Mg	280.97
98345	4-Allylguaiacol)  Europium (III) Chloride	1 Gms	30.40	69510	Flavone extrapure	1 Gms	9.87
[13759-92-7]	Hexahydrate ultrapure, 99.99%	5 Gms	81.59	[525-82-6]		5 Gms	39.09
		25 Gms	234.91			25 Gms	171.74
7700	Europium (III) Nitrata Harrista			89465	Florisil 60-100 mesh for	100 Gms	32.90
<b>97625</b> [10031-53-5]	Europium (III) Nitrate Hexahydrate ultrapure, 99.99%	5 Gms	85.41	[1343-88-0]	chromatography	250 Gms	65.80
•	·	25 Gms	246.09			1 Kg	250.04
44088	Europium (III) Oxide extrapure, 99.9%	1 Gms	19.35	22239	Fluconazole (FLC), 98%	1 Gms	10.53
[1308-96-9]	33.3 /0	5 Gms	69.09	[86386-73-4]		5 Gms	32.90
91883	Europium (III)	1 Gms	26.32	E4000 -	9 Eluoropylmothyl Chloreformets		
[52093-25-1]	Trifluoromethanesulfonate extrapure, 98%	5 Gms	66.33	<b>54083</b> [28920-43-6]	9-Fluorenylmethyl Chloroformate (FMOC Chloride, FMOC-CI)	5 Gms	5.92
	(Europium Triflate,			[20020-40-0]	extrapure, 99%	25 Gms	23.69
	Trifluoromethanesulfonic Acid					100 Gms	85.54
	Europium Salt)				9-Fluorenylmethanol (FMOC-OH)	25 Gms	52.51
46650	Evans Blue	10 Gms	22.24	[24324-17-2]	extrapure, 98% (9-Fluorenemethanol, 9-	100 Gms	190.95
[314-13-6]		25 Gms	52.64		(Hydroxymethyl)fluorene)		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
46068	Fluorescamine extrapure AR, 99%	25 Mg	22.11		5-Fluoro-2-Deoxyuridine extrapure,	25 Mg	22.11
[38183-12-9]		100 Mg	56.72	[50-91-9]	98%	100 Mg	69.22
		500 Mg	124.36			1 Gms	426.91
		1 Gms	183.19	67782	1-Fluoro-2,4-Dinitrobenzene	25 ml	21.71
85445	Fluorescamine extrapure AR,	25 Mg	24.87	[70-34-8]	(FDNB) extrapure AR, 99%	100 ml	68.70
[38183-12-9]	ExiPlus, Multi-Compendial, 99%	100 Mg	60.80			250 ml	164.11
		500 Mg	141.73	42199	1-Fluoro-2,4-Dinitrobenzene	5 ml	105.28
	meets compendial specs of USP, BP, Ph.Eur			[70-34-8]	(FDNB) for HPLC, 99% (Sanger Reagent)		
50389	Fluorescein Free Acid (C.I. No.	25 Gms	3.55	68632	5-Fluoro-2-Methoxyphenyl Boronic	5 Gms	96.46
[2321-07-5]	45350:1), 96%	100 Gms	11.84	[179897-94-0]	Acid extrapure, 95%	10 Gms	168.84
	(Solvent Yellow 94)			78447	1-Fluoro-4-Nitrobenzene extrapure,	100 Gms	25.79
73698		25 Mg	30.40	[350-46-9]	99%	500 Gms	91.07
[3326-32-7]	I (FITC) extrapure, 95%	100 Mg	46.06	27492	2-Fluoro-3-Nitrotoluene extrapure,	1 Gms	52.64
		250 Mg	107.91	[3013-27-2]	98%	i dilis	32.04
		1 Gms	282.94		(3-Fluoro-2-nitrotoluene)		
55091	Fluorescein Sodium Salt (C.I. No.	25 Gms	4.21	78510	5-Fluoroorotic Acid (5-FOA) for	250 Mg	52.25
[518-47-8]	<b>45350)</b> (Acid Yellow 73)	100 Gms	13.42	[703-95-7]	molecular biology, 98%	1 Gms	171.74
92458	4-Fluoroacetophenone pure, 98%	25 Gms	18.82		5-Fluoroorotic Acid Hydrate (5-FOA Hydrate) for molecular biology,	250 Mg	55.27
[403-42-9]		100 Gms	71.33	[20/291-01-4]	98%	1 Gms	179.11
57482	2-Fluoroaniline pure, 98%	100 ml	26.32	11933	5-Fluoroorotic Acid Monohydrate	250 Mg	53.82
[348-54-9]	· ·	500 ml	121.07	[220141-70-8]	(5-FOA Monohydrate) for molecular biology, 98%	1 Gms	176.21
61820	3-Fluoroaniline pure, 98%	25 ml	39.48	66079	2-Fluorophenol pure, 98%	10 ml	22.77
[372-19-0]		100 ml	151.34	[367-12-4]		100 ml	117.26
62395	4-Fluoroaniline pure, 98%	100 ml	23.69	47982	3-Fluorophenol pure, 98%	10 ml	44.88
[371-40-4]		500 ml	110.54	[372-20-3]		50 ml	152.00
55482	2-Fluoroanisole pure, 98%	25 ml	41.45	44.00	4 Electronic and according to		
[321-28-8]	• . ′	100 ml	131.34	<b>41593</b> [371-41-5]	4-Fluorophenol pure, 98%	100 Gms	44.88
45810	3-Fluoroanisole pure, 98%	25 Gms	34.61	[0]		500 Gms	170.82
[456-49-5]	3-Fidologiiisole pule, 96 %	25 Gms 100 Gms		10573	4-Fluorophenylacetic Acid pure,	5 Gms	12.63
			124.36	[405-50-5]	98%	25 Gms	37.11
<b>51009</b> [459-60-9]	4-Fluoroanisole extrapure, 99%	25 Gms	15.79			100 Gms	113.97
	4-Fluorobenzaldehyde pure, 98%	100 Gms	59.22 46.06		o-Fluoro-DL-Phenylalanine extrapure, 99%	1 Gms	97.65
<b>90335</b> [459-57-4]	4-Fidolobelizaldenyde pule, 30%	100 ml			m-Fluoro-DL-Phenylalanine	500 Mg	58.04
		500 ml	184.24	[2629-54-1]	extrapure, 98%	555g	
88879	Fluorobenzene pure, 99%	100 ml	13.16	96044	p-Fluoro-DL-Phenylalanine	1 Gms	97.65
[462-06-6]		500 ml	52.64	[51-65-0]	extrapure, 99%		
		1000 ml	100.02	11280	2-Fluorophenylboronic Acid	1 Gms	12.90
68427	4-Fluorobenzoic Acid pure, 98%	25 Gms	11.05	[1993-03-9]	extrapure, 97%	5 Gms	26.19
[456-22-4]		100 Gms	30.40			25 Gms	114.62
94304	4-Fluorobenzonitrile pure, 98%	25 ml	31.98	54271	3-Fluorophenylboronic Acid	1 Gms	10.40
[1194-02-1]	. <del>.</del>	100 ml	111.20	[768-35-4]	extrapure, 98%	5 Gms	22.64
13212	4-Fluorobenzylamine extrapure,	5 Gms	11.05			25 Gms	96.46
[140-75-0]	99%	25 Gms	29.08	68733	4-Fluorophenylboronic Acid	1 Gms	9.74
	E Flygge audiding (E FOrds)			[1765-93-1]		5 Gms	22.64
11821 [2341-22-2]	5-Fluorocytidine (5-FCytd) extrapure, 99%	1 Gms	55.27			25 Gms	80.41
24245	5-Fluorocytosine (5-FCtys)	1 Gms	27.64			100 Gms	289.39
[2022-85-7]	extrapure, 98%	5 Gms	89.88		4 Elizabethan		
	(5-FA, 4-Amino-5-Fluoro-2-Hydroxypyrimidine	3 GIIIS	09.00	<b>37042</b> [352-32-9]	4-Fluorotoluene pure, 99%	100 ml	37.51
	)			21015	4-Fluoro-3-Nitrotoluene extrapure,	5 Gms	26.32
)	,			[446-11-7]	98%	25 Gms	92.12

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
15088	5-Fluorouracil (5-FU) extrapure,	1 Gms	6.97		FMOC-L-Glutamic Acid extrapure,	10 Gms	65.67
[51-21-8]	99%	5 Gms	22.11	[121343-82-6]	] 99%	25 Gms	129.49
		25 Gms	74.62	68902	FMOC -L-Glutamic Acid g-Benzyl	10 Gms	151.87
28329	, , , , ,	1 Gms	55.27	[123639-61-2]	Ester extrapure, 98%	25 Gms	265.70
[316-46-1]	98%	5 Gms	131.34	90673	FMOC-L-Glutamic Acid 5-Tert-Butyl	10 Gms	62.38
53061	FMOC-L-Amino Acids Kit	1 Kit	356.37	[71989-18-9]	Ester (FMOC-Glu(OtBu)-OH)	25 Gms	155.68
					extrapure, 99%	100 Gms	294.92
0,000	FMOC-S-Acetamido	5 Gms	36.98	21323	FMOC-D-Glutamic Acid 5-Tert-Butyl	5 Gms	90.15
[86000-81-3]	Methyl-L-Cysteine (Fmoc-Cys(Acm) -OH) extrapure, 98%	25 Gms	146.08	[104091-08-9]	Ester (FMOC-D-Glu(OtBu)-OH) extrapure, 99%	25 Gms	309.65
	FMOC-D-Alanine extrapure, 99%	1 Gms	8.42	59874	FMOC-D-Glutamine extrapure, 99%	500 Mg	8.29
[79990-15-1]		5 Gms	32.51	[112898-00-7]	1	2.5 Gms	33.16
		25 Gms	134.89			25 Gms	294.26
	FMOC-L-Alanine extrapure, 99%	5 Gms	6.84	27631	FMOC-L-Glutamine extrapure, 99%	5 Gms	6.84
[35661-39-3]		25 Gms	30.27	[71989-20-3]	•	25 Gms	30.27
		100 Gms	111.20			100 Gms	111.20
81433	FMOC-2-Aminobutric Acid	1 Gms	48.03	21282	Na-FMOC-No-Trityl-L-Glutamine	5 Gms	46.19
[135112-27-5]	extrapure, 99%	5 Gms	218.59		[ (FMOC-Gin(TRT)-OH) extrapure,	100 Gms	292.15
66725	FMOC-D-Arginine extrapure, 99%	1 Gms	28.69		98%	100 Gills	202.10
[130752-32-8]		5 Gms	127.26		FMOC-Glycine extrapure, 99%	5 Gms	11.05
		25 Gms	572.46	[29022-11-5]		25 Gms	35.93
	FMOC-L-Arginine extrapure, 98%	1 Gms	5.66	<b>17849</b> [116611-64-4	FMOC-L-Histidine extrapure, 98%	5 Gms	50.80
[91000-69-0]		5 Gms	19.35	_	FMOC-D-Isoleucine extrapure, 99%	500 Mg	225.83
		25 Gms	81.33	[143688-83-9]		555g	220.00
		100 Gms	292.15	22834	FMOC-L-Isoleucine extrapure, 99%	5 Gms	8.29
23508	FMOC-D-Asparagine extrapure,	1 Gms	9.48	[71989-23-6]		25 Gms	34.35
[108321-39-7]	99%	5 Gms	39.48			100 Gms	121.07
		25 Gms	164.50	16515	FMOC-D-Leucine extrapure, 99%	1 Gms	8.29
66815	FMOC-L-Asparagine extrapure,	5 Gms	6.84	[114360-54-2]	1	5 Gms	33.16
[71989-16-7]	99%	25 Gms	30.27			25 Gms	138.05
		100 Gms	111.20	99284	FMOC-L-Leucine extrapure, 99%	25 Gms	30.27
49323	FMOC-N-Trityl-L-Asparagine	5 Gms	46.19	[35661-60-0]		100 Gms	85.41
[132388-59-1]	(FMOC-Asn(Trt)-OH) extrapure, 99%	100 Gms	292.15	20340	Na-FMOC-Ne-BOC-L-Lysine	10 Gms	40.80
20074	FMOC-L-Aspartic Acid extrapure,	1 Gms	90.15		(FMOC-Lys(BOC)-OH) extrapure,	25 Gms	96.73
[119062-05-4]		5 Gms	162.26		98%	100 Gms	172.79
	FMOOL Assessed Asid A Barrer			67377	FMOC-N-e-Z-L-Lysine extrapure,	10 Gms	187.66
	FMOC-L-Aspartic Acid-4- Benzy Ester extrapure, 98%	10 Gms	150.16	[86060-82-4]	• •	25 Gms	319.00
		25 Gms	262.54	77712	FMOC-L-Lysine extrapure, 99%	1 Gms	18.56
	FMOC-S-Benzyl-L-Cysteine extrapure, 98%	10 Gms	159.89	[105047-45-8]		5 Gms	70.80
		25 Gms	279.78	02604	FMOC-D-Methioning overse		
	FMOC-O-Benzyl-L-Serine extrapure, 98%	10 Gms	366.24	[112883-40-6]	FMOC-D-Methionine extrapure,  99%	1 Gms 5 Gms	13.69 56.98
[00/92-40-/]	олиц <b>ри</b> ге, 3070	25 Gms	640.76	-	-	25 Gms	237.27
	FMOC-O-Benzyl-L-Tyrosine	10 Gms	150.16		FMOC I Mathianina automorphis 2007		
[/1989-40-7]	extrapure, 98%	25 Gms	262.81	<b>50606</b> [71989-28-1]	FMOC-L-Methionine extrapure, 99%	5 Gms	6.84
	FMOC-D-Citrulline extrapure, 99%	100 Mg	40.27	1		25 Gms 100 Gms	30.27 111.20
[200344-33-8]		1 Gms	59.88	n	N - F N - 4 M-4		
61458	FMOC-L-Citrulline extrapure, 99%	1 Gms	23.56		N-a-Fmoc-N-e-4-Methyltrityl-L-Lysin e (FMOC-Lys(MTT)-OH) extrapure,	1 Gms	48.43
[133174-15-9]	(FMOC-CIT-OH)	5 Gms	82.91	[10/090-02-0]	98%	5 Gms	174.11
65668	FMOC-L-Cysteine extrapure, 95%	25 Mg	59.09	95562	FMOC-D-Norleucine extrapure, 99%	1 Gms	50.14
[135248-89-4]		100 Mg	196.61	[112883-41-7]	1	5 Gms	228.06
		-					

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
35941	FMOC-L-Norleucine extrapure, 99%	1 Gms	35.53	54034	FMOC-D-Tyrosine extrapure, 99%	1 Gms	13.69
[77284-32-3]		5 Gms	161.34	[112883-29-1]		5 Gms	56.98
73648	FMOC-D-Norvaline extrapure, 99%	1 Gms	50.14			25 Gms	237.27
[144701-24-6]		5 Gms	228.06	79199	FMOC-L-Tyrosine extrapure, 99%	5 Gms	18.82
31631	FMOC-L-Norvaline extrapure, 99%	1 Gms	39.74	[92954-90-0]		25 Gms	78.96
[135112-28-6]		5 Gms	180.69			100 Gms	278.47
24626	FMOC-4-Nitro-L-Phenylalanine	10 Gms	112.52	22292	FMOC-O-Tert-Butyl-L-Tyrosine	5 Gms	27.77
[95753-55-2]	extrapure (FMOC-L-Phe(4NO2) -OH), 98%	25 Gms	196.74	[71989-38-3]	(FMOC-Tyr(tBu)-OH) extrapure, 98%	100 Gms	261.36
	FMOC-D-Phenylalanine extrapure,	1 Gms	8.29	<b>15917</b> • [84624-17-9]	FMOC-D-Valine extrapure, 99%	1 Gms	17.90
[86123-10-6]	99%	5 Gms	33.69	[04024-17-9]		5 Gms	73.96
		25 Gms	117.78			25 Gms	308.08
		100 Gms	423.75	<b>47834</b> • [68858-20-8]	FMOC-L-Valine extrapure, 99%	5 Gms	5.40
	FMOC-L-Phenylalanine extrapure,	5 Gms	7.90	[00030-20-0]		25 Gms	24.61
[35661-40-6]	99%	25 Gms	26.32			100 Gms	92.25
	FMOC-D-Phenylglycine extrapure,	10 Gms	98.31	<b>79235</b> • [82911-69-1]	FMOC-OSu extrapure AR, 99%	5 Gms	8.55
[111524-95-9]	98%	25 Gms	172.00	[02911-09-1]		25 Gms	31.58
	FMOC-L-Phenylglycine extrapure,	10 Gms	23.69			100 Gms 500 Gms	95.41 434.28
[102410-65-1]	98%	25 Gms	39.48				
	FMOC-D-Proline extrapure, 99%	5 Gms	56.98		Folcisteine (ATCA, NATCA) technical grade, 99%	100 Mg	13.82 69.09
[101555-62-8]	FMOOL Bushing autonomy 0000	5.0		323-50-1]	(3-Acetyl-1,3-Thiazolidine-4-Carboxylic	1 Gms 5 Gms	165.82
[71989-31-6]	FMOC-L-Proline extrapure, 99%	5 Gms 25 Gms	8.29 34.35		acid, R-Aminofol)		
		100 Gms	121.07	<b>43164</b> ✓ [59-30-3]	Folic Acid pure, 98%	25 Gms	6.58
50504	FMOC-D-Serine extrapure, 99%					100 Gms	23.69
<b>53534</b> • [116861-26-8]	FMOC-D-Serine extrapure, 99%	500 Mg 2.5 Gms	30.66 127.13	24791 ✓ [59-30-3]	Folic Acid ExiPlus, Multi-Compendial, 98%	10 Gms	4.21
		25 Gms	529.43	[00 00 0]		25 Gms	8.55
18126	FMOC-L-Serine extrapure, 99%	1 Gms	19.61	47000 4	meets compendial specs of BP  Folic Acid for tissue culture, 98%	5 Gms	5.26
[73724-45-5]	1 MOO-L-Serine extrapure, 33 /6	5 Gms	42.51	<b>17989</b> ✓ [59-30-3]	rolle Acid for tissue culture, 36%	25 Gms	11.84
13334	FMOC-O-Tert-Butyl-L-Serine	10 Gms	46.19			100 Gms	42.11
[71989-33-8]		100 Gms	292.15	39520	Folin & Ciocalteus Phenol (FCP)	100 ml	5.53
	99%			39320	Reagent AR	250 ml	12.11
	FMOC-D-Threonine extrapure, 98%	1 Gms	46.06			500 ml	22.37
[157355-81-2]		5 Gms	171.08	64684	Folin's Uric Acid Reagent	250 ml	7.76
	FMOC-L-Threonine extrapure, 99%	5 Gms	12.63	04004		200	
[73731-37-0]		25 Gms	53.03	49244	Forchlorfenuron (KT-30, CPPU, N-	1 Gms	40.01
		100 Gms	189.37	[68157-60-8]	(2-Chloro-4-pyridyl)-N-phenylurea) extrapure, 99%	5 Gms	96.86
	Na-FMOC-N(im)-Trityl-L-Histidine (FMOC-His(Trt)-OH) extrapure, 99%	10 Gms	46.19	53870	4-Formylphenylboronic Acid	5 Gms	27.37
		100 Gms	292.15	[87199-17-5]	extrapure, 95%	25 Gms	113.70
	FMOC-D-Tert-Butyl-D-Threonine	1 Gms	61.59	85925	Fouchet`s Reagent	100 ml	2.37
	(FMOC-D-Thr(tBu)-OH) extrapure, 98%	5 Gms	150.68		D-Fructose-1,6-Diphosphate		
<b>42366</b> [86123-11-7]	FMOC-D-Tryptophan extrapure, 99%	5 Gms	76.06			250 Mg 1 Gms	6.32 16.45
		25 Gms	193.45		extrapure, 99%	i Gilis	10.40
<b>70309</b> • [35737-15-6]	71 1 7	5 Gms	13.16		D-Fructose-6-Phosphate Disodium	100 Mg	41.72
		25 Gms	34.61	[26177-86-6]	Salt extrapure, 95%	500 Mg	124.89
96532	Na-FMOC-N(in)-BOC-D-Tryptophan (FMOC-D-Trp(BOC)-OH) extrapure,	1 Gms	53.82		L-Fucose extrapure, 99%	500 Mg	20.00
[103019-04-3]	98%	5 Gms	207.53	[2438-80-4]	(L-Fuc, 6-Deoxy-L-Galactose)	1 Gms	32.37
						5 Gms	130.68
				76007	D-(+)-Fucose extrapure	500 Mg	94.75

1 Gms

[3615-37-0] (6-Deoxy-L-Galactose, Rhodeose)

190.82

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>86133</b> [98-01-1]	Furfural extrapure AR, ACS, 99%	500 ml	14.87	<b>83055</b> [1953-04-4]	Galantamine Hydrobromide extrapure, 98%	250 Mg	118.44
11049	Furfurylamine pure, 98%	500 ml	19.48	14101	Gallium (III) Nitrate Hydrate	5 Gms	50.80
[617-89-0]		2500 ml	76.06	[69365-72-6]	extrapure, 99.9%	25 Gms	193.32
<b>18641</b> [54-31-9]	Furosemide (Frusemide), 98.5%	5 Gms 25 Gms	46.85 130.68	<b>23813</b> [30562-34-6]	Geldanamycin (GLD), 98%	5 Mg	858.16
81309 🗸	2-Furoic Acid pure, 98%	100 Gms	13.16	72394	Gelrite Gellan Gum	100 Gms	26.45
[88-14-2]	(Furan-2-Carboxylic Acid)	500 Gms	59.35	[71010-52-1]		250 Gms	62.12
81294 🗸	3-Furoic Acid pure, 98%	5 Gms	43.82			500 Gms	113.97
[488-93-7]	(Furan-3-Carboxylic Acid)	25 Gms	187.27			1 Kg	191.48
99124 🗸	2-Furoyl Chloride pure, 98%	20 ml	25.00			5 Kg	893.17
[527-69-5]	(Furan-2-Carbonyl Chloride)	100 ml	87.51	<b>53409</b> [6902-77-8]	Genipin extrapure, 98%	25 Mg	46.19
90068 🗸	3-Furoyl Chloride pure, 97%	1 Gms	76.59			100 Mg	146.08
	(Furan-3-Carbonyl Chloride)	5 Gms	243.46	<b>37636</b> [1405-41-0]	Gentamicin Sulphate (GM)	1 Gms	5.40
79108 🗸	Furylacrylic Acid pure, 99%	25 Gms	26.58	[1405-41-0]		5 Gms	21.58
[539-47-9]	(3-(2-Furyl)acrylic Acid, Furan-2-Acrylic	25 GITIS	20.50			25 Gms	80.01
	Acid, Furfurylideneacetic Acid)			<b>50827</b> [1405-41-0]	. , ,	1 Gms	12.63
<b>58327</b> [108321-42-2]	G-418 Sulphate (Geneticin)	100 Mg	16.58	[1405-41-0]	iissue cuitare	5 Gms	31.58
[106321-42-2]	ехпарше	1 Gms	82.91			25 Gms	103.83
		5 Gms	386.90	<b>95677</b> [554-91-6]	<b>B-D-Gentiobiose extrapure, 95%</b> (Amygdalose)	100 Mg	36.85
	G-418 Sulphate (Geneticin) for tissue culture	100 Mg	29.22			500 Mg	118.44
100021-42-2]	assue culture	1 Gms	106.07	<b>32614</b> [1310-53-8]	Germanium Dioxide electronic grade ultrapure, 99.999%	10 Gms	93.70
		5 Gms	480.47	[1010-30-0]	grado didaparo, ocioco/o	25 Gms	221.09
45734	Gaby-Hadley Reagent A	100 ml	3.95	56397 <b>Y</b>	Gitoxin extrapure, 98%	100 Gms 5 Mg	616.28 4056.31
94536	Gaby-Hadley Reagent B	100 ml	5.66	[4562-36-1]	· · · · · · · · · · · · · · · · · · ·		
45781	Gadolinium (III) Chloride	5 Gms	32.90	<b>38490 5</b> 996-06-5]	Glaucine Hydrobromide, 97%	10 Gms	123.05
[13450-84-5]	Hexahydrate ultrapure, 99.99%	25 Gms	65.80	76052	ß-Glucanase ex. Aspergillus Niger,	5 Gms	11.84
10438	Gadolinium (III) Nitrate	5 Gms	34.22	[9074-98-0]	10U/mg powder	25 Gms	52.64
[19598-90-4]	Hexahydrate ultrapure, 99.99%	25 Gms	69.75	40193		10 Mg	621.81
31353	Gadolinium (III) Oxide extrapure,	5 Gms	12.11		Reference Standard Grade, 90%		
[12064-62-9]	99.9%	25 Gms	44.22	<b>63878</b> • [15592-36-6]	Glucocheirolin Potassium Salt Reference Standard Grade, 95%	10 Mg	759.99
		100 Gms	156.60	[	(3-Methylsulfonylpropyl Glucosinolate		
52480	Gadolinium (III)	1 Gms	24.87		Potassium Salt)		
[52093-29-5]	Trifluoromethanesulfonate extrapure, 98%	5 Gms	55.27	<b>61404</b> • [15592-37-7]	Glucoerucin Potassium Salt Reference Standard Grade, 95%	10 Mg	773.81
	(Gadolinium(III) Triflate,			[10002 07 7]	(4-Methylthiobutyl Glucosinolate		
	Trifluoromethanesulfonic Acid				Potassium Salt)		
1/705	Gadolinium(III) Salt)  D-Galactosamine Hydrochloride	250 Mg	7.63	<b>97968</b> ✓ [60046-25-5]	D-Glucoheptonic Acid-1,4-Lactone pure, 98%	5 Gms	100.02
<b>14725</b> [1772-03-8]	extrapure, 98%	250 Mg 1 Gms	18.42	[00040-25-5]	(D-Glycero-D-Gulo-Heptono-1,4-Lacto	10 Gms	192.27
		5 Gms	55.27		ne,		
88176	D-Galactose extrapure	25 Gms	6.58	20378	D-Gluco-Heptono-Gamma-Lactone)  Glucoiberin Potassium Salt	10 Mg	469.81
[59-23-4]		100 Gms	19.74	[15592-34-4]	Reference Standard, 85%	10 Mg	400.01
		500 Gms	81.59		(3-Methylsulfinylpropyl Glucosinolate		
27146	B-Galactosidase (BGAL) ex. E. Coli,	5 K.Units	507.32	0/552	Potassium Salt)  Gluconapin Potassium Salt	10 Mg	460.81
[9031-11-2]	500U/mg solids (Lactase, B-D-Galactoside Galactohydrolase)	2 .Como	3302	<b>84553</b> ■ [245550-57-6]		TO MIG	469.81
<b>20096</b> [4163-60-4]	β-D-Galactose Pentaacetate extrapure, 99%	25 Gms	105.28	<b>27429</b> • [18425-76-8]	•	10 Mg	580.36

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Prid
<b>45063</b> [1198-69-2]	D-Glucono-1,4-Lactone pure, 85%	50 Mg	93.96	<b>13275</b> [9001-22-3]		250 Units	49.2
<b>57400</b> [52153-09-0]	L-Glucono-1,5-Lactone pure, 85% (3,4,5-Trihydroxy-6- (Hydroxymethyl)Tetrahydro-2H-Pyran-2 -one, L-Gluconolactone)	25 Mg	85.67	<b>41369</b> [9001-22-3]	(Gentiobiase, Cellobiase)  B-Glucosidase ex. Sweet Almonds (Type 2B), 10U/mg solids (Gentiobiase, Cellobiase)	100 Mg	181.4
55195	D-Glucono-1,5-Lactone extrapure,	100 Gms	20.79		Glucotropaeolin Potassium Salt Reference Standard Grade, 95%	10 Mg	236.8
[90-80-2]	(D-(+)-Gluconic Acid d-Lactone,	500 Gms	31.85	[5115-71-9]	D-Glucuronic Acid extrapure, 98%	1 Gms	12.
	D-Gluconolactone,			[6556-12-3]	· · · · · · · · · · · · · · · · · · ·	5 Gms	46.
74587	Glucono-Delta-Lactone)  Glucoraphanin Potassium Salt	10 Mg	442.18			25 Gms	157.
[21414-41-5]	Reference Standard Grade, 90% (4-Methylsulfinylbutyl Glucosinolate	10 Mg	442.10	<b>74117</b> [9029-12-3]	Glutamate Dehydrogenase (L-GLDH) ex. Bovine Liver, 10U/mg	100 Mg	107.
	Potassium Salt)	40.14		61126	D-Glutamic Acid extrapure CHR,	1 Gms	8.
<b>15546</b> • [108844-81-1]	·	10 Mg	483.63	[6893-26-1]	99%	5 Gms	22.
	(4-Methylsulfinyl				g-L-Glutamic Acid	10 Mg	89.
	3-Butenylglucosinolate Potassium Salt)	05.0		[72669-53-5]	7-Amido-4-Methylcoumarin extrapure, 98%	25 Mg	174.
<b>73360</b> • [32449-92-6]		25 Gms	30.40		(y-L-Glutamic Acid-AMC)	100 Mg	497.
[02110 02 0]	<b>-</b>	100 Gms 500 Gms	45.53 135.42	76228	L-Glutamic Acid Benzyl Ester	5 Gms	27.
				[1676-73-9]	extrapure, 99%	25 Gms	122.
28453 [9032-08-0] 45648 ✓	Glucoamylase ex. Rhizopus Sp., 30U/mg Glucosamine Hydrochloride	1000 Units 25 Gms	92.78	<b>98087</b> [9000-97-9]	Glutamic Oxaloacetic Transaminase (GOT) ex. Porcine	1 K.Units	184.
[66-84-2]	extrapure, 99%	100 Gms	21.71		Heart, 180U/mg Solids		
		500 Gms	90.15	17632 [5959-95-5]	D-Glutamine extrapure, 99%	1 Gms 5 Gms	39
14810	Glucose Dehydrogenase ex.	5 K.Units	203.98				72
[9028-53-9]	Microorganism, 250U/mg			<b>12381</b> [56-85-9]	L-Glutamine extrapure CHR, 99%	100 Gms	10.
61788	\ , /	10 K.Units	28.56	[00 00 0]		500 Gms 1 Kg	42. 78.
[9001-37-0]	Aspergillus Niger, 100U/mg solids	25 K.Units	64.09	01400	L v Chatamad a Nitaraaniiida		
12419	a-D-Glucose Pentaacetate	25 Gms	16.58		L-r-Glutamyl-p-Nitroanilide Hydrochloride extrapure, 99%	500 Mg 1 Gms	36. 60.
[604-68-2]	extrapure, 99%  6-D-Glucose Pentaacetate	05.0			4 Clutaria Asid mura 000/		
<b>65776</b> • [604-69-3]	extrapure, 99%	25 Gms 100 Gms	14.21 46.98	37394 \ [110-94-1]	Glutaric Acid pure, 99%	100 Gms 500 Gms	12. 57.
	•				4 Chatania Ambardaida mara 000/		
23208 • [6736-77-2	D-Glucose-1-Phosphate Dipotassium Salt Hydrate (G1P.K2	1 Gms	19.35	<b>87175</b> (108-55-4)	✓ Glutaric Anhydride pure, 98%	100 Gms 500 Gms	19.
(anhy)]	Hydrate) extrapure, 98%	5 Gms	89.88		Obstablisms Ordelins d (OOOO)		78.
	(Cori Ester Dipotassium Salt Hydrate)				Glutathione Oxidized (GSSG) extrapure, 99%	250 Mg	17.
	D-Glucose-1-Phosphate Disodium Salt Tetrahydrate (G1P.Na2	1 Gms	7.63	[2.020 0		1 Gms	46.
130033-33-0]	Tetrahydrate) extrapure, 98%	5 Gms	27.64			5 Gms 25 Gms	201. 552.
	(Cori Ester Disodium Salt Tetrahydrate)	25 Gms	127.92			100 Gms	1118
	D-Glucose-6-Phosphate Disodium Salt Dihydrate (G6P.Na2 Dihydrate)	1 Gms	13.42	44400	Glutathione Oxidized (GSSG)		
[3671-99-6]	extrapure, 99%	5 Gms	57.90		ExiPlus, Multi-Compendial, 99%	1 Gms 25 Gms	59. 592.
	(Robinson Ester)	25 Gms	276.36		· · · · · · · · · · · · · · · · · · ·	100 Gms	1381
	Glucose-6-Phosphate	1 K.Units	99.75		meets compendial specs of BP, Ph.Eur	100 01110	1001.
[9001-40-5]	Dehydrogenase ex. Leuconostoc Mesenteroides, 400U/mg solids	5 K.Units	270.44	22151	Glutathione Oxidized (GSSG) for	250 Mg	39.
11997	r-Glucose-6-Phosphate-Dehydroge	5 K.Units	110.81		molecular biology, 99.5%	1 Gms	65.
[9001-40-5]	nase ex. Leuconostoc					5 Gms	302.
75551	Mesenteroides, 500U/mg solids a-Glucosidase (Maltase) ex. Yeast,	10 Ma	42.24	48938	Glutathione Reduced (GSH)	1 Gms	2.
<b>75551</b> [9001-42-7]	100U/mg	10 Mg 100 Mg	42.24 382.30	[70-18-8]	extrapure, 99%	5 Gms	11.
						25 Gms	50.
<b>88884</b> [9001-22-3]	B-Glucosidase ex. Sweet Almonds (Type 1), 1000U/mg	10 K.Units	89.22	16111	Glutathione Reduced (GSH) for	1 Gms	5.
[2001 22-0]	(Gentiobiase, Cellobiase)			[70-18-8]	tissue culture, 99.5%	5 Gms	22.

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
77285	Glutathione Reduced (GSH)	5 Gms	25.66		Z-Glycyl-Glycyl-L-Arginine	5 Mg	123.18
[70-18-8]	ExiPlus, Multi-Compendial, 99%	25 Gms	85.41	[102601-58-1]	7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 95%	25 Mg	512.58
	meets compendial specs of Ph.Eur				(Z-Glycine-Glycine-Arginine-AMC.HCl		
11514	Glutathione Reduced (GSH) for	1 Gms	9.74		Salt)		
[70-18-8]	molecular biology, 99.5%	5 Gms	28.29		Glycyl-Glycyl-L-Glycine (Triglycine)	1 Gms	21.58
		25 Gms	106.07	[556-33-2]	extrapure, 99%	5 Gms	96.20
		100 Gms	246.22			25 Gms	353.61
<b>14210</b> ✓ [453-17-8]	D-(+)-Glyceraldehyde extrapure, 85%	1 Gms	197.40		Glycyl-Glycyl-L- Isoleucine extrapure, 99%	1 Gms 5 Gms	61.33 252.41
<b>62423</b> [9030-66-4]	Glycerol Kinase (GK) ex. Microorganism, 30U/mg solids	1 K.Units	124.63		Glycyl-Glycyl-L-Leucine extrapure,	1 Gms	58.83
36324	Glycerol-3-Phosphate	500 Units	90.80	[14857-82-0]	55%	5 Gms	248.72
[9075-65-4]	Dehydrogenase ex. Rabbit Muscle, 15U/mg			<b>29764</b> [20274-89-9]	Glycyl-Glycyl-L-Valine extrapure, 99%	25 Mg 100 Mg	93.70 280.97
36451	Glycidyl Methacrylate pure, 97%	100 ml	8.82	00705	Glycyl-L-Isoleucine extrapure, 99%		
[106-91-2]		500 ml	31.85	<b>82725</b> [19461-38-2]	Grycyr-L-isoleucine extrapure, 35%	1 Gms 5 Gms	25.79 99.62
63956	Glycine-7-Amido-4-Methylcoumarin	10 Mg	131.34		Chand Llausies estress 222		
113728-13-5]	Hydrobromide Salt extrapure, 98%	25 Mg	255.30	<b>96010</b> [869-19-2]	Glycyl-L-Leucine extrapure, 99%	1 Gms	22.37
	(Glycine-AMC.HBr sal)	5.0				5 Gms	98.83
<b>56204</b> [2462-31-9]	Glycine Benzyl Ester Hydrochloride extrapure, 98%	5 Gms	39.09		Glycyl Leucine Phenylalanine	100 Mg	214.64
		25 Gms	151.73		extrapure, 99%  Glycyl-L-Proline-7-Amido-4-Methylc	25 Mg	447.4
<b>67536</b> [1738-76-7]	Glycine Benzyl Ester p-Toluene Sulfonate extrapure, 98%	25 Gms	79.62		oumarin Hydrobromide Salt extrapure, 98%	25 Mg	447.4
85055	Betaine (Glycine Betaine) pure,	25 Gms	11.84		(H-Gly-Pro-AMC-HBr, GP-AMC.HBr		
[107-43-7] 98%	100 Gms	25.00		Salt)			
	500 Gms	65.80		Glycyl-L-Tyrosine extrapure, 99%	1 Gms	25.7	
99993	Glycine Ethyl Ester Hydrochloride	100 Gms	7.37	[658-79-7]		5 Gms	103.0
[623-33-6]	extrapure, 99%	500 Gms	28.56	34601	Glycyl-L-Valine extrapure, 99%	1 Gms	32.5
1 <b>8308</b> [7758-33-0]	Glycyl Histidine Glycine extrapure, 95%	100 Mg	120.28	[1963-21-9] <b>92245</b>	Glyoxal 40% aq. solution pure	5 Gms	134.3
47055	Glycine-L-Histidine-L-Lysine	100 Mg	160.68	[107-22-2]	diyoxar 40% aq. solution pure	2500 ml	22.1
[72957-37-0]	extrapure, 98%				Cuines Description Nitrite subversions		
98803	Glycofurol extrapure, 99%	100 ml	46.19	35657	Griess Reagent for Nitrite extrapure	100 ml	45.9
[31692-85-0]	(Tetraglycol, Tetrahydrofurfurylalcohol Polyethylene Glycolether)	500 ml	199.90	53613	Guaiacol extrapure, 99%	250 Gms	11.8
74078	Glycogen ex. Oyster extrapure,	5 Gms	34.61	[90-05-1]		1 Kg	44.7
[9005-79-2]	85%	25 Gms	152.00	44260	Guanine extrapure, 99%	5 Gms	3.0
49740	Glycogen ex. Oyster for molecular	1 Gms	13.16	[73-40-5]		25 Gms	7.3
[9005-79-2]	biology, 85%	5 Gms	53.96			100 Gms	24.6
		25 Gms	248.72			1 Kg	232.5
50006	Glycolaldehyde Dimer	500 Mg	52.51	37567	Guanine Hydrochloride extrapure,	5 Gms	4.3
		1 Gms	89.88	[635-39-2]	98%	25 Gms	18.5
<b>50391</b> [64480-66-6]	Glycoursodeoxycholic Acid	1 Gms	61.59		Guanine Sulphate extrapure, 98%	1 Gms	10.5
[0-440U-00-0]	(GUDCA) extrapure, 97% (Glycylursodeoxycholic Acid,	5 Gms	224.51	[10333-92-3] <b>57892</b>	Guanosine extrapure, 99%	25 Gms	8.4
	Ursodeoxycholylglycine)			[118-00-3]		100 Gms	31.5
	Glycyl-L-Glutamine extrapure, 99%	1 Gms	25.79			500 Gms	144.7
[13115-71-4]		5 Gms	103.04	05/04	Guanosine-5-Monophosphate		
	Glycyl Glycine extrapure, 99%	10 Gms	12.37	<b>95494</b> [5550-12-9]	· ·	1 Gms 5 Gms	4.3
[556-50-3]		25 Gms	27.37	- "1	extrapure, 96%	5 Gms 25 Gms	16.0 66.8
		100 Gms	86.07			25 Gms 100 Gms	228.72
					Our and the F.T. I. I.		
				70564	Guanosine-5-Triphosphate	100 Mg	50.80

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
11945	Guayule (DCPTA) for tissue	25 Gms	30.40	16826	HEPES Buffer for molecular	25 Gms	11.05
[65202-07-5]	culture, 98%	100 Gms	103.70	[7365-45-9]	biology, 99.5%	100 Gms	30.40
	(2-(3,4-Dichlorophenoxy) -N,N-diethylethanamine)				(N-(2-Hydroxyethyl) Piperazine-N(2-Ethane Sulphonic Acid)	500 Gms	110.54
11777	D-Gulono-1,4-Lactone extrapure,	1 Gms	30.79	78805	HEPES Buffer 1M Solution pH-7.3	100 ml	44.22
[6322-07-2]	98%	5 Gms	147.66		for molecular biology		
97514	L-Gulono-1,4-Lactone extrapure,	10 Gms	71.59	68744	HEPES Sodium Salt extrapure, 99%	25 Gms	12.50
[1128-23-0]	98%	25 Gms	129.10	[75277-39-3]	(N-2-Hydroxyethyl piperazine N-2-Ethane Sulphonic Acid Sodium	100 Gms	35.93
07404	Cumbuum Baanant				Salt)	500 Gms	121.60
37421	Gunzburg Reagent	100 ml	8.16	32225	HEPES Sodium Salt for molecular	25 Gms	20.79
95068	Haemoglobin Powder ex. Bovine	100 Gms	25.66	[75277-39-3]	biology, 99%	100 Gms	49.74
[9008-02-0]	Erythrocytes				(N-2-Hydroxyethyl piperazine N-2-Ethane Sulphonic Acid Sodium	500 Gms	165.82
<b>52293</b> [304-21-2]	Harmaline pure, 98%	1 Gms	63.96		Salt)		
99132	HATU extrapure, 98%	1 Gms	4.21	<b>39764</b> [75277-39-3]	HEPES Sodium Salt for tissue culture, 99.5%	25 Gms	19.35
[148893-10-1]		5 Gms	16.58	[10211 00 0]	(N-2-Hydroxyethyl piperazine	100 Gms	44.22
		25 Gms	68.43		N-2-Ethane Sulphonic Acid Sodium		
44424	HBTU extrapure, 98%	5 Gms	4.74		Salt)		
[94790-37-1]	• •	25 Gms	21.06	<b>18338</b> [2528-61-2]	Heptanoyl Chloride pure, 98% (Enanthic Chloride, Oenanthic	25 Gms	25.00
		100 Gms	72.38	[2020-01-2]	Chloride)	100 Gms	46.85
		500 Gms	315.84	28373	Hexadecylamine (Cetylamine) pure,	5 Gms	31.32
73322	HCTU extrapure, 98%	5 Gms	11.19	[143-27-1]	96%	25 Gms	140.55
	(O-(6-Chlorobenzotriazol-1-yl)	25 Gms	31.58	21437	1,1,1,3,3,3-Hexafluoro-2-Propanol	25 ml	31.58
	-N,N,N',N'-Tetramethyluronium	100 Gms	111.86	[920-66-1]	(HFIP) extrapure, 99%	100 ml	94.75
0	Hexafluorophosphate)				(Hexafluoroisopropanol)	500 ml	447.44
23315 [150-39-0]	HEDTA (N-(2-Hydroxyethyl) ethylenediaminetriacetic acid)	25 Gms	22.37	98573	1,1,1,3,3,3-Hexafluoro-2-Propanol	25 ml	52.38
[100 00 0]	extrapure, 99%	100 Gms	59.22	[920-66-1]	(HFIP) for UV spectroscopy, 99%	100 ml	130.68
		500 Gms	236.88		(Hexafluoroisopropanol)		
<b>28394</b> [517-28-2]	Hematoxylin Monohydrate (Natural Black I)	5 Gms	27.64	28437	1,1,1,3,3,3-Hexamethyldisilazane	100 ml	5.26
[517-20-2]	(Natural Black I)	25 Gms	129.89	[999-97-3]	pure (HMDS), 98%	500 ml	23.69
	Hemin Chloride cryst. ex. Bovine	1 Gms	19.35			2500 ml	107.91
[16009-13-5]	extrapure, 98% (Hematin Hydrochloride, Chlorohemin)	5 Gms	69.09		(2S,5S)-2,5-Hexanediol extrapure,	1 Gms	202.53
98457	Hemin Chloride cryst. ex. Porcine	1 Gms	19.35	[34338-96-0]	99%	2.5 Gms	497.84
[16009-13-5]	extrapure, 98%	5 Gms	69.09	56464	n-Hexanol pure, 98%	500 ml	14.61
	(Hematin Hydrochloride, Chlorohemin)			[111-27-3]		2500 ml	64.62
<b>58389</b> [9041-08-1]	Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg	20 K.Units	14.48	98669	n-Hexanol extrapure AR, 99%	250 ml	12.37
[9041-06-1]	intestinai wucosa, 150 lo/mg	100 K.Units	44.74	[111-27-3]		500 ml	23.95
50661	Heparin Sodium Salt ex. Bovine	100 Mg	15.79			2500 ml	105.28
[9041-08-1]	Intestinal Mucosa, 150 IU/mg	1 Gms	65.80	68497	Hexanoyl Chloride pure, 98%	100 ml	19.35
00700	LIEDDS Duffer entrepuise 000/			[142-61-0]		500 ml	69.88
<b>29768</b> [161308-36-7]	HEPBS Buffer extrapure, 99%	10 Gms	97.52	69502	Hexokinase ex. Saccharomyces Sp.	5000 Units	85.93
[.0.000 00 .]		25 Gms	129.89	[9001-51-8]	150U/mg	3000 011113	05.95
		100 Gms	470.60	46639	4-Hexylresorcinol extrapure, 99%	5 Gms	13.82
<b>63732</b> [7365-45-9]	HEPES Buffer extrapure, 99% (N-[2-Hydroxyethyl]	25 Gms	6.97	[136-77-6]	(Antascarin, Ascarinol,	25 Gms	48.69
[7303-43-9]	Piperazine-N[2-Ethane Sulphonic	100 Gms	22.11		4-Hexyl-1,3-Dihydroxybenzene)	100 Gms	147.39
	Acid])	500 Gms	96.73	35696	Hippuric Acid pure, 99%	100 Gms	5.40
		1 Kg	179.63	[495-69-2]	(Benzoylglycine, Benzoylaminoacetic	500 Gms	14.48
48489	HEPES Buffer for tissue culture,	25 Gms	10.40		Acid)		
[7365-45-9]	99% (N-[2-Hydroxyethyl]	100 Gms	27.64	<b>97843</b> [495-69-2]	Hippuric Acid Reference Standard, 100%	10 Gms	55.27
	Piperazine-N[2-Ethane Sulphonic Acid])				Hippuryl-L-Phenylalanine, 99%	100 Mg	39.09
	11			[744-59-2]		250 Mg	92.12

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>83597</b> [56-92-8]	Histamine Dihydrochloride (HSM), 98%	1 Gms 5 Gms	14.08 39.09	<b>36681</b> [619-67-0]	4-Hydrazinobenzoic Acid extrapure, 95%	25 Gms 100 Gms	41.32 122.91
n		25 Gms	159.24	<b>40935</b> [122-66-7]	<b>Hydrazobenzene pure, 97%</b> (1,2-Diphenylhydrazine)	100 Gms	7.11
<b>81240</b> [39968-33-7]	HOAT (1-Hydroxy-7-azobenzotriazole) pure, 98%	1 Gms 5 Gms	10.26 43.82	13542	Hydrocortisone pure, 97%	1 Gms	5.79
	puie, 90 %	25 Gms	187.27	[50-23-7] <b>28449</b>	Hydroquinone pure, 98%	100 Gms	5.92
	HOBT Anhydrous extrapure, 99%	25 Gms	3.95	[123-31-9]	(1,4-Dihydroxybenzene, Quinol)	500 Gms	26.32
[2592-95-2]		100 Gms	13.82	25311	Hydroquinone extrapure AR, 99%	100 Gms	6.84
		500 Gms	60.80	[123-31-9]		500 Gms	31.58
		1 Kg	119.10	17732	Hydroquinone extrapure AR,	100 Gms	7.90
	HOBT Monohydrate pure, 99%	25 Gms	3.95	[123-31-9]	ExiPlus, Multi-Compendial, 99%	500 Gms	34.22
[123333-53-9]		100 Gms	14.21		meets compendial specs of USP, BP,		
		500 Gms	56.85		Ph.Eur		
		1 Kg	110.28	91893	o-Hydroxyacetophenone pure, 95%	100 ml	12.90
	D-Homocitrulline extrapure CHR,	1 Gms	112.39	[118-93-4]		500 ml	54.09
[121080-96-4]	98%	5 Gms	382.30	58245	m-Hydroxyacetophenone pure, 98%	25 Gms	7.50
	D-Homophenylalanine extrapure,	500 Mg	31.32	[121-71-1]		100 Gms	18.56
[82795-51-5]	97%	5 Gms	124.89	54564	p-Hydroxyacetophenone extrapure,	100 Gms	6.84
78523 🗸	L-Homophenylalanine extrapure,	500 Mg	23.42	[99-93-4]	98%	500 Gms	28.03
[943-73-7]	97%	1 Gms	39.09	66616	m-Hydroxybenzaldehyde pure, 98%	25 Gms	7.11
		5 Gms	93.70	[100-83-4]	iii Tiyal oxybelizalaeliyae pale, ee%	100 Gms	15.79
		25 Gms	296.49			500 Gms	72.38
58931	Homophthalic Acid pure, 98%	25 Gms	18.95	85692	p-Hydroxybenzaldehyde pure, 99%	100 Gms	6.32
[89-51-0]		100 Gms	67.25	[123-08-0]	p-rryuroxyberizaiderryde pure, 33 /6	500 Gms	26.98
69080	Homovanillic Acid extrapure, 99%	250 Mg	15.40			5 Kg	236.88
[306-08-1]		1 Gms	51.32	78957	p-Hydroxybenzoic Acid pure, 99%	100 Gms	4.08
		10 Gms	296.63	[99-96-7]	p-riyuroxyberizoic Acia pure, 33%	500 Gms	12.50
27698	Hyaluronic Acid Sodium Salt - Type	100 Mg	152.26	59645	4-Hydroxybenzophenone pure, 99%	100 Gms	48.30
[9067-32-7]				[1137-42-4]	4-riyuroxyberizophenone pure, 99 %	500 Gms	163.45
	(HA, Hyaluronan, Hyaluronate, Hyasis 850P, Sodium hyaluronate,			00000	4 Hudusus Barrul Alashal avva		
	Poly(b-glucuronic acid-[1?3]-b-N-acet			<b>29893</b> [623-05-2]	4-Hydroxy Benzyl Alcohol pure, 98%	25 Gms 100 Gms	17.24 60.93
	Hyaluronic Acid Sodium Salt - Type	100 Mg	152.26	. ,		500 Gms	234.12
[9067-32-7]	2 (1000-2000 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Hyasis						
	850P, Sodium hyaluronate,			<b>12197</b> [9028-38-0]	D-3-Hydroxybutyrate Dehydrogenase (3-HBDH) ex.	1000 Units	359.27
	Poly(b-glucuronic acid-[1?3]-b-N-acet			[,	Pseudomonas Sp., 100U/mg		
<b>39678</b> [9067-32-7]	Hyaluronic Acid Sodium Salt - Type 3 (80-100 kD) extrapure, 90%	100 Mg	130.68		(b-Hydroxybutyrate Dehydrogenase, (R)-3-Hydroxybutanoate: NAD+		
[9007-32-7]	(HA, Hyaluronan, Hyaluronate, Sodium				oxidoreductase)		
	hyaluronate, Poly(b-glucuronic acid-			82739	2-Hydroxy-3,5,- Dichlorobenzene	5 Gms	44.88
	[1?3]-b-N-acetylglucosamine	400.14		[54970-72-8]	•	25 Gms	207.53
<b>89002</b> [9067-32-7]	Hyaluronic Acid Sodium Salt - Type 4 (40-50 kD) extrapure, 90%	100 Mg	130.68		(DCHBS), 98% (DHBS,	100 Gms	789.60
[000, 02.7]	(HA, Hyaluronan, Hyaluronate, Sodium				3,5-Dichloro-2-hydroxybenzenesulfonic		
	hyaluronate, Poly(b-glucuronic acid-				acid, Sodium		
40004	[1?3]-b-N-acetylglucosamine  Hyaluronic Acid Sodium Salt - Type	100 Ma	120.69		3,5-dichloro-2-hydroxybenzenesulfonat e, Tr		
<b>43384</b> [9067-32-7]	5 (8-15 kD) extrapure, 90%	100 Mg	130.68	81073	HMBA Linker (4-	1 Gms	42.24
-	(HA, Hyaluronan, Hyaluronate, Sodium			[3006-96-0]	(Hydroxymethyl)benzoic Acid)	5 Gms	171.74
	hyaluronate, Poly(b-glucuronic acid- [1?3]-b-N-acetylglucosamine				extrapure, 99%	25 Gms	390.06
98512	Hydrazine Dihydrochloride pure,	100 Gms	6.45	84818	HMPA Linker (4-	250 Mg	25.00
[5341-61-7]	99%	500 Gms	24.74		(Hydroxymethyl)phenoxyacetic	1 Gms	56.32
		555 61116			Acid) extrapure, 98%		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
56043	, ,, ,,	25 Gms	39.09	36693	4-Imidazolecarboxaldehyde pure,	1 Gms	32.37
[128446-35-5]	(HPBCD) ExiPlus, Multi-Compendial, 98%	100 Gms	109.36	[3034-50-2]	98% (4-Formylimidazole,	5 Gms	113.83
	meets compendial specs of USP				1H-Imidazole-4-Carbaldehyde,		
58240	2-Hydroxypyridine-N-oxide pure	25 Gms	65.01		5-Imidazolecarboxaldehyde)		
[13161-30-3]	(HOPO), 98%	100 Gms	237.67	52106	1,3-Indanedione pure, 96%	5 Gms	32.37
44923	Hydroxylapatite ~ 25% solids	40 ml	26.06	[606-23-5]	(1,3-Diketohydrindene, 1,3-Dioxoindan)	25 Gms	130.68
[1306-06-5]	suspension (10g solids/40ml) in	100 ml	49.61		2-Indanone pure, 98%	10 Gms	41.32
0	0.001M			[615-13-4]		25 Gms	93.96
<b>62953 6</b> [67-47-0]	5-Hydroxymethylfurfural (HMF) extrapure, 98%	1 Gms	21.98			100 Gms	267.54
[07-47-0]	extrapare, 30%	5 Gms	72.38	46486	Indigo Carmine extrapure AR	25 Gms	4.61
		25 Gms	329.00	[860-22-0]		100 Gms	13.82
77491		1 Gms	27.64	31016	Indium (III) Chloride Tetrahydrate	5 Gms	59.22
[67-47-0]	ExiPlus, Multi-Compendial, 98%	5 Gms	106.60	[22519-64-8]	ultrapure, 99.99%	25 Gms	105.28
	meets compendial specs of BP, Ph.Eur				(Indium Chloride)		
79897	3-(Hydroxymethyl) Phenylboronic	1 Gms	32.90	52859	Indium (III) Hydroxide ultrapure,	5 Gms	34.61
[87199-15-3]	acid extrapure, 95%	5 Gms	155.29	[20661-21-6]	99.99%	25 Gms	96.73
		10 Gms	288.73	84697	Indium Metal Ingots, 99.9%	10 Gms	46.06
93740	Hydroxynaphthol Blue	5 Gms	4.61	[7440-74-6]			
[63451-35-4]		25 Gms	17.11	95867	Indium (III) Nitrate Hydrate	5 Gms	59.22
69399	N-Hydroxyphthalimide pure, 98%	25 Gms	5.66	[207398-97-8]	extrapure, 99.9%	10 Gms	105.28
[524-38-9]	N-Hydroxyphthammac pare, 30%	100 Gms	19.08			50 Gms	315.84
		500 Gms	65.80	43095	Indium (III) Oxide extrapure, 99.9%	5 Gms	59.22
				[1312-43-2]	(Diindium Trioxide, Indium	10 Gms	84.22
<b>26921</b> [51-35-4]	L-Hydroxyproline extrapure CHR, 99%	25 Gms	7.90		Sesquioxide)	25 Gms	164.50
[51-55-4]	3370	100 Gms	30.27	64331	Indium (III) Sulphate Anhydrous	10 Gms	28.95
57803	2-Hydroxypyridine pure, 98%	100 Gms	36.85	[13464-82-9]	extrapure, 99%	25 Gms	65.80
[142-08-5]		500 Gms	138.18	75920	Indium (III) Sulphate Anhydrous	10 Gms	59.22
64675	3-Hydroxypyridine pure, 98%	25 Gms	9.48		ultrapure, 99.99%	50 Gms	276.36
[109-00-2]		100 Gms	31.85	00505	Indium Wire Ø 0 5 mm 00 09/		
		500 Gms	144.23	<b>96535</b> [7440-74-6]	Indium Wire Ø 0.5 mm, 99.9%	5 Gms	50.01
87228	4-Hydroxypyridine practical grade,	25 Gms	19.74			10 Gms	92.12
[626-64-2]	95%	100 Gms	67.25	19228	Indole crystalline extrapure AR, 99%	25 Gms	7.11
47913	N-Hydroxysuccinimide pure, 97%	25 Gms	10.00	[120-72-9]	33 %	100 Gms	19.87
[6066-82-6]	(NHS)	100 Gms	32.77	69522	Indole-3-Acetic Acid Methyl Ester	1 Gms	21.58
		500 Gms	149.50	[1912-33-0]	extrapure, 98% (Methyl-3-Indolylacetate)	10 Gms	123.05
00007	2 Hudrow 2.4.6 Telbrom Pro			63661	Indole-3-Acetyl-L-Phenylalanine	1 Gms	454.15
88997 • [14348-40-4]	3-Hydroxy-2,4,6-Tribromo-Benzoic Acid (TBHBA), 97%	1 Gms	9.34	[57105-50-7]	extrapure, 98%	5 Gms	1362.32
[5-10 40-4]		5 Gms	43.16		(N-(3-Indolylacetyl)-L-Phenylalanine,	5 Gills	1002.32
84688		1 Gms	106.07		IAA-L-Phe)		
-	Acid (HTBA), 97%	E00 M-	00.50		Indole-3-Acetyl-L-Valine extrapure,	25 Mg	30.79
<b>67941</b> [4350-09-8]	5-Hydroxy-L-Tryptophan extrapure, 99%	500 Mg	20.53	[57105-42-7]	Indole-3-Acrylic Acid extrapure,	1 Cma	38.16
		1 Gms	36.85	<b>60704</b> ✓ [1204-06-4]	99.5%	1 Gms 5 Gms	190.43
11056	Hygromycin B (HGR) for tissue culture, 90%	100 Mg	32.37	- "	(3-Indoleacrylic Acid)	o Gilis	180.43
[31262-04-9]	Cultui 6, 30 /0	250 Mg	78.43	97637	Indole-3-Propionic Acid pure, 98%	5 Gms	14.48
	Hygromycin B (HGR), 90%	100 Mg	18.56	[830-96-6]		25 Gms	43.30
[31282-04-9]		250 Mg	44.61	69447	Indole-3-Carboxyaldehyde extrapu	10 Gms	16.45
		1 Gms	173.05	[487-89-8]	re, 99%	25 Gms	24.87
63573	Hypoxanthine extrapure, 99%	5 Gms	3.55		(3-Indolylaldehyde)	100 Gms	78.96
[68-94-0]		25 Gms	11.05	96553	Indoxyl-B-D-Galactopyranoside	25 Mg	50.01
				J0555 6	D Galactopyranosiae	20 IVIG	30.01

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
39627	3-Indoxyl Phosphate Disodium Salt	25 Mg	44.61	30671	Isobutyl lodide	25 ml	52.64
[3318-43-2]	extrapure, 98%	100 Mg	84.62	[513-38-2]	(1-lodo-2-Methylpropane)	100 ml	144.76
		500 Mg	292.15		(Stabilized w/Ag) pure, 97%	250 ml	329.00
25670	3-Indoxyl Sulfate Potassium Salt	50 Mg	33.95	39634	Isobutyric Acid extrapure, 99%	500 ml	13.16
[2642-37-7]	extrapure, 98%	250 Mg	78.43	[79-31-2]		2500 ml	61.59
51113	Inosine extrapure, 99%	10 Gms	8.16	35853	Isobutyryl Chloride pure, 98.5%	250 ml	17.63
[58-63-9]		25 Gms	17.11	[79-30-1]		1000 ml	63.9
		100 Gms	65.14	70170	Isobutyryl Chloride specially	250 ml	23.6
		500 Gms	276.36	[79-30-1]	purified, 98.5%	1000 ml	80.2
19594	Inosine-5-Monophosphate	5 Gms	15.27	42615	DL-Isocitrate Trisodium Salt, 94%	1 Gms	40.1
[352195-40-5]	Disodium Salt Hydrate (5-IMP-Na2			[1637-73-6	,	5 Gms	131.3
	Hydrate) extrapure, 99% (Disodium Inosate)			anhy]			
77985	Inosine-5-Triphosphate Disodium	25 Mg	39.09	<b>90189</b> [25339-17-7]	Isodecanol pure, 98%	500 ml	14.2
[36051-67-9]	Salt (ITP-Na2) extrapure, 97%	100 Mg	78.17	60672	Isoeugenol (mixture of cis and	100 ml	19.3
98211	Inositol pure, 99%	25 Gms	4.74	[97-54-1]	trans) pure, 98%	100 1111	10.0
[87-89-8]	mositor pure, 55%	100 Gms	12.90	33401	D-Isoleucine extrapure, 98%	250 Mg	118.4
		500 Gms	59.22	[319-78-8]		1 Gms	289.5
		1 Kg	113.18			5 Gms	947.5
87114	Inositol for tissue culture, 99%	25 Gms	5.53	26731	L-Isoleucine extrapure CHR, 99%	25 Gms	6.4
[87-89-8]	mostor for tissue culture, 55%	100 Gms	16.58	[73-32-5]		100 Gms	11.1
		500 Gms	76.06			500 Gms	52.6
5000	Inulin extrapure					1 Kg	92.1
<b>53860</b> [9005-80-5]	mum extrapure	25 Gms 100 Gms	13.82	94082	Isomaltose extrapure, 98%	25 Mg	82.9
<u> </u>			46.32	[499-40-1]		100 Mg	248.7
<b>61568</b> [9001-57-4]	Invertase (Saccharase) ex. Candida Sp., 100U/mg (Invertase-β-D-Fructofuranoside Fructohydrolase)	2 K.Units	161.21	<b>42021</b> ✓ [3371-50-4]	Isomaltotriose extrapure, 97% (6-O-[6-O-(a-D-Glucopyranosyl) -a-D-Glucopyranosyl]-D-Glucose)	25 Mg	111.8
51611	2-Iodobenzoic Acid pure, 98%	25 Gms	15.79	88109	Isomaltotetraose extrapure, 95%	5 Mg	46.0
[88-67-5]		100 Gms	47.38	[35997-20-7]	•		
55129	lodocyclohexane (Stabilized w/ Cu)	10 Gms	44.22	<b>45433</b> ✓ [6082-32-2]	Isomaltopentaose extrapure, 95%	1 Mg	678.7
[626-62-0]	extrapure, 98% (Cyclohexyl lodide)	25 Gms	94.75	94885	Isoniazid extrapure, 99%	5 Gms	3.9
	(Cyclonexyr lodide)	100 Gms	142.13	[54-85-3]	(Isonicotinic Acid Hydrazide,	100 Gms	10.7
82104	1-lododecane (Stabilized with Cu)	25 ml	24.48	0	4-Pyridinecarboxylic Acid Hydrazide)	05014	
[2050-77-3]	extrapure, 98%	100 ml	78.17		N6-[2-Isopentenyl] Adenine extrapure, 98%	250 Mg	61.7
83441 •	(Decyl lodide, Decyliodide)  5-lodo-2-Deoxyuridine extrapure,	500 Mg	20.00	[======================================	• /	500 Mg	77.2
[54-42-2]	98%	5 Gms	137.52			1 Gms	140.5
	O(4 Ladau haved) O (4 Nitraula aved)			<b>18018</b> [121-91-5]	Isophthalic Acid pure, 99%	500 Gms	5.1
<b>40686</b> • [146-68-9]	2(4-lodophenyl)-3 (4-Nitrophenyl) -5-Phenyl-2H-Tetrazolium Chloride	1 Gms	23.69	67742	Isophthaloyl Chloride pure, 98%	100 Gms	21.5
[	(INT) extrapure AR, 98%	5 Gms	105.28	[99-63-8]	,	500 Gms	83.0
99918	5-lodouracil extrapure, 98%	5 Gms	26.32	36321	Isopropyl Acetate pure, 99%	500 ml	8.4
[696-07-1]		10 Gms	44.74	[108-21-4]	isopropyi Acetate pure, 33%	2500 ml	31.8
63088	Isobutyl Benzene pure, 98%	500 ml	6.32	C4CCC 0	N6-(2-Isopentenyl) Adenosine pure,		
[538-93-2]		2500 ml	30.27	<b>61386 8</b> [7724-76-7]		50 Mg	93.7
34516	Isobutylboronic Acid extrapure,	1 Gms	20.13	1	(6-(?,?-Dimethylallylamino)purine	200 Mg	210.6
[84110-40-7]	98%	5 Gms	45.53		riboside, N6-		
	(2-Methylpropylboronic acid)	25 Gms	204.51		(3,3-Dimethylallylamino)purine riboside, 6-(3,3-Dimet		
78521	Isobutyl Bromide (Stabilized w/ Ag)	100 ml	11.19	58571		10 Gms	39.0
[78-77-3]	pure, 98%	500 ml	52.64	[2210-25-5]	extrapure, 99%	25 Gms	65.6
						100 Gms	210.6

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
45273	Isopropylboronic Acid extrapure,	1 Gms	39.09	28386 🗸	a-Ketoglutaric Acid (High Purity)	25 Gms	10.13
[80041-89-0]	97%	5 Gms	171.74	[328-50-7]	extrapure AR, 99.5%	100 Gms	38.56
		25 Gms	304.26			500 Gms	176.87
16390	Isopropyl Bromide (Stab w/ Ag)	100 ml	4.61	22826	a-Ketoglutaric Acid Disodium Salt	25 Gms	39.61
[75-26-3]	pure, 99%	500 ml	18.56	[305-72-6]	Anhydrous extrapure, 95%	100 Gms	132.52
18346	Isopropyl Chloroacetate pure, 98%	500 ml	10.13	18223	a-Ketoglutaric Acid Disodium	25 Gms	33.95
[105-48-6]				[305-72-6]	Dihydrate extrapure, 98%	100 Gms	110.81
38525	Isopropyl lodide pure, 98%	25 ml	23.69		(2-Oxoglutaric Acid Sodium Salt)		
[75-30-9]		100 ml	81.59	90814 ✓ [22202-68-2]	a-Ketoglutaric Acid Monosodium Salt extrapure, 98%	25 Gms	65.80
		250 ml	197.40	[22202-00-2]	(2-Oxoglutaric acid monosodium salt,	100 Gms	250.04
<b>52469</b> [142-91-6]	Isopropyl Palmitate pure, 90%	500 ml	8.82		2-Oxopentanedioic acid monosodium salt, Sodium 2-oxoglutarate m		
54110	Isopropyl-B-D-Thiogalactopyranosi	1 Gms	5.26	61341	Kinetin extrapure AR, 99%	1 Gms	3.5
[367-93-1]	de (IPTG) (dioxan free), 99%	5 Gms	23.42	[525-79-1]		5 Gms	12.50
		10 Gms	43.82			25 Gms	62.25
		25 Gms	106.20	34154	Kinetin for tissue culture, 99%	1 Gms	7.63
		100 Gms	390.06	[525-79-1]		5 Gms	30.40
67208	Isopropyl-B-D-Thiogalactopyranosi	1 Gms	5.66			25 Gms	124.30
[367-93-1]	de (IPTG) (dioxan-free) for MB,	5 Gms	25.66	83296	Kinetin Riboside extrapure, 98%	100 Mg	48.4
	99%	10 Gms	49.22	[4338-47-0]	. • •	1 Gms	165.8
		25 Gms	113.97	19744	Kojic acid extrapure, 99%	5 Gms	2.7
		100 Gms	421.25	[501-30-4]	(5-Hydroxy-2-Hydroxymethyl-4-Pyrano	25 Gms	7.2
82202	IPTG Solution (20mg/ml)	1 ml	26.58		ne)	100 Gms	26.9
				00450	Kojibiose extrapure, 99%		41.8
	Isovaleraldehyde pure, 98%	100 ml	8.29	<b>98158</b> [2140-29-6]	Rojibiose extrapure, 35%	10 Mg 50 Mg	141.8
[590-86-3]		250 ml	15.27				
		1000 ml	56.72	81662	Kovac`s Reagent for Indoles	100 ml	2.7
51656	Isovaleryl Chloride pure, 98%	25 Gms	15.40	69068	Kraut`s Reagent	100 ml	8.9
[108-12-3]	(Isopentanoyl Chloride, 3-Methylbutyryl	100 Gms	32.37				
	Chloride)	500 Gms	73.83	53110	D-Lactate Dehydrogenase (D-LDH)	2500 Units	65.8
<b>35798</b> [97-65-4]	Itaconic Acid pure, 99%	250 Gms	8.29	[9028-36-8] <b>82334</b>	ex. Microorganism, 400U/mg solids  I r-D-Lactate Dehydrogenase	5000 Units	125.0 92.2
18443	Ivermectin (IVM), 95-102%	500 Mg	14.08	[9001-60-9]	(r-D-LDH) ex. E. Coli	10000	166.0
[70288-86-7]		1 Gms	23.42		(Thermostable), 200U/mg solids	Units	100.0
		5 Gms	78.17	15932	Lanolin anhydrous extrapure	500 Gms	27.3
<b>79238</b> [77026-92-7]	Jasmonic Acid for molecular biology, 95%	25 Mg	212.14	[8006-54-0] <b>56839</b>	(Wool Wax, Wool Grease)  Lanosterol pure, ~60%	1 Gms	15.2
98314	Jojoba oil extrapure	250 ml	50.93	[79-63-0]		10 Gms	124.3
[61789-91-1]	•	500 ml	93.17	20351	Lanthanum Chloride Heptahydrate	100 Gms	29.0
99311	Kanamycin Monosulphate (KM)	1 Gms	7.63	[10025-84-0]	extrapure AR, ACS, 99%	500 Gms	115.4
[25389-94-0]	extrapure	5 Gms	30.14	34032	Lanthanum Nitrate Hexahydrate	100 Gms	20.2
		25 Gms	112.65	[10277-43-7]	extrapure AR, 99%	500 Gms	69.7
76061	Kanamycin Monosulphate (KM) for	1 Gms	9.87	91288	Lanthanum Nitrate 0.1M	500 ml	20.2
[25389-94-0]	tissue culture	5 Gms	40.80	[10277-43-7]		1000 ml	39.0
		25 Gms	142.26	36917	Lanthanum Oxalate Hydrate	10 Gms	5.79
14259	2-Ketobutyric Acid pure, 97%	5 Gms	89.22		extrapure AR, 99.5%	100 Gms	34.6
[600-18-0]	(a-Ketobutyric acid, Propionylformic	o dillo				500 Gms	165.8
	Acid, 2-Oxobutyric Acid)			E0415	Lanthanum Oxide extrapure, 99.9%		
	a-Ketoglutaric Acid extrapure, 99%	25 Gms	8.03	<b>59415</b> [1312-81-8]	Lantinanium Oxide extrapure, 33.3%	100 Gms	12.9
[328-50-7]		100 Gms	27.77	= 0]		500 Gms	57.90
		500 Gms	115.41				

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
47835	Lanthanum (III)	1 Gms	13.82	49462	Linoleic Acid Methyl Ester	1 Gms	34.61
[52093-26-2]	Trifluoromethanesulfonate	5 Gms	42.77	[112-63-0]	Reference Standard, 99%(GC)	5 Gms	62.25
	extrapure, 98% (Lanthanum Triflate,				(Methyl Linoleate)	25 Gms	234.91
	Trifluoromethanesulfonic Acid			60770	Lipase (Steapsin) ex. Aspergillus	25 Gms	6.84
	Lanthanum Salt)			[9001-62-1]		100 Gms	19.74
92044	Lauric Acid Methyl Ester Reference	5 Gms	15.79			500 Gms	78.96
[111-82-0]	Standard, 99%(GC)	25 Gms	57.90	15471	Lipoprotein Lipase (LPL) ex.	10 Mg	32.37
87444	L-Lauroyl-Rac-Glycerol extrapure	1 Gms	50.93	[9004-02-8]		50 Mg	92.25
[142-18-7]	(Imwitor 312), 99%	5 Gms	204.90		Literarida e a Charles Man		
74090	N-Lauroylsarcosine Sodium Salt	5 Gms	4.74	<b>92661</b> [9029-60-1]	• •	100 Mg	82.91
[137-16-6]	(Sarkosyl Sodium) pure, 98%	25 Gms	20.00	[0020 00 .]	( <b>,</b> ,,, <b>g</b>	250 Mg	172.79
		100 Gms	77.25			1 Gms	525.08
15448	N-Lauroylsarcosine Sodium Salt	25 Gms	52.51	68457	Lithium Acetate Dihydrate	100 Gms	43.43
[137-16-6]	(Sarkosyl Sodium) for molecular	100 Gms	135.42	[6108-17-4]	ultrapure, 99%	250 Gms	103.96
	biology, 98%	100 ams	100.42			500 Gms	203.98
	(Sodium Lauroyl Sarcosine)			86701	Lithium Aluminium Hydride	100 Gms	205.69
63645	Lavender oil extrapure, 30-60% LA	10 ml	20.13	[16853-85-3]	extrapure, 95%		
[8000-28-0]		25 ml	40.27	24966	Lithium Citrate Tribasic	100 Gms	18.42
71707	Lead (II) Chromate pure, 98%	500 Gms	13.82	[6080-58-6]	Tetrahydrate extrapure AR (High Purity), 99.5%	250 Gms	42.11
[7758-97-6]	(Plumbous Chromate)	500.0		91740	Lithium Iodide Monohydrate pure,	25 Gms	31.58
<b>21854</b> [7439-92-1]	Lead Metal Lumps, 99%	500 Gms	8.95	[17023-24-4]	98%	100 Gms	106.60
62603	Lead Metal Powder extrapure AR,	500 Gms	13.16	43904	Lithium Lauryl Sulphate extrapure,	5 Gms	26.45
[7439-92-1]	99.5%			[2044-56-6]	99%	25 Gms	107.39
59557	Lecithin ex. Egg, 60%	25 Gms	71.99		(Lithium Dodecyl Sulphate)		
[8002-43-5]	(L-a-Phosphatidylcholine)	100 Gms	255.83	89141	Lithium Lactate (specially purified)	100 Gms	39.48
59561	Lecithin ex. Soya, 30%	100 Gms	23.29	[867-55-0]	extrapure, 99% (Lactic Acid Lithium Salt)	500 Gms	184.24
[8002-43-5]	(L-a-Phosphatidylcholine)	500 Gms	51.19	69375	Lithium Metal, 99.5%	100 Gms	302.68
64613	L-Leucinamide Hydrochloride	5 Gms	21.71	[7439-93-2]	,		
[10466-61-2]	extrapure, 99%	o amo	21.71	23410	Lithium Oxalate extrapure, 99%	25 Gms	28.95
61304	D-Leucine extrapure, 99%	1 Gms	8.29	[553-91-3]		100 Gms	55.27
[328-38-1]		5 Gms	24.87	16350	Lithium Tetraflouroborate Dried,	5 Gms	43.43
99664	tert-DL-Leucine extrapure, 98%	500 Mg	69.09	[14283-07-9]	99%, water 1%	25 Gms	197.40
[33105-81-6]	· · · · · · · · · · · · · · · · · · ·	555g	00.00	29288	Lithocholic Acid (LCA) pure, 98%	10 Gms	98.70
47736	L-Leucine	10 Mg	110.54	[434-13-9]	Littlectione Acid (LCA) pure, 30%		
[62480-44-8]	7-Amido-4-Methylcoumarin	25 Mg	221.09			25 Gms	236.88
	Hydrochloride Salt extrapure, 98%			<b>52737</b> [98079-52-8]	Lomefloxacin Hydrochloride (LMF),	1 Gms	16.58
40528	(L-Leucine-AMC.HCl Salt)  Leucine Dehydrogenase (LeuDH)	100 I Inita	107.07	[98079-52-8]	96.5%	5 Gms	42.90
<b>40528</b> [9082-71-7]	ex. Bacillus Sp., 20U/mg	100 Units	187.27	50320	D-Luciferin ex. Firefly, 99%	10 Mg	70.27
27029	L-Leucine-ß-Napthylamide	100 Mg	34.61	[2591-17-5]	((S)-4,5-Dihydro-2- (6-Hydroxy-2-Benzothiazolyl)	50 Mg	312.16
[893-36-7]	Hydrochloride extrapure, 97%				-4-Thiazolecarboxylic Acid)		
<b>11127</b> [7298-84-2]	L-Leucyl-L-Alanine extrapure, 98%	1 Gms	123.97		D-Luciferin Potassium Salt ex.	25 Mg	53.82
37520	D-Leucyl-Glycine extrapure, 98%	100 Mg	33.16	[115144-35-9]	Firefly, 99%	100 Mg	131.34
[997-05-7]	z zozo, anjemo examplate, cezo	500 Mg	156.60			500 Mg	580.36
	Levellovasin (LNV) COV			62851	D-Luciferin Sodium Salt ex. Firefly,	25 Mg	71.85
<b>23467</b> [100986-85-4]	Levofloxacin (LVX), 98%	500 Mg	31.32	[103404-75-7]	99%	100 Mg	221.09
[.30000-00-4]		1 Gms	54.75			500 Mg	829.08
60011	Light Green SF Yellowish, 65%	25 Gms	26.45	49982	Luminol extrapure, 98%	5 Gms	14.08
[5141-20-8]	(C.I. No. 42095)	100 Gms	94.88	[521-31-3]	• •	25 Gms	54.75
13562	Linoleic Acid (Free Acid) Reference	1 Gms	21.58	60445	Luminol - Peroxide		
[60-33-3]	Standard, 99%(GC)	5 Gms	89.88	60445	Chemiluminisence Solution for	100 ml	25.00
					ELISA		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
	L-Lysine	10 Mg	116.73	12894	Maltoheptaose (DP7) extrapure,	25 Mg	103.96
[201853-23-8]	7-Amido-4-Methylcoumarin Acetate	25 Mg	238.85	[34620-78-5]			
	Salt extrapure, 98% (L-Lysine-AMC.Acetate salt)			58199 🗸	(Amyloheptaose)  R-(-)-Mandelic Acid extrapure, 99%	25 Gms	12.11
72890 <b>■</b>	L-a-Lysophosphatidylethanolamine	10 Mg	106.86	[611-71-2]	(D-(-)-Mandelic Acid)	100 Gms	37.11
[97281-40-8]	(Egg Lyso PE) ex. Egg, 99%	25 Mg	242.01		C ( ) Mandalia Asid autonomo		
	(L-a-Lysocephalin, 3-sn-Lysophosphatidylethanolamine)			<b>30727</b> ✓ [17199-29-0]	S-(+)-Mandelic Acid extrapure, 99%	25 Gms	12.11
45822 <b>■</b>		1 Gms	11.05	[	(L-(+)-Mandelic Acid,	100 Gms	32.77
[12650-88-3]		5 Gms	40.66		S-Z-Hydroxyphenyl Acetic Acid)		
	biology, 15000U/mg	25 Gms	187.27	27072	DL-Mandelic Acid pure, 99%	100 Gms	15.79
35355	D-Lyxose extrapure	1 Gms	24.87	[90-64-2]		500 Gms	72.38
[1114-34-7]	B-Lyxose extrapare	5 Gms	74.62	94551	D-Mannosamine Hydrochloride	100 Mg	26.58
	I I			[5505-63-5]	extrapure, 98%	500 Mg	126.47
<b>38894</b> [1949-78-6]	L-Lyxose extrapure	100 Mg	19.35	13735	D-Mannose extrapure AR, 99%	25 Gms	7.90
		1 Gms	110.54	[3458-28-4]		100 Gms	23.69
<b>81889</b> [9032-75-1]	Macerozyme "R-10" ex. Rhizopus	500 Mg	59.35			500 Gms	105.28
[9032-75-1]	Sp., 3000U/g	1 Gms	89.75	58476	D-Mannose for tissue culture, 99%	25 Gms	12.50
		5 Gms	397.96	[3458-28-4]		100 Gms	42.11
66638	•	500 Mg	56.32	87875	D-Mannose extrapure AR, ExiPlus,	25 Gms	15.79
[9032-75-1]	Trichoderma & Aspergillus Niger, 10000U/g	1 Gms	93.70	[3458-28-4]	Multi-Compendial, 99%	100 Gms	47.38
40169	Malate Dehydrogenase (MDH) ex.	1 K.Units	35.66		meets compendial specs of BP, Ph.Eur		
[9001-64-3]	Microorganism, 40U/mg	5 K.Units	84.09	72002	D-Mannose-6-Phosphate Barium	25 Mg	330.05
87448	r-Malate Dehydrogenase (r-MDH)	5000 Units	100.02		Salt Hydrate extrapure, 98%	<u> </u>	
0/440	(Thermostable), 500U/mg	10000	184.50	43804	Marfeys Reagent extrapure AR,	50 Mg	78.17
		Units	104.50	[95713-52-3]	98% (FDAA, FDNP-ALA-NH2, Na-	200 Mg	163.84
84225	Maleic Anhydride extrapure AR,	500 Gms	5.92		(2,4-Dinitro-5-Fluorophenyl)	1 Gms	624.18
[108-31-6]	99%	5 Kg	55.27		-L-Alaninamide)		
18808 🗸	Bis-Maleimide pure, 95%	100 Gms	90.15		Melatonin extrapure, 99%	1 Gms	7.90
[13676-54-5]	· .			[73-31-4]		5 Gms	26.19
55114	4-Maleimidobutyric Acid	25 Mg	106.60			25 Gms	89.22
[80307-12-6]	N-Hydroxysuccinimide Ester	100 Mg	286.76	10030	Meldolas Blue extrapure	5 Gms	53.82
57096	extrapure (GMBS), 99%  Malonamide extrapure, 98%	25 Gms	5.00	[7057-57-0]	(8-Dimethylamino-2,3-Benzophenoxazi		
[108-13-4]	maioriamide extrapure, 36 %	100 Gms	13.82		ne Hemi(zinc Chloride) Salt, Naphthol Blue R, Basic Blue 6)		
		500 Gms	59.35	77393	D(+) Melibiose Monohydrate	1 Gms	21.06
	Malaula Aald sama 000/				extrapure, 98%	5 Gms	42.11
<b>43541</b> [141-82-2]	Malonic Acid pure, 99%	250 Gms	14.61	85-99-9]		25 Gms	171.08
		500 Gms	27.77	83709	D-Melezitose Monohydrate	25 Gms	248.72
26504	Malonic Acid extrapure AR, 99%	100 Gms	6.97	[10030-67-8]	· · · · · · · · · · · · · · · · · · ·	25 Gills	240.72
[141-82-2]		250 Gms	16.19	61495	Menadione O/S (Vitamin K3) pure,	25 Gms	13.16
32261	Malononitrile extrapure, 98%	100 Gms	8.29	[58-27-5]	98%		
[109-77-3]	(Malonic Dinitrile, Dicyanomethane)	500 Gms	36.06	44111	•	25 Gms	9.87
43786	Maltotriose (DP3) extrapure, 90%	250 Mg	42.11	[6147-37-1]	Trihydrate W/S (Vitamin K3 Sodium Bisulphite Trihydrate) pure, 95%	100 Gms	43.43
[1109-28-0]	(a-1,4-Glucotriose)	1 Gms	90.80		(2-Methyl-1,4-Napthoquinone Sodium	500 Gms	164.50
		5 Gms	434.28		Bisulfite)		
28083	Maltotetraose (DP4) extrapure, 97%	10 Mg	88.17	26531	1-Thioglycerol	25 ml	15.00
[34612-38-9]	(a-D-Glucopyranosyl-1,4-O-a-D-Gluco	25 Mg	197.40	[96-27-5]	(3-Mercapto-1,2-Propanediol) pure, 90%	100 ml	46.19
	pyranosyl-1,4-O-a-D-Glucopyranosyl-1 ,4-D-Glucopyranose)				(Monothioglycerol)	500 ml	222.93
10450	Maltopentaose (DP5) extrapure,	10 Mg	157.92	54474	Mecillinam (MCL) extrapure, 95%	25 Mg	39.48
[34620-76-3]		25 Mg	354.00	[32887-01-7]		100 Mg	118.44
	Maltohexaose (DP6) extrapure,			56868	3-Mercaptopropionic Acid pure,	100 ml	15.13
27607	manoneranse (DPh) exirabile	50 Mg	157.92	_	98%		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>18382</b> [6112-76-1]	6-Mercaptopurine Monohydrate extrapure, 99%	1 Gms 5 Gms	12.50 60.54	58498	✓ MES9: ICP Comprehensive Mix A	100 ml	842.24
81439	MES Free Acid Buffer extrapure,	25 Gms	13.82		Ag, Al, As, Ba, Bi, Ca, Cd, Ce, Dy, Er, Eu,		
[4432-31-9]	99%	100 Gms	49.74		Ga, Gd, Ho, La, Lu, Mg, Na, Nd, P, Pb, Pr, Rb, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, Y, Yb		
	(4-Morpholineethanesulfonic Acid)	500 Gms	179.63		@ 10 µg/ml 40% Aqua Regia		
31808	MES Monohydrate Buffer	25 Gms	12.50	36719	MES10: ICP Comprehensive Mix B	100 ml	1118.60
	extrapure, 99%	100 Gms	45.67		• .		
	(2-Morpholineethane Sulphonic Acid	500 Gms	158.97		Au, B, Be, Co, Cr, Cu, Fe, Ge, Hf, Ir, K, Li,		
	Monohydrate)				Mn, Mo, Nb, Ni, Os, Pd, Pt, Re, Rh, Ru, Sb,		
86751	MES Monohydrate Buffer for tissue culture, 99%	25 Gms	15.27		Si, Sn, Ta, Te, Ti, V, W, Zn, Zr @ 10 μg/ml		
[145224-94-6]	(2-Morpholineethane Sulphonic Acid	100 Gms	49.09		40% Aqua Regia, tr. HF	100	700.0
	Monohydrate)			76134	<ul> <li>MES11: ICP 68 Element Multi</li> <li>Standard 1</li> </ul>	100 ml	723.80
26854	MES Monohydrate Buffer for	25 Gms	19.35		Al, As, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr,		
[145224-94-8]	molecular biology, 99%	100 Gms	51.19		Cs, Cu, Dy, Er, Eu, Fe, Ga, Gd, Ho, In, K,		
	(2-Morpholineethane Sulphonic Acid Monohydrate)				La, Li, Lu, Mg, Mn, Na, Nd, Ni, P, Pb, Pr,		
43396	MES Hemisodium Salt Buffer	25 Gms	71.46		Rb, Re, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U,		
	extrapure, 98%	100 Gms	243.46		V, Y, Yb, Zn @100 µg/ml (Standard 1		
					contains 48 elements) 5% HNO3		
<b>69408</b> [71119-23-8]	MES Sodium Salt Buffer extrapure, 99%	10 Gms	30.14	97799	/ MES12: ICP 68 Element Multi Standard 2	100 ml	289.52
[/1119-20-0]		25 Gms	43.03		Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr		
		100 Gms	133.18		@ 100µg/ml (Standard 2 contains 12		
72841	Mesitrione extrapure, 98%	100 Mg	10.53		elements) 5% HNO3, tr. HF		
[104206-82-8]	(2-(4-Mesyl-2-nitrobenzoyl) -1,3-cyclohexanedione)	1 Gms	65.80	45688	MES13: ICP 68 Element Multi	100 ml	592.20
47062 🗸	MES1: Spectrometric Oil Standard	100 Gms	500.08		Standard 3		
47002	D12		000.00		Au, Ir, Os, Pd, Pt, Rh, Ru, Te @ 100 μg/ml		
	Ag, Al, Cr, Cu, Fe, Mg, Na, Ni, Pb, Si, Sn,				(Standard 3 contains 8 elements) 10% HCI	400 1	=00.00
	Ti @ 10 μg/g Aviation Reference Oil			53816	<ul> <li>MES14: ICP Detector Calibration</li> <li>Multi-Element Mix</li> </ul>	100 ml	763.28
19278	MES2: Metals in Biodiesel	100 Gms	1263.36		7Li, Be, Mg, Sc, Co, Y, In, Ce, Tb, Tl, U		
	<b>Standard</b> Ca, K, Mg, Na, P @ 10 μg/g				(various conc.) 5% HNO3		
55049 🗸	MES3: ICP Alkali's & Alkaline	100 ml	434.28	91353	MES15: ICP Internal Standard	100 ml	763.28
55049	Earths	100 1111	404.20		Multi-Element Mix 1		
	Ba, Be, Ca, Cs, K, Li, Mg, Na, Rb, Sr @				6Li, Sc, Ga, Y, In, Tb, Bi @ 100 μg/ml 5%		
	100 μg/ml 5% HNO3				HNO3	400 1	=00.00
25562 🗸	MES4: ICP Noble Metals	100 ml	552.72	51587	MES16: ICP Internal Standard Multi-Element Mix 2	100 ml	763.28
	A				6Li, Sc, Ga, Y, In, Tb, Bi (various conc.) 2%		
	Au, Ir, Os, Pd, Pt, Re, Rh, Ru @ 100 μg/ml 20% HCl				HNO3		
21551 🗸	MES5: ICP Rare Earth & Geo	100 ml	842.24	67084	MES17: ICP Internal Standard	100 ml	763.28
21551	Elements	100 1111	042.24		Multi-Element Mix 3		
	Ba, Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr,				6Li, Sc, Ge, In, Tb, Lu, Bi @ 100 μg/ml 5%		
	Rb, Sc, Sm, Sr, Tb, Th, Tm, U, Y, Yb @				HNO3, tr. HF		
	100 μg/ml 5% HNO3			31805	<ul> <li>MES18: ICP Internal Standard</li> <li>Multi-Element Mix 4</li> </ul>	100 ml	763.28
82634 🗸	MES6: ICP Non-Metals	100 ml	394.80		6Li, Sc, Ge, Te, In, Tb, Bi (various conc.)		
	As D D C Cs Ci Ts @ 100 us/ssl 50/				5% HNO3, tr. HF		
	As, B, P, S, Se, Si, Te @ 100 μg/ml 5% HCl, tr. HF			76332	Metanilic Acid pure, 98%	250 Gms	2.63
18263 🗸	MES7: ICP Common Elements Mix	100 ml	460.60	[121-47-1]		1 Kg	9.48
10203	1	100 1111	<del>1</del> 00.00	20302	✓ Methane Sulphonic Anhydride	5 Gms	7.76
	Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100			[7143-01-3]		25 Gms	21.98
	μg/ml 5% HNO3			•	(Mesic Anhydride)	100 Gms	84.62
63924	MES8: ICP Common Elements Mix	100 ml	710.64		D Mathiania and and		
	2			54322 [348-67-4]	D-Methionine extrapure, 99%	5 Gms	16.06
	Ag, Al, B, Ca, Co, Cr, Cu, Fe, K, Mg, Mn,			[348-67-4]		25 Gms	60.93
	Na, Ni, P, Pb, Si, Sn, Ti, V, Zn @ 100 μg/ml						

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
65309	DL-Methionine extrapure CHR, 99%	100 Gms	6.05	31535	New Methylene Blue N extrapure,	1 Gms	28.95
[59-51-8]		500 Gms	23.03	[1934-16-3]	70% (Basic Blue 24, Methylene Blue N)	5 Gms	78.96
		1 Kg	42.11		(Basic Blac 24, Methylene Blac 14)	25 Gms	250.04
<b>40043</b> [7314-32-1]	L-Methionine Sulphone extrapure, 99%	1 Gms	45.14	<b>28710</b> [6586-05-6]	New Methylene Blue N Zinc Chloride Double Salt, 90%	5 Gms 25 Gms	20.27 78.96
<b>19485</b> [3226-65-1]	L-Methionine Sulphoxide extrapure, 99%	1 Gms	49.61	73603	New Methylene Blue N Zinc Chloride Double Salt for tissue	5 Gms	46.19
86596	Methotrexate Hydrate (MTR), 98%	50 Mg	39.09	[6586-05-6]	culture, 90%		
[133073-73-1]		100 Mg	65.67	84753	Methyl Eugenol extrapure, 99%	100 ml	17.24
		500 Mg	187.27	[93-15-2]		500 ml	73.43
		1 Gms	280.97			2500 ml	338.21
91842	p-Methoxyacetophenone pure, 99%	100 Gms	8.03	28409	N-Methylformanilide extrapure,	100 ml	9.87
[100-06-1]		500 Gms	27.77	[93-61-8]	99%	500 ml	39.87
81142	4-Methoxyazobenzene (4-MAB)	1 Gms	17.37	77007	Methyl Formate pure, 99%	500 ml	8.95
[2396-60-3]	extrapure AR, 98%	5 Gms	64.09	[107-31-3]	meany. Fermate pare, 00%	300 1111	0.55
	(p-Methyoxyazobenzene,			49281	Methyl-a-D-Glucopyranoside	100 Gms	28.16
13573	4-Phenylazoanisole)  N-Methoxymethyl-N-Trimethylsilylm	5 Gms	133.44	[97-30-3]	extrapure, 99%	500 Gms	113.18
[93102-05-7]	ethyl-Benzylamine extrapure, 98%	25 Gms	500.34		(a-Methyl-D-Glucoside)		1
				<b>37685</b> [603-76-9]	1-Methylindole pure, 97%	5 ml	15.79
<b>51234</b> [5720-06-9]	2-Methoxyphenylboronic Acid extrapure, 95%	1 Gms	18.16	[000.00]		25 ml	50.01
[0.20 00 0]	(Boronic Acid,	5 Gms	81.20			100 ml	157.92
	2-Methoxyphenylboronic Acid)			96595	Methyl Green Zinc Chloride Double Salt	5 Gms	11.32
40632	4-Methoxyphenylboronic Acid	1 Gms	11.32	[7114-03-6]	Sait	25 Gms	52.64
[5720-07-0]	extrapure, 98%	5 Gms	21.98	74916	Methyl Green Zinc Chloride Double	5 Gms	12.37
		25 Gms	106.20	[7114-03-6]	Salt ExiPlus, Multi-Compendial	25 Gms	54.48
23438	2-Methoxypyridine-5-Boronic Acid	1 Gms	20.66		meets compendial specs of BP, Ph.Eur		
[163105-89-3]	(6-Methoxy-3-Pyridinylboronic Acid)	5 Gms	63.17		1-O-Methyl-beta-D-Glucuronic Acid   Sodium Salt extrapure, 99%	50 Mg	50.01
88381	Methyl Acetoacetate pure, 98%	500 ml	12.90		(1-OMe-b-D-GlcA.Na)		
[105-45-3]		2500 ml	58.04	<b>86720</b> [693-98-1]	2-Methylimidazole pure, 99%	100 Gms	5.00
		25 Ltr	552.72	[030-30-1]		500 Gms	19.74
21392	Methyl Acetoacetate extrapure AR,	500 ml	15.27			1 Kg	36.06
[105-45-3]	99%	2500 ml	67.77	15913	Methylisoeugenol (mixture of cis and trans)	25 ml	16.58
64330	p-Methylacetophenone pure, 98%	100 Gms	6.71	[93-16-3]	(1,2-Dimethoxy-4-propenylbenzene	100 ml	40.80
[122-00-9]		250 Gms	15.40		) pure, 98%	500 ml	110.54
93149	N-Methylaniline pure, 98%	500 ml	8.55		(4-(1-Propenyl)		
[100-61-8]		2500 ml	40.80		-1,2-Dimethoxybenzene, Isoeugenyl Methyl Ether)		
29879	3-Methyl-2-Benzothiazolinone	1 Gms	16.19	74384	Methyl Methanesulphonate (MMS)	25 ml	12.90
[38894-11-0]	Hydrazone HCI Monohydrate	5 Gms	52.38	[66-27-3]	extrapure, 99%	100 ml	46.98
	(MBTH) extrapure AR (High Purity), 99%	25 Gms	233.72	42067	Methyl Methanesulphonate (MMS)	10 ml	20.79
23343	3-Methylbutylboronic acid	1 Gms	47.51	[66-27-3]	for tissue culture, 99%		
[98139-72-1]	extrapure, 95%	5 Gms	230.96	71512		100 Mg	31.58
39876	Methyl Chloroacetate extrapure,	500 ml	8.95	[50-66-8]	98% (6-Methyl(thio)purine)	1 Gms	190.82
[96-34-4]	99%			66960	Methyl 2-Naphthyl Ether pure, 99%	250 Gms	5.92
64426	, , , , , , , , , , , , , , , , , , , ,	100 Mg	58.43	[93-04-9]	(Yara Yara)	1 Kg	16.45
[3100-04-7]	98%	500 Mg	138.44	67915	1-Methylpiperazine extrapure, 99%	100 ml	7.63
34428	Methyl Dichloroacetate extrapure,	500 ml	12.63	[109-01-3]	(N-Methylpiperazine)	500 ml	33.56
[116-54-1]	99%			40640	2-Methylphenylboronic Acid		
45880	3-Methyl-1,5-Di-p-Tolyl-1,4-Pentaza	1 Gms	54.75	<b>40610</b> [16419-60-6]	extrapure, 97%	1 Gms 5 Gms	20.79 32.90
[41798-81-6]	diene pure, 97% (N,N-bis[(4-Methylphenyl)diazenyl]Met	5 Gms	257.54	,	•		136.60
	hanamine)					25 Gms	130.00

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
20622	3-Methylphenylboronic Acid	1 Gms	11.05	25828		1 Gms	11.32
[17933-03-8]	extrapure (m-Tolylboronic Acid)	5 Gms	31.32	[22832-87-7]	(MCN)extrapure, 98%	5 Gms	37.11
	extrapure, 97%	25 Gms	151.34			25 Gms	101.46
43322	Methyl-n-Propyl Ketone pure, 99%	500 ml	18.82	67424	Miglitol extrapure, 98%	1 Gms	124.89
[107-87-9]		2500 ml	73.70	[72432-03-2]	(N-(b-Hydroxyethyl) -1-Deoxynojirimycin, Glyset)	5 Gms	343.34
<b>87964</b> [1340-02-9]	Methyl Purple Indicator 0.1% Solution extrapure AR (Fleishers Indicator)	250 ml	10.66	15761	Molisch Reagent	100 ml	5.40
29783	Methyl Salicylate pure, 99%	500 ml	13.16	64563	Mimosine ex. Koa Hoale Seeds,	25 Mg	60.01
[119-36-8]	mony, cancytate pare, cox	2500 ml	64.62	[500-44-7]	98%	100 Mg	171.08
44650	Methyl n Toluenegulfonete nure			55690	Monensin Sodium Salt (MSN),	1 Gms	39.09
<b>41652</b> [80-48-8]	Methyl p-Toluenesulfonate pure, 98%	100 ml	11.84 34.48	[22373-78-0]	90-95%	5 Gms	101.46
. ,	(Methyl p-Tosylate, p-Toluenesulfonic	500 ml	34.40	37233	Molybdenum Disulfide pure, 98%	100 Gms	20.40
	Acid Methyl Ester)			[1317-33-5]		500 Gms	90.80
44243	Methyltriphenylphosphonium	100 Gms	14.08	75556	Molybdenum Metal Sheet 99.9%	1 piece	338.21
[1779-49-3]	Bromide pure, 98%	500 Gms	47.64	[7439-98-7]	Molybuellulli Metal Offeet 99.976	i piece	330.2
18040	<b>ß-Methylumbelliferone extrapure</b>	10 Gms	6.84	68078	10X MOPS Buffer for molecular	100 ml	7.90
[90-33-5]	AR, 99%	25 Gms	11.05		biology	500 ml	25.79
		100 Gms	29.61	69824	MOPS Buffer extrapure, 99%	25 Gms	13.16
13050	4-Methylumbelliferyl-N-Acetyl-B-D-	25 Mg	71.06	[1132-61-2]	(3-Morpholinopropane Sulphonic Acid)	100 Gms	30.40
[37067-30-4]	Glucosaminide extrapure, 99%	50 Mg	118.44			500 Gms	124.36
		100 Mg	225.04		MODO Harria adirera Cale Buttan		
15208	4-Methylumbelliferyl Caprylate	25 Mg	61.06	<b>85123</b> [117961-20-3]	MOPS Hemisodium Salt Buffer extrapure, 99%	25 Gms	68.30
	extrapure, 99%	50 Mg	85.28	[117001200]		100 Gms	219.11
		100 Mg	146.34	57851	MOPS Sodium Salt Buffer	50 Gms	42.24
21896	4 Mathylumballifond C D Callabiasi			[71119-22-7]	extrapure, 99.5%	100 Gms	79.62
<b>21896</b> [72626-61-0]	4-Methylumbelliferyl-ß-D-Cellobiosi de extrapure, 98%	25 Mg	48.82			500 Gms	329.00
		50 Mg	85.41	66043	MOPS Buffer for molecular biology,	25 Gms	18.03
<b>34391</b> [6160-78-7]	4-Methylumbelliferyl- B-D-Galactopyranoside extrapure	100 Mg	14.08	[1132-61-2]	99% (3-Morpholinopropane Sulphonic Acid)	100 Gms	44.22
[0100-70-7]	is-b-datactopyranosiae extrapare	250 Mg	32.24	38602	MOPSO Buffer extrapure, 99%	25 Gms	27.77
48838	4-Methylumbelliferyl-ß-D-	100 Mg	16.98	[68399-77-9]	· · · · · · · · · · · · · · · · · · ·	100 Gms	106.07
[18997-57-4]	Glucopyranoside extrapure	500 Mg	76.06		Sulphonic Acid)		
	N-Methyl-N-Trimethylsilyl	5 ml	36.85	82595	MOPSO Sodium Salt Buffer	50 Gms	65.41
[24589-78-4]	Trifluoroacetamide (MSTFA)	25 ml	167.92	[79803-73-9]	extrapure, 99%	250 Gms	299.78
	extrapure, 98%	100 ml	645.63	24829	Morin Hydrate (Aluminium	1 Gms	15.00
83294	MSTFA+TMCS (99:1)	10 x1 ml	92.25	[480-16-0,	Ionophore I, C.I. 75660) extrapure	5 Gms	55.27
[24589-78-4]	(N-Methyl-N-			6472-38-4]	AR, 98% (2',3,4',5,7-Pentahydroxyflavone)		
	(trimethylsilyl)trifluoroacetamide,			14189	Mucic Acid extrapure, 99%	25 Gms	9.08
86338	Trimethylchlorosilane)  4-Methylumbelliferyl-a-L-Iduronide	1 Mg	345.45	[526-99-8]	• , ′	100 Gms	29.08
[66966-09-4]	Free Acid extrapure, 97%	ı wig	5 10. 10			500 Gms	103.70
49959	4-Methylumbelliferyl	25 Mg	199.77	57868	Myosin II (in 4% SDS) ex. rabbit	1 Mg	140.55
	Myo-Inositol-1-Phosphate,			07000	skeletal muscle, 95%	2 Mg	218.46
	N-Methyl-Morpholine Salt, Biosynth patent(WO99/48899)			45050	Muricotin grupt pure 000/		
21400	4-Methylumbelliferyl Sulfate	100 Mg	60.80	15358 <b>J</b> [529-44-2]	Myricetin cryst pure, 98%	10 Mg	29.6
[15220-11-8]	Potassium Salt extrapure, 99%	500 Mg	165.55	1		25 Mg	50.93
E1E04 I	4-Methylumbelliferyl-b-D-Glucuroni					100 Mg	155.68
<b>51504 5</b> [199329-67-4,	de Trihydrate (MUG) extrapure,	100 Mg 1 Gms	24.87 60.80	<b>45945</b>	Myristic Acid pure, C14-95% (GC)	500 Gms	7.76
881005-91-0]		5 Gms	269.52	[544-63-8] <b>36459</b>	Myristic Acid extrapure AR,	100 Gms	3.10
	E Made destable a series			[544-63-8]	C14-99% (GC)	500 Gms	14.08
<b>77337</b> [1463-10-1]	<b>5-Methyluridine extrapure, 98%</b> (Ribothymidine)	5 Gms	27.77		Musicatic Acid (High Posts A		
[1-00-10-1]	(	25 Gms	87.65	<b>86442</b> [544-63-8]	Myristic Acid (High Purity) extrapure, C14-99.5% (GC)	5 Gms	3.95
				[0-00-0]		25 Gms	14.08

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
70718	Myristic Acid Methyl Ester	5 Gms	21.06	61166	N-(1-Naphthyl)Ethylenediamine	5 Gms	10.13
[124-10-7]	Reference Standard, 99%(GC)	25 Gms	42.11	[1465-25-4]	Dihydrochloride (NEDA) extrapure AR, ACS, 98%	10 Gms	16.98
		100 Gms	118.44		(Bratton-Marshall Reagent, Marshall's	25 Gms	33.16
28136	Myristyl Alcohol (1-Tetradecanol)	100 ml	2.76		Reagent)		
[112-72-1]	pure, 98%	500 ml	11.05	84942	N-(1-Naphthyl)Ethylenediamine	5 Gms	11.58
20346	Nalidixic Acid free acid extrapure,	1 Gms	3.95	[1465-25-4]	Dihydrochloride (NEDA) extrapure AR,ACS,ExiPlus, Multi-Compendial,	10 Gms	20.00
[389-08-2]	99%	5 Gms	17.37		98%	25 Gms	36.98
	(8-Naphthyridine-3-Carboxylic Acid)	05.0			(Bratton-Marshall Reagent, Marshall's		
<b>96676</b> [120-18-3]	Naphthalene-2-Sulphonic Acid Monohydrate extrapure, 98%	25 Gms	16.45		Reagent) meets compendial specs of BP		
	<u> </u>	100 Gms	52.38	27734	Naringin pure, 97%	5 Gms	14.48
55335	1,3,6-Naphthalenetrisulfonic Acid Trisodium Salt Hydrate (NTSA	250 Gms	92.12	[10236-47-2]	namgm pare, er /e	25 Gms	32.90
123409-01-8]	Sodium Hydrate) extrapure, 95%	1 Kg	210.56			100 Gms	94.75
57955	a-Naphthoflavone extrapure AR,	1 Gms	9.61	05050	Naringenin pure, 95%		
[604-59-1]	98%	5 Gms	34.87	<b>95956</b> [67604-48-2]	Naringenin pure, 95%	1 Gms	18.56
		25 Gms	158.45	[0.001.102]		5 Gms	46.19
93051	Naphthol-AS-Acetate extrapure,	100 Mg	18.82			25 Gms	107.65
[1163-67-3]	99%	500 Mg	68.70	<b>93007</b> [484-11-7]	Neocuproine	1 Gms	17.24
56061	Nonhthal AC DI aytronius 000/			[484-11-7]	(2,9-Dimethyl-1,10-phenanthroline) extrapure, 99%	5 Gms	84.36
56061 (1237-75-8)	Naphthol AS-BI extrapure, 98%	5 Gms	9.48	35449	Neocuproine Hydrochloride	1 Gms	21.58
70430	Naphthol-AS-BI-b-D- Glucuronide	25 Mg	109.36	[7296-20-0]	Monohydrate(2,9	5 Gms	100.02
[37-87-6]	extrapure, 99%	100 Mg	343.34		Dimethyl-1-10-phenanthroline		
87408	Naphthol-AS-Phosphate extrapure,	250 Mg	109.36	23049	hydrochloride)extrapureAR,99%  Neodymium (III) Chloride	5 Gms	51.59
[13989-98-5]		500 Mg	152.92	[10024-93-8]	Anhydrous, 99.9%	25 Gms	126.47
	Newhale of AO DI Discouring						
<b>11401 &amp;</b> [1919-91-1]	Naphthol-AS-BI- Phosphate extrapure, 98%	100 Mg	54.75	<b>78442</b>	Neodymium (III) Chloride Hexahydrate extrapure, 99.9%	25 Gms	34.48
	<u> </u>	250 Mg	124.89	[10477 00 0]		100 Gms	85.93
<b>87791</b> [1064-48-8]	Naphthol Blue Black B	25 Gms	6.97	37499	Neodymium (III) Oxide extrapure AR, 99.9%	10 Gms	13.03
[1004-40-6]		100 Gms	25.00	[1313-97-9]	An, 33.3%	25 Gms	31.58
45838	1,2-Naphthoquinone-4- Sulphonic	5 Gms	6.58			100 Gms	111.86
[521-24-4]	Acid Sodium Salt extrapure AR, 99%	25 Gms	28.95	86879	Neodymium (III) Nitrate	25 Gms	34.74
10150	1-Naphthyl Acetamide (NAD)	5 Gms	45.93	[16454-60-7]	Hexahydrate extrapure, 99.9%	100 Gms	94.75
[86-86-2]	technical grade, 98%	25 Gms	180.29	99080	Neodymium (III)	1 Gms	20.79
42383 •	1-Naphthyl Phosphate Disodium	25 Mg	24.08	[34622-08-7]	Trifluoromethanesulfonate	5 Gms	52.51
[2183-17-7]	Salt extrapure	250 Mg	71.99		extrapure, 98% (Neodymium Triflate, Neodymium		
	(a-Naphthyl Phosphate Disodium Salt,	200 1419	71.00		Perfluoromethanesulfonate)		
	Disodium 1-Naphthyl Phosphate)			35282	Neomycin Sulphate (NMS) pure	25 Gms	8.55
<b>59523</b> [120-23-0]	2-Naphthoxyacetic Acid (BNOA) pure, 98%	25 Gms	3.95	[1405-10-3]			
[120 20 0]		100 Gms	12.90	<b>27309</b> [126-30-7]	Neopentyl Glycol pure, 98%	500 Gms	7.11
43036	a-Naphthyl Acetate extrapure AR,	5 Gms	13.16		Neopentyl lodide extrapure, 98%	5 ml	81.33
[830-81-9]	99%	10 Gms	23.82		(2,2-Dimethyl-1-lodopropane,	25 ml	260.30
		25 Gms	48.17		1-lodo-2,2-Mimethylpropane)	20 1111	200.00
		100 Gms	149.50	14678	Nessler`s Reagent	100 ml	7.90
79388		5 Gms	13.16		Notilminin Sulphoto (NTC	400 Me	EE 07
[1523-11-1]	99%	10 Gms	24.35		Netilmicin Sulphate (NTC Sulphate), 595ug/mg	100 Mg	55.27
		25 Gms	41.72	72860	Nicotinamide extrapure, 99.5%	100 Gms	5.13
		100 Gms	141.21	[98-92-0]	(Niacinamide, Pyridine-3-Carboxylic	500 Gms	23.42
11939	1-Naphthylacetonitrile pure, 97%	25 Gms	64.48		Acid Amide)		·
[132-75-2]		100 Gms	249.78		B-Nicotinamide Adenine	1 Gms	11.84
				[53-84-9]	Dinucleotide (Oxidized) (ß-NAD, DPN) extrapure, 98%	5 Gms	56.98
					, c	25 Gms	273.07

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
19628		1 Gms	12.77	73387	Niobium Pentoxide extrapure AR,	10 Gms	8.29
[53-84-9]	Dinucleotide (Oxidized) (ß-NAD, DPN) ExiPlus, Multi-Compendial,	5 Gms	60.93	[1313-96-8]	99.9%	25 Gms	16.84
	98%	25 Gms	288.73			100 Gms	55.40
	meets compendial specs of BP, Ph.Eur					500 Gms	265.96
87253	ß-Nicotinamide Adenine	1 Gms	18.56	31162	Nitenpyram extrapure, 98%	1 Gms	30.40
[53-84-9]	Dinucleotide (Oxidized) (β-NAD,	5 Gms	80.01	[150824-47-8]		5 Gms	110.54
77268	DPN) for molecular biology, 98%	400 M =	0.55	39180	m-Nitroacetophenone pure, 98%	100 Gms	8.29
<b>77268</b> [606-68-8]	ß-Nicotinamide Adenine Dinucleotide Disodium Salt	100 Mg	3.55	[121-89-1]		500 Gms	38.82
[000 00 0]	(Reduced) (ß-NADH.Na2,	500 Mg	16.45	21254	2-Nitrobenzaldehyde extrapure AR,	25 Gms	9.74
	DPNH.Na2) extrapure, 98%	1 Gms	29.74	[552-89-6]	99%	100 Gms	33.95
		5 Gms	134.23		(o-Nitrobenzaldehyde)	100 Gills	00.55
	B-Nicotinamide Adenine	100 Mg	5.00	17735	p-Nitrobenzaldehyde extrapure,	25 Gms	8.42
[606-68-8]	Dinucleotide Disodium Salt (Reduced) (B-NADH.Na2,	1 Gms	41.59	[555-16-8]	99%	100 Gms	21.85
	DPNH.Na2) for MB, 98%	5 Gms	192.27	17644	m-Nitrobenzaldehyde pure, 98%	100 Gms	9.61
44566	ß-Nicotinamide Adenine	500 Mg	30.00	[99-61-6]		500 Gms	39.35
[64417-72-7]	Dinucleotide Lithium Salt	1 Gms	56.85	17003	m-Nitrobenzene Sulphonic Acid	1 Kg	11.58
	(Oxidized) (ß-NAD.Li) extrapure, 95%	5 Gms	149.76	[127-68-4]	Sodium Salt pure, 98%	5 Kg	50.67
32819	ß-Nicotinamide Adenine	100 Mg	10.79		(Sodium 3-Nitrobenzenesulfonate,	3 Ng	30.07
[1184-16-3]	Dinucleotide Phosphate	500 Mg	40.80		Resist Salt)		
	Monosodium Salt (β-NADP.Na,	1 Gms	78.43	96144	m-Nitrobenzoic Acid pure, 99%	100 Gms	6.58
	TPN.Na) extrapure, 98%	5 Gms	272.15	[121-92-6]		500 Gms	29.35
	O Missatire specials A designs			81431	m-Nitrobenzoic Acid extrapure AR,	25 Gms	5.66
<b>72970</b> [1184-16-3]	ß-Nicotinamide Adenine Dinucleotide Phosphate	100 Mg	21.58	[121-92-6]	99%	100 Gms	16.84
[1104-10-3]	Monosodium Salt (β-NADP.Na) for	1 Gms	102.25			250 Gms	36.85
	MB, 98%			79303	p-Nitrobenzoic Acid pure, 99%	100 Gms	5.13
	ß-Nicotinamide Adenine	100 Mg	11.19	[62-23-7]		500 Gms	23.42
[24292-60-2]	Dinucleotide Phosphate Disodium Salt (β-NADP.Na2, TPN.Na2)	500 Mg	43.16	27500	4-Nitrobenzoyl Chloride (PNBC)	25 Gms	9.74
	extrapure, 95%	1 Gms	73.83	[122-04-3]	pure, 98%	100 Gms	19.35
		5 Gms	238.33		(p-Nitrobenzoic Acid Chloride)	500 Gms	56.46
56640	ß-Nicotinamide Adenine	100 Mg	16.19	39996	p-Nitrobenzyl Alcohol pure, 97%	25 Gms	14.34
[24292-60-2]	Dinucleotide Phosphate Disodium	1 Gms	135.28	[619-73-8]	<b>p</b> e., , , , , e. , e. , e. , e.	100 Gms	45.01
	Salt (B-NADP.Na2, TPN.Na2) for MB, 95%				w Nitrada aread Danamida (DNDDD)		
99197		25 Mg	12.37	<b>12790</b> [100-11-8]	p-Nitrobenzyl Bromide (PNBBR) pure, 99%	25 Gms	6.71
[2646-71-1]	Dinucleotide Phosphate	100 Mg	35.40	[100 11 0]	<b>F</b> , 00.70	100 Gms	11.98
	Tetrasodium Salt (Reduced)	1 Gms	299.78			500 Gms	56.72
	(B-NADPH.Na4) extrapure, 98% (TPNH2.Na4)			97695	4-(4-Nitrobenzyl)Pyridine extrapure	5 Gms	78.96
57647	. ,	25 Mg	33.95	[1083-48-3]	AR, 99%	25 Gms	329.00
[2646-71-1]	Dinucleotide Phosphate	100 Mg	73.83	11207	Nitro Blue Tetrazolium Chloride	100 Mg	8.03
	Tetrasodium Salt (Reduced)	100 Mg	70.00	[298-83-9]	(Nitro BT) (NBT) extrapure AR, 99%	250 Mg	14.48
	(B-NADPH.Na4) for MB, 98% (TPNH2.Na4)					1 Gms	43.43
55615 <b>=</b>	B-Nicotinamide Adenine	100 Mg	38.69			5 Gms	202.66
68141-45-7]	Dinucleotide Phosphate	500 Mg	61.85	48898 ■	Nitro Blue Tetrazolium Chloride	100 Mg	11.58
	Monopotassium Salt (Oxidized)	1 Gms	123.70	[298-83-9]	(Nitro BT) (NBT) for molecular	250 Mg	20.27
_	(ß-NADP.K)extrapure, 95%				biology, 99%	1 Gms	63.69
<b>88991</b> [20111-18-6]	ß-Nicotinamide Adenine Dinucleotide Sodium Salt	500 Mg	34.48	13001	Nitro Blue Tetrazolium Chloride	100 Mg	23.16
[20111-10-0]	(B-NAD.Na) extrapure, 95%	1 Gms	39.09	[298-83-9]	(Nitro BT) (NBT) for tissue culture,		_50
	• • •	5 Gms	148.31		99%		
95130		25 Mg	41.59	15527	o-Nitrochlorobenzene (ONCB)	500 Gms	6.19
[1094-61-7]	(B-NMN) extrapure, 95% (B-Nicotinamide ribose	100 Mg	69.22	[88-73-3]	pure, 99%	5 Kg	50.01
	monophosphate, NMN, Nicotinamide	1 Gms	107.65	84258	Nitrofurantoin extrapure, 98-102%	5 Gms	17.37
	ribotide,			[67-20-9]	(N-(5-Nitro-2-Furfurylidene) -1-Aminohydantoin, Furadoxyl)	25 Gms	39.09
	Nicotinamide-1-ium-1-ß-D-ribofuran						

Code	Name	Packing	\$ Price	Code
<b>90728</b> [88-75-5]	o-Nitrophenol extrapure AR, 99%	25 Gms 100 Gms	5.13 15.53	<b>93413</b> [68189-4
18432	p-Nitrophenyl Acetate extrapure,	1 Gms	5.79	
[830-03-5]	99%	5 Gms	19.74	53456
		25 Gms	57.25	[398128-
13463	2-Nitrophenylacetic Acid pure, 98%	5 Gms	9.21	
[3740-52-1]		25 Gms	31.98	
		100 Gms	111.47	85173
68146	p-Nitrophenylacetic Acid pure, 98%	25 Gms	16.32	[603-1
[104-03-0]		100 Gms	56.59	46384
72565 <b>■</b>	4-Nitrophenyl-N-Acetyl-B-D-Glucos	100 Mg	50.01	[610-27
[3459-18-5]	aminide extrapure, 99%	1 Gms	265.83	43713
72367	4-Nitro-L-Phenylalanine	25 Gms	141.73	[525-0
	Monohydrate extrapure, 99%	25 01115	141.75	21872
33602	p-Nitrophenyl ß-D-Cellobioside	100 Mg	155.29	[99-08
[3482-57-3]	extrapure, 98%	500 Mg	400.59	60944
	(4-Nitrophenyl-beta-D-Cellobioside, PNP-beta-D-cellobioside)			[611-08
38325	4-Nitrophenyl-4,6-Ethylidene-a-D-M	25 Mg	72.51	81787
	altoheptaoside (pNP-G7, EPS), EPS	100 Mg	153.05	[6635-2
	90% (Ethylidana 4 Nitrophanyl a D Maltaba	· ·		64650
	(Ethylidene-4-Nitrophenyl-a-D-Maltohe ptaoside, EPS-PNP-G7)			<b>64659</b> [821-5
6398	o-Nitrophenyl-ß-D-Galacto	1 Gms	11.84	
[369-07-3]	Pyranoside (ONPG) extrapure, 99%	5 Gms	41.45	
		25 Gms	184.24	<b>56986</b> [51-98
64685 •	p-Nitrophenyl	250 Mg	49.09	
[7493-95-0]	a-D-Galactopyranoside extrapure,	1 Gms	138.97	
	98%			<b>43000</b> [70458-9
9 <b>6226</b> • [3150-24-1]	p-Nitrophenyl-ß-D-Galactopyranosi de (PNPG) extrapure, 98%	250 Mg	16.06	
0130-24-1]	de (i iii d) extrapare, ee/s	500 Mg	28.95	<b>49021</b> [616-06
		1 Gms	51.98	
9 <b>2734</b> • [2492-87-7]	p-Nitrophenyl-ß-D-Glucopyranoside extrapure, 98%	100 Mg	12.11	27434
[2402 07 7]	chiapare, co/c	1 Gms	57.90	[1476-5
.=		5 Gms	190.82	
1 <b>2735</b> • [3767-28-0]	p-Nitrophenyl-a-D-Glucopyranoside extrapure, 98%	100 Mg	15.40	56221
[5,5,-20-0]		250 Mg	26.45	[6600-4
		1 Gms	59.61	68547
	p-Nitrophenyl-ß-D-Glucuronide (PNPG (Gus)) extrapure, 99%	50 Mg	32.24	[6409-7
.0074-84-2]	a (ada), extrapare, 30/0	100 Mg	64.48	89249
		500 Mg	177.27	
27166	3-Nitrophenylboronic Acid extrapure, 97%	1 Gms	14.87	56083
[13331-27-0]	extrapare, 37 /6	5 Gms	29.48	62339
		25 Gms	134.89	[124-30
82582	p-Nitrophenylhydrazine extrapure AR, 99%	10 Gms	12.24	51038
[100-16-3]	AII, 33 /0	25 Gms	20.53	[124-30
	p-Nitrophenylphosphate Disodium	5 Gms	9.08	
333338-18-4/ 4264-83-9]	Salt Hexahydrate (PNPP) Crystalline Reagent Grade, 99%	25 Gms	40.53	27703
•	,	250 Gms	361.90	[111-64
			0.07	
	p-Nitrophenylphosphate Disodium Salt Hexahydrate (pNPP) for	5 Gms	9.87	

Same   Post   Sams   25 Gms   8   25 Gms   21 Gms   21 Gms   21 Gms   21 Gms   21 Gms   22 Gms   21 Gms   22 Gms   23 Gms   24 Gms   25 Gms   2	ode	Name	Packing	\$ Pric
Solin   Soli			1 Gms	8.4
25 Gms   8   8   25 Gms   8   8   25 Gms   8   100 Mg   21   100 Gms   3   100 Gms   10 Gms   3   100 Gms   10 Gm	68189-42-4]	, , , ,	5 Gms	25.0
See		99%	25 Gms	89.4
(3-Methoxy-4-Hydroxycinnamic Acid 4-Nitrophenyl Ester, PNP-trans-Ferulate)  85173 (803-11-2)  46384 (810-27-5)  400 Gms (810-27-5)  400 Gms (810-27-5)  400 Gms (810-27-5)  43713 (810-27-5)  100 Gms (810 Gms (810 Gms (811-08-5)  100 Gms (811-08-5)  43787  5-Nitrouracil extrapure AR  25 Gms (811-08-5)  60944  5-Nitrouracil extrapure, 98%  10 Gms 3  25 Gms 7  5 Gms 3  6868-20-71 (3-Methoxy-4-Hydroxy-5-Nitrobenzalde hyde) (9-Methoxy-4-Hydroxy-5-Nitrobenzalde hyde)  64659 (81-08-6) (81-08-6) (81-08-6) (81-08-6) (9-Methoxy-4-Hydroxy-5-Nitrobenzalde hyde) (9-Methoxy-4-Hydroxy-5-Nitrobenzalde hyde) (81-08-6) (99% (10-Heptyl Methyl Ketone)  100 Mg 4  43000  Northisterone Acetate extrapure, 99% (Norethisterone Acetate)  5 Gms (10-98-9) (Norethindrone Acetate)  5 Gms (10-98-9)  43000  Norfloxacin (NFX), 98%  1 Gms (10-96-8)  25 Gms 3  49021 (1-Norleucine extrapure, 99% 1 Gms (10-96-8)  27434  Novobiocin Sodium Salt (NVB), 95% 1 Gms 6 66547 (1-40-77-4) (1-10-10-10-10-10-10-10-10-10-10-10-10-10	3456	4-Nitrophenyl trans-Ferulate	25 Mg	72.3
4-Nitrophenyl Ester, PNP-trans-Ferulate)  85173	98128-60-4]	-	100 Mg	210.5
G003-11-2    S00 Gms   3		4-Nitrophenyl Ester,		
46384 4-Nitrophthalic Acid pure, 98% 100 Gms 3 (810-27-5) 500 Gms 10 (810-27-5) 500 Gms 10 (825-05-3) 100 Gms 1 (825-05-3) 100 Gms 1 (825-05-3) 100 Gms 1 (825-05-3) 100 Gms 1 (826-05-3) 100 Gms 1 (821-82-5) 25 Gms 7 (821-82-5) (821	35173	3-Nitrophthalic Acid pure, 98%	100 Gms	8.1
Soo Gms   10   10   10   11   11   10   11	[603-11-2]		500 Gms	33.5
Nitroso R-Salt extrapure AR   25 Gms   100 Gms   1   100 Gms   3   100 Gms   7   100 Gms   100 Gms   7   100 Gms   100 Gms   7   100 Gms	16384	4-Nitrophthalic Acid pure, 98%	100 Gms	31.8
Seed	[610-27-5]	· · · · · · · · · · · · · · · · · · ·	500 Gms	103.0
Seed	13713	Nitroso R-Salt extrapure AR	25 Gms	5.4
21872 [99-08-1]  60944				16.1
S-Nitrouracil extrapure, 98%	11070	3-Nitrotoluene extranure 99%		4.4
[611-08-5]       25 Gms       7         81787 ✓ S-Nitrovanillin pure, 98%       5 Gms       3         [6635-20-7]       (3-Methoxy-4-Hydroxy-5-Nitrobenzalde hyde)       25 Gms       7         64659       2-Nonanone pure, 98%       25 ml         [821-55-6]       (n-Heptyl Methyl Ketone)       100 ml       1         56986 [51-98-9]       Norethisterone Acetate extrapure, 99%       100 Mg       4         [51-98-9]       Norfloxacin (NFX), 98%       1 Gms       10         [70458-96-7]       5 Gms       1         43000 [70458-96-7]       5 Gms       1         49021 [616-06-8]       DL-Norleucine extrapure, 99%       5 Gms       1         27434 [7043-7-4]       Novobiocin Sodium Salt (NVB), 100 Mg       1         [1476-53-5]       95%       1 Gms       6         5 Gms       19         56221 [-Norvaline extrapure, 99%       1 Gms       2         68547 [8409-77-4]       (C.l. No. 60760)       5 Gms       9         89249 Nylander's Reagent       50 ml         56083 Obermayor's Reagent       50 Gms       1         51038 [124-30-1]       (Stearylamine) 5 Kg       3         51038 [124-30-1]       Octadecylamine technical, 70%       50 Gms		5-Minotoluene extrapare, 9976	250 1111	4.4
Sample   S	0944	5-Nitrouracil extrapure, 98%	10 Gms	35.5
[8635-20-7] (3-Methoxy-4-Hydroxy-5-Nitrobenzalde hyde)  64659	[611-08-5]		25 Gms	72.5
hyde    25 ml	31787 <b>✓</b>	5-Nitrovanillin pure, 98%	5 Gms	36.8
[821-55-6] (n-Heptyl Methyl Ketone) 100 ml 1 500 ml 4 56986 Norethisterone Acetate extrapure, 100 Mg 4 99% 1 Gms 10 5 Gms 19 99% 1 Gms 10 5 Gms 19 19	[6635-20-7]	` , , ,	25 Gms	73.7
500 ml   4   500 ml   4   500 ml   4   56986   Norethisterone Acetate extrapure,   100 Mg   4   4   10 ms   10   10 ms   10 ms   10   10 ms   1			25 ml	7.2
Norethisterone Acetate extrapure,   100 Mg   4   99%   1 Gms   10   10   10   10   10   10   10   1	[821-55-6]	(n-Heptyl Methyl Ketone)	100 ml	17.1
[51-98-9] 99% (Norethindrone Acetate) 1 Gms 10			500 ml	42.1
(Norethindrone Acetate)  5 Gms 19  43000 Norfloxacin (NFX), 98% 1 Gms 2  [70458-96-7] 5 Gms 6  49021 DL-Norleucine extrapure, 99% 5 Gms 1  25 Gms 3  27434 Novobiocin Sodium Salt (NVB), 100 Mg 1  [1476-53-5] 95% 1 Gms 6  5 Gms 19  56221 L-Norvaline extrapure, 99% 1 Gms 2  [6600-40-4] 5 Gms 19  56221 L-Norvaline extrapure, 99% 1 Gms 2  [6409-77-4] (C.I. No. 60760) 5 Gms 9  89249 Nylander`s Reagent 50 ml  56083 Obermayor`s Reagent 100 ml  62339 Octadecylamine technical, 70% 5 1038 Octadecylamine pure, 98% 250 Gms  [124-30-1] 1 Kg 2  5 Kg 11  27703 Octanoyl Chloride pure, 99% 25 ml  [111-64-8] 100 ml 1	6986	Norethisterone Acetate extrapure,	100 Mg	45.4
19	[51-98-9]		1 Gms	108.5
Tour		(Note: illidrone Acetate)	5 Gms	197.4
1	3000	Norfloxacin (NFX), 98%	1 Gms	28.1
[616-06-8]       25 Gms       3         27434       Novobiocin Sodium Salt (NVB),       100 Mg       1         [1476-53-5]       95%       1 Gms       6         5 Gms       19         56221       L-Norvaline extrapure, 99%       1 Gms       2         68547       Nuclear Fast Red       1 Gms       1         [6409-77-4]       (C.I. No. 60760)       5 Gms       9         89249       Nylander`s Reagent       50 ml         56083       Obermayor`s Reagent       100 ml         62339       Octadecylamine technical, 70%       500 Gms         [124-30-1]       (Stearylamine)       5 Kg       3         51038       Octadecylamine pure, 98%       250 Gms         [124-30-1]       1 Kg       2         5 Kg       11         27703       Octanoyl Chloride pure, 99%       25 ml         [111-64-8]       100 ml       1	70458-96-7]		5 Gms	65.6
27434  Novobiocin Sodium Salt (NVB), 100 Mg 1 [1476-53-5] 95% 1 Gms 6 5 Gms 19  56221  L-Norvaline extrapure, 99% 1 Gms 2 [6800-40-4] 5 Gms 4  68547  Nuclear Fast Red 1 Gms 1 [6409-77-4] (C.I. No. 60760) 5 Gms 9  89249  Nylander`s Reagent 50 ml  56083  Obermayor`s Reagent 100 ml  62339  Octadecylamine technical, 70% 500 Gms [124-30-1] (Stearylamine) 5 Kg 3  51038  Octadecylamine pure, 98% 250 Gms [124-30-1] 1 Kg 2 5 Kg 11  27703  Octanoyl Chloride pure, 99% 25 ml [111-64-8] 100 ml 1	19021	DL-Norleucine extrapure, 99%	5 Gms	10.5
[1476-53-5] 95%	[616-06-8]		25 Gms	39.4
[1476-53-5] 95%	7434	Novobiocin Sodium Salt (NVB),	100 Mg	14.6
1 Gms   2   2   5 Gms   4   4   5 Gms   4   68547   Nuclear Fast Red   1 Gms   1   6409-77-4   (C.I. No. 60760)   5 Gms   9   89249   Nylander`s Reagent   50 ml   5 6083   Obermayor`s Reagent   100 ml   62339   Octadecylamine technical, 70%   500 Gms   124-30-1   (Stearylamine)   5 Kg   3   5 1038   124-30-1   1 Kg   2   5 Kg   11   27703   Octanoyl Chloride pure, 99%   25 ml   111-64-8   100 ml   1	[1476-53-5]	95%	_	69.0
[6600-40-4]         5 Gms         4           68547         Nuclear Fast Red         1 Gms         1           [6409-77-4]         (C.I. No. 60760)         5 Gms         9           89249         Nylander's Reagent         50 ml           56083         Obermayor's Reagent         100 ml           62339         Octadecylamine technical, 70%         500 Gms           [124-30-1]         (Stearylamine)         5 Kg           51038         Octadecylamine pure, 98%         250 Gms           [124-30-1]         1 Kg         2           5 Kg         11           27703         Octanoyl Chloride pure, 99%         25 ml           [111-64-8]         100 ml         1			5 Gms	193.4
[6600-40-4]         5 Gms         4           68547         Nuclear Fast Red         1 Gms         1           [6409-77-4]         (C.I. No. 60760)         5 Gms         9           89249         Nylander's Reagent         50 ml           56083         Obermayor's Reagent         100 ml           62339         Octadecylamine technical, 70%         500 Gms           [124-30-1]         (Stearylamine)         5 Kg           51038         Octadecylamine pure, 98%         250 Gms           [124-30-1]         1 Kg         2           5 Kg         11           27703         Octanoyl Chloride pure, 99%         25 ml           [111-64-8]         100 ml         1	6221	L-Norvaline extrapure, 99%	1 Gms	23.4
[6409-77-4]         (C.I. No. 60760)         5 Gms         9           89249         Nylander`s Reagent         50 ml           56083         Obermayor`s Reagent         100 ml           62339         Octadecylamine technical, 70%         500 Gms           [124-30-1]         (Stearylamine)         5 Kg         3           51038         Octadecylamine pure, 98%         250 Gms         1 Kg         2           [124-30-1]         1 Kg         2         5 Kg         11           27703         Octanoyl Chloride pure, 99%         25 ml         100 ml         1				48.4
[6409-77-4]         (C.I. No. 60760)         5 Gms         9           89249         Nylander`s Reagent         50 ml           56083         Obermayor`s Reagent         100 ml           62339         Octadecylamine technical, 70%         500 Gms           [124-30-1]         (Stearylamine)         5 Kg         3           51038         Octadecylamine pure, 98%         250 Gms         1 Kg         2           [124-30-1]         1 Kg         2         5 Kg         11           27703         Octanoyl Chloride pure, 99%         25 ml         100 ml         1	8547	Nuclear Fast Red	1 Gms	19.7
89249         Nylander`s Reagent         50 ml           56083         Obermayor`s Reagent         100 ml           62339         Octadecylamine technical, 70%         500 Gms           [124-30-1]         5 Kg         3           51038         Octadecylamine pure, 98%         250 Gms           [124-30-1]         1 Kg         2           5 Kg         11           27703         Octanoyl Chloride pure, 99%         25 ml           [111-64-8]         100 ml         1				97.3
62339         Octadecylamine technical, 70%         500 Gms           [124-30-1]         (Stearylamine)         5 Kg         3           51038         Octadecylamine pure, 98%         250 Gms         1 Kg         2           [124-30-1]         5 Kg         11         1 Kg         2           5 Kg         11         1 Mg         2         1 Mg         2           27703         Octanoyl Chloride pure, 99%         25 ml         1 Mg         2         1 Mg         1 Mg         2         1 Mg         1 Mg         2         1 Mg         2         1 Mg         1 Mg         2         1 Mg         2         1 Mg	39249	Nylander`s Reagent		5.6
[124-30-1]         (Stearylamine)         5 Kg         3           51038         Octadecylamine pure, 98%         250 Gms           [124-30-1]         1 Kg         2           5 Kg         11           27703         Octanoyl Chloride pure, 99%         25 ml           [111-64-8]         100 ml         1	6083	Obermayor`s Reagent	100 ml	2.5
[124-30-1]         (Stearylamine)         5 Kg         3           51038         Octadecylamine pure, 98%         250 Gms           [124-30-1]         1 Kg         2           5 Kg         11           27703         Octanoyl Chloride pure, 99%         25 ml           [111-64-8]         100 ml         1	2339	Octadecylamine technical. 70%	500 Gms	3.9
51038   Octadecylamine pure, 98%   250 Gms     1 Kg   2   2 Kg   11   27703   Octanoyl Chloride pure, 99%   25 ml   1100 ml   1				36.8
[124-30-1] 1 Kg 2 5 Kg 11 27703 Octanoyl Chloride pure, 99% 25 ml [111-64-8] 100 ml 1	1038	Octadecylamine pure. 98%		7.9
27703 Octanoyl Chloride pure, 99% 25 ml [111-64-8] 100 ml 1		pa. 0, 00 /0		28.9
<b>27703 Octanoyl Chloride pure, 99%</b> 25 ml [111-64-8] 100 ml 1			•	111.8
[111-64-8] 100 ml 1	7702	Octanovi Chlorida pura POS		6.1
1001111 1		Octanoyi Cilionae pare, 33%		16.1
500 IIII 4				49.8
60507 ■ Octyl a-D-Galactopyranoside 50 Mg 3		Orbida B Orbani		36.8

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>63777</b> • [40427-75-6]	Octyl ß-D-Galactopyranoside extrapure, 98%	50 Mg	36.85	<b>34262</b> [57-10-3]	Palmitic Acid Reference Standard, C16-99% (GC)	5 Gms 25 Gms	7.63 28.95
25253	Octyl a-D-Glucopyranoside	100 Mg	184.24	. ,	,	100 Gms	100.02
	extrapure, 98%			77065	Palmitic Acid Methyl Ester	5 Gms	26.32
33134 [29836-26-8]	Octyl ß-D-Glucopyranoside extrapure, 98%	1 Gms 5 Gms	72.38 329.00	[112-39-0]	Reference Standard, 99%(GC) (Methyl Palmitate)	25 Gms	77.38
33910 🗸	Octylphenyl Polyethylene Glycol	100 ml	11.84	83162	Pamoic Acid pure, 98%	25 Gms	15.79
[9002-93-1]	(IGEPAL CA-630®) for molecular biology	500 ml	52.64	[130-85-8]		100 Gms	52.64
	((Octylphenoxy)polyethoxyethanol)			74635	PAN Indicator (1(2-Pyridylazo)-2-	1 Gms	15.79
62799 🗸	Ofloxacin (OFX), 98%	1 Gms	39.48	[85-85-8]	Naphthol) extrapure AR, 99%	5 Gms	65.80
[82419-36-1]		5 Gms	78.96		(1(2-Pyridylazo)-2- Naphthol)	25 Gms	236.88
23576	Oil Red O for molecular biology,	25 Gms	9.34	37740	Pancreatin 3x ex. Porcine	100 Gms	13.29
[1320-06-5]	75%	100 Gms	29.22	[8049-47-6]	Pancreas, 75U/mg	500 Gms	64.62
	(Solvent Red 27, Sudan Red 5B) (C. I.	roo amo	LU.LL	44404	Pancreatin 4NF ex. Porcine		
	No. 26125)				Pancreatin 4NP ex. Porcine Pancreas, 100U/mg	100 Gms	38.16
23534		100 Mg	78.96		· •	500 Gms	157.26
[7060-74-4]	extrapure, 800U/mg (Matromycin)	1 Gms	329.00		Papain 1x USP ex. Papaya Latex,	100 Gms	5.26
70855 🗸		100 ml	11.05	[9001-73-4]	6000USP U/mg	500 Gms	22.77
[8008-57-9]	orange on exhapare	500 ml	51.19	14049	Papain 2x USP ex. Papaya Latex	25 Mg	31.32
				[9001-73-4]	(cryst), 25U/mg	100 Mg	59.35
30774	Orcein	5 Gms	18.03			500 Mg	85.93
[1400-62-0]		10 Gms	31.58	80400	Papain 5x USP ex. Papaya Latex,	25 Gms	12.37
86848	L-Ornithine Monohydrochloride	25 Gms	7.24	[9001-73-4]	30000USP U/mg	100 Gms	46.06
[3184-13-2]	extrapure CHR, 99%	100 Gms	13.03		(Papainase, Carica Papaya)	500 Gms	151.34
		500 Gms	57.90				
<b>98499</b> [7240-38-2]	Oxacillin Sodium Salt Monohydrate (OXC.Na.H2O), 815ug/mg	5 Gms	56.98	<b>59196</b> [16593-81-0]	PAR extrapure, 99% (4-(2-Pyridylazo)-Resorcinol Managedium Salt Hydrata)	1 Gms 5 Gms	11.32 48.43
62704	Oxalacetic Acid extrapure, 98%	1 Gms	14.61	27436	Monosodium Salt Hydrate)  Paromomycin Sulfate (PRM)	1 Gms	41.45
[328-42-7]	(Oxaloacetic Acid, Ketosuccinic Acid,	5 Gms	61.59	[1263-89-4]	Paromoniyem Sunate (PAW)	5 Gms	117.12
	Oxobutanedioic Acid, 2-Oxosuccinic	25 Gms	248.72			25 Gms	450.99
76207	Acid) Oxidase Reagent (Gordon-Macleod	100 1					
0	Reagent)	100 ml	5.92	<b>13684</b> [9046-40-6]	Pectic Acid pure	100 Gms	48.69
	Oxolinic Acid (OXO), 99%	5 Gms	115.41	90464	Pectinase ex. Aspergillus Niger,	1000 Units	32.24
[14698-29-4]		25 Gms	432.83	[9032-75-1]	3.5U/mg		
29779	Oxolinic Acid Sodium (OXO-Na),	1 Gms	35.40	38215	Pentadecylic Acid extrapure, 99%	5 Gms	32.90
[59587-05-8]	98%	5 Gms	120.28	[1002-84-2]	(Pentadecanoic Acid ,n-pentadecanoic acid,n-pentadecylic	25 Gms	105.28
55540	Oxytetracycline Dihydrate	1 Gms	5.40		acid,pentadecyclate,n-pentadecylate)		
[6153-64-6]	(OTC.2H2O) extrapure, 98%			41991	Pentafluorobenzoic Acid pure, 98%	5 Gms	12.37
12455	Oxytetracycline Hydrochloride	1 Gms	10.92	[602-94-8]	(2,3,4,5,6-Pentafluorobenzoic Acid)	25 Gms	43.16
[2058-46-0]	(OTC), 95%	5 Gms	50.14			100 Gms	99.23
61799	Ovalbumin ex. Chicken Egg White	1 Gms	36.85	40309	Penicillin G Sodium Salt (PNL),	1 Gms	32.90
	for molecular biology, 90%	5 Gms	164.50	[69-57-8]	98%		02.00
		25 Gms	789.60	13585	Pentafluorophenol (PFP) extrapure,	5 Gms	18.69
40700	Ovelhumin ev. Chieken Egg White			[771-61-9]	99%	25 Gms	77.38
13788 • [9006-59-1]	Ovalbumin ex. Chicken Egg White for molecular biology, 98%	250 Mg	107.91		(2,3,4,5,6-Pentafluorophenol)		
		1 Gms	210.56		(2R,4R)-2,4-Pentanediol extrapure,	1 Gms	437.44
57590	Paclobutrazol pure, 95%	5 Gms	11.84	[42075-32-1]	33 /o	2.5 Gms	1060.04
[76738-62-0]	(a-tert-Butyl-ß-(4-Chlorobenzyl) -1H-1,2,4-Triazole-1-Ethanol, PACZEE)	25 Gms	46.06		(2S,4S)-2,4-Pentanediol extrapure,	1 Gms	364.53
42883		10 Mg	16.58	[72345-23-4]	99%	2.5 Gms	883.83
42883 • [33069-62-4]	. asimato (rato), FOALJ, 59/0	50 Mg	52.64	16165	Pentylenetetrazole (Pentetrazole)	5 Gms	17.24
		250 Mg		[54-95-5]	extrapure, 99%	25 Gms	71.85
		250 Mg	98.70		(1,5-Pentamethylenetetrazole) (Pentylenetetrazole,1,5-Pentamethylenetetrazole)	55	

etetrazole)

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
32212	Peppermint oil extrapure, 50%	100 ml	9.87	48914	Phenolphthalein Diphosphate	1 Gms	23.69
[8006-90-4]		500 ml	44.74	[68807-90-9]	Tetrasodium Salt extrapure AR, 95%	5 Gms	57.11
12647	Pepsin 1:3000 ex. Porcine Stomach	25 Gms	12.50		35 /6	25 Gms	219.11
[9001-75-6]	Mucosa, 0.8Anson U/mg	100 Gms	30.40	95444	Phenoxyacetic Acid extrapure, 99%	100 Gms	6.71
		500 Gms	138.18	[122-59-8]	(Glycolic Phenyl Ether)	500 Gms	24.87
48062 <b>■</b>	Pepsin 1:10000 ex. Porcine	25 Gms	24.87	19630	L-Phenylalanine-7-Amido-4-Methylc	25 Mg	153.31
[9001-75-6]	Stomach Mucosa, 2.5Anson U/mg	100 Gms	88.44		oumarin Trifluoroacetate Salt	50 Mg	222.93
		500 Gms	400.72		extrapure, 98%	_	
11787	Pepsin 1:10000 ex. Porcine	25 Gms	27.64	79455	(L-Phenylalanine-AMC.TFA Salt)  L-Phenylalanine Benzyl Ester	25 Gms	154.10
[9001-75-6]	Stomach Mucosa extrapure AR,	100 Gms	96.73	[2462-32-0]	Hydrochloride extrapure, 99%	20 01113	104.10
	2.5Anson U/mg	500 Gms	449.15	34351	L-Phenylalanine Ethyl Ester	1 Gms	13.16
63364	Pepsin 2x cryst. ex. Porcine	1 Gms	39.48	[3182-93-2]	Hydrochloride extrapure, 99%	5 Gms	54.09
[9001-75-6]	Stomach Mucosa, 2500U/mg solids	5 Gms	125.02			25 Gms	160.68
		25 Gms	460.60	78586	L-Phenylalanine Methyl Ester	1 Gms	11.58
		100 Gms	987.00	[7524-50-7]		5 Gms	47.64
						25 Gms	160.68
<b>28498</b> [9003-99-0]	Peroxidase ex. Horseradish RZ >3.0, w/o Stab., Salt free (HRP	1.25 K.Units	41.45	89311	Z-Phenylalanylarginine	25 Mg	461.26
[3000-33-0]	Type 1), 250U/mg solids	5 K.Units	76.06		7-Amido-4-Methylcoumarin	25 Mg	401.20
		25 K.Units	310.97		Hydrochloride Salt extrapure, 99%		
73292	Peroxidase ex. Horseradish RZ	5 K.Units	42.24		(Z-Phe-Arg-AMC.HCl Salt)		
[9003-99-0]	>2.0, w/ 30% Stab., Salt free (HRP	25 K.Units	106.20	14059	N-Phenylanthranilic Acid (2-Anilinobenzoic Acid) extrapure	25 Gms	18.82
	Type 2), 110U/mg solids	50 K.Units	179.50	[91-40-7]	AR, 99%	100 Gms	70.27
87913 <b>■</b>	Peroxidase ex. Horseradish RZ	5 K.Units	56.72	53993	4-Phenylazophenol (Solvent Yellow	25 Gms	11.05
[9003-99-0]	>2.0, w/o Stab., Salt free (HRP	25 K.Units	123.31	[1689-82-3]	7, 4-HAB) extrapure, 98%	100 Gms	38.69
	Type 3), 180U/mg solids	25 17.011115	120.01		(p-Hydroxyazobenzene)(C.I. No. 11800)		
30709	1,10-Phenanthroline Anhydrous	5 Gms	14.08	92890	Phenylboronic Acid extrapure, 95%	25 Gms	25.00
[66-71-7]	extrapure, 99%, water 2%	25 Gms	46.85	[98-80-6]	Thenylberonie Acid extrapare, 66%	100 Gms	92.12
		100 Gms	148.31	70004	4 Phoned Puterio Acid name 000/		
65898	1,10-Phenanthroline Monohydrate	5 Gms	7.37	<b>70291</b> [1821-12-1]	4-Phenyl Butyric Acid pure, 99%	25 Gms 100 Gms	46.06 144.76
[5144-89-8]	extrapure AR, 99.5%	25 Gms	29.48				
		100 Gms	86.20	<b>27644</b> [95-54-5]	o-Phenylenediamine free base (OPD) extrapure AR, 99%	5 Gms	50.01
		500 Gms	415.07	[00 04 0]	(c. 2) chaupaic vai, cox	25 Gms	142.00
81067	1,10-Phenanthroline Monohydrate	5 Gms	8.95			100 Gms	296.49
[5144-89-8]	extrapure AR, ACS, ExiPlus,	25 Gms	32.11	73229	o-Phenylenediamine	5 Gms	50.01
	Multi-Compendial, 99.5%	100 Gms	90.54	[615-28-1]	Dihydrochloride (OPD.2HCI) extrapure AR, 99%	25 Gms	142.00
		500 Gms	438.10	59576	2-Phenyl Ethylamine pure, 99%	250 ml	14.87
	meets compendial specs of USP			[64-04-0]		500 ml	28.16
31888	1,10-Phenanthroline Hydrochloride	5 Gms	9.61	27861	Phenyl-a-D-Galactopyranoside	250 Mg	144.10
[18851-33-7]	Monohydrate extrapure AR, 99.5%	25 Gms	37.51	[2871-15-0]	extrapure, 98%	200 Mg	111.10
55782	Phenazonium Methosulphate	1 Gms	10.66	77334	Phenyl-ß-D-Galactopyranoside	1 Gms	89.88
[299-11-6]	(PMS) extrapure, 99%	5 Gms	43.16	[2818-58-8]	extrapure, 97%		
	(N-Methylphenazonium Methyl				Phenyl Glycidyl Ether (PGE)	100 ml	19.74
	Sulphate, N-Methylphenazonium Methosulphate, Phenazine			[122-60-1]	extrapure, 98% (2,3-Epoxypropyl Phenyl Ether,	500 ml	43.16
	Methosulphate)				1,2-Epoxy-3-phenoxypropane)		
13920	<u>.</u>	1 Gms	13.95	23116	L-Phenyl Glycine extrapure, 99%	10 Gms	3.95
[299-11-6]	(PMS) for tissue culture, 99%	5 Gms	64.62	[2935-35-5]		25 Gms	9.48
	(N-Methylphenazonium Methyl Sulphate, N-Methylphenazonium	25 Gms	269.12			100 Gms	21.98
	Methosulphate, Phenazine					500 Gms	96.86
	Methosulphate)			17083	Phenyl Isothiocyanate (PITC) pure,	100 ml	41.32
				[103-72-0]	98%	"	<b>-</b>

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
18962	Phenyl Isothiocyanate (PITC)	25 ml	23.03	84122	· · · · · · · · · · · · · · · · · · ·	1 Gms	46.98
[103-72-0]	extrapure AR, 99%	5 x5 ml	29.74	[26016-99-9]		5 Gms	93.96
		100 ml	79.22		<b>extrapure, 99%</b> ((-)-(1R,2S)-		
98152	N-Phenyl Maleimide extrapure, 98%	5 Gms	23.42		(1,2-Epoxypropyl)Phosphonic Acid,		
[941-69-5]		25 Gms	45.40		Phosphonomycin)		
89793	Phenylmercuric Acetate (PMA)	5 Gms	10.53		Phosphorylase B ex. Rabbit Muscle, 50U/mg	10 Mg	78.96
[62-38-4]	pure, 98%	25 Gms	40.80	[9012-69-5]	-	5 Gms	12.37
	(Mercury Phenyl Acetate)	100 Gms	144.76	[643-79-8]	AR, 99%	25 Gms	53.03
23358	Phenylmercuric Nitrate (Basic)	5 Gms	21.06		(Phthaldialdehyde)	25 01115	33.03
[8003-05-2]	(PMN) pure, 98%	25 Gms	85.54	89886	Phthalamide (Phthalic Acid	25 Gms	16.58
	(Mercury Phenyl Nitrate)	100 Gms	296.10	[88-96-0]	Diamide) pure, 98%	100 Gms	30.40
87606	Phenylmethane Sulphonyl Fluoride	1 Gms	9.87	62747	Phthalimide extrapure, 99%	500 Gms	7.63
[329-98-6]	(PMSF) extrapure, 99%	5 Gms	31.58	[85-41-6]	(Phthalic Dicarboximide,	5 Kg	73.30
		25 Gms	111.86		1,3-Dihydro-1,3-Dioxoisoindole, 1,3-Dioxoisoindoline)		
				45501	Phthalide pure, 98%	100 Gms	6.97
<b>84375</b> [329-98-6]	Phenylmethane Sulphonyl Fluoride (PMSF) for molecular biology, 99%	1 Gms	12.50	[87-41-2]	(1-Iso-Benzofuranone)	500 Gms	29.08
[329-90-0]	(i mor ) for more called blology, 55%	5 Gms	52.64	26603 🗸	N-Phthaloyl-L-Alanine extrapure,	1 Gms	14.21
		25 Gms	202.93	20003	98%	5 Gms	64.35
90365	Phenylphosphate Disodium Salt	25 Gms	28.16				
[66778-08-3]	Dihydrate (High Purity) extrapure AR, 98%	100 Gms	84.36	<b>44729</b> (340-90-9)	N-Phthaloyl-L-Glutamic Acid extrapure, 98%	5 Gms	58.56
	,	250 Gms	210.69		N-Phthaloyl-L-Methionine	1 Gms	24.08
50478	Phenyl Salicylate (Salol) extrapure,	100 Gms	13.55	10071	extrapure, 98%	5 Gms	101.20
[118-55-8]	99%	500 Gms	51.32	15187	N-Phthaloyl-L- Phenylalanine	1 Gms	11.98
21726	Phenyl ß-D-Thioglucopyranoside	25 Mg	59.35	[5123-55-7]	· · · · · · · · · · · · · · · · · · ·	5 Gms	41.72
[2936-70-1]	extrapure, 98%	50 Mg	103.57				
16795	N-Phenylthiourea extrapure, 97%	10 Gms	28.16	64073	N-Phthaloyl-L-Valine extrapure, 98%	1 Gms	21.98
[103-85-5]		25 Gms	50.01		30%	5 Gms	101.20
69353	Phloroglucinol Anhydrous	25 Gms	17.11	92486	Phthalyl Hydrazide pure, 98%	25 Gms	21.58
[108-73-6]	extrapure AR, 99%	100 Gms	59.22	[1445-69-8]		100 Gms	61.59
99529	Phloxin B			67432	Picloram extrapure, 95%	1 Gms	34.48
<b>99529</b> [18472-87-2]	Prioxin B	25 Gms	7.24	[1918-02-1]	(4-Amino-3,5,6-Trichloropicolinic Acid, 4-Amino-3,5,6-Trichloropyridine-2-Carb	5 Gms	112.39
		100 Gms	24.87		oxylic Acid)	25 Gms	544.56
95131	1X Phosphate Buffered Saline (PBS) for molecular biology	100 ml	6.97	41238	a-Picolinic Acid pure, 98%	25 Gms	13.95
	(FBS) for molecular biology	500 ml	16.98	[98-98-6]		100 Gms	32.37
78529	10X Phosphate Buffered Saline	100 ml	8.69			500 Gms	120.02
	(PBS) for molecular biology	500 ml	20.00	93418	Picrotoxin pure, 98%	1 Gms	27.77
13435	10X Phosphate Buffered Saline	200 ml	7.90	[124-87-8]	<u> </u>		
	Tween-20 (PBST) for molecular	1000 ml	32.90	90670	Pimelic Acid (Heptanedioic acid)	25 Gms	43.30
40083	Bhoophoopolpyruyata	100 Mg	0.24	[160-60-0]	extrapure, 98%	100 Gms	153.31
<b>40083</b> • [10526-80-4]	Phosphoenolpyruvate Monocyclohexylammonium Salt	100 Mg 250 Mg	9.34 18.69	99487 🗸	Pinacol pure, 98%	25 Gms	23.42
	(PEP MCHA Salt) extrapure, 98%	250 Mg 1 Gms	44.88	[76-09-5]	(2,3-Dimethyl-2,3-Butanediol,	100 Gms	62.51
		5 Gms	218.59		Tetramethylethylene Glycol)	500 Gms	156.08
	Phasebasseless			31826	Piperonylamine pure, 97%	5 ml	92.12
31569 • [35556-70-8]	Phosphoenolpyruvate Tricyclohexylammonium Salt (PEP	100 Mg	15.53	[2620-50-0]	(1,3-Benzodioxole-5-Methylamine, 3,4-	· · · · ·	·· <b>-</b>
[00000-70-0]	TCHA Salt) extrapure, 98%	250 Mg	23.29		(Methylenedioxy)Benzylamine)		
		1 Gms	69.62	70375	PIPES Buffer extrapure, 99%	25 Gms	13.16
69400	,	200 Units	236.35	[5625-37-6]	(Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	100 Gms	40.80
[9001-87-0]	ex. Streptomyces chromofuscus, 40U/mg	400 Units	378.09		<i>"</i>	500 Gms	140.94
				49159	PIPES Buffer for molecular biology,	100 Gms	45.67
				[5625-37-6]	99% (Piperazine-1,4-bis(2-Ethanesulphonic,	500 Gms	164.50
					(i iperazine-i,+-bis(z-Linanesuiphonic,		

ode	Name	Packing	\$ Price	Code	Name	Packing	\$ Pric
<b>18112</b> [5625-37-6]	PIPES Buffer for tissue culture, 99%	25 Gms 100 Gms	19.35 55.27	<b>81800</b> [108321-08-0]	POPSO Sesquisodium Salt Buffer extrapure, 98%	25 Gms	78.9
	(Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	100 ams	55.27	20883	Potassium Gluconate extrapure,	100 Gms	3.9
5 <b>8842</b> 108321-27-3]	PIPES Dipotassium Salt Buffer	25 Gms	113.57	[299-27-4]	(D-Gluconic Acid Potassium Salt, Potassium-D-Gluconate)	500 Gms	16.5
55025	PIPES Disodium Salt Buffer	25 Gms	63.30	48320	Potassium tert-Butoxide pure, 98%	100 Gms	9.8
76836-02-7]	extrapure, 99%	100 Gms	160.42	[865-47-4]		500 Gms	42.1
		500 Gms	469.94	95056	Potassium Sorbate pure, 99%	500 Gms	14.4
14033	PIPES Sesquisodium Salt Buffer	25 Gms	47.11	[24634-61-5]	÷	1 Kg	26.3
00037-69-2]	extrapure, 99%	100 Gms	162.13	28008	Praseodymium (III) Chloride	25 Gms	60.8
		250 Gms	397.04		Hydrate extrapure, 99.9%	100 Gms	124.3
94348	PIPES Sodium Salt Buffer	25 Gms	38.69	83218	Praseodymium (III) Nitrate	25 Gms	46.3
10010-67-0]	extrapure, 99%	100 Gms	103.70	[15878-77-0]	Hexahydrate extrapure, 99.9%	100 Gms	159.2
		250 Gms	210.03		(Praseodymium Trinitrate Hexahydrate)		
2328	Piperazine Anhydrous pure, 98%	250 Gms	18.42	99350	Praseodymium (III)	5 Gms	53.9
[110-85-0]	• • •	500 Gms	35.53	[52093-27-3]	Trifluoromethanesulfonate extrapure, 98%	25 Gms	201.7
		5 Kg	315.84		(Praseodymium Triflate,		
5861	Pivaloyl Chloride extrapure, 99%	100 ml	6.32		Trifluoromethanesulfonic Acid		
3282-30-2]	i valoyi omoriae extrapare, 55%	250 ml	11.19		Praseodymium Salt)	10.0	
		500 ml	21.71	<b>63639</b> [12037-29-5]	Praseodymium (III, IV) Oxide extrapure, 99.9%	10 Gms	9.
	Delived anythic Acid Detections Calt					50 Gms	38.0
	Polyadenylic Acid Potassium Salt (POLY A Potassium) extrapure	25 Mg 100 Mg	69.09 248.72	10693 • [57-83-0]	Progesterone extrapure, 97-103% (4-Pregnene-3,20-Dione)	5 Gms	17.
,	, ,	1 Gms	939.62	[57-05-0]	(4 Fregnetic 0,20 Biolic)	25 Gms	70.
<b>-</b>				54236	Progoitrin Potassium Salt	10 Mg	580.
26936-40-3]	Polycytidylic Acid Potassium Salt (POLY C Potassium) extrapure	25 Mg	69.09	[21087-77-4]	Reference Standard Grade, 75% (R)-2-Hydroxy-3-Butenylglucosinolate Potassium Salt)		
<b>26936-41-4</b> ]	Polyinosinic Acid Potassium Salt (POLY I Potassium) extrapure	10 Mg	69.09	92825	Prohexadione Calcium technical	100 Mg	68.4
00347	, ,	1 Gms	45.67	[127277-53-6]	grade, 95%	1 Gms	364.6
25513-46-6]	grade, 20%	1.0	100.00	31651	Phosphocholine Chloride Calcium	5 Gms	33.
<b>36562-70-6</b> ]	Polyguluronic Acid extrapure, 80%	1 Gms	190.82	[72556-74-2]	Salt Tetrahydrate pure, 97% (Calcium phosphorylcholine chloride,	25 Gms	71.
		5 Gms	815.92		Choline chloride phosphate calcium	100 Gms	205.
3 <b>3011</b> • [1405-20-5]	Polymyxin B Sulphate (Aerosporin, PXNS), 6000U/mg	250 Mg	27.64		salt, Choline phosphate chlo		
[1403-20-3]	1 Arto), 6666/mg	1 Gms	66.33		L-Proline-7-Amido-4-Methylcoumari	10 Mg	59.
22810		100 Gms	35.93	[115388-93-7]	n Hydrobromide Salt extrapure, 98%	25 Mg	99.
68412-54-4]	Nonylphenylether Branched (IGEPAL CO-520) for molecular	500 Gms	81.59		(L-Proline-AMC.HBr Salt)		
	biology			79380	Z-Proline-Arginine-7-Amido-4-Meth	10 Mg	938.
0659 🗸	Polyoxyethylene (9)	100 Gms	31.85	[70375-23-4]	ylcoumarin Hydrochloride	25 Mg	2009.
68412-54-4]		500 Gms	71.85		extrapure, 99% (Z-Pro-Arg-AMC-HCI)		
	(IGEPAL CO-630) for molecular biology			16110	L-Proline Benzyl Ester	5 Gms	46.
17380	Polyoxyl 40 Hydrogenated Castor	500 Gms	33.16		Hydrochloride extrapure, 99%	25 Gms	163.
61788-85-0]	Oil extrapure (Macr(Macrogolglycerol				L-Proline-ß- Naphthylamide	100 Mg	58.4
	Hydroxystearate, PEG-40				Hydrobromide extrapure, 99%	E0 11=3-	445
	hydrogenated castor oil)	05 M	00.40	16680	Proline Specific Endopeptidase ex. Flavobacterium Sp., 5U/mg	50 Units	115.
<b>4749 2</b> 7416-86-0]	Polyuridylic Acid Potassium Salt (POLY U Potassium) extrapure	25 Mg	39.48	31798	Propargyl Alcohol pure, 99%	250 ml	19.
8610	Ponceau S	25 Gms	10.40	[107-19-7]		500 ml	35.
[6226-79-5]		100 Gms	40.14			2500 ml	171.
	Ponceau S Staining Solution	100 ml	23.03	90557	D-Prolinamide extrapure, 98%	5 Gms	62.
14092		100 1111	_5.00				
4092	<u> </u>			[62937-45-5]	((R)-Pyrrolidine-2-Carboxamide)	25 Gms	234.
14092 11186	POPSO Buffer extrapure, 99%	25 Gms	39.48	[62937-45-5]	((R)-Pyrrolidine-2-Carboxamide)	25 Gms	234.1

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
35981	L-Prolinamide extrapure, 98%	5 Gms	11.84	49936	Proteinase K ex. Tritirachium	10 Mg	7.37
[7531-52-4]	((2S)-2-Pyrrolidinecarboxamide, (-) -Prolinamide, (2S)	25 Gms	32.90	[39450-01-6]	Album (Type A) for molecular	25 Mg	18.03
	-2-Carbamoylpyrrolidine)	100 Gms	118.44		biology, 30U/mg (Endopeptidase K)	100 Mg	63.30
	,	500 Gms	552.72		,	500 Mg	308.21
57732	D-Prolinol extrapure, 98%	1 ml	26.98			1 Gms	594.44
[68832-13-3]		5 ml	105.41	36331	Proteinase K Solution (20 mg/ml)	1 ml	46.85
	(R)-(-)-2-Pyrrolidinemethanol)	25 ml	181.48			5 x1 ml	95.41
46457	L-Prolinol extrapure, 98%	5 ml	43.16			5 x5 ml	296.49
[23356-96-9]	((S)-(+)-2-(Hydroxymethyl)pyrrolidine, (S)-(+)-2-Pyrrolidinemethanol)	25 ml	142.26		Proteinase K ex. Pichia Pastoris	10 Mg	10.26
41622	Propiophenone pure, 99%	100 ml	12.90	[39450-01-6]	(Type D - Recombinant) for molecular biology & PCR, 30U/mg	25 Mg	23.42
[93-55-0]	Topiophenone pare, 55%	500 ml	46.06		(Endopeptidase K)	100 Mg	92.12
	a Burned Burnelds areas 600/					500 Mg	390.06
<b>84215</b> [106-94-5]	n-Propyl Bromide pure, 98%	100 ml	6.32			1 Gms	748.94
[100-94-5]		500 ml	21.06	45073	Proteinase K ex. Pichia Pastoris	25 Mg	27.77
		2500 ml	81.59	[39450-01-6]	(Type E - Recombinant) for	100 Mg	96.20
45799	Propylene Carbonate pure, 99%	500 ml	7.90		molecular biology & PCR, 40U/mg (Endopeptidase K)		
[108-32-7]		2500 ml	35.01	66893 🗸	Pullulan (Polymaltotriose, PULL)	5 Gms	93.70
56082	n-Propyl Iodide extrapure, 99%	25 ml	26.32	[9057-02-7]		25 Gms	156.08
[107-08-4]		100 ml	98.70			100 Gms	296.49
		250 ml	236.88		Description Different product of CDDM		
25034	Propyl Propionate extrapure, 99%	250 ml	14.87	93909 <b>4</b> [58-58-2]	Puromycin Dihydrochloride (PRM), 98%	10 Mg	43.16
[106-36-5]		1000 ml	55.80	[00 00 2]		25 Mg	84.22
11195	Propidium Iodide (PI) for molecular	10 Mg	30.93			100 Mg	309.00
[25535-16-4]	biology, 95%	25 Mg	56.32	85492	Putrescine free base extrapure,	25 Gms	18.56
	(3,8-Diamino-5-[3-	100 Mg	164.50	[110-60-1]	99% (1,4-Diaminobutane,	100 Gms	49.22
	(diethylmethylammonio)propyl] -6-Phenylphenanthridinium Diiodide)				1,4-Butanediamine, Tetramethylenediamine)	500 Gms	215.30
79546 <b>■</b>	Protein A soluble	2 Mg	160.42	81343	Putrescine Dihydrochloride	1 Gms	6.19
14887	Propidium Iodide Solution (1mg/ml	10 ml	34.22	[333-93-7]	extrapure, 99%	5 Gms	18.82
[25535-16-4]		10 1111	04.22			25 Gms	78.17
84589	Protease ex. Aspergillus Oryzae	25 Gms	63.96			100 Gms	280.97
[9036-06-0]	(Fungal) (Type 1 - Acidic, powder),			49270	Putrescine Dihydrochloride for	1 Gms	12.37
	500kHUT/g (Subtilisin A)			[333-93-7]	tissue culture, 99%	5 Gms	43.16
38207	Protease ex. Bacillus Licheniformis	25 Mg	51.19			25 Gms	113.83
		100 Mg	134.36	31412	Pyrazole extrapure, 98%	5 Gms	14.87
	(Subtilisin A)	Too Mg	104.00	[288-13-1]	(1,2-Diazole)	25 Gms	31.32
81525	1 \ 11	100 Gms	9.61			100 Gms	78.17
[9036-06-0]	Neutral, granules), 8kNPU/g (Subtilisin A)	500 Gms	41.59		Pyrene Actin (10%) ex. Rabbit		
66789	· ,	250 Gms	51.19	32357	Skeletal Muscle extrapure, 99%	1 Mg	1170.19
[9036-06-0]	2 - Alkaline, granules), 100kAPU/g			39433	1-Pyrenebutanol extrapure, 99%	500 Mg	58.56
	(Subtilisin A)			[67000-89-9]		1 Gms	112.39
_	,	500 Gms	28.82	81284	1-Pyrenecarboxylic Acid pure, 97%	500 Mg	57.77
				[19694-02-1]		1 Gms	103.04
<b>23434</b> • [9036-06-0]	<b>3 - Alkaline, granules), 1000kAPU/g</b> (Subtilisin A)					_	
	(Subtilisin A)	100 Gms	46.45			5 Gms	452.57
[9036-06-0]	(Subtilisin A)  Protease ex. Bacillus Subtilis (Type 6 - Neutral, powder), 100kNPU/g	100 Gms	46.45	59503	1-Pyrenemethylamine		
[9036-06-0] <b>84244</b> [9036-06-0]	(Subtilisin A)  Protease ex. Bacillus Subtilis (Type 6 - Neutral, powder), 100kNPU/g (Subtilisin A)			<b>59503</b> [93324-65-3]	1-Pyrenemethylamine Hydrochloride (PyNH2) pure, 95%	500 Mg	53.82
[9036-06-0] <b>84244</b> [9036-06-0] <b>26309</b>	(Subtilisin A)  Protease ex. Bacillus Subtilis (Type 6 - Neutral, powder), 100kNPU/g (Subtilisin A)  Proteinase K ex. Tritirachium	10 Mg	6.97	[93324-65-3]	Hydrochloride (PyNH2) pure, 95%	500 Mg 1 Gms	53.82 98.44
[9036-06-0] <b>84244</b> [9036-06-0] <b>26309</b>	(Subtilisin A)  Protease ex. Bacillus Subtilis (Type 6 - Neutral, powder), 100kNPU/g (Subtilisin A)	10 Mg 25 Mg	6.97 17.11	[93324-65-3] <b>67172</b>		500 Mg 1 Gms 5 Gms	53.82 98.44 35.93
[9036-06-0] <b>84244</b> [9036-06-0] <b>26309</b>	(Subtilisin A)  Protease ex. Bacillus Subtilis (Type 6 - Neutral, powder), 100kNPU/g (Subtilisin A)  Proteinase K ex. Tritirachium Album (Type B), 30U/mg	10 Mg	6.97	[93324-65-3] <b>67172</b> [289-80-5]	Hydrochloride (PyNH2) pure, 95%	500 Mg 1 Gms	53.82 98.44

Name	Packing	\$ Price	Code	Name	Packing	\$ Price
3-Pyridineboronic Acid extrapure, 98%	1 Gms	26.85	<b>29986</b> [9001-59-6]	Pyruvate Kinase ex. Rabbit Muscle, 300U/mg	4000 Units	101.46
			59150	Pyruvic Acid pure, 98%	25 ml	11.84
			[127-17-3]		100 ml	31.58
			71923	Quercetin Dihydrate extrapure. 98%	25 Gms	26.32
canapare, co/c			[6151-25-3,			98.70
			849061-97-8]			
Pyridine-3-Sulphonic Acid (P3SA)	25 Gms	26.32	0.000	Quinaldine Red	1 Gms	18.82
(3-Pyridinesulfonic Acid)					5 Gms	87.51
Pyridoxal-5-Phosphate	1 Gms	13.42		Quinic Acid extrapure, 98%	5 Gms	14.87
Monohydrate extrapure, 98%	5 Gms	60.93	[77-95-2]		25 Gms	46.85
	25 Gms	195.03			100 Gms	157.66
Pyridoxine Hydrochloride (Vitamin	10 Gms	2.76	32648	Quinoline pure, 97%	500 ml	24.21
B6) pure, 98%	25 Gms		[91-22-5]		2500 ml	115.81
	100 Gms	24.61	51649	D-Raffinose Pentahydrate	25 Gms	23.69
3(2-Pyridyl)	1 Gms	37 51	[17629-30-0]	extrapure	100 Gms	89.49
-5,6-Diphenyl-1,2,4-Triazine (PDT)			21719	Ramage Linker (FMOC-Suberol)	100 Mg	35.14
extrapure AR, 99%	- Gano				1 Gms	79.62
3-(2-Pyridyldithio)propionic Acid	10 Mg	84.62	24527	Rangeand Glucosinolate Mixture	10 Ma	124.36
	25 Mg	157.66	24521	Reference Standard Grade, 90%	10 Mg	124.00
(N-Succinimidyl 3-	100 Mg	315.18	36474	Reactive Blue 19 (Remazol Brilliant	25 Gms	32.77
(2-Pyridyldithio)Propionate, 3-			[2580-78-1]	Blue R)	100 Gms	111.86
				,	05.0	20.00
				•		36.98
(3-(2-Pyridyl)-5,6-di(2-Furyl)	10 Gms	436.91	[12200 00 1]	,	100 Gms	105.41
-1,2,4-Triazine-5,5-Disulfonic Acid			12176	Reactive Orange 16 (Remazol	25 Gms	36.98
<u> </u>	05.0	0.00	[12225-63-1]	(C.I. No. 17757)	100 Gms	91.33
L-Pyrogiulamic Acid extrapure, 99%			65637	Reactive Orange 107 (Remazol	25 Gms	43.95
			[12220-08-5]	Golden Yellow RNL)	100 Gms	105.41
	•		15034	Reactive Red 21 (Remazol Red BB)	25 Gms	61.46
extrapure, 98%	25 Mg	255.96	[11099-79-9]		100 Gms	131.73
(L-Pyroglutamic Acid-AMC)			35832	Reactive Red 35 (Remazol Brilliant	25 Gms	11.05
Pyromellitic Dianhydride (PMDA)	25 Gms	18.03		•		41.45
•	100 Gms	29.08	70740	Reactive Red 120		43.95
Dianhydride)	500 Gms	92.65				105.41
	1 Gms	12.37		292775)	100 dilis	103.41
(C.I. No. 45005)	5 Gms	35.53	23176	Reactive Red 180 (Remazol	5 Gms	15.79
Pyrrole extrapure, 99%	25 ml	9.21	[98114-32-0]	Brilliant Red F3B)	25 Gms	43.95
	100 ml	28.95			100 Gms	105.41
	500 ml	118.44	80539	Reactive Violet 5 (Remazol Brilliant	25 Gms	43.95
Pyrrolidine pure, 99%	25 ml	7.90	[12226-38-9]		100 Gms	105.41
	100 ml		67074		OF Cmo	97.01
	500 ml	76.33		•		87.91 315.97
Pyrrolidine extranure AR 99 5%	25 ml	10.53		(C.I. No. 18852)	100 Gills	315.97
,			55200	Resazurin Sodium extrapure AR,	1 Gms	15.79
			[62758-13-8]	20-30%	5 Gms	72.38
2-Pyrrolidone pure 99%			42650	Resazurin Sodium extrapure AR,	1 Gms	18.42
2. y/10/10/10 pule, 33/6			[62758-13-8]	85%	5 Gms	81.59
					25 Gms	381.64
	2500 ml	109.23				
	3-Pyridineboronic Acid extrapure, 98%  Pyridine-2,6-Dicarboxylic Acid extrapure, 99%  Pyridine-3-Sulphonic Acid (P3SA) extrapure, 98% (3-Pyridinesulfonic Acid)  Pyridoxal-5-Phosphate Monohydrate extrapure, 98%  3(2-Pyridyl) -5,6-Diphenyl-1,2,4-Triazine (PDT) extrapure AR, 99%  3-(2-Pyridyldithio)propionic Acid N-Hydroxysuccinimide Ester (SPDP Crosslinker) extrapure, 95% (N-Succinimidyl 3-(2-Pyridyldithio)Propionic Acid-OSu)  Ferene Disodium Salt extrapure, 98% (3-(2-Pyridyl)-5,6-di(2-Furyl) -1,2,4-Triazine-5,5-Disulfonic Acid Disodium Salt)  L-Pyroglutamic Acid extrapure, 99%  L-Pyroglutamic Acid extrapure, 99%  L-Pyroglutamic Acid-AMC)  Pyromellitic Dianhydride (PMDA) extrapure, 98% (Benzene-1,2,4,5-Tetracarboxylic Dianhydride)  Pyrrole extrapure, 99%	3-Pyridineboronic Acid extrapure, 98% 5 Gms 25 Gms 25 Gms Pyridine-2,6-Dicarboxylic Acid extrapure, 99% 100 Gms 500 Gms Pyridine-3-Sulphonic Acid (P3SA) 25 Gms extrapure, 98% 25 Gms Pyridoxal-5-Phosphate 1 Gms Monohydrate extrapure, 98% 25 Gms 25 Gms 100	3-Pyridineboronic Acid extrapure, 98% 5 Gms 111.60	3-Pyridineboronic Acid extrapure, 98%   5 Gms   111.60   19001-59-6]   25 Gms   490.87   117.73]   5 Gms   111.60   19001-59-6]   25 Gms   490.87   1127-17-3]	3-Pyridinebornic Acid extrapure, 98%	3-Pyridine-boronic Acid extrapure, 89% 5 Gms 400.07 1 Gms 98% 99% 99% 99% 99% 99% 99% 99% 99% 99%

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
42817	Resazurin Sodium extrapure AR,	1 Gms	19.74	34140	Rink Amide MBHA Resin (100-200	1 Gms	33.16
[62758-13-8]	ExiPlus, Multi-Compendial, 85%	5 Gms	85.54	[431041-83-7]	mesh), Loading 0.3-0.8mmol/g	5 Gms	127.13
		25 Gms	407.96		(4- (2,4-Dimethoxyphenyl-FMOC-Aminom	25 Gms	421.51
	meets compendial specs of USP				ethyl)		
46861	Reserpine extrapure, 99%	1 Gms	45.40		Phenoxyacetamido-Norleucyl-MBHA		
[50-55-5]		5 Gms	171.74		Resin)		
39798	Resorcinol extrapure AR, 99%	100 Gms	10.53	90780	p-Rosaniline Hydrochloride	25 Gms	14.48
[108-46-3]	nesolulloi extrapure An, 33%	500 Gms	46.06	[569-61-9]	(Pararosaniline Hydrochloride, Pararosaniline Chloride, Basic	100 Gms	52.64
22173	Resorcinol extrapure AR, ExiPlus,	100 Gms	11.84		Parafuchsin) (C.I. No. 42500)	40.0	0.40
[108-46-3]	Multi-Compendial, 99%	500 Gms	50.01	<b>60549</b> [632-69-9]	Rose Bengal (Acid Red 94) (C.I. No. 45440)	10 Gms	8.16
	meets compendial specs of BP					25 Gms	19.35
59040	L-Rhamnose Monohydrate	5 Gms	8.55	10641	Rose Oil extrapure	10 ml	28.03
10030-85-0]	extrapure	25 Gms	28.95	[8007-01-0]		25 ml	55.93
		100 Gms	125.02	66412	p-Rosolic Acid	25 Gms	20.13
-0050	Rhenium Powder extrapure,	1 Gms	0E 07	[603-45-2]	(Aurin)	100 Gms	60.27
<b>59652</b> [7440-15-5]	99.99%, -325mesh		25.27	18325	Rutin Trihydrate pure, 95%	25 Gms	12.50
	<u>,                                      </u>	5 Gms	89.88		(Vitamin P Trihydrate, Rutoside,	100 Gms	45.67
15165	Rhodium (III) Chloride Trihydrate	250 Mg	179.63		Quercetin-3-Rutinoside)		
20765-98-4]	pure, 98% (Rhodium Trichloride Hydrate)	1 Gms	697.87	16281	Safranine 0.5 w/v Aq. Solution	125 ml	1.97
16729 🗸		250 Mg	69.09			500 ml	6.97
73482-96-9]	extrapure, 97%	1 Gms	179.63	16593	Safranine O	25 Gms	6.97
				[477-73-6]	(Basic red 2) (C.I. No. 50240)	100 Gms	24.61
[83-88-5]	Riboflavin pure, 98% (Vitamin B2)	10 Gms	4.21	10673	D-(-)-Salicin extrapure	5 Gms	23.69
[63-66-5]	(Vitallill D2)	25 Gms	10.00	[138-52-3]	B-(-)-Galloni extrapare	25 Gms	63.17
		100 Gms	37.77				
7443	Riboflavine-5-Phosphate Disodium	5 Gms	2.63	57467 <b>✓</b>	Salicylaldehyde Azine extrapure, 97%	1 Gms	12.50
[130-40-5]	Salt extrapure, 93%	25 Gms	8.69	[959-36-4]	(2-Hydroxybenzaldehyde azine)	5 Gms	32.37
8915	Ribonuclease A (RNase A) ex.	25 Mg	30.79			25 Gms	132.26
[9001-99-4]	Bovine Pancreas for molecular	100 Mg	64.62	77386	Salicylamide pure, 98%	500 Gms	23.03
	biology, 50Kunitz/mg	500 Mg	276.75	[65-45-2]		5 Kg	217.14
52910 <b>■</b>	Ribonucleic Acid (RNA) Free Acid	25 Gms	23.03	45549	Salt Mixture Bernhart Tommarelli	500 Gms	5.26
	ex. Yeast, 85%	100 Gms	88.57			1 Kg	9.87
						5 Kg	44.35
	Ribonucleic Acid Sodium Salt (RNA Sodium, Sodium Nucleinate) ex.	10 Gms	20.79	13464	Salt Mixture H.M.W	500 Gms	5.79
/3049-//-1]	Yeast for molecular biology, 85%	25 Gms	42.90	13464	Oak Wixture H.W.W		
8259		25 Gms	7.24			1 Kg	10.79
[50-69-1]	•	100 Gms	20.00			5 Kg	48.82
76538 Å	D. Dibasa far tiasus sultura			71637	Salt Mixture U.S.P. XIV	500 Gms	6.19
<b>'6538 5</b> [50-69-1]	D-Ribose for tissue culture	5 Gms	4.61			1 Kg	11.84
,		25 Gms	12.90			5 Kg	55.67
2377	D-Ribose-5-Phosphate Barium Salt	100 Mg	60.54	93538	Samarium (III) Chloride	10 Gms	46.98
15673-79-7]	Hexahydrate extrapure, 98%	1.0	0.40	[13465-55-9]	Hexahydrate pure, 99.9%	50 Gms	154.76
13292-46-1]	Rifampicin (RFP) (Rifampin), 97-102%	1 Gms	9.48	00000	(Samarium trichloride hydrate)  Samarium (III) Nitrate Hexahydrate	5.0	00.00
		5 Gms	43.03	<b>92082</b> [13759-83-6]	ultrapure, 99.95%	5 Gms	26.06
	Rifaximin (RFX) extrapure, 98%	1 Gms	38.56	[,	(Trinitric Acid Samarium (III)	25 Gms	77.51
80621-81-4]		5 Gms	161.47		Hexahydrate)		
	Rink Amide Linker Resin (Knorr	1 Gms	69.09	31372	Samarium (III) Oxide ultrapure,	5 Gms	23.56
45069-56-3]	Linker) extrapure, 99%	5 Gms	124.36	[12060-58-1]	<b>99.95%</b> (Samaria)	25 Gms	68.43
	(4-[(2,4-Dimethoxyphenyl) (Fmoc-amino)Methyl]phenoxyacetic			54043	Samarium (III)	1 Gms	35.93
	Acid)			54043 [52093-28-4]	Trifluoromethanesulfonate		
				1	extrapure, 98%	5 Gms	82.91
					(Samarium (III) Triflate,		
					Trifluoromethanesulfonic Acid		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
68580	Scandium (III)	1 Gms	22.11	18472	Sieber Linker (3-Hydroxyxa	thone) 100 Mg	34.48
[144026-79-9]	Trifluoromethanesulfonate extrapure, 98%	5 Gms	100.94	[3722-51-8]	extrapure, 99%	1 Gms	78.17
	(Scandium Triflate,					5 Gms	124.89
	Trifluoromethanesulfonic Acid			77996	Silica Cysteine-Functionaliz	ed 5 Gms	262.81
	Scandium Salt)				extrapure	10 Gms	437.83
80967	Saponin ex. Quillaja for molecular	25 Gms	78.96		(Particle Size — 40-63µm, Pore 60A)	e Size -	
[8047-15-2]	biology, 9% Sapogenin	100 Gms	144.76	46400	Silica DMT-Functionalized	5 Gms	147.79
99474	Saponin ex. Gypsophila Roots for	5 Gms	23.69	46400	extrapure	25 Gms	615.10
[8047-15-2]	molecular biology, 25% Sapogenin	25 Gms	59.22				
		100 Gms	157.92	31156	Silica Imidazole-Functionali extrapure		87.65
10147	Sarcosine Oxidase (SOX) ex.	500 Units	78.17		слирине	25 Gms	364.80
[9029-22-5]	Recombinant E.coli, 20U/mg	1 K.Units	148.31	68360	Silica TAAcOH-Functionaliz	ed 5 Gms	126.34
21032	Scandium Oxide, 99.99%	1 Gms	34.61		extrapure	25 Gms	526.27
[12060-08-1]	Scandium Oxide, 55.55 %	5 Gms	92.12	28466	Silica TAAcONa-Functionali	zed 5 Gms	126.34
					extrapure	25 Gms	526.27
17386	Schiff's Reagent	500 ml	6.97	39343	Silica Thiol-Functionalized (	STF) 5 Gms	105.67
32380	Scopoletin extrapure, 98%	25 Mg	52.64	00010	extrapure	25 Gms	439.68
[92-61-5]	Scopoletiii extrapure, 36 %	•			OW DDD Dd O-t-btt		
		100 Mg	111.86	20356	Silica DPP-Pd Catalyst extra	•	497.32
<b>62330</b> [111-20-6]	Sebacic Acid pure, 98%	500 Gms	14.21			10 Gms	828.69
	Saminarhazida Hudraahlarida	100 Gms	8.82	45570	Silica TEMPO Catalyst extra	pure 5 Gms	243.59
<b>19182</b> [563-41-7]	Semicarbazide Hydrochloride extrapure, 98%	100 Gills	0.02			10 Gms	405.99
44779	Selenium Dioxide pure, 98%	100 Gms	48.43	78339	Silica C18 (17%) Bonded	5 Gms	69.22
[7446-08-4]	•. •	500 Gms	218.46		monomeric extrapure	25 Gms	199.90
00045	Salanium Matal Dawdar aytranura	25 Gms	13.82	43139	Silica Carbonate Bonded ex	trapure 5 Gms	121.86
<b>90945</b> [7782-49-2]	Selenium Metal Powder extrapure, 100 mesh, 99.9%					25 Gms	507.58
[]	,	100 Gms	41.45	25000	Silica Cyano Bonded extrap		77.25
		500 Gms	165.82	35228	Silica Cyallo Bollded extrap	10 Gms	150.68
51200	Selenium Metal Powder ultrapure, 100 mesh, 99.999%	25 Gms	46.98		1		
[7782-49-2]	100 mesn, 33.333 /6	100 Gms	172.79	30753	Silica Diol Bonded extrapure		76.06
77855	Selenium Metal Granular ultrapure,	25 Gms	49.74			25 Gms	316.37
[7782-49-2]	1-6mm, 99.999%	100 Gms	186.61	92868	Silica TMA Acetate Bonded	5 Gms	108.44
29815	Seliwanoff`s Reagent	100 ml	3.82		non-endcapped extrapure	25 Gms	451.39
	·			50648	Silica Tosic Acid Bonded ex	trapure 5 Gms	131.99
64088	Seralose®-2B	100 ml	46.06			25 Gms	549.69
		500 ml	194.64	73081	Silicon Metal powder, 98.5%	, -200 100 Gms	4.21
54540	Seralose®-4B	100 ml	46.06	[7440-21-3]	mesh	, 500 Gms	11.05
		500 ml	194.64	40000	Cilver Heveflyere entire en et		
12585	Seralose®-6B	100 ml	49.61	<b>43800</b> [26042-64-8]	Silver Hexafluoroantimonate extrapure, 98%	• •	44.74
		500 ml	221.22		•	5 Gms	197.40
04000	Seralose® CL-2B			32422	Silver Metal powder, 99.9%,	<b>-400</b> 10 Gms	43.43
81862	Seraiose® CL-2B	100 ml	72.64	[7440-22-4]	mesh	25 Gms	103.96
0		500 ml	300.71			100 Gms	407.96
11974	Seralose® CL-4B	100 ml	72.64	43491	Silver Methanesulfonate (Si		19.74
		500 ml	300.71	[2386-52-9]	MSA) extrapure, 47.8%-58.4	5 GIIIS	65.80
22264	Seralose® CL-6B	100 ml	76.20		(Methanesulfonic Acid Silver S Methylsulfonate, Silver	ait, Silver 25 Gms	210.56
		500 ml	322.03		Methylsulphonate, Methanesul	ohonic	
85165	DL-Serine Hydrazide Hydrochloride	5 Gms	206.48	46241	Silver Proteinate extrapure,	<b>B% Ag</b> 5 Gms	26.32
[55819-71-1]				[9008-42-8]		25 Gms	92.12
•	(DL-Serinohydrazide Hydrochloride)			27821	Silver Trifluoromethanesulfo	nate 1 Gms	13.82
	L-Serine Methyl Ester	5 Gms	12.63	[2923-28-6]	extrapure, 98%	5 Gms	56.72
[5680-80-8]	Hydrochloride extrapure, 99%	25 Gms	54.75		(Silver Triflate, Trifluoromethan		J L
		100 Gms	148.31		Acid Silver Salt)		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
69717	Silver Vanadate pure	5 Gms	47.38	31287	•	500 Mg	48.56
[13497-94-4]	Singlish Detection Selt Deference	40 Ma	440.40	[863-57-0]	Dried) extrapure, 98%	1 Gms	90.94
90677 (16411-05-5)	Sinalbin Potassium Salt Reference Standard Grade, 98%	10 Mg	442.18			5 Gms	242.41
[10411 00 0]	(p-Hydroxybenzylglucosinolate					25 Gms	1151.24
	Potassium Salt, Glucosinalbin			15556	Sodium Glycocholate Hydrate	500 Mg	44.09
	Potassium Salt)			[338950-81-5]	(SGC Hydrate) extrapure, 98%	1 Gms	75.80
<b>28945</b> • [3952-98-5]	Sinigrin Potassium Salt Reference Standard Grade, 97%	25 Mg	82.91			5 Gms	212.14
[0332-30-3]	(2-Propenyl Glucosinolate Potassium	100 Mg	135.42			25 Gms	1060.30
	Salt, Sinigroside Potassium Salt)			43453	Sodium Gluconate pure, 99%	500 Gms	4.61
<b>56226</b> [83-46-5]	b-Sitosterol ex. Rice Bran, 98% (Beta Sitosterol)	25 Gms	64.62	[527-07-1]	Sodium Malonate extrapure, 99%	100 Cma	11 04
	b-Sitosterol ex. Glycine Max	25 Gms	58.43	<b>54565</b> [141-95-7]	Sodium Maionate extrapure, 99%	100 Gms	11.84
[83-46-5]	(Soyabean), 95%	100 Gms	229.12			500 Gms	43.30
	(Beta Sitosterol)			<b>81020</b> ✓ [114-21-6]	' Sodium DL-Mandelate extrapure, 99%	5 Gms	11.84
<b>89658</b> [1333-83-1]	Sodium Bifluoride pure, 98%	500 Gms	18.82	[114-21-0]	(DL-Mandelic Acid Sodium Salt)	25 Gms	55.27
53713	Sodium Biselenite pure, 98%	100 Gms	56.98	18444	Sodium Metavanadate extrapure,	25 Gms	11.05
[7782-82-3]	<u>.</u>			[13718-26-8]		100 Gms	43.43
22308	Sodium Butyrate extrapure, 98.5%	25 Gms	14.48		(Sodium Trioxovanadate, Sodium Vanadium Oxide, Sodium Vanadium	500 Gms	205.30
[156-54-7]		100 Gms	23.69		Trioxide)		
		500 Gms	89.49	85247	Sodium-2-Naphthyl Phosphate	1 Gms	12.90
41059	Sodium Caseinate extrapure	100 Gms	19.35	[31681-98-8]	Disodium Salt extrapure AR, 99%	5 Gms	62.38
[9005-46-3]	(Casein Sodium Salt)	500 Gms	72.64	86766	Sodium Orthovanadate pure, 45%	10 Gms	51.19
43624	Sodium Chromate pure, 98%	500 Gms	8.42		(Sodium Vanadium Oxide)	50 Gms	153.58
[7775-11-3]	,	333 45	52	14215	Sodium Polyanethol Sulphonate	1 Gms	6.58
60947	Sodium Dihydro-bis-	100 Gms	19.74		(SPS, Liquoid) extrapure AR	5 Gms	29.87
[22722-98-1]	Methoxyethoxy Aluminate (VITRIDE) pure, 68-71%	500 Gms	92.12			25 Gms	143.31
46288	Sodium Diphenylamine Sulphonate	10 Gms	8.29	23569	Sodium Pyruvate (Pyruvic Acid	25 Gms	4.47
[6152-67-6]	extrapure AR	25 Gms	19.21	[113-24-6]	Sodium Salt) extrapure AR, 99%	100 Gms	13.55
		100 Gms	68.56			500 Gms	40.14
05040	Sodium Diphenyl Reagent AR			19099	Sodium Rhodizonate Dibasic	1 Gms	7.63
<b>25818</b> • [5137-46-2]		15 ml 10 x15 ml	12.63 117.12	[523-21-7]	extrapure AR, 99%	5 Gms	18.16
					Rhodizonic Acid Sodium Salt,	25 Gms	83.43
<b>67516</b> [5137-46-2]	Sodium Diphenyl Reagent ExiPlus,  Multi-Compendial	15 ml	18.82		3,4,5,6-Tetraoxocyclohexene-1,2-diol	25 Gills	00.40
[5137-40-2]	(Sodium Biphenyl Complex)	10 x15 ml	137.39	05005	disodium salt, Rhodizonic acid dis  Sodium Selenite Anhydrous	25 Gms	10.26
55083	Sodium Dodecylbenzenesulfonate	100 Gms	5.92	<b>95335</b> [10102-18-8]	extrapure, 98%	25 Gms	34.35
[25155-30-0]	(SDBS) pure, 80%	500 Gms	15.92		•	500 Gms	134.36
	(Dodecylbenzenesulfonic Acid Sodium Salt)	5 Kg	124.36	00474	Cadium Calanita Arbudrana		
36511	Sodium Fucidate (Na-FC), 97.5%	1 Gms	39.48	<b>80451</b> [10102-18-8]	Sodium Selenite Anhydrous extrapure AR, 99%	25 Gms	10.79
[751-94-0]	(Fucidic Acid Sodium Salt)	5 Gms	105.28	[10.02.10.0]		100 Gms	38.82
55655	Sodium Fumarate extrapure AR,	100 Gms	5.26	4=4	Cadima Calanda Artistorio for	500 Gms	146.34
[17013-01-3]	•	500 Gms	23.69	17169 [10102-18-8]	Sodium Selenite Anhydrous for tissue culture, 99%	25 Gms	12.63
15331	Sodium-ß-Glycerophosphate		26.32	[.0.02 10 0]	, ·-	100 Gms	37.37
15331 <b>5</b> [55073-41-1,	Hydrate extrapure AR, 99%	5 Gms				500 Gms	185.16
154804-51-0]	(Sodium-ß-Glycerol Phosphate	25 Gms 100 Gms	59.22 197.40	000_0	Sodium Taurochenodeoxycholate (STCDC) extrapure, 95%	250 Mg	151.60
	Hydrate, ß-GP, ß-Glycerolphosphate, Disodium ß-glycerol phosphate)	TOO GITIS		[6009-98-9]	(Taurochenodeoxycholic Acid Sodium Salt)	500 Mg	295.44
97971	coulum dijocomonouconjomonuto	100 Mg	36.06	63703	Sodium Taurocholate Hydrate (STC	1 Gms	31.19
[16564-43-5]	(SGCDC) extrapure, 97% (Glycochenodeoxycholic Acid Sodium	500 Mg	81.86	[345909-26-4]	Hydrate) extrapure, 98%	5 Gms	119.76
	Salt)	1 Gms	147.26		(Taurocholic Acid Sodium Salt	25 Gms	269.65
		5 Gms	556.27		Hydrate)	100 Gms	944.49
		25 Gms	2519.22				

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
57861	•	1 Gms	32.90		3-(2`-Spiroadamantane)	5 Mg	275.31
[1180-95-6]	(STDC Dried) extrapure, 97%	5 Gms	108.31	[122341-56-4	] -4-Methoxy-4-(3``-Phosphoryloxy)		
		25 Gms	507.45		Phenyl-1,2-Dioxetane (AMPPD) extrapure, 98%		
40391	Sodium Taurodeoxycholate	500 Mg	9.74	67715	Spironolactone extrapure, 97%	500 Mg	68.56
	Hydrate (STDC Hydrate) extrapure,	1 Gms	17.24	[52-01-7]	,	1 Gms	122.52
	97%	5 Gms	83.70	40000	20 000 Putton all 0 0 7 4 for		
		25 Gms	402.96	12590	20X SSC Buffer pH 6.9-7.1 for molecular biology	200 ml 500 ml	4.34 9.74
31102	Sodium Tauroursodeoxycholate	1 Gms	59.75	70005	20X SSPE Buffer pH-7.4 suitable for		
[35807-85-3]	(TUDCA Sodium) extrapure, 98%	5 Gms	217.93	78305	molecular biology	200 ml	11.84
	(Tauroursodeoxycholic Acid Sodium				<u> </u>	1000 ml	32.90
70700	Salt)	100 0	10.77		StachyoseTetrahydrate extrapure,	25 Mg	41.45
<b>78786</b> [367-51-1]	Sodium Thioglycolate extrapure, 99%	100 Gms	12.77	[10094-58-3]	36 %	100 Mg	163.84
[00/ 0/ /]		250 Gms	23.69			250 Mg	377.56
		500 Gms	42.11	31384	Stearic Acid pure, C18-98%	500 Gms	8.55
	Sodium Triacetoxyborohydride	25 Gms	13.55	[57-11-4]		5 Kg	84.22
[56553-60-7]	(STAB) pure, 98%	100 Gms	37.37	73878	Stearic Acid extrapure, C18-99%	5 Gms	3.95
		500 Gms	171.74	[57-11-4]	•	25 Gms	15.13
69128	Sodium Trifluoromethanesulfinate	5 Gms	65.67			100 Gms	57.90
[2926-29-6]	(Langlois reagent) extrapure, 95%				a		
	(Sodium Trifluoromethylsulfinate,			<b>73439</b> [57-11-4]	Stearic Acid ExiPlus, Multi-Compendial, C18-99%	5 Gms	6.71
	Trifluoromethanesulfinic Acid Sodium Salt, Sodium Triflinate)			[57-11-4]	mani componata, c to co x	25 Gms	28.95
99957	<u> </u>	10 Mg	85.01			100 Gms	92.12
[20311-51-7]	• • •	25 Mg	203.98		meets compendial specs of Ph.Eur		
	de)	25 Mg	200.00		Stearic Acid Methyl Ester	5 Gms	46.06
53771	Solasodine extrapure, 98%	10 Mg	85.15	[112-61-8]	extrapure, 99% (GC)	25 Gms	128.97
[126-17-0]	(Purapuridine, Solancarpidine)	25 Mg	203.98	61600	STET Lysis Buffer	500 ml	50.01
89725	Solasonine extrapure, 98%	25 Mg	238.85				
[19121-58-5]	(Solasodamine)				Stigmasterol extrapure, 95%	1 Gms	15.40
54281	Somatostatin extrapure, 97%	5 Mg	128.97	[83-48-7]		5 Gms	69.75
[38916-34-6]		25 Mg	405.59			10 Gms	136.07
62468	L(-)Sorbose extrapure, 99%	25 Gms	56.59			25 Gms	238.20
[87-79-6]		100 Gms	217.14	87610	Streptavidin (SA) ex. Streptomyces	5 Mg	106.86
17030	Spermidine extrapure, 99%	250 Mg	14.48	[9013-20-1]		10 Mg	196.48
[124-20-9]	opermane example, 55%	1 Gms	28.16		15U/mg Protein		
		5 Gms	117.52		r-Streptavidin (r-SA) ex. Streptomyces Acidinii in E.Coli -	5 Mg	584.17
				[9013-20-1]	Type 1, 17U/mg protein		
91710 • [71-44-3]	Spermine Free Base extrapure, 99%	250 Mg	22.77	91014	Streptomycin Sulphate (STM)	5 Gms	5.40
[71-44-3]	33 /6	1 Gms	52.51	[3810-74-0]		25 Gms	17.77
22310	'	1 Gms	45.53			100 Gms	36.98
[306-67-2]	extrapure, 99%	5 Gms	118.18	00400	Streptomycin Sulphate for tissue	E Cma	
		10 Gms	227.27	<b>62463</b> [3810-74-0]		5 Gms	12.24
		25 Gms	409.01	[,		25 Gms	24.48
26413	Sphingomyelin (Type I) (ex. Bovine	10 Mg	101.46			100 Gms	44.48
	Brain Spingolipids) extrapure, 99%	25 Mg	163.84		Streptozotocin (STZ) extrapure,	100 Mg	24.35
		100 Mg	530.48	[18883-66-4]	30 /o	500 Mg	111.86
05050	Sphingomyelin (Type II) (av. Bayina					1 Gms	210.56
	Sphingomyelin (Type II) (ex. Bovine Heart Sphingolipids) extrapure,	10 Mg	101.46			5 Gms	855.40
1	99%	25 Mg	226.35	48142	Succinic Anhydride extrapure,	100 Gms	5.00
		100 Mg	592.99	[108-30-5]	99.5%	500 Gms	19.74
	S-Phos	1 Gms	39.09	24088	Succinimidyl-4-(N-	50 Mg	34.48
05/408-07-6]	(2-Dicyclohexylphosphino-2,6-Dime thoxybiphenyl) extrapure, 98%	5 Gms	171.74		(N-maleimidomethyl)	250 Mg	140.55
	,,,, c	25 Gms	702.09		cyclohexane-1-carboxylate	=9	

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
20721	·	25 Mg	236.88	10964	TAPS Buffer extrapure, 99%	25 Gms	15.66
[386229-69-2]	Salt pure, 80% (1,3,4,6-Tetra-O-Sulfo-b-D-Fructofuran			[29915-38-6]	(N-Tris (hydroxymethyl) Methyl-3-Aminopropane Sulphonic	100 Gms	41.32
	osyl-a-DGlucopyranoside-2,3,4-Tris(Hy				Acid)		
	drogen Sulfate)Potassium)			44194	TAPSO Buffer extrapure, 99%	25 Gms	32.11
<b>47973 5</b> [54182-58-0]	Sucrose Octasulphate Aluminium Salt (Sucralfate) extrapure, 30-36%	5 Gms	39.48	[68399-81-5]	(3-[Tris-(hydroxymethyl) Methylamino] -2- Hydroxypropane Sulphonic Acid)	100 Gms	106.20
[34102-30-0]	(Sucrose Octasulfate-Aluminum	25 Gms	105.28	28682	D-(-)-Tartaric Acid extrapure, 99%	100 Gms	7.11
	Complex)			[147-71-7]		250 Gms	17.24
69538	Sucrose Palmitate extrapure, 90% (b-D-Fructofuranosyl-a-D-Glucopyrano	25 Gms	28.95	60301	L-(+)-Tartaric Acid extrapure AR,	500 Gms	7.90
[26446-38-8]	side Monohexadecanoate)	100 Gms	88.17	[87-69-4]	ACS, ExiPlus, Multi-Compendial,	5 Kg	71.06
67787	Sudan III	25 Gms	2.76		99.7%	5	
[85-86-9]		100 Gms	8.03		(L-Threaric Acid) meets compendial specs of USP, BP,		
81329	Sulfacetamide Sodium	5 Gms	36.19		Ph.Eur		
[6209-17-2]	Monohydrate extrapure, 99%-101%	50 Gms	105.28	63904	DL-Tartaric Acid extrapure, 99%	500 Gms	6.97
	(N-Acetylsulfanilamide Sodium Salt Monohydrate)			[133-37-9]		5 Kg	65.80
16775	Sulfadiazine (SFD) extrapure,	50 Gms	34.61	15711	Taurine extrapure CHR, 99%	25 Gms	6.32
[68-35-9]	99-101%	100 Gms	65.67	[107-35-7]	(2-Aminoethanesulfonic Acid)	100 Gms	18.82
	(4-Amino-N- (2-Pyrimidinyl)Benzenesulfonamide)					1 Kg	156.08
28277 🗸	, ,,	25 Gms	28.95	47064	TBTU extrapure, 98%	10 Gms	10.53
[547-32-0]	Sodium) extrapure, 99%	100 Gms	86.86	[125700-67-6]		25 Gms	21.06
	(4-Amino-N-					100 Gms	86.86
	(2-Pyrimidinyl)Benzenesulfonamide Sodium Salt)			92481	Tellurium Dioxide ultrapure,	5 Gms	38.69
69181	Sulfur Precipitated pure, 98%	500 Gms	3.03	[7446-07-3]	99.999%	25 Gms	117.52
[7704-34-9]				59479	Tellurium Metal powder, 99.9%,	10 Gms	20.79
86684	Sulphamethoxazole (SMX), 99%	5 Gms	30.93	[13494-80-9]	-200 mesh	100 Gms	107.78
[723-46-6]		25 Gms	84.36	67813	Terbium (III) Chloride Hexahydrate	5 Gms	55.27
72701	Sulpholane Anhydrous pure, 99%	500 ml	12.50		extrapure, 99.9%	25 Gms	241.88
[126-33-0]	(Sulfolane Anhydrous)	2500 ml	60.54	52633	Terbium (III) Nitrate Hexahydrate	2 Gms	55.01
13674	Sulpholane Anhydrous extrapure	500 ml	15.79		ultrapure, 99.99%	10 Gms	202.66
[126-33-0]	AR, 99% (Sulfolane Anhydrous)	2500 ml	76.33	52313	Terbium (III) Nitrate Pentahydrate	5 Gms	57.90
31249		20 K.Units	163.84		extrapure, 99.9%	25 Gms	253.33
[9054-89-1]	Bovine Erythrocytes, 3000U/mg	100	530.48	99186	Terbium (III)	1 Gms	41.45
		K.Units			Trifluoromethanesulfonate	5 Gms	152.00
47406	Syringaldazine pure, 95%	1 Gms	59.22		extrapure, 98%	0 00	.02.00
[14414-32-5]	Syringaldehyde extrapure, 99%	E Cma	9.00		(Terbium(III) Triflate, Trifluoromethanesulfonic Acid		
<b>41719</b> [134-96-3]	Syringaluenyue extrapure, 99 %	5 Gms 25 Gms	8.29 24.21		Terbium(III) Salt)		
		100 Gms	85.93	62369	Terbium (III,IV) Oxide ultrapure,	1 Gms	48.43
74000	10X TAE Buffer pH-8.3 for			[12037-01-3]	99.99%	5 Gms	135.42
71989	molecular biology	100 ml 500 ml	7.76 13.69	96104	Terephthaloyl Chloride practical	100 Gms	15.40
	10V TDC Duffer all 0.0 fee			[100-20-9]	grade, 95%	500 Gms	70.27
83170	10X TBE Buffer pH-8.3 for molecular biology	200 ml	8.69	14676	TES Buffer extrapure, 99%	5 Gms	5.92
0		500 ml	14.87	[7365-44-8]	(N-Tris(Hydroxymethyl)	25 Gms	26.32
51782	10X TE Buffer pH-8.0 for molecular biology	100 ml	16.58		Methyl-2-Aminoethane Sulphonic Acid)	100 Gms	96.73
		500 ml	55.27	51318	TES Buffer Sodium Salt extrapure,	25 Gms	77.64
<b>89528</b> [7440-25-7]	Tantalum Metal Sheet (Type 1), 99.9%	1 piece	142.26	[70331-82-7]	99%	100 Gms	235.96
27101	Tantalum Metal Sheet (Type 2),	1 piece	212.40	19914	Testosterone (free base) extrapure,	1 Gms	29.74
[7440-25-7]	99.9%	. p.555		[58-22-0]	99%	5 Gms	53.96
					(17B-Hydroxy-4-Androsten-3-one)		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
	· · · · · · · · · · · · · · · · · · ·	1 Gms	35.80	55597	•	100 Mg	35.93
[315-37-7]	99% (17B-Hydroxy-4-Androsten-3-one	5 Gms	118.31	[64285-73-0]	Dihydrochloride anhydrous (TMB.diHCl anhy) extrapure AR,	1 Gms	76.59
	17-Enanthate)				99%	5 Gms	249.78
71344	Testosterone Propionate extrapure,	5 Gms	21.98	36746	3,3,5,5-Tetramethyl Benzidine	500 Mg	39.48
[57-85-2]	98%	25 Gms	97.65	[207738-08-7]	Dihydrochloride Hydrate	1 Gms	75.80
	(17ß-Hydroxy-4-Androsten-3-one 17-Propionate)				(TMB.2HCl.xH2O) extrapure, 98% (TMB DiHCl)	5 Gms	258.07
93831 🗸	1,2,3,5-Tetra-O-Acetyl-b-D-Ribofura	5 Gms	34.48	64407	TMB Solution A (1% TMB in DMSO)	100 ml	20.5
	nose extrapure, 98%	25 Gms	124.89	04407	Time column A (1% Time in emice)	100 1111	20.0
	(beta-D-Ribofuranose-1,2,3,5-Tetraacet ate)	20 Gillo	12 1.00	38783	TMB Solution B (30% H2O2)	100 ml	11.9
76333	1,1,2,2-Tetrachloroethane extrapure	500 ml	23.03	99986 🗸	N,N,N,N-Tetramethyl Benzidine	100 Mg	20.0
[79-34-5]	AR, 99%	1000 ml	45.14	[366-29-0]	extrapure AR, 95%	1 Gms	57.5
82175	Tetracycline Hydrochloride (TC) for	5 Gms	13.82	13618	2,2,4,4-Tetramethyl-1,3-Cyclobutan	5 Gms	69.0
[64-75-5]	tissue culture, 95%	25 Gms	52.64	[3010-96-6]	ediol (CBDO) (mixture of isomers)	25 Gms	203.9
		100 Gms	146.08		extrapure, 99%	25 Gills	203.90
38614	Tetracycline Hydrochloride (TC),	5 Gms	5.79	88001	1,1,3,3-Tetramethyldisiloxane	25 ml	16.19
[64-75-5]	95%	25 Gms	28.56	[3277-26-7]	(TMDS) extrapure, 98%	100 ml	49.2
		100 Gms	104.62	53180	1,1,3,3-Tetramethylguanidine	100 ml	27.6
				[80-70-6]	extrapure AR, 99%	500 ml	107.7
58128	Tetradecyl Sulphate Sodium Salt (Tergitol-4), 95%	100 Mg	19.74		N,N,N',N'-Tetramethylguanidine		
[1191-50-0]	(Sodium Myristyl Sulfate, Sodium	500 Mg	76.33		N,N,N,N-Tetramethyl-p-phenylenedi	5 Gms	16.3
	Tetradecyl Sulfate, STDS)			[637-01-4]	amine Dihydrochloride (Wursters Reagent, TMPPD) extrapure AR,	25 Gms	73.7
64090	Tetraethylammonium lodide	25 Gms	17.63		99%		
[68-05-3]	extrapure, 99%	100 Gms	48.69	91902	2,2,6,6-Tetramethylpiperidine-1-Oxy	5 Gms	6.5
		500 Gms	213.98	[2564-83-2]	I (TEMPO) pure, 98%	25 Gms	28.9
		1 Kg	408.35			100 Gms	92.1
23231 🗸	(S)-(-) 1,2,3,	1 Gms	33.82	33379	Tetramethyl Silane (TMS) for NMR	25 ml	64.6
[74163-81-8]		5 Gms	130.28	[75-76-3]	spectroscopy, 99.8%	100 ml	184.5
0	-3-Carboxylic Acid pure, 98%			77204	Tetrapropylammonium Bromide	100 Gms	16.0
	Tetrakis(Triphenylphosphine) Palladium (0) extrapure, 97%	1 Gms	50.01	[1941-30-6]	extrapure, 99%		
[22 . 0 . 0]	· · · · · · · · · · · · · · · · · · ·	5 Gms	230.30	84990	Tetrapropylammonium Hydroxide	100 ml	20.7
		25 Gms	1052.80	[4499-86-9]	(TPAH) 10% aq. solution	500 ml	55.2
76265	1-Tetralone pure, 98%	100 ml	27.77	98078	Tetrapropylammonium Hydroxide	100 ml	26.3
[529-34-0]		500 ml	112.12	[4499-86-9]	(TPAH) 20% aq. solution	500 ml	110.5
98500	Tert-Dodecylmercaptan (mix. of	100 ml	23.69	58146	Tetrapropylammonium Hydroxide	100 ml	50.5
[25103-58-6]	isomers) extrapure, 98.5% (tert-Dodecanethiol,	500 ml	36.85	[4499-86-9]	(TPAH) 40% aq. solution	500 ml	214.2
	tert-Laurylmercaptan)			0	4 II Taharada sahilimad sahirima		
19028	Tetramethylammonium Chloride	100 Gms	8.82	<b>75311</b> [288-94-8]	1-H-Tetrazole sublimed extrapure, 99%	1 Gms	3.9
[75-57-0]	pure, 98%	500 Gms	41.59	[200-94-0]	33.0	5 Gms	17.7
82774	Tetramethylammonium lodide	100 Gms	47.77			25 Gms	66.9
[75-58-1]	extrapure, 99%			<b>92739 (</b>	Tetrazolium Violet extrapure, 95%	1 Gms	38.8
	3,3,5,5-Tetramethyl Benzidine (TMB) pure, 98%	1 Gms	25.66	62183	Tetrazolium Violet (high purity)	100 Mg	17.1
[54827-17-7]	(Imb) puie, 30/0	5 Gms	96.07	[1719-71-7]	extrapure AR, 98%	1 Gms	54.0
		25 Gms	383.75			5 Gms	210.6
	•	100 Mg	8.03	36610	Thallium (I) Acetate extrapure,	5 Gms	39.0
[54827-17-7]	(TMB) extrapure AR, 98%	1 Gms	40.01	[563-68-8]	99.9%	25 Gms	134.2
		5 Gms	115.15		(Acetic Acid Thallium (I) Salt, Thallous	100 Gms	405.7
68738	3,3,5,5-Tetramethylbenzidine (TMB)	1 Gms	56.06	00440	Acetate)  Thellium (I) Sulphoto extrapure		
[54827-17-7]	extrapure AR, ExiPlus,			<b>98446</b> [7446-18-6]	Thallium (I) Sulphate extrapure, 99%	5 Gms 25 Gms	49.2 176.8
	Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur				(Thallous Sulphate)	23 01118	170.0
	mode compendial speed of Di , i n.Lui			44826	L-Theanine extrapure, 99%	5 Gms	13.1

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
83155	3(2-Thenoyl)-1,1,1-	10 Gms	16.58	57589	Thiophene-2-Carboxylic Acid pure,	5 Gms	21.58
[326-91-0]	Trifluoroacetone (TTFA) extrapure	100 Gms	135.42	[527-72-0]	98%	25 Gms	71.46
	AR, 99% (2-Thenoyltrifluoroacetone, TTA					100 Gms	212.67
	(extractant), TTB)			39416	Thionicotinamide Adenine	25 Mg	45.67
82500	Thiamine Hydrochloride for tissue	25 Gms	13.16	[4090-29-3]	Dinucleotide (Thio-NAD) extrapure,	100 Mg	170.82
[67-03-8]	culture, 98.5%	100 Gms	48.43		90%		
71081	Thiamine Hydrochloride pure,	10 Gms	5.26	00020	Thionicotinamide Adenine Dinucleotide Disodium Salt	25 Mg	42.77
[67-03-8]	98.5%	25 Gms	10.79	[1921-48-8]	Reduced (Thio-NADH) extrapure,	100 Mg	128.18
		100 Gms	35.93		93%		
79903	Thiamphenicol (TMP), 98%	1 Gms	22.11	29808	Thiophene-2-Acetic Acid pure, 98%	5 Gms	12.24
[15318-45-3]	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	5 Gms	62.25	[1918-77-0]		25 Gms	39.48
2224	This saled Dive Tetropolisms December					100 Gms	133.31
33611 [298-93-1]	Thiazolyl Blue Tetrazolium Bromide (MTT) extrapure AR, 98%	100 Mg	7.63	14055	2-Thiophenecarboxaldehyde pure,	25 ml	13.42
[200 00 .]	(,	500 Mg	30.40	[98-03-3]	98%	100 ml	48.43
		1 Gms	55.27		(Thiophene-2-Carboxaldehyde)		
		5 Gms	179.63	<b>28033</b> [34592-47-7]	L-Thioproline extrapure, 98% (L-4-Thiazolidinecarboxylic Acid)	10 Gms	7.90
<b>58945</b> [298-93-1]	Thiazolyl Blue Tetrazolium Bromide (MTT) for tissue culture, 98%	500 Mg	41.45	[0.002.11.1]	(	25 Gms	15.79
[296-93-1]	(WITT) for tissue culture, 96%	1 Gms	76.06	83203	Thiosalicylic Acid pure, 98%	25 Gms	11.05
58910	•	250 Mg	60.54	[147-93-3]	(2-Mercaptobenzoic Acid)	100 Gms	29.08
[57360-69-7]	Formazan) extrapure AR, 98% (1-(4,5-Dimethylthiazol-2-yl)	1 Gms	148.71	96768	2-Thiouracil extrapure, 98%	25 Gms	13.82
	-3,5-Diphenylformazan)			[141-90-2]	(2-Mercaptopyrimidine-4-ol)	100 Gms	51.19
11652	Thidiazuron (TDZ) extrapure, 97%	250 Mg	54.48	41862	Thorin extrapure AR	1 Gms	31.58
[51707-55-2]		1 Gms	172.40	[3688-92-4]		5 Gms	144.76
		5 Gms	440.33	50444	D-Threonine (allo-free) extrapure,	5 Gms	23.69
88098	Thidiazuron (TDZ) for tissue	250 Mg	70.93	[632-20-2]	99%	25 Gms	86.59
	culture, 97%	1 Gms	238.85			100 Gms	314.66
		5 Gms	574.57	75164	DL-Threonine extrapure CHR, 99%	5 Gms	6.71
10000	Thispartic Acid nurs 079/			<b>75164</b> [80-68-2]	DE-Threonine extrapure Crin, 99%	25 Gms	24.87
10083 [507-09-5]	Thioacetic Acid pure, 97%	100 ml 500 ml	13.82 53.03	. ,		100 Gms	92.51
						1 Kg	891.98
<b>94066</b> [602-41-5]	Thiocolchicoside extrapure, 98% (2-Demethoxy-2-Glucosidoxythiocolchi	50 Mg	90.94		L Thurs and the state of the COMP COMP		
[002-41-5]	cine)	250 Mg	212.14	<b>88355</b> [72-19-5]	L-Threonine extrapure CHR, 99%	25 Gms	4.34
		1 Gms	378.74	[12 10 0]		100 Gms	8.55
	DL-6,8-Thioctic Acid extrapure	1 Gms	9.34			500 Gms	39.48
[10//-28-/]	(a-Lipoic Acid), 98%	5 Gms	33.43			1 Kg	72.38
45487	Thiomalic Acid (Mercaptosuccinic	25 Gms	11.05			5 Kg	329.00
[70-49-5]	Acid) pure, 99%	100 Gms	18.03	62667	L-Threonine for tissue culture, 99%	25 Gms	6.58
		500 Gms	80.14	[72-19-5]		100 Gms	23.69
85090	Thiomersal (Thimerosal) Reagent	5 Gms	56.59			500 Gms	98.70
[54-64-8]	Grade, 98%	10 Gms	108.57	24815	D-Threoninol extrapure, 98%	500 Mg	80.67
		25 Gms	263.20	[44520-55-0]		1 Gms	138.84
		100 Gms	987.00	20724	Thymidine extrapure, 99%	5 Gms	22.77
27662	Thiomersal (Thimerosal) ExiPlus,	10 Gms	118.44	[50-89-5]	(2-Deoxythymidine, B-Thymidine,	25 Gms	94.75
		25 Gms	289.52		Thymine Deoxyriboside, 5-Methyldeoxyuridine)		
[54-64-8]	Multi-Compendial (Suitable for	25 GIIIS			Thymidine-5-Monophosphate		22.11
[54-64-8]	Vaccine&Diagnostic Production),	25 Gms 100 Gms	1079.12	45/64	i iliyiilidiile-3-wollopilosbilate	100 Ma	62.11
[54-64-8]	Vaccine&Diagnostic Production), 98%		1079.12	<b>45764</b> [33430-62-5]		100 Mg 250 Ma	
	Vaccine&Diagnostic Production), 98% meets compendial specs of BP, Ph.Eur	100 Gms		[33430-62-5]	Disodium Salt (TMP-Na2) extrapure, 98%	100 Mg 250 Mg	46.98
	Vaccine&Diagnostic Production), 98%	100 Gms	10.66	[33430-62-5] <b>57046</b>	Disodium Salt (TMP-Na2)	_	46.98
40413	Vaccine&Diagnostic Production), 98% meets compendial specs of BP, Ph.Eur Thiophene-2-Boronic Acid extrapure, 98% (2-Thienylboronic Acid,	100 Gms 1 Gms 5 Gms	10.66 29.22	[33430-62-5]	Disodium Salt (TMP-Na2) extrapure, 98%	250 Mg	46.98 8.29
40413	Vaccine&Diagnostic Production), 98% meets compendial specs of BP, Ph.Eur Thiophene-2-Boronic Acid extrapure, 98%	100 Gms	10.66	[33430-62-5] <b>57046</b>	Disodium Salt (TMP-Na2) extrapure, 98%	250 Mg	46.98 8.29 17.37 52.90
40413	Vaccine&Diagnostic Production), 98% meets compendial specs of BP, Ph.Eur Thiophene-2-Boronic Acid extrapure, 98% (2-Thienylboronic Acid,	100 Gms 1 Gms 5 Gms	10.66 29.22	[33430-62-5] <b>57046</b> [65-71-4]	Disodium Salt (TMP-Na2) extrapure, 98%	250 Mg 10 Gms 25 Gms	46.98 8.29 17.37

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
77675	Thymolphthelexone	1 Gms	40.14		• • •	25 Mg	30.66
[1913-93-5]		5 Gms	152.92	[75737-38-1]	biology, 98% (6-(3-Hydroxybenzylamino)purine)	100 Mg	109.36
<b>86637</b> [7512-38-1]	Thymol Violet	5 Gms	6.19	56521	TOOS extrapure, 98%	1 Gms	80.14
12558	L-Thyronin extrapure, 98%	100 Mg	93.17	[82692-93-1]		5 Gms	288.47
[1596-67-4]	2 myrenii exaapare, ee/	Too Mg	30.17	95595	TOTU extrapure, 99%	5 Gms	27.64
90196	Tiglic Acid extrapure, 98%	25 Gms	17.24	[136849-72-4]		25 Gms	55.27
[80-59-1]		100 Gms	60.80	25793	TPTZ extrapure AR (2,4,6-Tri-	1 Gms	15.79
87347 🗸	Titanium Tetrachloride 1M in	100 ml	14.21	[3682-35-7]	(2-pyridyl)-5-triazine), 99%	5 Gms	59.22
[7550-45-0]	Dichloromethane	500 ml	65.67	49011	Triacontanol (TRIA) technical	500 Mg	115.68
	(Titanium (IV) Chloride in MDC)			[593-50-0]	grade, 90%	1 Gms	229.64
<b>83692</b> ✓ [7550-45-0]	Titanium Tetrachloride 1M in Toluene	100 ml	14.21	68084	trans,trans-Muconic acid (ttMA)	1 Gms	31.32
[7550-45-0]	(Titanium (IV) Chloride in Toluene)	500 ml	65.67	[3588-17-8]	extrapure, 98%	5 Gms	146.73
84161	TNTU extrapure, 99%	10 Gms	53.82	. ,	(trans,trans-2,4-Hexadienedioic Acid,	5 Gills	140.73
[125700-73-4]		25 Gms	105.81		trans,trans-1,3-Butadiene-1,4-Dicarbox		
56183	Tobramycin (TBM)	50 Mg	23.16	42618	ylic Acid) 1,2,4-Triazole pure, 98%	100 Gms	3.82
[32986-56-4]	• • •	500 Mg	198.19	[288-88-0]	1,2,4-111a20le pure, 90 %	500 Gms	17.11
59844	DL-a-Tocopherol Acetate (Vitamin E	5 Gms	4.74				
[7695-91-2]	Acetate) for tissue culture, 98%	25 Gms	16.45	<b>93572</b> [41253-21-8]	1,2,4-Triazole Sodium extrapure, 98%	25 Gms	10.00
		100 Gms	62.77	[41230-21-0]	(Sodium-1,2,4-Triazolide)	100 Gms	36.85
I	Touri's Descript (0.0 Directhyd 1					500 Gms	65.80
<b>52885</b> [887144-97-0]	Togni`s Reagent (3,3-Dimethyl-1- (trifluoromethyl)-1,2-benziodoxole) extrapure, 97%	250 Mg 1 Gms	118.44 236.88	<b>78411</b> [626-39-1]	1,3,5-Tribromobenzene pure, 98%	25 Gms	48.69
	(1-Trifluoromethyl-3,3-Dimethyl-1,2-Ben			99486	1,3,5-Trichlorobenzene (1,3,5-TCB)	100 Gms	44.61
	ziodoxole)			[108-70-3]	pure, 99%	500 Gms	192.27
67593	• •	25 Gms	9.08	76074	Tribulus Terrestris Extract, 45% FS	5 Gms	34.22
[119-93-7]	(3,3- Dimethyl Benzidine)	100 Gms	27.64	[90131-68-3]		25 Gms	65.80
		500 Gms	49.74	27740	TRICINE Buffer Reagent Grade,	25 Gms	17.37
65954	• • • •	25 Gms	10.40	[5704-04-1]	99%	100 Gms	63.56
[119-93-7]	Multi-Compendial, 98% (3,3- Dimethyl Benzidine)	100 Gms	33.16		(N-Tris-(hydroxymethyl) Methylglycine)		40.00
	(0,0- Difficulty) Defizicilite)	500 Gms	55.27	<b>67490</b> [2622-14-2]	Tricyclohexylphosphine (Cy3P) extrapure, 97%	1 Gms	18.82
	meets compendial specs of USP, BP,			,	(P(Cy)3, PCy3)	5 Gms 25 Gms	51.59 202.93
	Ph.Eur						
	o-Toluic Acid pure, 99.5%	250 Gms	6.58	<b>63437</b> [58656-04-5]	Tricyclohexylphosphine Tetrafluoroborate extrapure, 98%	1 Gms	28.56
[118-90-1]		500 Gms	11.71	[30030-04-3]	Tenunuoiosorate extrapare, 30%	5 Gms	85.41
70097	m-Toluic Acid pure, 98%	250 Gms	8.82	80184	Triethanolamine Hydrochloride	100 Gms	5.66
[90-04-7]		500 Gms	16.71	[637-39-8]	extrapure AR, 99%	500 Gms	19.74
61421	p-Toluic Acid pure, 98%	250 Gms	6.32	80058	2,2,2-Trifluoroethanol pure, 99%	100 ml	16.45
[90-94-5]		500 Gms	11.19	[75-89-8]		500 ml	65.80
12358 🗸	p-Toluidine pure, 98%	500 Gms	17.11	14428	N-6-Trifluoroacetyl-L-Lysine	5 Gms	21.58
[106-49-0]				[10009-20-8]	extrapure, 98% (H-Lys(Tfa)-OH)	25 Gms	50.80
	Toluidine Blue O	10 Gms	4.47	12631	3-Trifluoromethyl Phenylboronic	1 Gms	17.63
[92-31-9]	(Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium	25 Gms	10.13	[1423-26-3]	Acid extrapure, 97%	5 Gms	32.90
	Chloride)	100 Gms	35.01			25 Gms	163.84
37699		10 Gms	11.98	70000	5-Trifluorothymidine extrapure,		
[92-31-9]	(Basic Blue 17, Blutene Chloride,	25 Gms	26.98	<b>79009</b> [70-00-8]	99%	100 Mg	108.18
	Methylene Blue T50, Tolonium Chloride)					1 Gms	486.92
20611 🗸	p-Toluenesulfonyl Hydrazide pure,	25 Gms	9.74	37758 <b>8</b> [88-82-4]	2,3,5-Triiodobenzoic Acid (TIBA) extrapure AR, 98%	5 Gms	35.53
[1576-35-8]	98%	100 Gms	27.64		• •	10 Gms	65.80
	(p-Toluenesulfonic Acid Hydrazide, p-Toluenesulphonyl Hydrazide,	500 Gms	102.25	35241	3,3,5-Triiodo-L-Thyronine	100 Mg	42.11
	p-roluenesulphonyl mydfazide,			[6893-02-3]	extrapure, 98%	1 Gms	250.04

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>14219 538-24-9</b>	Trilaurin pure, 98%(GC)	5 Gms 25 Gms	28.95 59.22	<b>83676</b> [555-45-3]	Trimyristin Reference Standard, 99%(GC)	500 Mg 1 Gms	92.51 149.50
84217	Trilaurin Reference Standard, 99%	100 Mg	28.95	84050	Trioctylamine (Tri-n-Octylamine)	100 ml	13.82
[538-24-9]	(GC)	500 Mg	86.86	[1116-76-3]	pure, 95%	500 ml	48.43
57355	Trimesic Acid extrapure, 98%	5 Gms	9.74	37958	Triolein Reference Standard, 99%	500 Mg	64.09
[554-95-0]	(Benzene-1,3,5-Tricarboxylic acid, 1,3,5-Benzenetricarboxylic Acid)	25 Gms	34.61	[122-32-7]	(GC)	1 Gms	110.81
	1,0,0 Bonzonotnoarboxyno riolaj	100 Gms	55.27		Tripalmitin pure, 85%(GC)	25 Gms	88.30
<b>20139</b> [75-77-4]	Trimethyl Chlorosilane (TMCS) extrapure, 98%	25 ml	4.21	[555-44-2] <b>75700</b>	Tripalmitin Reference Standard,	100 Mg	31.32
[/3-//-4]	extrapare, 50%	250 ml	14.48	[555-44-2]	99%(GC)	500 Mg	59.61
		1000 ml	55.27	38015	N-Triphenyl Methyl Glycine	25 Gms	262.15
<b>66889</b> ✓ [142-25-6]	N,N,N-Trimethylethylenediamine pure, 97%	5 Gms	51.59	[5893-05-0]	extrapure, 98%	25 Gills	202.13
	<u> </u>	25 Gms	234.12	24651	Triphenylphosphine pure, 98%	100 Gms	10.53
<b>18879</b> [738-70-5]	Trimethoprim (TMP), 98.5%	5 Gms	9.87	[603-35-0]		500 Gms	50.01
		25 Gms	39.22			1000 Gms	94.75
<b>66069</b> [86-81-7]	3,4,5-Trimethoxy Benzaldehyde pure, 98%	25 Gms	20.79		Triphenylphosphinegold(I)	500 Mg	63.17
[00-01-7]	<u> </u>	100 Gms	48.43	[14243-64-2]	Chloride ((Ph3P)AuCl), 98% (Chloro(triphenylphosphine)Gold(I))	1 Gms	125.02
<b>41569</b> [621-23-8]	1,3,5-Trimethoxybenzene pure, 99%	25 Gms	39.74	95474	Triphenylphosphine Hydrobromide	5 Gms	16.32
40017	3,4,5-Trimethoxybenzoic Acid	25 Gms	12.50	[6399-81-1]	pure, 98%	25 Gms	40.93
[118-41-2]	extrapure, 99%	100 Gms	41.45	32098	Triphenylphosphine Oxide (TPPO)	25 Gms	8.55
	(Gallic Acid Trimethyl Ether, Trimethylgallic Acid)			[791-28-6]	pure, 98.5%	100 Gms	21.32
49601	N-(3-Trimethoxysilylpropyl)	100 ml	89.49		(Triphenyl Phosphorus Oxide)	500 Gms	56.98
[35141-30-1]	Diethylenetriamine (TMSPD) pure,	500 ml	368.48	70874	Triphenylphosphonium Dibromide	5 Gms	15.40
	<b>95%</b> (2-[2-			[1034-39-5]	pure, 98%	25 Gms	40.93
	(3-Trimethoxysilylpropylamino)ethylami					100 Gms	110.68
	no]ethylamine, 3-[2-			53730	1,3,5-Triphenyltetrazolium	1 Gms	21.06
00005	(2-Aminoethylamino)ethylamino]propyl  Trimethyl Chlorosilane (TMCS)	25 ml	4.74	[531-52-2]	Formazan (TTC Formazan)	5 Gms	61.85
<b>90265</b> [75-77-4]	extrapure, 99%	250 ml	15.79		extrapure, 95%	25 Gms	111.86
		1000 ml	57.90	65599	2,3,5-Triphenyltetrazolium Chloride	10 Gms	23.42
67883	Trimethyl Chlorosilane (TMCS) 1M	100 ml	50.80	[298-96-4]	(TTC) extrapure, 99%	25 Gms	57.77
07000	Solution in THF	100 1111				50 Gms	108.57
41020	Trimethyloctylammonium Chloride	25 Gms	42.90	98635	10X Tris Acetate-SDS Buffer pH-8.3	500 ml	10.53
[10108-86-8]	(TMOACI) extrapure, 98% (Octyltrimethylammonium Chloride)	100 Gms	110.54		for molecular biology (TA-SDS Running Buffer)	1000 ml	19.74
68989	Trimethyl Orthoformate pure, 98%	500 ml	6.97	47804	20X Tris Acetate-SDS Buffer pH-8.3	500 ml	19.74
[149-73-5]	, ,	2500 ml	32.90		for molecular biology	1000 ml	37.51
49901	N-(Trimethylsilyl)diethylamine	25 ml	67.25		(TA-SDS Running Buffer)		
[996-50-9]	(TMSDEA) extrapure, 97%	100 ml	191.87		Tris(2,2-bipyridine)ruthenium(II) Hexafluorophosphate	250 Mg	55.27
	((Diethylamino)trimethylsilane, N,N-Diethyltrimethylsilylamine)			[00001112]	((Ru(BPY)3(PF6)2), 97%	1 Gms	197.40
45238	N-Trimethylsilylimidazole (TMSIM)	5 ml	11.71		(Ruthenium-tris(2,2'-bipyridyl) dihexafluorophosphate)		
[18156-74-6]	extrapure, 98%	25 ml	30.40	26055	Tris(2,2-bipyridyl)dichlororutheniu	250 Mg	50.01
	((1-	100 ml	104.75	[50525-27-4]		1 Gms	92.12
	(Trimethylsilyl)imidazole)N-Trimethylsily limidazole, TSIM)				98% (Ruthenium-tris(2.2'-hinyridyl)	_	_
97039	3-Trimethylsilylpropionic Acid	1 ml	71.99		(Ruthenium-tris(2,2'-bipyridyl) dichloride,		
[5683-30-7]	(TMSPA) extrapure, 95%	5 ml	231.88		Tris(2,2'-bipyridyl)ruthenium(II) chloride		
39671	Trimethylsulfoxonium lodide	25 Gms	11.58	EECC4 0	hexahydrate)  Tris(2-carboxyethyl) Phosphine	1.0	40.04
[1774-47-6]	(TMSI) extrapure, 99%	100 Gms	26.32		Hydrochloride (TCEP) extrapure	1 Gms 5 Gms	40.01 115.81
		500 Gms	115.81		AR, 98%	25 Gms	302.68
40770	Trimyristin pure, 95%(GC)	1 Gms	24.08			25 61115	- 52.00
18779	Triniyristin pure, 5570(GG)						

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
79175 🗸	Tris(dibenzylideneacetone)dipallad	500 Mg	61.59		Tristearin pure, 90%(GC)	25 Gms	31.32
[51364-51-3]	ium(0) (Pd2(dba)3) extrapure, 22-25% Pd	1 Gms	102.65	[555-43-1]		100 Gms	113.97
	22-23 /8 Fu	5 Gms	473.76		Tristearin Reference Standard, 99%	500 Mg	64.09
		25 Gms	1579.20	[555-43-1]	(GC)		
87326	10X Tris-Glycine pH-8.3 Tank Buffer	200 ml	11.05	<b>48445</b> [2799-07-7]	S-Trityl-L-Cysteine extrapure, 98%	1 Gms	59.35
	for molecular biology	1000 ml	41.45	58026	Trypan Blue	25 Gms	13.95
57806	10X Tris-Glycine-SDS Buffer for	200 ml	6.32	[72-57-1]	(Direct blue 14) (C.I. No. 23850)	100 Gms	53.96
	molecular biology (TG-SDS Running Buffer)	1000 ml	14.08	31591	Trypan Blue for tissue culture	25 Gms	21.98
33471	10X Tris Buffered Saline (TBS) for	500 ml	25.79	[72-57-1]	(Direct blue 14) (C.I. No. 23850)		
	molecular biology			12788	Trypan Blue 0.4% Solution	50 ml	5.26
0	(10X TBS Buffer)			[72-57-1]		125 ml	12.50
3825	10X Tris Buffered Saline Tween-20 (TBST) for molecular biology	500 ml	6.84	60484	,,	250 Mg	15.53
79091	1M Tris Hydrochloride Buffer (1M	100 ml	14.61	[9002-07-7]	Pancreas, 7500BAEE U/mg (2500NF U/mg)	1 Gms	31.32
	Tris HCI) pH-7.2 for molecular	500 ml	61.59		(2000.11 0/1119)	5 Gms	139.50
	biology (Tris(hydroxymethyl)aminomethane,			42657		25 Mg	46.06
	Hydrochloric Acid)			[9035-81-8]	10000 BAEE U/mg	100 Mg	118.44
5904	1M Tris Hydrochloride Buffer (1M	100 ml	21.58			250 Mg	236.88
	Tris HCI) pH-8.0 for molecular	500 ml	64.62			500 Mg	368.48
	biology (Tris(hydroxymethyl)aminomethane,					1 Gms	671.16
	Hydrochloric Acid)			12094	Tryptamine Hydrochloride	1 Gms	8.03
37852 <b>J</b>	10X Tris-Tricine-SDS Buffer for	500 ml	15.92	[343-94-2]	extrapure, 98%	5 Gms	26.32
	molecular biology (TT-SDS Running Buffer)					25 Gms	118.44
2850	Tris(Hydroxymethyl)	100 Gms	18.42	67654	L-Tryptophan Methyl Ester	5 Gms	28.16
[6850-28-8]	Aminomethane Acetate extrapure	500 Gms	85.93	[7524-52-9]	Hydrochloride extrapure, 99%	25 Gms	121.73
	AR (Tris Acetate Buffer), 99%			51335	Tungsten Metal Powder, 99.9%,	100 Gms	33.95
6850-28-8]	Tris(Hydroxymethyl) Aminomethane Acetate for	100 Gms	25.00	[7440-33-7]	-325 mesh	500 Gms	164.63
[0030-20-0]	molecular biology (Tris Acetate	500 Gms	117.12	17472	Tungstic Acid pure, 98%	100 Gms	15.79
	Buffer), 99%			[7783-03-1]		250 Gms	36.85
23017	Tris(Hydroxymethyl)-	100 Gms	27.24	55401	Tungstic Acid extrapure AR, 99%	100 Gms	17.77
68123-29-5]	Aminomethane Carbonate extrapure (Tris Carbonate), 99%			[7783-03-1]		500 Gms	84.22
32119	Tris(Hydroxymethyl)-	100 Gms	20.40	98328	Turpentine oil extrapure	500 ml	7.24
72200-76-1]	Aminomethane Maleate extrapure			[8002-64-2]		2500 ml	31.58
	(Tris Maleate), 99.5%	100 0	07.04			25 Ltr	276.36
<b>25913</b> 41521-38-4]	Tris(Hydroxymethyl)- Aminomethane Nitrate extrapure	100 Gms	27.24	33541	Tyramine Hydrochloride extrapure,	1 Gms	5.53
	(Tris Nitrate), 99%			[60-19-5]	98%	5 Gms	13.95
5088	Tris(Hydroxymethyl)-	100 Gms	19.08			25 Gms	59.35
08321-13-7]	Aminomethane Oxalate extrapure(Tris Oxatlate), 99%			94870	Tyrosinase (Polyphenol Oxidase)	25 K.Units	98.70
8353	Tris(Hydroxymethyl)-	100 Gms	21.58	[9002-10-2]	ex. Mushroom, 800U/mg	100	375.06
	Aminomethane Phosphate Dibasic				(Catechol Oxidase, Monophenol Monooxygenase,	K.Units	
	extrapure (Tris Phosphate Dibasic), 98%				Dihydroxyphenylalanine:Oxygen		
3235	Tris(Hydroxymethyl)-	100 Gms	21.58		Oxidoreductase)		
[6992-39-8]	Aminomethane Phosphate	100 dilis	21.00	46121	Umbelliferone	10 Gms	27.64
	Monobasic extrapure (Tris			[93-35-6]	(7-Hydroxycoumarin) extrapure, 98%	25 Gms	59.22
2201	Phosphate Monobasic), 98%  Tris(Hydroxymethyl)-	100 Gms	21.58	46487	Undecylenic Acid	100 Gms	8.55
<b>63291</b> 85169-32-0]	Aminomethane Succinate extrapure	100 Gms	21.58	[112-38-9]	extrapure,C11-99% (GC)	500 Gms	36.98
	(Tris Succinate), 99%			23622	Uracil extrapure, 99%	25 Gms	5.66
47952	Tris(Hydroxymethyl)-	100 Gms	14.34	[66-22-8]	• • •	100 Gms	20.40
[6992-38-7]	Aminomethane Sulphate extrapure (Tris Sulphate), 98%					1 Kg	157.92
	, a.pa,,					3	

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
81405		1 Gms	59.88	14159	DL-Valine extrapure CHR, 99%	25 Gms	10.53
[6159-44-0]	98%	5 Gms	176.87	[516-06-3]		100 Gms	38.16
70780	Uranyl Magnesium Acetate	1 Gms	67.77			500 Gms	177.66
[20596-93-4]	extrapure, 98%	4.0	00.70			1 Kg	329.00
<b>74495</b> ✓ [13520-83-7]	Uranyl Nitrate Hexahydrate extrapure, 98%	1 Gms 5 Gms	88.70 276.36	<b>83185</b> [2462-34-2]	L-Valine Benzyl Ester Hydrochloride extrapure, 98%	25 Gms	138.44
64807 <b>■</b>	Urease ex. Jack Beans, 200U/mg	3000 Units	16.45	38052	L-Valine Methyl Ester	1 Gms	4.74
[9002-13-5]		10000	36.85	[6306-52-1]	Hydrochloride extrapure, 99%	5 Gms	12.63
		Units				25 Gms	37.51
		25 K.Units	85.93			100 Gms	109.36
		100 K.Units	148.31		Valinomycin, 95%	10 Mg	92.12
64632	r-Urease (Thermostable) ex. E.	10000	172.92	[2001-95-8]	Verseller Metal Barrian 00 70	5.0	04.70
	Coli, 150U/mg	Units		<b>45344</b> [7440-62-2]	Vanadium Metal Powder, 99.7%	5 Gms	31.72
	Uric Acid extrapure AR, 99%	25 Gms	30.40			25 Gms	147.66
[69-93-2]		100 Gms	117.52	61078		500 Mg	35.66
95410	r-Uricase (Thermostable) ex. Yeast,	500 Units	85.41	[1404-93-9]	90%	1 Gms	58.43
[9002-12-4]	3U/mg					5 Gms	149.50
62205	Uridine extrapure, 99%	5 Gms	11.45	72241	Vanillylmandelic Acid extrapure,	250 Mg	17.11
[58-96-8]		25 Gms	46.45	[2394-20-9]	99%	1 Gms	57.38
		100 Gms	105.28		(VMA, DL-4-Hydroxy-3-Methoxy Mandelic Acid)	5 Gms	205.82
20964		25 Mg	25.66	11547	n-Veratraldehyde pure, 98%	100 Gms	13.82
28053-08-9,	Disodium Salt Hydrate extrapure (UDPG.2Na Hydrate), 98%	100 Mg	66.98	[120-14-9]		250 Gms	28.9
117730-22-0]	(ODFG.ZNa Hydrate), 90%	1 Gms	309.00	96011	Veratrole pure, 98%	100 ml	8.69
48301	Uridine 5-Monophosphate	1 Gms	8.55	[91-16-7]	(1,2-Dimethoxy Benzene)	500 ml	37.5
[3387-36-8]	Disodium Salt Hydrate	5 Gms	32.37	77470	Vitamin B12 for molecular biology,		
	(5-UMP-Na2) extrapure, 98.5%	25 Gms	95.41	77472 <b>8</b> [68-19-9]	97%	250 Mg 1 Gms	10.13 38.56
56613	Uridine-5-Triphosphate Trisodium	25 Mg	18.56		(Cyanocobalamin)	5 Gms	169.1
[19817-92-6]	Salt Dihydrate (UTP-Na3)	100 Mg	44.61				
	extrapure, 96%	500 Mg	150.68	<b>56437</b> [68-19-9]	Vitamin B12 for tissue culture, 97% (Cyanocobalamin)	250 Mg	19.3
50178	Ursodeoxycholic Acid (UDCS)	1 Gms	12.50			1 Gms	50.80
[128-13-2]	extrapure, 99%	5 Gms	58.04	54911	· , ′	1 Gms	20.79
		25 Gms	117.52	[84-80-0]	(2-Methyl-3-phytyl-1,4-Napthoquinone, 3-Phytylmenadione)	5 Gms	93.96
24436	(+)- Usnic Acid, 98%	1 Gms	28.95	50342	Vanadyl Acetylacetonate pure, 98%	25 Gms	17.24
[7562-61-0]	(1)- Osino Acia, 50%	5 Gms	78.96	[3153-26-2]	(Vanadyl Acetoacetate, Vanadium(IV)	100 Gms	54.88
		25 Gms	176.87		oxide acetylacetonate, VO(acac)2, Vanadium(IV)-oxy acetylacetona		
44700	Volovoldohydo myys (Ponters II)			23761	Vanadyl Sulphate Hydrate pure,	25 Gms	12.63
<b>44762</b> [110-62-3]	Valeraldehyde pure (Pentanal), 98%	100 ml	6.19	[123334-20-3]		25 Gms 100 Gms	36.32
	(Pentanal)	500 ml	12.37		(Vanadium (IV) Oxide Sulfate Hydrate,	500 Gms	165.82
31477	n-Valeric Acid pure, C5-99% (GC)	500 ml	13.95		Oxysulphato Vanadium (IV) Hydrate, Vanadium Oxysulphate)	SSS GIIIS	. 55.52
[109-52-4]		1000 ml	26.19	40996	Voglibose extrapure, 98%	100 Mg	64.09
22128	Valeronitrile (Butyl Cyanide) pure ,	100 ml	8.16		(Basen, Glustat, N-	500 Mg	213.59
[110-59-8]	99% (Putal Cuprido)	500 ml	24.21		(1,3-Dihydroxy-2-propyl)valiolamine)		
90624	(Butyl Cyanide)  Valerophenone pure, 98%	100!	25 14	66532 [201058-08-4]	Wang Resin, 1% DVB, 0.4-2mmol/g, 100-200 mesh	5 Gms	42.24
<b>80634</b> [1009-14-9]	valetophenone pule, 30 /6	100 ml	35.14	[201000-00-4]	(p-Benzyloxybenzyl Alcohol Resin, DVB	25 Gms	165.82
	Volumed Oblant I	500 ml	145.94		cross linked)	100 Gms	373.09
<b>95091</b> [638-29-9]	Valeroyl Chloride pure, 98%	100 ml	10.53		Weinreb Linker extrapure, 98%	1 Gms	109.36
[500-28-8]		500 ml	48.69	[247021-90-5]	N-FMOC-N-Methoxy-3-Aminopropioni c Acid)		
21562	D-Valine extrapure CHR, 99%	5 Gms	11.32	13111	Wright Stain	25 Gms	7.90
[640-68-6]		25 Gms	35.66		(Eosine Methylene Blue solution	100 Gms	30.79
		100 Gms	106.86	•	according to Wright)	100 01113	55.78

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
	WST-8, 95%	50 Mg	123.05	58985	Ytterbium (III) Oxide extrapure,	10 Gms	69.09
[193149-74-5]	(2-(2-Methoxy-4-Nitrophenyl)-3- (4-Nitrophenyl)-5-(2,4-Disulfophenyl)			[1314-37-0]	99.9%	50 Gms	131.34
	-2H-Tetrazolium Sodium Salt)			61813	Ytterbium (III)	1 Gms	12.50
52714	X-Gal Solution (20mg/ml)	1 ml	28.16	[252976-51-5]		5 Gms	46.98
	·				extrapure, 98% (Ytterbium triflate,	25 Gms	152.00
	Xanthine extrapure CHR, 99%	5 Gms	10.79		Trifluoromethanesulfonic Acid		
[69-89-6]		25 Gms	43.16		Ytterbium Salt)		
39607	Xanthine Oxidase Suspension ex.	5 Units	80.01	63190	Yttrium (III) Chloride anhydrous ultrapure, 99.99%	10 Gms	52.51
[9002-17-9]	Butter Milk, 1-4 U/mg protein	25 Units	170.82	[10361-92-9]	(Yttrium Trichloride)	50 Gms	152.00
62965	Xanthine Oxidase ex.	250 Units	192.27	63390	Yttrium (III) Chloride Hexahydrate	5 Gms	15.27
[9002-17-9]	Microorganism, 15U/mg			[10025-94-2]	extrapure AR, 99.9%	25 Gms	31.85
	Xanthohumol ex. Hop (Humulus Lupulus), 94%	5 Mg	245.96			100 Gms	71.85
[6754-58-1] <b>62630</b>	Xanthurenic Acid extrapure, 96%	500 Mg	95.41	51515	Yttrium (III) Nitrate Hexahydrate	25 Gms	17.37
[59-00-7]	Administration Acid extrapare, 30%	300 Mg	33.41	[13494-98-9]	extrapure AR, 99.9%	100 Gms	47.77
55962	XantPhos	1 Gms	19.08	21412	Yttrium (III)	5 Gms	52.51
[161265-03-8]	(4,5-Bis(Diphenylphosphino)	5 Gms	73.70	[52093-30-8]	Trifluoromethanesulfonate	25 Gms	174.11
	-9,9-Dimethylxanthine) extrapure, 98%	25 Gms	197.40		extrapure, 98%	20 amo	.,
	30%	100 Gms	723.80		(Yttrium triflate, Trifluoromethanesulfonic Acid Yttrium		
27540	X-Phos	1 Gms	31.32		Salt)		
	(2-Dicyclohexylphosphino-2,4,6-Trii sopropylbiphenyl) extrapure, 98%	5 Gms	132.65	37482	Z-L-Amino Acids Kit	1 Kit	340.45
91186	Xylan from Beechwood	5 Gms	46.85	68280	Z-b-Alanine extrapure, 99%	1 Gms	7.63
[9014-63-5]		10 Gms	90.54	[2304-94-1]		5 Gms	19.48
		25 Gms	210.69			25 Gms	77.25
30565	Xylan from Corn Cob, 95%	10 Gms	15.79	15701	Z-D-Alanine extrapure, 99%	1 Gms	7.90
[9014-63-5]		25 Gms	32.90	[26607-51-2]		5 Gms	31.98
		100 Gms	92.12			25 Gms	145.81
		500 Gms	315.84	24368	Z-DL-Alanine extrapure, 99%	1 Gms	6.71
13814	Xylanase ex. Aspergillus Niger,	25 Gms	16.19	[4132-86-9]		5 Gms	31.72
[37278-89-0]	60MU/g	100 Gms	56.98			25 Gms	150.95
		500 Gms	269.12	46096	Z-L-Alanine extrapure, 99%	5 Gms	7.11
64949	Xylitol extrapure	25 Gms	2.76	[1142-20-7]	• . •	25 Gms	29.22
[87-99-0]		100 Gms	9.34			100 Gms	104.89
		500 Gms	31.32	30211	Z-2-Aminobutyric Acid extrapure,	1 Gms	12.50
84974	D-(+)-Xylose extrapure	100 Gms	5.53	[42918-86-5]		5 Gms	55.27
[58-86-6]		500 Gms	23.56			25 Gms	267.54
29426	D-(+)-Xylose ExiPlus,	100 Gms	6.71	94475	Z-D-Arginine extrapure, 99%	1 Gms	80.01
[58-86-6]	Multi-Compendial	500 Gms	26.32	[6382-93-0]	2-b-Arginine extrapure, 35%	5 Gms	266.36
	meets compendial specs of USP, BP					25 Gms	968.18
98468	L-(-) Xylose extrapure, 99%	1 Gms	11.05		Z-L-Arginine extrapure, 99%	25 Gms	
[609-06-3]		5 Gms	24.87	<b>60020</b> [1234-35-1]	Z-L-Arginne extrapure, 55 %	25 GIIIS	55.40
31832	Yohimbine Hydrochloride	1 Gms	41.45		Z-L-Arginine HCl extrapure, 99%	25 Gms	68.83
[65-19-0]	extrapure, 99%	5 Gms	124.36	[56672-63-0]		100 Gms	257.94
26744	Vtterhium (III) Chloride anhydraus			92873	Z-D-Asparagine extrapure, 99%	1 Gms	14.34
<b>36744</b> [10361-91-8]	Ytterbium (III) Chloride anhydrous, 99.9%	5 Gms	93.96	[4474-86-6]		5 Gms	59.09
24099	Ytterbium (III) Chloride	10 Gms	69.09			25 Gms	246.22
[10035-01-5]	Hexahydrate extrapure, 99.9%	50 Gms	131.34	60164	Z-DL-Asparagine extrapure, 98%	1 Gms	20.00
	(Ytterbium Trichloride Hexahydrate)				- DE-Maparagnie extrapare, 30%	i Gilis	20.00
20435	Ytterbium (III) Nitrate Pentahydrate	10 Gms	72.38	[29880-22-6]		5 Gms	65.54

1	Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
2	13328	Z-L-Asparagine extrapure, 99%	1 Gms	4.08	39218	Z-D-Lysine extrapure, 99%	1 Gms	124.89
2-0-Aspartic Acid extrapure, 99%   1 Gms   6.24   2 Gms   31.02   3 Gms   3	[2304-96-3]		5 Gms	13.03	[70671-54-4]	l '	5 Gms	499.29
20   20   20   20   20   20   20   20			25 Gms	34.08	54420	Z-L-Lysine extrapure, 99%	1 Gms	16.84
Page			100 Gms	113.57	[2212-75-1]		5 Gms	77.64
	32899	Z-D-Aspartic Acid extrapure, 99%	1 Gms	8.42			25 Gms	319.26
	[78663-07-7]		5 Gms	35.01	71691	Z-N-e-Lysine Dicyclohexyl	5 Gms	78.30
Section   Part   Sum   Sam			25 Gms	145.81	[2212-76-2]	Ammonium Salt extrapure, 98%		
	84275	Z-DL-Aspartic Acid extrapure, 99%	5 Gms	9.21				
	[4515-21-3]		25 Gms	31.58	016/12		1 Gms	31 32
1751   2-L-Aspartic AcidBennyl Ester   10 Gms   1751   1454-0-1]   1644-0-	63143	Z-L-Aspartic Acid extrapure. 99%	5 Gms	6.05		, • · · ·		
1766		,,,,,,,			44==4	7 DI Makianina anturnuna 2007		
						2-DL-Methionine extrapure, 99%		
	70064	7-I -Aspartic Acid-4-Banzul Feter			[4404 01 1]			
		•					25 Gms	221.75
	. ,	•	25 GITIS	312.29		Z-L-Methionine extrapure, 99%	1 Gms	9.08
	97300		10 Gms	185.95	[1152-62-1]		5 Gms	37.51
Selection   Sele	[5680-86-4]	extrapure, 98%	25 Gms	325.32			25 Gms	123.05
S Gray   S	73971	Z-D-Glutamic Acid extrapure, 98%	1 Gms	10.00	21200		10 Gms	142.65
15000-1500-1500-1500-1500-1500-1500-150	[63648-73-7]		5 Gms	35.01		extrapure, 99%	25 Gms	249.65
1   1   1   1   1   1   1   1   1   1	67271	Z-L-Glutamic Acid extrapure, 99%	5 Gms	4.74	66829	Z-D-Norleucine extrapure, 99%	500 Mg	60.67
1 Gmm		•			[15027-14-2]	l'	2.5 Gms	272.41
1 Gmm   5 Gmm   5 Gmm   5 Gmm   279.01   1 Gmm   5 Gmm   279.01   2 Gmm   279.01   2 Gmm   279.01   2 Gmm   279.01   2 Gmm			100 Gms	68.70	12185	Z-DL-Norleucine extrapure, 99%	1 Gms	41.45
1	83300	7-D-Glutamine extranure 99%	1 Gms	16 10		<u> </u>		
\$ 25 mm   \$ 27.0   \$ 26 mm   \$ 27.0   \$ 27.0   \$ 27.0   \$ 2.		2-b-diutamme extrapure, 33%			90175	Z-L-Norleucine extrapure, 99%	1 Gms	54.35
2-L-Glutamine extrapure, 99%   5 Gms   9.87   25 Gms   34.08   2					[39608-30-5]	l	5 Gms	247.28
25 Gms   34.08   100 Gms   113.57   25 Gms   16.01   100 Gms   113.57   25 Gms   16.01   100 Gms   113.57   100 Gms   16.01   100 Gms   16.01   100 Gms		<b></b>			34201	Z-D-Norvaline extrapure, 99%	1 Gms	36.72
100 Gms   113.57   21693		Z-L-Glutamine extrapure, 99%					5 Gms	166.61
	[2000 04 0]				21693	Z-DL-Norvaline extrapure, 99%	1 Gms	30.40
25 Gms   18.69   100 Gms   56.85   18.69   100 Gms   56.85   16.66   100 Gms   56.85   100 Gms						•		
100 Gms   56.85   21.991-44-1   5 Gms   166.61   21.991-44-1   5 Gms   166.61   21.991-44-1   21.991-44-1   5 Gms   166.61   21.991-44-1   21.991-44-1   5 Gms   29.52   22.1-Ornithine extrapure, 99%   1 Gms   25.9 Gms   27.93   24.317   2.1-Denominating extrapure, 99%   1 Gms   35.01   25 Gms   35.01   25 Gms   32.53   2.1-Insoleucine extrapure, 99%   1 Gms   14.34   2.1-Insoleucine extrapure, 99%   1 Gms   14.34   2.1-Insoleucine extrapure, 99%   1 Gms   14.34   2.1-Insoleucine extrapure, 99%   25 Gms   24.741   2.1-Insoleucine extrapure, 99%   2.1-Insoleucine extrapure, 9		Z-Glycine extrapure, 99%			75/127	7-I -Norvaline extrapure 99%	1 Gms	36.72
21793	[1130-00-3]					•		
19728-57-5    5 Gms   217.93     2304-51-6    5 Gms   299.52     24317   Z-D-Phenylalanine extrapure, 99%   1 Gms   35.01   248-45-5    5 Gms   35.01   248-45-5    5 Gms   35.01   248-45-5    248-45-5    5 Gms   35.01   25 Gms   35.01   25 Gms   24.08   25 Gms   25 Gms   25 Gms   24.08   25 Gms   25			100 Gms	56.85		7.1.0		
1 Gms   15.79   1 Gms   15.79   24317   2-D-Phenylalanine extrapure, 99%   1 Gms   35.01   25 Gms   2		Z-DL-Histidine extrapure, 99%	1 Gms	45.80		2-L-Ornitnine extrapure, 99%		
14997-58-1   5 Gms	[19728-57-5]		5 Gms	217.93			5 Gms	299.52
14088	57156	Z-L-Histidine extrapure, 99%	1 Gms	15.79		Z-D-Phenylalanine extrapure, 99%	1 Gms	8.42
14088   Z-L-Hydroxyproline extrapure, 99%   1 Gms   18.42   32900   Z-DL-Phenylalanine extrapure, 99%   25 Gms   30.40   25 Gms   29.48   25 Gms   29.48   25 Gms   20.40   25 Gms   25 Gms   20.40   25 Gms   25 Gms   20.40   25 Gms   25	[14997-58-1]		5 Gms	71.46	[2448-45-5]		5 Gms	35.01
13504-85-3    5 Gms   83.30     325.32   42182   Z-L-Phenylalanine extrapure, 99%   25 Gms   29.48   2160-59-6    25 Gms   82.64   274.86   Z-L-Phenylalanine Methyl Ester   10 Gms   161.08   25 Gms   247.41   25 Gms   247.41   25 Gms   247.41   25 Gms   247.86   Z-L-Phenylalanine-p-Nitroanilide   1 Gms   99.88   25 Gms   247.41   25 Gms   247.41   25 Gms   240.88   25 Gms   247.84   25 Gms   240.88   25 Gms   240.88   25 Gms   25 Gms   25 Gms   25 Gms   240.88   25 Gms   25			25 Gms	280.18			25 Gms	145.29
S Gms   83.30   25 Gms   325.32   42182   Z-L-Phenylalanine extrapure, 99%   25 Gms   29.48   25 Gms   20.45   25 Gms	14088	Z-L-Hydroxyproline extrapure, 99%	1 Gms	18.42		Z-DL-Phenylalanine extrapure, 99%	5 Gms	30.40
100 Gms   104.10   100 Gms	[13504-85-3]		5 Gms	83.30	[3588-57-6]		25 Gms	137.92
34913			25 Gms	325.32	42182	Z-L-Phenylalanine extrapure, 99%	25 Gms	29.48
[3160-59-6]	34913	Z-L-Isoleucine extrapure. 95%	5 Gms	26.45	[1161-13-3]		100 Gms	104.10
25 Gms   281.76   25 Gms   247.41   25 Gms   247.41   25 Gms   247.81   25 Gms   247.81   25 Gms   247.81   25 Gms   247.81   25 Gms   24.08   25 Gms   24.08   25 Gms   24.08   25 Gms   25 G					27486	Z-L-Phenyalanine Methyl Ester	10 Gms	161.08
[28862-79-5]	40047	7 D Laurina autranura 00%			[35909-92-3]	extrapure, 98%	25 Gms	281.76
25 Gms   247.41   [19647-71-3] extrapure		2-D-Leuchie extrapure, 33%			41739 <b>•</b>	Z-Phenylalanine-p-Nitroanilide		
16881   Z-L-Phenylalanine-4-Nitrophenyl   10 Gms   145.02   1578-84-9   Ester extrapure, 98%   25 Gms   253.59   25 Gms   25 Gms   25 Gms   20.00   25 Gms							i dilis	55.00
[256ms 114.49]  85612 ■ Z-L-Leucine extrapure, 98%  [2018-66-8]  25 Gms 20.00  [2018-66-8]  25 Gms 20.00  [17609-52-8]  25 Gms 253.59  [17609-52-8]  25 Gms 97.38  [17609-52-8]  25 Gms 97.38  [17609-52-8]  74157 ■ Z-L-Phenylglycine extrapure, 99%  10 Gms 85.41					16881	Z-L-Phenylalanine-4-Nitrophenyl	10 Gms	145.02
85612 ■ Z-L-Leucine extrapure, 98% 5 Gms 20.00 [17609-52-8] 25 Gms 97.38 [17609-52-8] 25 Gms 97.38 25 Gms 170.29 25 Gms 170.29 25 Gms 85.41		Z-DL-Leucine extrapure, 99%			[2578-84-9]	Ester extrapure, 98%	25 Gms	253.59
85612       ▼ Z-L-Leucine extrapure, 98%       5 Gms       20.00       [17609-52-8]       25 Gms       170.29         [2018-66-8]       25 Gms       56.98       74157       ▼ Z-L-Phenylglycine extrapure, 99%       10 Gms       85.41	[0000-00-1]		25 Gms	114.49	12399	Z-D-Phenylglycine extrapure, 98%	10 Gms	97.38
[2018-66-8] 25 Gms 56.98		Z-L-Leucine extrapure, 98%	5 Gms	20.00				
[70000 00 0]	[2018-66-8]		25 Gms	56.98	7/157	7-I -Phenylglycine extremus 99%		
					[53990-33-3]		25 Gms	149.50

Code Nai	me	Packing	\$ Price	Code	Name	Packing	\$ Pı
	9-Proline extrapure, 99%	500 Mg	12.24		Zeatin Riboside extrapure, 99%	10 Mg	82
[6404-31-5]		1 Gms	20.66	[6025-53-2]		25 Mg	165
		5 Gms	79.49			100 Mg	552
		25 Gms	397.17	25910	Zinc Bromide Anhydrous, 99%	100 Gms	14
31688 • Z-L	-Proline extrapure, 99%	5 Gms	16.58	[7699-45-8]	(Zinc Dibromide)	500 Gms	31
[1148-11-4]		25 Gms	49.74	56814	Zincon Sodium Salt extrapure AR,	1 Gms	ε
63273 • Z-D	9-Serine extrapure, 99%	500 Mg	28.69	[62625-22-3]	98%	5 Gms	38
[6081-61-4]		1 Gms	44.22	86849	Zincon Sodium Salt extrapure AR,	1 Gms	ε
		5 Gms	184.63	[62625-22-3]	ACS, 98%	5 Gms	42
		25 Gms	769.20	52049	Zirconium Dioxide pure, 99%	100 Gms	11
75675 • Z-L	-Serine extrapure, 99%	1 Gms	5.53	[1314-23-4]	(Zirconia, Zirconium (IV) Oxide)	500 Gms	44
[1145-80-8]		5 Gms	19.08	66280	Deoxyguansine Triphosphate	10 Mg	37
		25 Gms	92.12		Trisodium Salt (dGTP), 97%	25 Mg	71
52287 ● Z-D	9-Threonine extrapure, 99%	1 Gms	17.11		dGTP	100 Mg	261
[80384-27-6]		5 Gms	68.43			500 Mg	1217
11228 ● Z-L [19728-63-3]	-Threonine extrapure, 99%	5 Gms	17.11				
	9-Tryptophan extrapure, 99%	1 Gms	28.95				
[2279-15-4]	, , ,	5 Gms	72.38				
57591 ● Z-L	-Tryptophan extrapure, 99%	5 Gms	13.82				
[7432-21-5]	, in proprieti esta apare, esse	25 Gms	27.64				
		100 Gms	96.73				
59268 ● Z-D	)-Tyrosine extrapure, 99%	1 Gms	33.95				
[64205-12-5]	- Tyrosine extrapure, 35%	5 Gms	111.47				
040=0 - 0.71	T						
31078 ■ Z-L [1164-16-5]	-Tyrosine extrapure, 99%	1 Gms	12.90				
. ,		5 Gms 25 Gms	25.66 65.54				
[16677-29-5] <b>98</b> %	D-Benzyl-L-Tyrosine extrapure, % Tyr(Bzl)-OH)	10 Gms	99.75				
	0-Valine extrapure, 99%	1 Gms	17.37				
[1685-33-2]		5 Gms	72.12				
		25 Gms	277.02				
17520 ● Z-D	DL-Valine extrapure, 99%	5 Gms	36.72				
[3588-63-4]		25 Gms	174.37				
73743 ● Z-L	-Valine extrapure, 99%	5 Gms	12.37				
[1149-26-4]	Tamio extrapare, 00/0	25 Gms	32.37				
-		100 Gms	61.59				
00400 - 71	coningoatia Asid autronus 200/						
	sonipecotic Acid extrapure, 99% Carbobenzoxy-4-Piperidinecarboxyli cid)	10 Gms 25 Gms	52.64 78.96				
	lipecotic Acid, 95%	10 Gms	85.15				
	OSu (Z-ONSu) extrapure, 99%	5 Gms	11.05				
[13139-17-8] (Z-C		25 Gms	44.22				
81055 & Zea	atin mixed Isomers for tissue	25 Mg	38.69				
[13114-27-7] <b>cul</b> t		100 Mg	110.54				
67299 & Zea	atin mixed Isomers, ~95%	25 Mg	28.43				
[13114-27-7]	ani mixed isomers, -30/6	25 IVIY	20.40				

#### **Seraloses**

#### Media for Gel Filtration and Affinity Chromatography



Gel Filtration (Molecular Sieving or Size Exclusion Chromatography) and Affinity Chromatography are rapidly becoming indispensable to biochemists and molecular biologists. Gel Filtration is used for the separation of macromolecules from smaller molecules. for fractionation of mixtures of various biopolymers on the basis of molecular size, for characterizing macromolecules and determining molecular weights and molar masses, for pathological screening of body fluids and for structure determination studies. Affinity Chromatography, besides being put to many of the above uses, is mainly employed for the isolation and purification of biologically active substances like enzymes, antibodies, antigens, lectins, viruses and toxins. Affinity Chromatography has the advantage of being rapid and highly selective.

<b>™</b> Seraloses™	Particle size in wet state (microns)		ation Range cular weight)	Approximate Exclusion Limits (as molecular wight)			
		Proteins	Polysaccarides	Proteins	Polysaccarides	DNA (basis pairs-bp)	
seralose <sup>™</sup> 2B seralose <sup>™</sup> CI-2B	60-250	7.5×10 <sup>4</sup> – 45×10 <sup>6</sup>	1×10⁵ – 20×106	45×10 <sup>6</sup>	20×10 <sup>6</sup>	1353 bp	
seralose <sup>™</sup> 4B seralose <sup>™</sup> Cl-4B	40-190	5×10 <sup>4</sup> – 20×10 <sup>6</sup>	3×10⁴− 5×10⁶	20×10 <sup>6</sup>	5×10 <sup>6</sup>	872 bp	
seralose <sup>™</sup> 6B seralose <sup>™</sup> Cl-6B	40-190	1×10 <sup>4</sup> – 5×10 <sup>6</sup>	1×10 <sup>4</sup> - 1×10 <sup>4</sup> -	5×10 <sup>6</sup>	10×10 <sup>6</sup>	194 bp	

Detailed literature available on request

#### Seralite Products

#### Ion Exchange Resins

Our important range of Seralite products is very critical for ion exchange applications. These are acidic/basic exchange resins consisting of different polymers and copolymers. The particle size of these resins is between 20 – 50 mesh and are excellent for cross-linking. Typical application of these resins are for water conditioning, softening and deionionisation, removal of recovery of high molecular weight anions, fractional separation of organic acids, amino acids, metals, peptides, inorganic and rare earth metals. They can also be used for th treatment of sugar solutions, amino acids and enzymes. SRL lon exchange resins are highly recommended products for critical separation work.

Product Name	Particle Size	Ion Exchange Capacity	pH Range	Ionoc Form
Seralite SRA-400	20 – 50 mesh BSS	3.0-3.5meq/g	0-14	CI-
Seralite SRC-120	20 – 50 mesh BSS	min 4.5meq/g	0-14	H+
Seralite SRA-400	20 – 50 mesh BSS	min 10meq/g	5-14	H+

Our Seralite series is equivalent to the Amberlite series of the Rohm and Haas Company

#### Part B1

# Animal Cell Culture



#### Part B1 Animal Cell Culture

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
23568 [87-32-1]	N-Acetyl-DL-Tryptophan for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	39.48 118.44	<b>67133</b> [10510-54-0]	Cresyl Violet Acetate for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms	131.60
<b>52937</b> [3244-88-0]	Acid Fuchsin for cell culture, Endotoxin (BET) 0.05EU/mg (Acid Violet 19, Fuchsin S, Fuchsin	25 Gms	21.06	<b>29751</b> [548-62-9]	Crystal Violet for cell culture, Endotoxin (BET) 0.05EU/mg (Methyl Violet 10B) (C.I. No.42555)	25 Gms 100 Gms	23.03 76.33
	acid, Rubine S) (C.I. No. 42685)			70134	L-Cysteine Hydrochloride	25 Gms	15.13
<b>75250</b>	L-Alanine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms	13.82	[7048-04-6]	Monohydrate for cell culture, 99%,	100 Gms	42.77
[56-41-7]	Endotoxiii (BE1) 0.03E0/mg	100 Gms	32.77	54676	Endotoxin (BET) 0.05EU/mg  Dextrose for cell culture, Endotoxin	100 Gms	6.58
<b>96409</b> ● [9048-46-8]	Albumin Bovine (pH 6-7) fraction V for cell culture (Bovine Serum	5 Gms	11.84	[50-99-7]	(BET) 0.05EU/mg	500 Gms	19.08
	Albumin,BSA), 98%, (BET)	25 Gms	46.06		(D-Glucose Anhydrous)		
	0.05EU/mg	100 Gms	151.34	<b>28525</b> [3483-12-3]	DL-Dithiothreitol (DTT) for cell culture, 98%, Endotoxin (BET)	1 Gms	26.32
	(Bovine Serum Albumin, BSA)	500 Gms	671.16	[3403-12-3]	0.05EU/mg	5 Gms	92.12
31539	Alcian Blue for cell culture,	5 Gms	72.38		(Clelands reagent)		
[33864-99-2]	Endotoxin (BET) 0.05EU/mg	25 Gms	315.84	81614	Eosin Yellow (water soluble) for	25 Gms	29.61
8860	Aluminium Potassium Sulphate	500 Gms	17.77	[17372-87-1]	cell culture, Endotoxin (BET) 0.05EU/mg	100 Gms	59.22
[7784-24-9]	Dodecahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	1 Kg	32.90	74516	Ethylene Glycol Monophenyl Ether	100 ml	31.58
15875	Amphotericin B (AMT) Solution	20 ml	24.48	[122-99-6]	for cell culture, 99%, Endotoxin	500 ml	59.22
[1397-89-3]	(250ug/ml) for cell culture,	100 ml	70.54		(BET) 0.05EU/ml		
	Endotoxin (BET) 1EU/ml			44004	(Phenyl Cellosolve, 2-Phenoxyethanol)	500 Gms	15.70
20969	L-Arginine (free base) for cell	25 Gms	15.13	<b>11324</b> [7782-63-0]	Ferrous Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin	500 Gms	15.79
[74-79-3]	culture, 99%, Endotoxin (BET) 0.05EU/mg	100 Gms	46.72	. ,	(BET) 0.05EU/mg		
3468	Bacitracin (BCT) ex. Bacillus	50000	18.42		(Iron (II) Sulphate Heptahydrate)		
[1405-87-4] <b>36884</b>	Licheniformis for cell culture,	Units		98131	Fluorescein Sodium Salt (C.I. No. 45350) for cell culture, Endotoxin	100 Gms	32.90
	Endotoxin (BET) 0.05EU/mg	250000	59.22	[518-47-8]	(BET) 0.05EU/mg		
	BES Buffer for cell culture, 99%,	Units 25 Gms	21.71		(Acid Yellow 73)		
[10191-18-1]	Endotoxin (BET) 0.05EU/mg	100 Gms	71.06	76611 <b>Y</b>	Folic Acid for cell culture, 98%,	5 Gms	9.87
	(N,N-bis(2-Hydroxyethyl)2-	100 ams	71.00	[59-30-3]	Endotoxin (BET) 0.05EU/mg (Pteroyl-L-Glutamic acid, Vitamin M)	25 Gms	42.77
<b>_</b>	Aminoethane Sulphonic Acid)			20596	Fuchsin Basic for cell culture,	25 Gms	28.95
92370 <b>(</b> 3513-03-9)	Blasticidin S Hydrochloride for cell culture, 98%, Endotoxin (BET)	10 Mg	80.54	[632-99-5]	Endotoxin (BET) 0.05EU/mg	100 Gms	105.28
	0.05EU/mg	25 Mg	190.43		(Basic Fuchsin) (C.I. No. 42510)		
<b>84483</b> [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for cell culture, 99%,	25 Gms	32.90	<b>77469</b> [51811-82-6]	Giemsa Stain for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms	52.64
		100 Gms	78.96			25 Gms	203.98
7000	Endotoxin (BET) 0.05EU/mg Cholesterol for cell culture, 99%.	E Cmo	21 50	75931	L-Glutamic Acid Monosodium Salt	100 Gms	11.84
9 <b>7900</b> • [57-88-5]	Endotoxin (BET) 0.05EU/mg	5 Gms 25 Gms	31.58 138.18	[6106-04-3]	Monohydrate (MSG) for cell culture, 99%, Endotoxin (BET)	500 Gms	36.19
	, , ,	100 Gms	394.80		0.05EU/mg		
	<u> </u>				(Monosodium Glutamate, Monosodium		
<b>70553</b> • 86393-32-0]	Ciprofloxacin Hydrochloride Hydrate (CPFX) for cell culture,	1 Gms	9.08		L-Glutamate)	40.0	10.50
[30030-02-0]	98-102%, Endotoxin (BET)	5 Gms	30.27	<b>80952</b> [56-85-9]	L-Glutamine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	10 Gms	12.50
	0.05EU/mg				` , , <del>-</del>	25 Gms	23.69
31395		25 Mg	48.43		Glutathione Oxidized (GSSG) for cell culture, 99%, Endotoxin (BET)	100 Mg	26.32
[11028-71-0]	Canavalia Ensiformis Type 1 for cell culture, 64ug/ml, (BET)	40 Mg	71.85	[21023-41-0]	0.05EU/mg	250 Mg	48.69
	0.05EU/mg					1 Gms	92.12
	(Con A) (Jack bean)					5 Gms	427.70
<b>68722</b> [11028-71-0]	Concanavalin A Lectin ex.  Canavalia Ensiformis Type 2 for cell culture, 20 ug/ml, (BET)	25 Mg 100 Mg	35.14 79.09	<b>65542</b> [56-81-5]	Glycerol (Glycerine) Anhydrous for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 ml	17.11
	0.05EU/mg			34268	Glycine for cell culture, 99.5%,	100 Gms	22.37
15353 🗸	Creatinine for cell culture, 99%,	25 Gms	18.03	[56-40-6]	Endotoxin (BET) 1EU/mg	. 55 61115	57
[60-27-5]	Endotoxin (BET) 0.05EU/mg	100 Gms	57.25		(Aminoacetic Acid)		
			473.76				

#### Part B1 Animal Cell Culture

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
39149	HEPES Buffer for cell culture,	25 Gms	25.66	69599	Neomycin Sulphate (NMS) for cell	5 Gms	10.53
[7365-45-9]	99.5%, Endotoxin (BET) 0.05EU/mg	100 Gms	84.22	[1405-10-3]	culture, Endotoxin (BET) 0.05EU/mg	25 Gms	25.00
	(2-Hydroxyethyl)piperazine-N(2-Ethane	500 Gms	348.74	64257	ß-Nicotinamide Adenine	100 Mg	13.29
16509	Sulphonic Acid)  L-Histidine (base) for cell culture,	25 Gms	16.45	[53-84-9]	Dinucleotide (ß-NAD,DPN) for cell culture, 98%, Endotoxin (BET)	1 Gms	61.59
[71-00-1]	99%, Endotoxin (BET) 1EU/mg	100 Gms	46.06		0.05EU/mg	5 Gms	227.01
86877	L-Histidine Hydrochloride	25 Gms	14.48	10001	ß-Nicotinamide Adenine	100 Mg	26.45
[5934-29-2]	Monohydrate for cell culture,	100 Gms	46.06	[606-68-8]	Dinucleotide Disodium Salt(Reduced)	1 Gms	135.42
	99%, Endotoxin (BET) 1EU/mg				(ß-NADH.Na2,DPNH.Na2) for	5 Gms	497.84
<b>54661</b> [3258-02-4]	N-Hydroxycytidine (EIDD-1931) for cell culture, 98%, Endotoxin (BET)	10 Mg	92.12		cellculture,98%		
[0200 02 .]	0.05EU/mg	25 Mg	184.24	<b>88722</b> [24292-60-2]		100 Mg	48.43
<b>75054</b> ✓ [99011-02-6]	Imiquimod for cell culture, 98%	250 Mg	177.66	[=:=:=:=,	Salt for cell culture,95%, (BET) 0.05EU/mg	1 Gms	278.20
77379	Inositol for cell culture, 99%,	25 Gms	13.16	28771	ß-Nicotinamide Adenine	100 Mg	46.85
[87-89-8]	Endotoxin (BET) 0.05EU/mg	100 Gms	42.11	[1184-16-3]	Dinucleotide Phosphate  Monosodium Salt for cell culture,	1 Gms	175.69
	r-Insulin ex. Human for cell culture,	50 Mg	92.12		98%, (BET) 0.05EU/mg		
[11061-68-0]	25 USP U/mg, Endotoxin (BET) 0.05EU/mg	100 Mg	171.08	93517	Nicotinamide for cell culture,	100 Gms	16.45
	(Recombinant Insulin)			[98-92-0]	99.5%, Endotoxin (BET) 0.05EU/mg (Niacinamide, Pyridine-3-Carboxylic	500 Gms	49.35
11894	L-Isoleucine for cell culture, 99%,	25 Gms	17.11		Acid Amide)		
[73-32-5]	Endotoxin (BET) 1EU/mg	100 Gms	56.59	63509	ß-Nicotinamide Mononucleotide	25 Mg	85.01
95793	Jenners Stain (Eosin-methylene	25 Gms	40.80	[1094-61-7]	(B-NMN) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg		
[62851-42-7]	blue) for cell culture, Endotoxin (BET) 0.05EU/mg	100 Gms	128.97	50275	Nicotinic Acid	100 Gms	12.50
95173	L-Lysine (free base) Anhydrous for	25 Gms	52.64	[59-67-6]	(Pyridine-3-Carboxylic Acid) for cell	500 Gms	39.48
[56-87-1]	cell culture, 98%, Endotoxin (BET)	100 Gms	157.92		culture, 99%, Endotoxin (BET) 0.05EU/mg		
00044	0.05EU/mg	1.0	00.40		(3-Picolinic Acid, Niacin,		
<b>29011</b> [12650-88-3]	Lysozyme (3x cryst) ex.Egg white (Muramidase) for cell culture,	1 Gms 5 Gms	39.48 177.66		Pyridine-3-Carboxylic Acid, Vitamin B3)		
	15000U/mg, Endotoxin (BET)	25 Gms	526.40	<b>16828</b> [1400-61-9]	Nystatin (Mycostatin) for cell culture, 85%, Endotoxin (BET)	250 Mg	8.82
	<b>0.05EU/mg</b> (Muramidase)			[1400-01-9]	0.05EU/mg	1 Gms	30.79
22352	Magnesium Chloride Anhydrous for	100 Gms	23.69		(Fungicidin)	5 Gms	117.12
[7786-30-3]	cell culture, 98%, Endotoxin (BET) 0.05EU/mg			<b>17565</b> [1400-61-9]	Nystatin (Mycostatin) Solution (10000U/ml) for cell culture,	20 ml	16.32
13546	Magnesium Chloride Hexahydrate	500 Gms	39.48	[1.100 01 0]	Endotoxin (BET) 10.0EU/ml		
[7791-18-6]	for cell culture, 99.5%, Endotoxin	300 ams	00.40		(Fungicidin)		
	(BET) 0.05EU/mg			<b>56341</b> [3184-13-2]	L-Ornithine Monohydrochloride for cell culture, 99%, Endotoxin (BET)	25 Gms	21.06
<b>36502</b> [7487-88-9]	Magnesium Sulphate Dried for cell culture, 62-70% MgSO4, 99%,	500 Gms	23.03	[0104102]	0.05EU/mg	100 Gms	59.22
[7407-00-9]	Endotoxin (BET) 0.05EU/mg				Oxalacetic Acid for cell culture,	1 Gms	18.42
12493	D-Maltose Monohydrate for cell	100 Gms	13.16	[328-42-7]	98%, Endotoxin (BET) 0.05EU/mg (Oxaloacetic Acid, Ketosuccinic Acid,	5 Gms	67.12
[6363-53-7]	culture, Endotoxin (BET) 0.05EU/mg	500 Gms	52.64		Oxobutanedioic Acid, 2-Oxosuccinic		
20490	2-Mercaptoethanol for cell culture,	100 ml	17.11		Acid)		
[60-24-2]	99%, Endotoxin (BET) 0.05EU/ml	250 ml	34.87	<b>79311</b> [34487-61-1]	Phenol Red Sodium Salt (water soluble) for cell culture, 95%,	5 Gms	14.48
55311	MES Monohydrate Buffer for cell	25 Gms	50.01	,	Endotoxin (BET) 0.05EU/mg	25 Gms	52.64
[145224-94-8]		100 Gms	111.86	60700	(Phenolsulfonephthalein Sodium Salt)  L-Phenylalanine for cell culture,	05.0	14.40
	<b>0.05EU/mg</b> (2-Morpholineethane Sulphonic Acid			<b>68793</b> [63-91-2]	99%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	14.48 39.48
	Hydrate)			77839	Phenylmethane Sulphonyl Fluoride	1 Gms	17.11
42125	L-Methionine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms	14.48	[329-98-6]	(PMSF) for cell culture, 99%,	5 Gms	57.90
[63-68-3]		100 Gms	52.64		Endotoxin (BET) 0.05EU/mg		
13908	MOPS Buffer for cell culture, 99%,	25 Gms	42.11		Polymyxin B Sulphate (Aerosporin,	250 Mg	28.95
[1132-61-2]	Endotoxin (BET) 0.05EU/mg	100 Gms	102.65	[1405-20-5]	PXNS), 6000U/mg for cell culture,	1 Gms	64.09

#### Part B1 Animal Cell Culture

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>67209</b> [9005-65-6]	Polysorbate 80 (Tween 80) for cell culture, Endotoxin (BET)	500 Gms	39.48	<b>24000</b> [92-31-9]	Toluidine Blue O for cell culture, Endotoxin (BET) 0.05EU/mg	10 Gms 25 Gms	43.43 81.59
	<b>0.05EU/mg</b> (Polyoxyethylene Sorbitan Monoleate)				(Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium		
<b>47425</b> [7447-40-7]	Potassium Chloride for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	45.40	30766	Chloride) TRICINE Buffer for cell culture,	25 Gms	31.58
65897	L-Proline for cell culture, 99%,	25 Gms	13.82	[5704-04-1]	99%, Endotoxin (BET) 0.1EU/mg	100 Gms	72.38
[147-85-3]	Endotoxin (BET) 1.0EU/mg	100 Gms	44.09		(N-Tris(Hydroxymethyl) Methylglycine)		
82361	Puromycin Dihydrochloride (PRM)	10 Mg	46.06		Triptolide ex. Tripterigium Wilfordii for cell culture, 98%	5 Mg	197.40
[58-58-2]	for cell culture, Endotoxin (BET)	25 Mg	92.12	[30740-32-2]	(PG 490)		
	0.05EU/mg			12695	Tris Buffer for cell culture, 99.9%,	100 Gms	12.50
<b>14050</b> ✓ [58-56-0]	Pyridoxine Hydrochloride (Vitamin B6) for cell culture, 99%, Endotoxin	10 Gms	19.74	[77-86-1]	Endotoxin (BET) 0.05 EU/mg	500 Gms	52.64
[56-50-0]	(BET) 0.1EU/mg	25 Gms	46.06		(Tris(hydroxymethyl)aminomethane, Tromethamine)		
77387	Riboflavin for cell culture, 98%,	25 Gms	15.13	65972	r-Trypsin - Type Standard ACF ex.	100 Mg	66.98
[83-88-5]	Endotoxin (BET) 0.05EU/mg (Vitamin B2)	100 Gms	46.06	[9002-07-7]	Porcine for cell culture, 800U/mg,	1 Gms	222.93
46143		1 Gms	55.27		Endotoxin (BET) 0.05EU/mg (Recombinant Trypsin)	5 Gms	445.86
[13292-46-1]	culture, 97-102%, Endotoxin (BET)	5 Gms	197.40	74055	Trypsin 1:250 ex. Bovine Pancreas	25 Gms	21.71
	0.05EU/mg			[9002-07-7]	for cell culture, 1000BAEE U/mg,	100 Gms	60.54
31904	Safranine O for cell culture, Endotoxin (BET) 0.05EU/mg	25 Gms	69.75		Endotoxin (BET) 0.05EU/mg	500 Gms	289.52
[477-73-6]	(Basic Red 2)	100 Gms	125.02	23560	r-Trypsin 1x w/ EDTA Soln in	100 ml	43.95
59260	L-Serine for cell culture, 99%,	25 Gms	32.90		Phosphate Buffer for cell culture		
[56-45-1]	Endotoxin (BET) 1EU/mg	100 Gms	69.75		(AOF),150U/ml,Endotoxin (BET) 1EU/ml		
16670	Sodium Butyrate for cell culture,	5 Gms	39.48	52682	Trypsin ex. Bovine Pancreas for	100 Gms	12.50
[156-54-7]	99%, Endotoxin (BET) 1.0EU/mg (Butyric Acid Sodium Salt)	100 Gms	171.08	[9002-07-7]	cell culture, 0.2Anson U/g	500 Gms	61.06
89360	Sodium Chloride for cell culture,	500 Gms	26.32		(2000U/g), Endotoxin (BET) 0.05EU/mg	1 Kg	112.52
[7647-14-5]	99.9%, Endotoxin (BET) 0.05EU/mg	1 Kg	51.32	20374	Trypsin ex. Porcine Gastric Mucosa	100 Gms	13.03
		5 Kg	167.79	[9002-07-7]	for cell culture, 0.2Anson	500 Gms	60.27
66003	Sodium Phosphate Dibasic	500 Gms	46.06		U/g(2000U/g), Endotoxin(BET) 0.05EU/mg	1 Kg	117.52
[7558-79-4]	Anhydrous for cell culture, 99.5%,	5 Kg	421.12	80149	L-Tyrosine for cell culture, 99%,	25 Gms	17.11
	Endotoxin (BET) 0.05EU/mg	J		[60-18-4]	Endotoxin (BET) 1EU/mg	100 Gms	63.17
	(Disodium Hydrogen Phosphate Anhydrous)			78168	Urea for cell culture, 99.5%,	500 Gms	26.32
16120	Sodium Phosphate Dibasic	500 Gms	22.37	[57-13-6]	Endotoxin (BET) 0.05EU/mg	5 Kg	125.02
[10028-24-7]	Dihydrate for cell culture, 99.5%,	5 Kg	131.60	20451	L-Valine for cell culture, 99%,	25 Gms	11.19
	Endotoxin (BET) 0.05EU/mg (Disodium hydrogen phosphate			<b>20451</b> [72-18-4]	Endotoxin (BET) 1EU/mg	100 Gms	39.48
	Dihydrate)				Vitamin D10 for cell culture 070/		
27621	Sodium Phosphate Monobasic	100 Gms	26.32	<b>12540</b> [68-19-9]	Vitamin B12 for cell culture, 97%, Endotoxin (BET) 0.05EU/mg	250 Mg	20.66
[7558-80-7]	Anhydrous for cell culture, 99%,	500 Gms	72.38	[]	(Cyanocobalamin)	1 Gms	53.96
	Endotoxin (BET) 0.05EU/mg (Sodium Dihydrogen Phosphate				XTT Sodium for cell culture, 90%,	25 Mg	85.54
	Anhydrous)			[111072-31-2]	Endotoxin (BET) 0.05EU/mg	100 Mg	197.40
68350	Streptozotocin (STZ) for cell	100 Mg	36.85			500 Mg	908.04
[18883-66-4]	culture, 98%, Endotoxin (BET) 0.05EU/mg	1 Gms	250.04	<b>30108</b> [7646-85-7]	Zinc Chloride for cell culture, 98%, Endotoxin (BET) 0.05EU/mg	500 Gms	35.53
68250	Sucrose for cell culture, Endotoxin	500 Gms	39.48	92647	Zinc Sulphate Heptahydrate for cell	100 Gms	21.06
[57-50-1]	(BET) 0.05EU/mg	1 Kg	72.38	[7446-20-0]	culture, 99.5%, Endotoxin (BET)	500 Gms	44.74
		5 Kg	289.52		0.05EU/mg		
88726	L-Threonine for cell culture, 99%,	25 Gms	32.90				
[72-19-5]	Endotoxin (BET) 1EU/mg	100 Gms	98.70				
53073	Ticarcillin Disodium Salt extrapure,	1 Gms	25.66				
	85%, Endotoxin (BET) 0.05EU/mg						

#### Part C

# Nanopowders & Carbon Nanotubes (CNTs)

(Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders)



Code	Name	Packing	\$ Price	Code	Nan	ne	Packing	\$ Price
75964	Alumina (Alpha) Nanopowder	25 Gms	29.87	33618	& CdS	se/ZnS Core Shell Quantum	10 Mg	283.33
[1344-28-1]		100 Gms	74.62			s, Fluorescence 600nm,		
		250 Gms	134.23		٠	drophobic) Se/ZnS600) (Hydrophobic)		
25536	Alumina (Gamma) Nanopowder	25 Gms	121.73	15377	•	se/ZnS Core Shell Quantum	10 Mg	283.33
[1344-28-1]	(Hydrophilic)	100 Gms	182.53		Dots	s, Fluorescence 630nm,		
96202	Aluminium Nanopowder (Type 1)	1 Gms	159.63		٠	drophobic)		
[7429-90-5]		5 Gms	428.09	50439	_	Se/ZnS639) (Hydrophobic)  'e Core Type COOH	10 Mg	290.18
18412	Aluminium Nanopowder (Type 2)	1 Gms	159.63	50439		ctionalized Quantum Dots,	TO Mg	290.10
[7429-90-5]	Adminium Nanopowder (Type 2)	5 Gms	428.09		Fluo	rescence 510 nm (Hydrophilic)		
				37909		e Core Type COOH	10 Mg	290.18
<b>41892</b> [1318-23-6]	Aluminium Oxide (Boehmite) Nanodispersion (50nm), 20% in	25 Gms	37.37			ctionalized Quantum Dots, prescence 610 nm (Hydrophilic)		
[1010-20-0]	water	100 Gms	113.31	19960	•	e Core Type COOH	10 Mg	290.18
29603	Aluminium Titanate Nanopowder	2 Gms	177.13	19900		ctionalized Quantum Dots,	10 Mg	290.10
[1204-39-6]	·				Fluo	rescence 710 nm (Hydrophilic)		
38818	Aminated Graphene Amino-PEG	10 Mg	65.80	37194	Carl	oon Porous Nanopowder	1 Gms	15.79
[7782-42-5]	covalently linked (GnAmPG) Nanopowder	50 Mg	210.56	[7440-44-0	0]		10 Gms	52.64
	(Reduced Graphene Oxide-NH2)						50 Gms	236.88
19158	Aminated Graphene	10 Mg	65.80	28186	CNT	Dispersant AC	20 ml	151.34
[7782-42-5]	Octadecylamine covalently linked	50 Mg	210.56			•		
	(GnAm18d) Nanopowder	J		35210	CNT	Dispersant AQ	20 ml	151.34
	(Reduced Graphene Oxide-NH- (CH2)17-CH3)							
67801	Antimony Trioxide Nanopowder	5 Gms	17.50	59800		IT Type 1- Carbon Nanotubes	25 Mg	162.39
[1309-64-4]	(Diantimony Trioxide, Antimony (III)	25 Gms	50.80	[308068-56	6-6] I <b>I II II</b>	walled	100 Mg	419.54
	Oxide)	25 01115		73953	SWC	CNT Type 1 Carbon Nanotubes	250 Mg	236.22
10842	Barium Titanate Nanopowder	25 Gms	41.45	[308068-56	6-6] Sing	gle- Walled	1 Gms	539.95
[12047-27-7]		100 Gms	110.54	20770	SWC	CNT Type 2 Carbon Nanotubes	100 Mg	187.66
78768	Bis(2`,4`-Bis(Hexyloxy)Biphenyl-4-	25 Mg	168.45	[308068-56	6-6] Sing	gle- Walled (Short)	250 Mg	410.33
[1403674-49-	yl)Amine extrapure, 95%			29129	SWC	CNT Type 3 Carbon Nanotubes	100 Mg	250.17
6]	(Z-907 Modified Red Dye)			[308068-56		gle- Walled COOH	100 Mg	250.17
<b>14683</b> [1304-76-3]	Bismuth (III) Oxide Nanopowder (Dibismuth Trioxide)	25 Gms	82.91		Fund	ctionalized		
[1004-70-0]	(Bibliottati Thomas)	100 Gms	234.91	18989		CNT Type 4 Carbon Nanotubes	50 Mg	127.92
21772	Boehmite Nanopowder	5 Gms	37.37	[308068-56		gle-Walled OOH Functionalized)	250 Mg	383.61
[1318-23-6]		25 Gms	140.94		(-00	or i unctionalized)	1 Gms	1108.20
62554	Boron Carbide Nanopowder	10 Gms	165.82	55024	swo	CNT Type 5 Carbon Nanotubes	50 Mg	140.68
[12069-32-8]		25 Gms	310.97	[308068-56		gle-Walled	250 Mg	383.61
50943	Boron Nitride (hBN) Aerosol Spray	1 piece	167.26		,	f Functionalized)		
[10043-11-5]	(13Oz/369g)			27404 [308068-56		CNT Type 6 Carbon Nanotubes gle-Walled	50 Mg	213.19
	(hexagonal Boron Nitride)			[000000]		l2 Functionalized)	250 Mg	824.08
<b>75454</b>	Boron Nitride Nanopowder	25 Gms	41.45	95425	SWC	CNT Type 7 Carbon Nanotubes	20 ml	652.21
[10043-11-5]		100 Gms	110.54	[308068-56		gle-Walled in aq. media pure		
45882	Boron Nitride Nanotubes (C)	50 Mg	421.12			niconducting)		·
[10043-11-5]	Cylindrical structure			<b>52710</b> [308068-56		CNT Type 8 Carbon Nanotubes gle-Walled in aq. media	20 ml	895.14
<b>74899</b> [471-34-1]	Calcium Carbonate Nanopowder	25 Gms	13.55	[000000-00		apure		
[47   04-1]		100 Gms	35.93		(Sen	niconducting)		
		500 Gms	172.79	42480		CNT Type 9 Carbon Nanotubes	20 ml	767.23
<b>72893</b> [12049-50-2]	Calcium Titanate Nanopowder	1 Gms	190.69	[308068-56		ple-Walled in aq. media pure allic/Conducting)		
12918	Calcium Zirconium Oxide	1 Gms	187.92	68069		CNT Type 10 Carbon Nanotubes	20 ml	1790.15
[12013-47-7]	Nanopowder	5 Gms	599.96	[308068-56		gle-Walled in aq. media apure		
69126	CdSe/ZnS Core Shell Quantum	10 Mg	283.33			apure allic/Conducting)		
-	Dots, Fluorescence 560nm,	3		81868	-	CNT Type 11 Carbon Nanotubes	50 Mg	1074.12
	(Hydrophobic)			[308068-56	6-6] Sing	gle-Walled ultrapure		
	(CdSe/ZnS560) (Hydrophobic)				(Sen	niconducting)		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
28989	SWCNT Type 12 Single-Walled	50 Mg	1074.12	82903	MWCNT Type 12 Carbon	500 Mg	35.53
[308068-56-6]	Carbon Nanotubes ultrapure (Metallic/Conducting)			[308068-56-6]	Nanotubes Multi-Walled (-OH Functionalized)	1 Gms	63.96
36078	DWCNT Type 1 Carbon Nanotubes	100 Mg	284.26		(OTTT difformalizacy)	5 Gms	127.92
[308068-56-6]	Double Walled	500 Mg	710.51	28658	MWCNT Type 13 Carbon	500 Mg	31.32
85143	DWCNT Type 2 Carbon Nanotubes	100 Mg	297.81	[308068-56-6]	Nanotubes Multi-Walled (-COOH Functionalized)	1 Gms	56.85
[308068-56-6]	Double Walled (Short)	100 Mg	207.01		( GGGTT directionalized)	5 Gms	113.70
45565	DWCNT Type 3 Carbon Nanotubes	50 Mg	155.95			25 Gms	369.53
[308068-56-6]	Double-Walled (-COOH Functionalized)			65875	MWCNT Type 14 Carbon	50 Mg	142.13
69072	DWCNT Type 4 Carbon Nanotubes	50 Mg	155.95	[308068-56-6]	Nanotubes Multi-Walled (-NH2 Functionalized)	100 Mg	213.19
[308068-56-6]	Double-Walled	250 Mg	487.18	24968	MWCNT Type 15 Carbon	500 Mg	31.32
	(-OH Functionalized)				Nanotubes Multi-Walled	1 Gms	39.48
34528	HMWCNT Type1- Carbon Nanotubes Multi Walled Helical	250 Mg	162.39		(-OH Functionalized)	5 Gms	92.12
[308068-56-6]	Nanotubes Muiti Walled Helical	1 Gms	219.25	33670	MWCNT Type 16 Carbon	500 Mg	59.22
57743	MWCNT Type 1 Carbon Nanotubes	1 Gms	46.98		Nanotubes Multi-Walled Short	1 Gms	92.12
[308068-56-6]	Multi Walled	5 Gms	163.05			5 Gms	355.19
		25 Gms	469.81	28174	MWCNT Type 17 Carbon	500 Mg	39.48
88440	MWCNT Type 2 Carbon Nanotubes	1 Gms	71.06		Nanotubes Multi-Walled Short	1 Gms	69.09
[308068-56-6]	Multi Walled	5 Gms	255.83			5 Gms	263.20
		25 Gms	895.14	90797	MWCNT Type 18 Carbon	1 Gms	71.06
68465	MWCNT Type 3 Carbon Nanotubes	1 Gms	35.53		Nanotubes Multi-Walled Short	5 Gms	241.62
[308068-56-6]	Multi Walled	5 Gms	106.60	42927	MWCNT Type 19 - Carbon	1 Gms	255.83
		25 Gms	312.68		Nanotubes Multi Walled	5 Gms	852.50
		100 Gms	994.63		(Conducting)	o dina	002.00
41067	MWCNT Type 4 Carbon Nanotubes	1 Gms	31.32	58908	MWCNT-Ni Type 1 Carbon	1 Gms	149.23
[308068-56-6]	Multi Walled	5 Gms	85.28	[308068-56-6]	Nanotubes Multi Walled, Nickel coated	5 Gms	554.17
		25 Gms	213.19	53105	MWCNT-Ni Type 2 Carbon	1 Gms	149.23
		100 Gms	710.51	[308068-56-6]	Nanotubes Multi Walled , Nickel	5 Gms	554.17
41335	MWCNT Type 5 Carbon Nanotubes	1 Gms	28.56		coated		
[308068-56-6]	Multi Walled	5 Gms	56.85	<b>90500</b> [308068-56-6]	MWCNT-Ni Type 3 Carbon Nanotubes Multi Walled , Nickel	1 Gms	149.23
		25 Gms	113.70		coated	5 Gms	554.17
		100 Gms	381.64	75288	MWCNT-Ni Type 4 Carbon	1 Gms	149.23
96390	MWCNT Type 6 Carbon Nanotubes	1 Gms	28.56	[308068-56-6]	Nanotubes Multi Walled , Nickel coated	5 Gms	554.17
[308068-56-6]	Multi Walled	5 Gms	56.85	65468	Chitosan Nanopowder	5 Gms	44.74
		25 Gms	113.70	[9012-76-4]		25 Gms	134.23
		100 Gms	284.26	44316	Chromium (III) Oxide Nanopowder	10 Gms	268.33
35203	MWCNT Type 7 Carbon Nanotube	1 Gms	105.54	[1308-38-9]	(Chromia)	10 dills	200.00
[308068-56-6]	Multi Walled (Graphitized)	5 Gms	351.64	64835	C106 Dye, 90%	25 Mg	120.28
73235	MWCNT Type 8 Carbon Nanotubes	500 Mg	92.38	-	(Cis-Bis(Isothiocyanato)		
[308068-56-6]	Multi-Walled (Graphitized, -COOH Functionalized)	1 Gms	142.13	4]	(2,2Bipyr-4,4-Dicarboxylato) (4,4bis(5(Hexylthio)thiophen2yl)2,2-Bip		
46918	MWCNT Type 9 Carbon Nanotubes	500 Mg	92.38		y)Ru(II))		
[308068-56-6]	Multi-Walled	1 Gms	142.13		K19 Dye (Sensitizer), 85%	25 Mg	121.60
	(Graphitized -OH Functionalized)			[847665-45-6]	(cis-Bis(Thiocyanato) (2,2-Bipyr-4,4-Dicarboxylic Acid)-		
<b>58255</b> [308068-56-6]	MWCNT Type 10 Carbon Nanotubes Multi-Walled	1 Gms	31.58		(4,4-bis(Phexyloxystyryl)		
[0-00-00-50-0]	(-COOH Functionalized)	5 Gms	98.70		-2,2-Bipyr)Ru(II))		
29466	MWCNT Type 11 Carbon	50 Mg	42.64	74373	Clay Nanopowder	5 Gms	89.49
[308068-56-6]	Nanotubes Multi-Walled	100 Mg	63.96	[1332-58-7]		25 Gms	134.23
	(-NH2 Functionalized)	1 Gms	213.19	31570	Cobalt Iron Oxide Nanopowder	1 Gms	32.90
		5 Gms	639.44	[12052-28-7]	(Cobalt Ferrite)	5 Gms	92.12

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
74613	Cobalt Zinc Ferrite Nanopowder	1 Gms 5 Gms	83.96 228.06	<b>60703</b> [7782-42-5]	Graphene Carboxyl (GCOOHW) Nanodispersion, 5mg/ml in water	20 ml	579.04
74343	Copper Nanopowder	5 Gms	389.01	<b>88398</b> [7782-42-5]	Graphene Film (Super Paper) (GFSP)	1 piece	1974.00
[7440-50-8] <b>73612</b>	Copper Nanowires	10 Mg	460.60	<b>87185</b> [7782-42-5]	Graphene Nitrogen-doped (GNdp) Nanopowder	50 Mg 250 Mg	80.14 331.63
[7440-50-8] <b>28954</b>	Cupric Oxide Nanopowder	5 Gms	25.00	90251	Graphene Oxide Film (Super	1 piece	1476.55
[1317-38-0]	(Copper (II) Oxide)	25 Gms	71.59	[7782-42-5]	Paper) (GOFSP)	5.0	50.00
		100 Gms	131.21	<b>55093</b> [7782-42-5]	Graphene Platelet Nanopowder (GPN Type 1)	5 Gms	59.22
<b>19151</b> ✓ [7782-40-3]	Diamond Nanopowder	1 Gms	285.57	[	(**************************************	25 Gms 100 Gms	236.88 921.20
85476	Diisobutyl	100 Mg	168.45	36529	Graphene Platelet Nanopowder	1 Gms	17.11
[1141011-53- 1]	2,2-Bipyridine-4,4-Dicarboxylate extrapure, 95%			[7782-42-5]	(GPN Type 2)	5 Gms	55.27
91287	Ferric Oxide (Alpha) Nanopowder	5 Gms	25.14	98585	Graphene Platelet Nanopowder	5 Gms	52.64
[1309-37-1]	(Iron (III) Oxide (Alpha))	25 Gms	67.64	[7782-42-5]	(GPN Type 3)	25 Gms	210.56
		100 Gms	217.40	53927	Graphene Quantum Dots (1mg/ml)	5 ml	89.36
		250 Gms		[7440-40-0]	(GQD)	25 ml	331.63
			313.47		Olareda Lavara Oranda ana Oralda		
51744	Ferric Oxide (Gamma) Nanopowder (Iron (III) Oxide (Gamma))	5 Gms	20.79	<b>49888</b> [7782-42-5]	Single Layer Graphene Oxide (SLGO) Nanopowder	25 Mg	69.09
[1309-37-1]	(IIOIT (III) OXIDE (GAITIITIA))	25 Gms	54.35	[1102-42-0]	(ozas) nansponasi	100 Mg	193.45
		100 Gms	160.29			500 Mg	759.99
40700	Farmania Farmia Onida Namananudan	250 Gms	285.57	<b>58531</b> [7782-42-5]	Single Layer Graphene Oxide (SLGOE) Nanodispersion, 5mg/ml	10 ml	274.12
<b>16708</b> [1317-61-9]	Ferrous Ferric Oxide Nanopowder (Type 1)	5 Gms	27.64		in ethanol		
	(Iron (II, III) Oxide)	25 Gms	62.25	<b>72536</b> [7782-42-5]	Single Layer Graphene Oxide (SLGOW) Nanodispersion, 5mg/ml	10 ml 25 ml	135.42 230.04
47223	Ferrous Ferric Oxide Nanopowder (Type 2)	25 Gms	43.43	. ,	in water	25 1111	230.04
[1317-61-9]	(Iron (II, III) Oxide)	100 Gms	125.02	68908	Graphite Nanopowder (Type 2)	1 Gms	129.49
37461	Fullerene C60	250 Mg	152.00	[7440-44-0]		5 Gms	487.18
		1 Gms	442.18	85833	Graphite Nanopowder (Type 1)	5 Gms	46.06
44170	Fullerene C70	100 Mg	218.98	[7782-42-5]		25 Gms	130.02
		500 Mg	829.21			100 Gms	447.44
		1 Gms	1459.31	69869	Graphite Nanopowder Lubricant	5 Gms	106.60
04500	Cald Name and an			[7782-42-5]	Grade	25 Gms	441.52
<b>84500</b> [7440-57-5]	Gold Nanopowder	1 Gms	1232.04				
73225	Gold Nanoparticles Dispersion	10 ml	72.38	38058	Graphite Fluoride (Carbon Monofluoride) Nanopowder	1 Gms	34.61
	(Spherical) (AU05), 0.05mg/ml	25 ml	151.34	[51311-17-2]	Mononide/ Nanopowder	5 Gms	98.17
	Citrate, 0.1mM in PBS	25 1111	101.04	39525	Graphite Oxide Nanopowder	100 Mg	34.61
36848		10 ml	72.38	[7782-42-5]		500 Mg	89.88
[7440-57-5]	(Spherical) (AU10), 0.05mg/ml	25 ml	151.34			1 Gms	158.97
<b>-</b> 2422 0	Citrate, 0.1mM in PBS	401	70.00	11934	Graphite Pyrolytic Micronpowder	5 Gms	110.54
<b>72123</b> [7440-57-5]	Gold Nanoparticles Dispersion (Spherical) (AU20), 0.05mg/ml	10 ml	72.38	[7782-42-5]			
[/440-5/-5]	Citrate, 0.1mM in PBS	25 ml	151.34	69895	Hydroxyapatite Micronpowder	5 Gms	76.06
60974	Gold Nanoparticles Dispersion	10 ml	72.38	[12167-74-7]		25 Gms	159.63
[7440-57-5]	(Spherical) (AU40), 0.05mg/ml	25 ml	151.34		Phosphate Tribasic)		
	Citrate, 0.1mM in PBS			<b>13616</b> [12167-74-7]	Hydroxyapatite Nanopowder (Calcium Hydroxyapatite, Calcium	5 Gms	78.96
91082	Gold Nanoparticles Dispersion (Spherical) (AU60), 0.05mg/ml	10 ml	72.38	[12107-74-7]	Phosphate Tribasic)	25 Gms	200.43
[7440-57-5]	Citrate, 0.1mM in PBS	25 ml	151.34	66614	Indium (III) Oxide Nanopowder	1 Gms	434.81
27944	Single Layer Graphene (SLG)	10 Mg	78.96	[1312-43-2]	ultrapure		40.10
[7782-42-5]	Nanopowder	100 Mg	236.88	<b>45974</b> [1312-81-8]	Lanthanum Oxide Nanopowder ultrapure	5 Gms	48.43
	Single Layer Graphene Factory	100 Mg	69.09	[1012-01-0]	<del></del>	25 Gms	172.79
73949		-		52726 ¥	Lithium Iron (II) Phosphate	5 Gms	56.72
<b>73949</b> [7782-42-5]	(SLGF) Nanopowder	250 Mg	172.79		• •		
	(SLGF) Nanopowder  Graphene Carboxyl (GCOOH)	250 Mg 25 Mg	172.79 157.92	[15365-14-7]	• •	25 Gms	113.31

	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>53768</b> [12031-95-7]	Lithium Titanate (LTO) (Spinel) Nanopowder	5 Gms 10 Gms	151.34 236.88	<b>14387</b> [7440-06-4]	Platinum Nanopowder	250 Mg	1129.13
	(Tetralithium Titanate)			65469	Polyethylene Nanospheres - Type 1	25 Mg	97.12
<b>69667</b> [12068-51-8]	Magnesium Aluminate (Spinel) Nanopowder	1 Gms	54.22	[9002-88-4]	(740-4990nm)	100 Mg	223.85
[12000-31-0]	<u> </u>	2 Gms	94.75	50349	Polyethylene Nanospheres - Type 2	25 Mg	88.17
<b>71829</b> [1309-48-4]	Magnesium Oxide Nanopowder	5 Gms	32.90	[9002-88-4]	(200-9900nm)	100 Mg	205.95
[1309-40-4]		25 Gms	98.70	64798	Poly(Methyl Methacrylate)	100 Mg	58.30
<b>56176</b> [73905-81-4]	Magnetic Iron Oxide Nanocrystals Powder	20 Mg	1574.20	[9011-14-7]	(pMMAC) Nanospheres (1500-11500nm)	500 Mg	238.85
<b>85918</b> [1317-34-6]	Manganese (III) Oxide Nanopowder (Manganese Sesquioxide)	10 Gms	110.54	<b>28699</b> [7782-49-2]	Selenium Nanopowder in aq. media	2 ml	1562.88
31562	Methyl 4,4``-Dimethyl-	50 Mg	154.37	26112	Silicon Nanopowder	1 Gms	68.43
[247058-06-6]	[2,2`:6`,2``-Terpyridine] -4`-Carboxylate extrapure, 95%	100 Mg	238.46	[7440-21-3]		5 Gms	315.84
83005	Molybdenum Disulfide	5 Gms	148.05	43362	Silicon Carbide Nanopowder	25 Gms	73.30
[1317-33-5]	Nanopowder Lubricant Grade	10 Gms	279.12	[409-21-2]		100 Gms	255.83
95822	MXene Nanoflakes, Multilayer,	100 Mg	236.88	69294	Silicon Dioxide Nanopowder	25 Gms	29.22
[12316-56-2]		500 Mg	789.60	[7631-86-9]		100 Gms	92.38
22701	MXene Nanoflakes, 1-10 layers	25 Mg	236.88	22806	Silicon Dioxide (Silica)	25 Gms	25.66
	(few-layer MXene Ti3C2Tx nanoflakes)	100 Mg	460.60	[7631-86-9]	Nanodispersion Type A (20nm), 40% in water	100 Gms	78.17
	N3 Red Dye, 95%	100 Mg	103.70	69337	Silicon Dioxide (Silica) Nanodispersion Type B (20nm),	25 Gms	25.66
[141460-19-7]	(N-3 Red Dye, Bis(Isothiocyanato)Bis(2,2-Bipyridyl-4,4 -Dicarboxylato) Ruthenium(II))			[7631-86-9]	40% in water	100 Gms	78.17
30786	N719 Dye, 95%	50 Mg	76.06	<b>38475</b> [10097-28-6]	Silicon Monoxide Nanopowder	1 Gms 5 Gms	111.99 442.18
	Di-Tetrabutylammonium	250 Mg	152.00		Ollis an Alikelda Alaman anandan		
	cis-Bis(Isothiocyanato)Bis(2,2-Bipyridyl -4,4-Dicarboxylato) Ruthenium(II), N-7	1 Gms	442.18	<b>63338</b> [12033-89-5]	Silicon Nitride Nanopowder	1 Gms	67.12
52716	N749 Dye (Black Dye), 95%	50 Mg	273.60			5 Gms	217.14
	(Triisothiocyanato-	9		<b>44416</b> [7440-22-4]	Silver Nanopowder (Type I)	5 Gms	132.92
	(2,2:6,6-Terpyridyl-4,4,4-Tricarboxylato) Ruthenium(II)					10 Gms	250.04
	Di(Tetra-Butylammonium))			<b>36214</b> [7440-22-4]	Silver Nanopowder (Type II)	5 Gms	280.57
<b>35001</b> [7440-02-0]	Nickel Nanopowder	5 Gms	380.59	53941	Silver Nanowires	10 Gms 10 Mg	763.67
<b>32293</b> [1313-99-1]	Nickel (II) Oxide Nanopowder (Nickel Monoxide)	25 Gms	125.02	[7440-22-4] 46912	Silver Nanoparticles Dispersion	10 ml	72.38
73985	Nickel Titanium Alloy Nanopowder	250 Mg	243.59	[7440-22-4]	· · · · · · · · · · · · · · · · · · ·	25 ml	151.34
		1 Gms	730.77	49241	Citrate (5mM) Silver Nanoparticles Dispersion	10 ml	72.38
69691	Nickel Zinc Ferrite Nanopowder (NZFO)	5 Gms	205.69	[7440-22-4]	(Spherical) (AG40), 0.02mg/ml in Citrate (2mM)	25 ml	151.34
74380	Perovskite Quantum Dots (pQD	50 Mg	248.72	58322	Silver Nanoparticles Dispersion	10 ml	72.38
	450), Fluorescence 450nm (Hydrophobic)			[7440-22-4]	(Spherical) (AG60), 0.02mg/ml in Citrate (2mM)	25 ml	151.34
15360	Perovskite Quantum Dots (pQD	50 Mg	248.72	15669	Stannic Oxide Nanopowder	5 Gms	55.27
	480), Fluorescence 480nm (Hydrophobic)			[18282-10-5]	(Tin (IV) Oxide)	25 Gms	158.97
77345	Perovskite Quantum Dots (pQD	50 Mg	248.72	27873	Tantalum Nanopowder	250 Mg	157.92
11010	510), Fluorescence 510nm	9		[7440-25-7]		1 Gms	421.12
	(Hydrophobic)			74708	Tectomer 2-Tailed	5 Mg	172.79
0	Perovskite Quantum Dots (pQD	50 Mg	248.72		(C8H16(CH2NHGLY4)2.2HCI), 90%		
23300	•			73330	Tectomer 3-Tailed (CH3C(CH2-NH-Gly7)3.3CF3CO2H)	5 Mg	172.79
23300	550), Fluorescence 550nm (Hydrophobic)						
22116	550), Fluorescence 550nm	100 Mg	171.08		, 90%		
	550), Fluorescence 550nm (Hydrophobic)	100 Mg 500 Mg	171.08 342.16		, 90% Tectomer 4-Tailed	5 Mg	172.79
22116	550), Fluorescence 550nm (Hydrophobic)	=			, 90%	5 Mg	172.79


Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
74629	Titanium Dioxide Photocatalyst	25 Gms	67.12	53032	Tungsten Disulfide Micronpowder	25 Gms	46.06
[13463-67-7]	Nanopowder (Titanium (IV) Oxide)	100 Gms	171.08	[12138-09-9]	extrapure, 99.9% (Tungsten (IV) Sulphide)	100 Gms	87.51
90885	Titanium Dioxide Catalyst	25 Gms	44.74			500 Gms	410.20
[13463-67-7]	Nanopowder (Titanium (IV) Oxide)	100 Gms	134.23	<b>78519</b> [12138-09-9]	Tungsten Disulfide Nanopowder	1 Gms	41.06
94632	Titanium Dioxide	25 Gms	125.02			5 Gms	150.42
[13463-67-7]	AnataseNanodispersion (15nm),			<b>23851</b> [1314-35-8]	Tungsten Trioxide Nanopowder (Tungsten (VI) Oxide, Tungstic	5 Gms	29.08
	15% in water (Titanium (IV) Oxide)			[1014 00 0]	Anhydride)	25 Gms	124.36
40566	Titanium Dioxide Ultrapure	25 Gms	52.64	82874		50 Mg	76.06
[13463-67-7]	Nanopowder	100 Gms	147.39	[502693-09-6]	cis-Bis(Isothiocyanato) (2,2-Bipyridyl-4,4-Dicarboxylato)	250 Mg	214.24
	(Titanium (IV) Oxide)	05.0			(4,4-Di-Nonyl-2-Bipyridyl)		
<b>35299</b> [13463-67-7]	Titanium Dioxide Rutile Nanopowder	25 Gms	51.32		Ruthenium(II), Mo	400.14	470.7
	(Titanium (IV) Oxide)			19366	Zeolite - Mesoporous Carbon Nanopowder (CMK-3 Type)	100 Mg	172.79
10161	Titanium Dioxide Rutile	25 Gms	72.38			250 Mg	262.54
[13463-67-7] <b>86729</b>	Nanopowder Titanium Dioxide Rutile	25 Gms	51.32	31755	Zeolite - Mesoporous Silica Molecular Sieve KIT-5	1 Gms	165.82
[13463-67-7]	Nanopowder (Hydrophilic)	25 Gills 100 Gms	151.34	65276	Zeolite - Mesoporous Silica	1 Gms	165.82
	(Titanium (IV) Oxide)	100 Gills	101.04		Molecular Sieve Kit-6		
64394	Titanium Dioxide Rutile Nanodispersion (30nm), 40% in	25 Gms	102.65	83881	Zeolite - Mesoporous Silica	250 Mg	41.45
[13463-67-7]	water			[7631-86-9]	Nanopowder (SBA-15 Type)	1 Gms	124.76
	(Titanium (IV) Oxide)			97621	Zeolite - Mesoporous Silica	250 Mg	191.87
16547	Titanium Dioxide Nanowires (Type	50 Mg	164.50	[7631-86-9]	Nanopowder (1D-Hexagonal SBA-41 Type)	500 Mg	281.36
[13463-67-7]	(Titanium (IV) Oxide)			63876	Zeolite - Mesoporous Silica	250 Mg	191.87
22091	Titanium Dioxide Nanowires (Type	50 Mg	164.50	[7631-86-9]	Nanopowder (3D-Cubic MCM-48	500 Mg	281.36
[13463-67-7]	2) (Titanium (IV) Oxide)			79132	Type)  Zeolite - Molecular Sieve SAPO-11	5 Gms	127.92
<b>52163</b> [25583-20-4]	Titanium Nitride Nanopowder (Titanium (III) Nitride)	10 Gms	368.09	52201	Zeolite - Ultrastable Y	5 Gms	135.42
75513 🗸	FK 102 Co(II) PF6 Salt Complex,	1 Gms	48.43		•		
[1392221-69- 0]		5 Gms	165.82	<b>74601</b> [7440-66-6]	Zinc Nanopowder	5 Gms	72.38
oj.	(Tris(2- (1H-Pyrazol-1-yl)Pyridine)Cobalt(II)			50841	Zinc Ferrite Nanopowder	10 Gms	167.13
	Di[hexafluorophosphate])				· .		
<b>51632</b> ✓ [1346416-71-	. , , , , , , , , , , , , , , , , , , ,	1 Gms	62.25	91148	Zinc Oxide Nanopowder (Type I)	10 Gms	28.82
4]	(Tris(2-	5 Gms	207.27	[1314-13-2]		25 Gms	57.5
	(1H-Pyrazol-1-yl)pyridine)cobalt(III)					100 Gms	86.20
66142 🗸	Tri[Hexafluorophosphate])  FK 102 Co(II) TFSI Salt Complex,	1 Gms	48.43			500 Gms	358.74
00142	98%	5 Gms	165.82	<b>60345</b> [1314-13-2]	Zinc Oxide Nanopowder (Type II)	5 Gms	28.82
	(Tris(2-	S 55	.00.02	[1014-10-2]		25 Gms	57.51
	(1H-Pyrazol-1-yl)pyridine)cobalt(II) Di[bis(Trifluoromethane)sulfonimide])					100 Gms 500 Gms	86.20 358.74
84076		1 Gms	34.61	04400	Zina Ovida Nanadianavaian Tuna		
[2057441-94-		5 Gms	117.52	<b>64168</b> [1314-13-2]	Zinc Oxide Nanodispersion Type A-Nonionic (70nm), 50% in water	10 Gms	133.97
6]	(Tris(2- (1H-pyrazol-1-yl)pyridine)cobalt(III)			<b>80467</b> [1314-13-2]	Zinc Oxide Nanodispersion Type B-Anionic (70nm), 50% in water	10 Gms	128.57
33139	Tri[bis(Trifluoromethane)sulfonimide)  Triethyl [2,2`:6`,2``-Terpyridine]	50 Mg	140.29	74963	Zinc Oxide Nanodispersion Type	10 Gms	128.57
[1197995-33- 7]	-4,4`,4``-Tricarboxylate extrapure,	3		[1314-13-2] <b>99997</b>	C-Cationic (70nm), 50% in water Zinc Titanate Nanopowder	1 Gms	221.35
88917	Tungsten Nanopowder	1 Gms	121.86	[12036-43-0]		, dillo	
[7440-33-7]		5 Gms	456.78	38501	Zirconium Dioxide Nanopowder	25 Gms	46.06
51456	Tungsten Carbide Nanopowder	25 Gms	93.96	[1314-23-4]	(Zirconia, Zirconium (IV) Oxide)	100 Gms	118.44
[12070-12-1]	· •	100 Gms	351.50				

#### Part D

- Product Listing Media Supplements
- ChroMed<sup>™</sup>
   Media Kits




#### **Harmonized Culture Media**



**SRL** Harmonized Culture Media are manufactured, formulated, labelled and performance tested in compliance with the new harmonized standards.

**SRL** is ready to face the challenges of the future, be in Biotech, Pharmaceutical R & D, Diagnostics, or any application or research in Microbiology. We offer this new range of products to cater to the new demands that we will be fulfilling through this range.



#### Important highlights of our Harmonized Media:

- The usage of only the Finest Quality of Bacteriological ingredients
- Strict quality control of Raw Material testing
- Highly trained microbiologists ensure that our Harmonized media are comparable to the best international products
- Very sensitive and precise instrumentation and media manufacturing equipments make sure that each batch is consistent in quality
- Constant R & D and customer interaction helps us to design appropriate products

With our dedicated team of highly skilled microbiologists, an ISO 9001-2008 quality management system and our CE certification.



All **SRL** culture media products are CE certified and now meet EU consumer safety, health and environmental requirements.

All the manufacturing, testing parameters and packaging are done according to the CE norms.

Code	Name	Packing	\$ Price	Code		Name	Packing	\$ Price
38515	✓ A1 Broth (A-1 Medium)	100 Gms	18.42	55418	•	Aeromonas Isolation Medium Base	100 Gms	19.74
		500 Gms	77.64				500 Gms	69.75
	For the detection of faecal coliforms in					For the selective differentiation and		
	foods, treated wastewater and seawater by					isolation of Aeromonas hydrophila and		
00400	Most Probable Number (MPN) Method.  ✓ AATCC Bacteriostasis Agar (FDA	100 Cma	19.40			other Aeromonas species from clinical specimens and foods.		
26408	Agar)	100 Gms 500 Gms	18.42 52.64	63013	ı	Aeromonas Selective Supplement	5 vl	15.79
	(FDA Agar, ATCC Medium 182)	500 GIIIS	52.04	00010	Ĭ	(2.5mg/vl)	•	
	APHA, FDA recommended medium for					For the selective isolation and cultivation of		
	detecting plate counts of microorganisms					Aeromonas species.		
40005	in food, water and waste water.  ✓ AATCC Bacteriostasis Broth (FDA	100 Gms	14.49	34609	~	Aero Pseudo Selective Agar (GSP	100 Gms	15.79
49025	Broth)	500 Gms	14.48 51.32			Agar)	500 Gms	63.17
	•	500 GIIIS	51.32			Used for detection of Aeromonas and		
	For testing antibacterial activities of antiseptics and disinfectants.					Pseudomonas in food, as well as in		
59235	✓ Acetamide Agar	100 Gms	14.48			equipments and water supplies of food industry.		
39233	Accidinac Agui	500 Gms	53.96	77981		Agar powder BactoBio for	100 Gms	23.69
	For the differentiation of non -fermentative	ooo amo	00.00	[9002-18-	-0]	microbiology	500 Gms	92.12
	gram negative bacteria especially						2.5 Kg	439.54
	Pseudomonas aeruginosa.					Specially manufactured to provide clear,		
20605	✓ Acetamide Broth	100 Gms	13.16			high gel strength agar, suitable for use in		
		500 Gms	50.01			preparation of microbiological media.		
	For the confirmation of Pseudomonas			72439	~	Algae Culture Broth	100 Gms	11.84
	aeruginosa in bottle water.						500 Gms	51.32
64773	✓ Acetate Differential Agar	100 Gms	15.79			Used for the isolation and cultivation of		
	(Sodium Acetate Agar)	500 Gms	51.32			algae from soil, water and sewage.		
	For the differentiation of Shigella species			36191	~	Algae Culture Agar	100 Gms	13.16
	from those of the Escherichia genus.						500 Gms	52.64
31257	✓ Acetobacter Agar (Glucose)	100 Gms	15.79			Used for isolation and cultivation of algae		
		500 Gms	55.27			from soil, water and sewage.		
	Used for the cultivation and maintenance			45712	~	Alicyclobacillus Detection Agar (Alicyclobacillus Agar)	100 Gms	27.64
	of glucose positive Acetobacter species.	100.0					500 Gms	100.02
85514	✓ Acid Broth	100 Gms	14.48			Used for detection of Alicyclobacillus in		
		500 Gms	48.69	00504	<u> </u>	fruit juices.	100 Gms	9.21
	For the isolation of acid tolerant bacteria from canned foods.			80501	•	Alkaline Peptone Water	500 Gms	
15126	Actinomyces Broth	100 Gms	14.48			For the cultivation of Vibrio species from	500 GIIIS	35.53
15126	a Adminingues Brown	500 Gms	48.69			sea foods and clinical specimens.		
	Used for the maintenance and cultivation	ooo amo	10.00	84893	V	Alkaline Peptone Water (I)	100 Gms	9.21
	of Actinomyces species.			04000		(A	500 Gms	35.53
24729	✓ Actinomycete Isolation Agar	100 Gms	15.79			Used for the enrichment of Vibrio species.		
		500 Gms	52.64	83863	_	Alkaline Peptone Water (B/S)	100 Gms	9.21
	Used for the isolation and cultivation of			55555		(-, -,	500 Gms	35.53
	Actinomyces species from soil and water.					Used for the enrichment of Vibrio species.	000 00	00.00
31047	✓ Adams Agar	100 Gms	13.16	58784	_	Alkaline Saline Peptone Water (I)	100 Gms	11.84
		500 Gms	50.01	55764			500 Gms	43.43
	Used for examining sporulation in yeasts.					Used for the enrichment of Vibrio species		.5.10
59640	✓ A. K. Agar No. 2 (Sporulating Agar,	100 Gms	17.11			from food and water samples.		
	Arret & Kirshbaum Medium)	500 Gms	56.59			·		
	Used for production of spores of Bacillus							
	subtilis ATCC 6633.							

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
44860	~	AC Agar (All Culture Agar)	100 Gms	11.84	59821	~	Anaerobic Agar w/o Dextrose	100 Gms	15.79
		For growth of aerobic, anaerobic and	500 Gms	51.32			For cultivation of variety of anaerobic	500 Gms	55.27
		microaerophilic organisms. Recommended					bacilli, especially Clostridium species.		
		for sterility testing of solutions and			85198	~	Anaerobic Tryptone Soya Agar	100 Gms	15.79
		materials not containing mercurial preservatives.						500 Gms	52.64
87091	~	AC Broth (All Culture Broth)	100 Gms	10.53			Used for screening of anaerobes in cosmetics (Talcum powder).		
			500 Gms	47.38	70197	_	Antibiotic Assay Medium No. 5	100 Gms	14.48
		For cultivation and isolation of aerobic,			70197	-	(Streptomycin Assay Agar w/ Yeast	500 Gms	63.17
		anaerobic and microaerophilic organisms.					Extract)		
		Recommended for sterility testing of					For antibiotic assay testing. For the streptomycin assay using Bacillus subtilis		
		solutions and materials not containing mercurial preservatives.					as the test organism.		
52023	~	Alternative Thioglycollate Medium	100 Gms	5.26	24301	~	Antibiotic Assay Medium No. 8	100 Gms	14.48
		(I/P)(U/P)	500 Gms	19.74			(Base Agar w/Low pH)	500 Gms	63.17
		(NIH Thioglycollate Broth)					For antibiotic assay testing. Used as a		
		For the sterility testing of biological products which are turbid or viscous as					base and seed agar in plate assay of		
		mentioned in pharmacopeia.					tetracycline.		
39422	~	Alternative Thioglycollate Medium,	100 Gms	6.58	52812	~	Antibiotic Assay Medium No. 9	100 Gms	13.16
		Sterile	500 Gms	28.95			(Polymyxin Base Agar)	500 Gms	51.32
		Gamma irradiated sterile powder used for					Used as base agar for the plate assay of		
		sterility testing of biological products which					Carbenicillin, Colistimethate and Polymixin B.		
		are turbid or viscous.			26751	_	Antibiotic Assay Medium No. 10	100 Gms	17.11
98349			100 Gms	14.48			(Polymyxin Seed Agar)	500 Gms	51.32
	Charcoal		500 Gms	44.74			Used as seed agar for plate assay of		
		For the transport of swab specimens to					Carbenicillin, Colistimethate and Polymixin		
		prolong the survival of microorganisms, especially Neisseria gonorrhoeae.					В.		
24193	~		100 Gms	14.48	87878	~	Antibiotic Assay Medium No. 1	100 Gms	13.16
		Charcoal	500 Gms	44.74			(Seed Agar) (Penassay Seed Agar, Seed Agar, Agar	500 Gms	60.54
		For the transport of swab specimens to					Medium A)		
		prolong the survival of microorganisms.					For antibiotic assay testing, detection of		
90600	~	Ammonium Phosphate Agar	100 Gms	15.79			antibiotics in milk and determination of the antimicrobial effectiveness of antibiotics.		
			500 Gms	72.38	50741	_	Antibiotic Assay Medium No. 2	100 Gms	14.48
		For the detection of microorganisms that			30741		(Base Agar, Penassay Base Agar))	500 Gms	63.17
		can use ammonium phosphate as nitrogen					(Penassay Base Agar, Base Agar)	000 00	55
70460	۵	Source.  Ampicillin Supplement (10mg/vl)	Evil	19.40			For use as a base layer in antibiotic assay		
78162	•	Amplemm Supplement (Tomg/vi)	5 vl	18.42	66729	_	testing.  Antibiotic Medium No. 3 (U/P) (I/P)	100 Gms	11.84
		For the selective isolotaion of Aeromonas			00723		(Assay Broth, Penassay Broth)	500 Gms	39.48
		species.					For microbiological assay of antibiotics.	ooo amo	00.10
12213	~	Anaerobic Agar	100 Gms	14.48	10892	V	Antifungal Assay Agar	100 Gms	15.79
			500 Gms	57.90				500 Gms	52.64
		For the cultivation of anaerobic bacteria,					For assaying antifungal activity.		
19422	_	especially Clostridium species.  Anaerobic Egg Yolk Agar Base	100 Gms	17.11	12797	~	APRY Agar Base	100 Gms	13.16
13422	•	Sale Egg Tell Agui Duce	500 Gms	60.54				500 Gms	51.32
		For the detection of Clostridium species,	555 61110	55.51			For the cultivation of acid resistant yeasts.		
		especially from food samples.			26126	~	APT Agar (APHA)	100 Gms	14.48
20911	~	Anaerobic Agar (Brewer)	100 Gms	17.11				500 Gms	53.96
			500 Gms	57.90			Used for the cultivation of		
		For the isolation and sensitivity testing of					heterofermentative lactobacilli requiring high thiamine content.		

Code	Name	Packing	\$ Price	Code		Name	Packing	\$ Price
31990	✓ APT Broth (APHA)	100 Gms	14.48	95670	~	Asparagine Proline Broth BioVeg	100 Gms	15.79
		500 Gms	51.32				500 Gms	59.22
	Used for the cultivation of					For cultivation of Pseudomonas		
	heterofermentative lactobacilli requiring					aeruginosa by membrane filter technique.		
	high thiamine content.	400.0		92301	~	Ayers and Johnson Agar (Stock Culture Agar)	100 Gms	15.79
22599	✓ Aqua Test E.Coli Medium	100 Gms	96.07			Culture Agai)	500 Gms	56.59
	Aqua Test Ecoli Medium, is used for					Used for maintaining stock cultures of		
	detection of faecal indicator bacteria in					bacteria, particularly streptococci.	400.0	
	drinking water, especially in low-income			94692	•	Azide Blood Agar Base	100 Gms	15.79
	countries and outside controlled laboratory						500 Gms	55.27
	settings.	100.0	45.70			Used for isolation of streptococci and staphylococci, with added blood may be		
41524	✓ Arabinose Agar Base	100 Gms	15.79			used for determination of hemolytic		
		500 Gms	61.85			reactions.		
	Used for selective isolation of Enterococcus faecium from faeces,			47479	V	Bacillus Differentiation Agar	100 Gms	19.74
	sewage and water samples.					<del>-</del>	500 Gms	64.48
85908	✓ Arginine Dihydrolase Broth	100 Gms	13.16			Used for the differentiation between		
00000		500 Gms	55.27			Bacillus cereus and Bacillus subtilis based		
	Used for the detection of Arginine					on mannitol fermentation.		
	dihydrolase producing microorganisms.			51747	~	Bacillus Medium	100 Gms	10.53
15577	✓ Aseptic Commissioning Medium	100 Gms	14.48				500 Gms	43.43
	(Aseptic Packing Line Medium)	500 Gms	52.64			Used for the cultivation of Bacillus		
	It is an ideal medium used for validation of					licheniformis.		
	aseptic packing and filling lines.			74664	•	Bacillus Cereus Agar	100 Gms	13.16
64778	✓ Ascospore Agar	500 Gms	52.64				500 Gms	55.27
						Used for the isolation and enumeration of		
	Ascospore Agar is a solid medium				n	Bacillus cereus.		
	recommended for use in qualitative procedures for the cultivation of			83141	ı	Bacteroides Selective Supplement (50mg/vl)	5 vl	14.48
	ascomycetous yeasts.					Used for the selective isolation of		
88277	Ashby's Glucose Agar	100 Gms	15.79			Bacteroides species.		
		500 Gms	56.59	50222	~	Baird-Parker Agar, Base (U/P)(I/P)	100 Gms	11.84
	For the cultivation of Azotobacter species					(1)	500 Gms	51.32
	that can utilize glucose as carbon and					Used as base for egg-tellurite-glycine agar		
	atmospheric nitrogen as nitrogen source.					for the selective isolation of coagulase		
26569	Ashby's Mannitol Agar	100 Gms	15.79			positive staphylococci from food, skin, soil,		
		500 Gms	56.59			air and other materials.	400.0	
	For the cultivation of Azotobacter species			24562	•	Baird-Parker Agar, Base (B/S)	100 Gms	11.84
	that can utilize mannitol as carbon and						500 Gms	51.32
	atmospheric nitrogen as nitrogen source.	100 0				Recommended medium for isolation and enumeration of coagulase positive		
75830	✓ ASLA Agar	100 Gms	14.48			staphylococci from food and other		
		500 Gms	53.96			specimens.		
	Used for isolation and cultivation of Propionibacterium species from food.			21748	~	Baird-Parker Agar Base w/Sulpha	100 Gms	18.42
53903	✓ Asparagine Nitrate Medium	100 Gms	39.48				500 Gms	64.48
50903		, so amb	33.40			Recommended medium for isolation and		
	Recommended media for isolation and					enumeration of coagulase-positive		
	cultivation of denitrifying bacteria.					staphylococci from food and other		
69318	✓ Asparagine Proline Broth	100 Gms	14.48			specimens.		
		500 Gms	53.96	26267	•	B.C. Motility Medium	100 Gms	13.16
	For the cultivation of Pseudomonas						500 Gms	46.06
	aeruginosa by membrane filter technique.					Used for enumeration of motility of Bacillus		
						cereus strains.		

Code		Name	Packing	\$ Price	Code	Name	Packing	\$ Price
97676	V	3	100 Gms	15.79	50362	✓ Bile Salts BactoBio for bacteriology	100 Gms	65.80
		(Bromocresol Purple-Deoxycholic Acid-Citrate-Lactose-Sucrose Agar)	500 Gms	57.90			500 Gms	243.46
		Used for the selective isolation of				Used in microbiological culture media as a		
		Salmonella and Shigella species.				selectively inhibitory agent.		
69574	V	Beef Extract Agar (ex. Buffalo)	100 Gms	11.84	18276	✓ Bile Salts No. 3 BactoBio for bacteriology	100 Gms	144.76
			500 Gms	50.01		Bile salts No. 3 is a refined bile salt for use		
		For the cultivation and maintenance of a				as a selective inhibitory agent in		
		wide variety of microorganisms.				bacteriological culture media. It consist of		
39359	~	Beef Extract Broth (ex. Buffalo)	100 Gms	10.53		a specially modified fraction of bile acid		
			500 Gms	43.43		salts (comprising mainly of sodium cholate		
		For the cultivation of a wide variety of			60577	and sodium deoxycholate).  ✓ Bile Salts Brilliant Green Starch	100 Gms	26.32
		microorganisms.			69577	Agar	500 Gms	71.06
60856	~	Beef Extract ex. Buffalo BactoBio for bacteriology	500 Gms	23.69				
			5 Kg	214.51	56175	✓ Bile Salts Mixture BactoBio for bacteriology	100 Gms	52.64
		A dehydrated extract of bovine tissue, used				Used as an inhibitory agent for gram		
		generally to compliment the nutritive properties of peptone. It is source of				positive organisms in microbiological		
		nitrogen, vitamins, amino acids and				media.		
		carbon.			79665	✓ Bile Tolerant Gram negative	1 Kit	14.48
57542	~	Beijerinckia Medium	100 Gms	15.79		bacteria Test Kit		
			500 Gms	61.85		Used for isolation, identification and cultivation of Bile tolerant gram negative		
		Used for the isolation of Beijerinckia sps.				bacteria.		
29141	V	BIGGY Agar (Nickerson Medium)	100 Gms	13.16	92875	✓ Biochemical Test Kit - I	1 Kit	31.58
.5141		(Nickerson Agar)	500 Gms	56.59				
		For the detection and isolation of Candida				Used for biochemical identification of gram		
		species.				negative enteric bacteria based on tests		
49319	~	Bile Broth Base	100 Gms	15.79		like Carbohydrate utilization, H2S production, Phenylalanine deaminase and		
			500 Gms	63.17		Urease production.		
		For the culture of blood clots from patients with suspected enteric fever.			65896	✓ Biochemical Test Kit - II	1 Kit	28.95
66013	V	Bile Esculin Agar w/o azide (I)	100 Gms	42.11		Used for biochemical identification of		
			500 Gms	161.87		microorganisms based on tests - Nitrate		
		For the isolation and presumptive				reduction, Malonate utilisation, Gelatin		
		identification of group D Streptococci.				liquefaction and Starch hydrolysis.	500 0	05.50
66572	~	Bile Esculin Agar, Base	100 Gms	27.64	55785	✓ Bio Peptone (Mixture of Casein & Meat Peptone) BactoBio for	500 Gms	35.53
			500 Gms	125.02		bacteriology	5 Kg	282.94 542.19
		For the isolation and presumptive				Dispositors is a point, we of summissed week	10 Kg	542.18
		identification of group D Streptococci.				Biopeptone is a mixture of enzymic digest of casein and meat peptone. It is		
34963	~	Bile Esculin Azide Agar	100 Gms	28.95		recommended for the cultivation of		
			500 Gms	110.54		fastidious microorganisms in Columbia		
		For the isolation and presumptive				Broth Base, Dextrose Agar and Casman		
		identification of group D Streptococci.				Agar Base.		
79630	~	B.D.G.Broth, Hajna	100 Gms	14.48	55369	✓ Bismuth Sulphite Agar (I)	100 Gms	10.53
			500 Gms	48.69		(Bismuth Sulfite Agar (I))	500 Gms	44.74
		For the selective enrichment and cultivation				For the selective isolation and identification		
		of enteric bacilli from food and in treated drinking water.				of Salmonella typhi and other enteric		
64104	_	Bile Salts Agar	100 Gms	14.48	40704	bacilli.  ✓ Blood Agar Base	100 0~~	10.50
U-1.U-			500 Gms	63.17	48794	✓ Blood Agar Base (Infusion Agar)	100 Gms 500 Gms	10.53
		For the isolation and cultivation of bile				For the preparation of blood agar by the	JUU GIIIS	44.74
		. S. S.S ISSIGNATION AND SURFFACION OF DIE				FOLUE DIEDALAHOU OF DIOOO ACAL DV THE		

Code	Name	Packing	\$ Price	Code		Name	Packing	\$ Price
90935	✓ Blood Agar Base (w/o sheep	100 Gms	10.53	87864	~	Brain Heart Infusion Broth (BHI	100 Gms	10.53
	blood)	500 Gms	44.74			Broth)	500 Gms	38.16
		5 Kg	423.75				5 Kg	361.90
	For the isolation, cultivation and detection					For the cultivation of variety of fastidious and non-fastidious aerobic and anaerobic		
	of haemolytic activity of streptococci and other fastidious microorganisms.					microorganisms.		
67644	✓ Blood Agar Base No.2 (w/ 1.2%	100 Gms	11.84	82856	~	Brain Heart Infusion Agar, Modified	100 Gms	11.84
	Agar)	500 Gms	44.74			(BHI Agar, Modified)	500 Gms	47.38
	For the isolation, cultivation and detection						5 Kg	431.65
	of haemolytic activity of streptococci,					For the cultivation of wide variety of		
	pneumococci and other particularly					fastidious bacteria, yeast and molds from		
74000	fastidious microorganisms.  ✓ Blood Agar Base w/ Low pH (w/o	100 Gms	11.84			clinical and non-clinical specimens.		
74999	sheep blood)	500 Gms	46.06	84560	•	Brain Heart Infusion w/ 0.1% Agar (BHI w/ 0.1% Agar)	100 Gms	13.16
	For the isolation and growth of a wide	300 ams	40.00				500 Gms	47.38
	variety of microorganisms. The slightly acid					For the cultivation of fastidious pathogenic microorganisms.		
	pH of this medium enhances distinct			26671	_	Brain Heart Infusion w/ PABA and	100 Gms	14.48
	hemolytic reactions.			2007		Agar (BHI Agar w/PABA)	500 Gms	57.90
81083	✓ Blood Free Campylobacter	100 Gms	18.42			For the detection of fastidious		
	Selectivity Agar Base	500 Gms	65.80			microorganisms from blood containing		
71476	✓ BG-11 Broth (Blue-Green Medium)	100 Gms	18.42			sulfonamides.		
		500 Gms	60.54	25357	~	Brain Heart Infusion Broth w/6.5%	100 Gms	11.84
	For culture and maintenance of					NaCl (BHI Broth w/6.5% NaCl)	500 Gms	46.06
05000	cyanobacteria.  ✓ Bordet - Gengou Agar, Base (w/o	100.0	15.79			Nutritive medium used for cultivation of salt		
85308	rabbit blood)	100 Gms 500 Gms	60.54	33355	_	tolerant microorganisms.  Brewer Thioglycollate Medium	100 Gms	7.90
	For the detection and isolation of	300 ams	00.54	33355	٠	brewer imogryconate medium	500 Gms	34.22
	Bordetella species from clinical specimens.					For sterility testing of biological products	333 55	0
15097		5 vl	14.48			and other materials.		
				65774	~	Brilliant Green Agar	100 Gms	10.53
	Used for suppressing the growth of Proteus species on Baird Parker Agar						500 Gms	42.11
	Base.					For the selective isolation of Salmonella		
91661	✓ BPL Agar (Brilliant Green Phenol	100 Gms	15.79			other than S.typhi from faeces, food and		
	Red Agar)	500 Gms	55.27			dairy products.	100.0	40.50
	For isolation and identification of			14980	•	Brilliant Green Agar, Modified (I) (Brilliant Green Agar Base w/	100 Gms 500 Gms	10.53 42.11
	Salmonellae except S.typhi in faeces, urine,					Phosphates)	500 GIIIS	42.11
	milk and other materials.					For the selective isolation of Salmonellae		
64944	✓ Brain Heart Infusion Powder (BHI Powder) BactoBio for bacteriology	500 Gms	36.85			from faeces, water, food and dairy products.		
		5 Kg	346.11	18545	_	Brilliant Green Bile Broth 2% (I)	100 Gms	13.16
	Used for cultivation of highly fastidious microorganisms like Streptococci,			100.10		(B/S)	500 Gms	59.22
	Pneumococci, Meningococci,					Recommended medium for detection and		
	Haemophilus, Neisseria sp. and					confirmation of coliforms from water,		
	pathogenic fungi. A highly nutritious					wastewater, foods, milk and dairy		
	mixture of calf brain infusion and beef heart infusion.					products.	100.0	
94124	✓ Brain Heart Infusion Agar (BHI	100 Gms	10.53	98383	•	Brilliant Green Bile Agar	100 Gms	11.84
J4124	Agar)	500 Gms	42.11			For the detection 2 and the Control of the Control	500 Gms	51.32
		5 Kg	398.75			For the detection & enumeration of coliform bacteria in materials of sanitary		
	For the cultivation of wide variety of	- יים				importance such as water, sewage &		
	fastidious bacteria, yeasts and molds from					foods.		
	clinical and non-clinical specimens.							

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
39284	•	Brilliant Green Sulfa Agar (B.G.	100 Gms	11.84	72993	•	Buffered Peptone Water	100 Gms	7.90
		Sulpha Agar)	500 Gms	55.27				500 Gms	35.53
		For the selective isolation of Salmonella					A pre-enrichment medium for the isolation		
		species, other than Salmonella typhi from					of Salmonella species, especially injured		
		food, dairy products, eggs, egg products and feed.					microorganisms from food sources.	400.0	
32445	_	Bolton Broth Base	100 Gms	13.16	88680	•	Buffered Peptone Water (I/O) (B/S)	100 Gms	9.21
32443	·	Botton Broth Buse	500 Gms	59.22				500 Gms	35.53
		A modium for the selective pre enrichment	300 GIII3	33.ZZ			Recommended medium for pre-enrichment		
		A medium for the selective pre-enrichment of Campylobacter species in food					of injured Salmonella species from foods, before selective enrichment and isolation.		
		samples.			12995	V	Buffered Peptone Water w/ NaCl	100 Gms	11.84
55582		Bolton Selective Supplement	5 vl	21.06	12000			500 Gms	35.53
			5 x5 vl	94.75			An isotonic agent recommended for use as		
66006		Bordetella Selective Supplement	5 vl	17.11			a diluent in performing microbial		
00000	•	(20mg/vl)	3 VI	17.11			examination of non-sterile products.		
		Used for the selective isolation of			22197	V	Buffered Peptone Water BioVeg	100 Gms	9.21
		Bordetella species.						500 Gms	35.53
26384			5 vl	10.53			A pre-enrichment medium, manufactured		
		(15mg/vl)					from animal free bases for the isolation of		
		Used for isolation and identification of					Salmonella, especially injured		
40077	<b>.</b>	faecal streptococci.  Bromocresol Purple Azide Broth	100 Gms	13.16			microorganisms from various food		
49977	•	Biomocresor Purple Azide Brotin	500 Gms	50.01			sources.		
			500 Gms	50.01	93439	~	Buffered Peptone Water w/ Casein	100 Gms	10.53
		For the confirmation tests for presence of faecal streptococci in water and waste						500 Gms	42.11
		water.					A pre-enrichment medium, for the isolation		
19202	_	Bromocresol Purple Lactose Broth	100 Gms	11.84			of Salmonella, especially from cocoa		
.0202		(BCP Lactose Broth, Yeast	500 Gms	46.06			(chocolates and confectionary).	400.0	
		Fermentation Broth Base)			85268	~	Buffered Tryptone Glucose Yeast Extract Broth	100 Gms	13.16
		Used as presumptive medium for the						500 Gms	47.38
		detection of coliform bacteria in water.	100.0				Used for the isolation of Clostridium		
53213	•	Bromocresol Purple Lactose Broth w/o Sodium Chloride	100 Gms 500 Gms	11.84 43.43	70054		perfringens from food samples.  ' Buffered Yeast Agar	100 Gms	11.84
	n				70054	·	bulleleu Teast Agai	500 Gms	47.38
46172	å	Bromothymol Blue Supplement (20mg/vl)	5 vl	6.58			For the guiltimation of most and models and	500 GIIIS	47.30
		Used for differentiating microflora from					For the cultivation of yeast and molds and for controlling bottle washing operations in		
		urine sample.					the soft drinks and related industries.		
19814	~	B.T.B. Lactose Agar	100 Gms	14.48	89637	V	Buffered Sodium Chloride-Peptone	100 Gms	9.21
		(Bromothymol Blue Lactose Agar)	500 Gms	53.96			Solution pH 7.0,Harmonized	500 Gms	35.53
		For the isolation and cultivation of					Used as diluent in pharmaceutical testing		
		pathogenic Staphylococci.					according to harmonized methods.		
28540		B12 Culture Agar, (U/P)	100 Gms	21.06	73461	V	' Burk`s Medium	100 Gms	15.79
								500 Gms	50.01
		For the cultivation and maintenance of					Used for isolation and cultivation of		
		Lactobacillus leichmannii ATCC 7830 to be used as the test organism in the vitamin					nitrogen fixing bacteria such as		
		B12 assay.					Azotobacter species from soil.		
79328	ı	B12 Inoculum Broth, (U/P)	100 Gms	19.74	32639	~	Bushnell - Haas Agar	100 Gms	11.84
. 0020	Ī		500 Gms	88.17				500 Gms	51.32
		For the preparation of inoculum cultures of	555 55				For examining fuels for microbial		
		Lactobacillus leichmannii ATCC 7830,					contamination and for studying		
		which is used as the test organism in the					hydrocarbon utilization by microorganisms.		
		vitamin B12 assay.							
21700	~	Buffered Glycerol Saline Base	100 Gms	10.53					

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
14509	✓ Bushnell - Haas Broth	100 Gms	9.21	68806	✓ Casamino Acid (Asicase, Casein	500 Gms	42.11
		500 Gms	43.43		Acid Hydrolysate) BactoBio for bacteriology	2 Kg	163.1
	For examining fuels for microbial				buoteriology	5 Kg	381.6
	contamination and for studying				Acid digest of casein, a rich source of		
	hydrocarbon utilization by microorganisms.				nitrogen recommended for use in		
16574	✓ CAE Agar Base (Citrate Azide Enterococcus)	100 Gms	13.16		microbiological culture media that require a		
	Enterococcus	500 Gms	51.32		completely hydrolyzed protein as a		
	Used for identification of Enterococci in			05005	nitrogen source.	500 C	04.6
	meat, dairy and other food products.			95305	✓ Casein Acid Hydrolysate (Asicase) Technical for bacteriology	500 Gms	34.2
95845	✓ Calcium Caseinate Agar	100 Gms	18.42		G,	2 Kg	134.2
		500 Gms	59.22		A signature of a series in a gigle account of	5 Kg	310.5
	For the detection and enumeration of				Acid digest of casien; is a rich source of		
	proteolytic microorganism in foodstuff and			00044	nitrogen.	100 Gms	17.1
	other materials.	400.0		68211	✓ Casein Magnesium Broth (NZM Broth)		
25867	✓ Campylobacter Agar Base	100 Gms	15.79		•	500 Gms	67.1
		500 Gms	60.54		Used in the cultivation of recombinant strains of Escherichia coli.		
	Used with addition of blood and antibiotics			64706		500 Gms	
	in isolation and cultivation of Campylobacter species.			61796	✓ Casein Peptone BactoBio for bacteriology		28.9
20100	✓ Candida BCG Agar, Base	100 Gms	15.79			5 Kg	276.3
36198	• Candida Bod Agai, base				An enzymatic digest of casein, rich in		
		500 Gms	57.90		amino acids and peptides. Used as a nitrogen source in microbiological media.		
	For use with added Neomycin for isolation and differentiation of Candida from primary			72689	✓ Casitone (Casitose) BactoBio for	500 Gms	28.9
	specimens.			72003	bacteriology	ooo amo	20.0
95160	✓ Candida Isolation Agar (Candida	100 Gms	15.79	49946	Casitose Agar w/ 1.5% Agar	500 Gms	50.0
	Agar)	500 Gms	57.90			5 Kg	465.8
	For the isolation and differentiation of				Used as a general purpose medium.		
	Candida albicans.			79033	✓ Casitose Soya Agar, Modified	100 Gms	15.7
45568	✓ Candida Albicans Test Kit	1 Kit	14.48		(Casein Soya Agar, Modified)	500 Gms	51.3
					For the growth of wide variety of		
	Used for isolation, identification and				organisms.		
	cultivation of Candida albicans.			13927	✓ Casitose Soya Blood Agar Base	100 Gms	15.7
92558	✓ Carbohydrate Fermentation Test Kit - I	1 Kit	46.06		(Casein Soya Blood Agar Base)	500 Gms	55.2
	For the differentiation of microorganisms				(Trypticase Soya Blood Agar Base) Recommended for the cultivation of		
	on the basis of various carbohydrate				fastidious microorganisms and detection of		
	fermentation reactions.				their hemolytic activity.		
40071	✓ Carbohydrate Fermentation Test	1 Kit	89.49	91254	✓ Casman Agar Base	100 Gms	13.1
	Kit - II					500 Gms	51.3
	For the differentiation of microorganisms				Used with addition of blood, for isolation		
	on the basis of various carbohydrate fermentation reactions.				and cultivation of fastidious microrganisms		
54951	✓ Carbon Utilisation Agar	500 Gms	27.64		from clinical specimes.		
5495 I	• Carbon dunsation Agai	500 GIIIS	27.04	18871	♣ CBI Supplement	5 vl	18.4
	Used for characterization of Streptomyces						
	on the basis of carbon utilization studies.				Used for selective isolation of Clostridium		
24715	✓ Cary - Blair Transport Medium,	100 Gms	13.16		botulinum.	100.0	
	Base ( w/o charcoal )	500 Gms	53.96	90465	✓ Cetrimide Agar Base, Harmonized	100 Gms	10.5
	For maintenance as a holding medium or					500 Gms	43.4
					Used for the selective isolation and		
	transport medium of clinical specimens						
	transport medium of clinical specimens during collection or shipment.				identification of Pseudomonas aeruginosa in pharmaceutical testing according to		

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
45470	~	Cetrimide Agar, Base	100 Gms	9.21	42436		ChroMed Chromogenic Coliform	50 Gms	40.80
			500 Gms	39.48			Agar (CCA) (I)	100 Gms	76.33
		For the selective isolation, cultivation and						500 Gms	359.27
		identification of Pseudomonas aeruginosa.					For detection of Escherichia coli and		
93927	V	Cetrimide Agar BioVeg	100 Gms	10.53			coliforms in water samples as per ISO		
			500 Gms	43.43			standards 9308-1:2014.		
		Made from Veg.based ingredients; it is			19440		ChroMed Chromogenic Coliform	50 Gms	32.90
		used for the selective cultivation and					Agar w/ SLS (CCA w/ SLS)	100 Gms	59.22
		identification of Pseudomonas aeruginosa.						500 Gms	230.30
31199	~	Cetrimide Broth (U/P)	100 Gms	10.53			For detection of Escherichia coli and		
			500 Gms	39.48			coliforms in water samples.		
		Used for the cultivation of Pseudomonas			96599	ı	ChroMed ECC Agar	100 Gms	55.27
		aeruginosa.						500 Gms	211.88
94532	ı	Cetrinix Supplement	5 vl	22.37			Differential medium recommended for		
		••	5 x5 vl	55.27			presumptive identification of Escherichia		
		Used for the selective isolation of					coli and other coliforms in food and		
		Pseudomonas species.					environmental samples.		
70984	ū	CFC Supplement	5 vl	19.74	75955		ChroMed E.coli Agar	100 Gms	38.16
70304	•	or o supplement	5 x5 vl	60.54			- · · · · · · · · · · · · · · · · · · ·	500 Gms	169.76
			S XS VI	00.54			A selection chromogenic medium used for		
		Used for selective isolation of					the detection and enumeration of		
		Pseudomonas species.					Escherichia coli and coliform from food		
11507	~	Chapman Stone Agar	100 Gms	13.16			samples.		
			500 Gms	47.38	46706		ChroMed Klebsiella Selective Agar	100 Gms	27.64
		For the isolation of staphylococci from a			40.00	_	Base	500 Gms	113.18
		variety of specimens.					Used for the selective isolation and	ooo amo	110.10
58323	~	Charcoal Agar	100 Gms	14.48			detection of Klebsiella species from water		
			500 Gms	51.32			and other sources. This medium can also		
		For the cultivation and maintenance of					be used in membrane filtration procedure.		
		fastidious microorganisms, especially			45615	ı	ChroMed Listeria Agar (I)	100 Gms	23.69
		Bordetella pertussis, for production of			40010	·		500 Gms	101.33
		vaccines.					A selective and differential chromogenic	ooo amo	101.00
52057	~	China Blue Lactose Agar	100 Gms	13.16			medium recommended for rapid and direct		
			500 Gms	55.27			identification of listeria species.		
		Used for differentiating lactose fermenters			38284	_	ChroMed Listeria Agar Base,	100 Gms	23.69
		and non fermenters and also in			30204		Modified	500 Gms	97.38
		enumeration of bacteria in milk.						500 GIIIS	97.30
52665		Chloramphenicol Yeast Glucose	100 Gms	9.21			For the selective identification and differentiation of Listeria monocytogenes.		
		Agar BioVeg	500 Gms	43.43		۵	, ,	100.0	00.05
		Used for the isolation and enumeration of			65621	8	ChroMed MeReSA Agar	100 Gms	36.85
		molds in milk and milk products.						500 Gms	155.29
27880		ChroMed Aureus Agar	100 Gms	28.95			A chromogenic media recommended for		
			500 Gms	130.28			the isolation and selective identification of		
		A chromogenic medium used for the					Methicillin Resistant Staphylococcus		
		identification of Staphylococcus aureus.			75040	۵	aureus (MRSA) from clinical isolates.  Chromed M-Lauryl Sulfate Agar	100 0	60.40
78355	ı	ChroMed Bacillus Cereus Agar	100 Gms	18.42	75213	8	(MLGA)	100 Gms	68.43
			500 Gms	72.38			(Membrane Lactose Glucuronide Agar)	500 Gms	275.04
		A chromogenic medium used for the					For the differentiation and enumeration of		
							Escherichia coli and other coliforms by		
		isolation of Bacillus species from a mixed culture in foods, clinical and non-clinical samples.				membrane filter technique.			
					90210	n	ChuaMad OCVE Area Base (I)		=0.04
		culture in foods, clinical and non-clinical samples.			90219	ě	ChroMed OGYE Agar Base (I)	100 Gms	50.01
					90219	ı	Chromed OGYE Agar base (I)	100 Gms 500 Gms	50.01 218.46
					90219	å	Selective and differential medium for		
					90219	å			

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
92671		ChroMed Salmonella Agar	100 Gms	135.55	93834		Clostridium Difficile Supplement	5 vl	15.79
			500 Gms	636.94				5 x5 vl	47.38
		A chromogenic medium used for the					Used for the selective isolation of		
	n	differentiation of Salmonella species.					Clostridium difficile.		
52496	ä	ChroMed TBX Agar (E.coli Agar Modified)	100 Gms	28.95	12655	~	Clostridium Test Kit	1 Kit	14.48
		,	500 Gms	132.92			Used for isolation, identification, cultivation		
		A selective chromogenic medium used for the detection and enumeration of					of Clostridium species.		
		Escherichia coli in food samples,animal			64078		CNA Supplement	5 vl	21.06
		feeds and water.							
42979		ChroMed UTI Agar	100 Gms	39.48	19156	•	Coagulase Mannitol Agar Base	100 Gms	13.16
			500 Gms	188.19			Fandle authorities differentiation of	500 Gms	56.59
		A chromogenic medium used for the					For the cultivation, differentiation of Staphylococcus aureus from other		
		presumptive identification and					Staphylococcus species, based on		
		differentiation of microorganisms causing					coagulase production and mannitol		
		urinary tract infections.					fermentation.		
80559	~	CHO Medium, Base (Carbohydrate Medium, Base)	100 Gms	11.84	52655	V	Coliform Medium (CM, Coliform	100 Gms	11.84
			500 Gms	46.06			Broth)	500 Gms	43.43
		Used as a basal medium to which					For the isolation & cultivation of coliform		
		carbohydrates are added for fermentation studies of anaerobic bacteria.					organisms from raw milk, cream, yoghurt.		
28850	_	Chocolate Agar, Base	100 Gms	14.48	21493	~	Columbia Agar Base, Harmonized	100 Gms	10.53
20030		Onocolate Agai, Base	500 Gms	51.32				500 Gms	44.74
		For the isolation and identification of a	ooo amo	01.02			Used for the isolation of fastidious and		
		variety of fastidious microorganisms.					non-fastidious microorganisms in		
14602	4602	Chloramphenicol Selective	5 vl	14.48			pharmaceutical testing according to		
		Supplement (50mg/vl)	5 x5 vl	42.11	45404		harmonized methods.	100 0	10.50
		Used for the selective isolation and			45481	•	Columbia Agar, Base	100 Gms 500 Gms	10.53 44.74
		cultivation of yeasts and moulds.					For the isolation and cultivation of	500 GIIIS	44.74
60822	V	Chloramphenicol Yeast Glucose	100 Gms	9.21			fastidious and non-fastidious		
		Agar (I)	500 Gms	44.74			microorganisms.		
		For selective enumeration of fungi, yeasts			97789	~	Columbia C.N.A. Agar Base	100 Gms	30.27
		and molds in milk and milk products.						500 Gms	123.70
93306	~	Christensen Citrate Agar	100 Gms	11.84			For selective isolation and cultivation of		
			500 Gms	53.96			pathogenic Gram-positive cocci from		
		For the differentiation of enteric pathogens					clinical and non-clinical specimens.		
		based on their ability to utilize citrate as a			23588	~	Conn`s Agar	100 Gms	26.32
		carbon source.						500 Gms	111.86
55769	~	CLED Agar (Brolacin Agar)	100 Gms	11.84			Used for the cultivation of fungi.		
			500 Gms	44.74	16340	~	Corn Meal Agar w/ Dextrose	100 Gms	11.84
		For the isolation, enumeration and						500 Gms	52.64
		presumptive identification of microorganisms from urine.					Cultivation of phytopathological and other		
88366	_	CLED Agar w/ Andrade Indicator	100 Gms	11.84			fungi.		
00300		OLLO Agai II/ Alialado Ilidiodio	500 Gms	44.74	26998	~	Corn Meal Agar	100 Gms	11.84
		For differentiating various microorganisms	ooo amo					500 Gms	52.64
		depending on their colony characteristics.					For the chlamydospore production by		
40980	~	Clostridium Botulinum Isolation	100 Gms	13.16			Candida albicans and maintenance		
		Agar, Base	500 Gms	53.96			medium for fungal stock cultures.	100.0	
		For the isolation, cultivation and			60277	~	Corn Meal Peptone Yeast Agar	100 Gms	14.48
		differentiation of Clostridium botulinum						500 Gms	51.32
		from food samples.							

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
73398	•	Cooke Rose Bengal Agar Base	100 Gms	19.74	61195		Dairy samples Testing Kit	1 Kit	25.00
			500 Gms	72.38			Used for identification and enumeration of		
		Used for the selective cultivation and					microorganisms from dairy products.		
		isolation of fungi.			96640	~		100 Gms	11.84
45455	~	CPC Agar Base	100 Gms	76.33			(Falkow)	500 Gms	44.74
		For cultivation and differentiation of Vibrio					(Decarboxylase Basal Medium, Decarboxylase Media, Falkow)		
		species from food samples.					For the differentiation of bacteria based on		
65165		CPC Supplement	5 vl	27.64			their ability to decarboxylate the amnio		
48743	v	Craigs Medium	100 Gms	15.79			acid.		
40743		orange inculum	500 Gms	47.38	47129	•	Deoxycholate Agar	100 Gms	10.53
70050		CRAMP Ages Book					D	500 Gms	47.38
70952	~	CRAMP Agar Base	100 Gms	64.48			Differential medium for direct counts of		
		For the cultivation of Yersinia species with					coliforms from dairy products and for the isolation of enteric microorganisms from		
		plasmids.					clinical and non-clinical specimens.		
27793	~	Cystine Tryptone Agar	100 Gms	11.84	20023	V	Deoxycholate Citrate Agar (I/P)	100 Gms	17.11
		(Cystine Tryptic Agar)	500 Gms	44.74				500 Gms	76.33
		Used for the maintenance, subculturing					Used for the selective isolation and		
		and detection of motility of various					cultivation of enteric pathogens, especially		
		bacteria.					Salmonella and Shigella species.		
77853	~	Crystal Violet Agar (Crystal Violet Lactose Agar)	100 Gms	14.48	38695	~	Deoxycholate Lactose Agar	100 Gms	14.48
			500 Gms	52.64				500 Gms	52.64
		For the differentiation of pathogenic and					For the isolation and differentiation of		
		non- pathogenic staphylococci.	100.0				Gram-negative enteric bacilli and for		
57485	~	Crystal Violet Lactose Broth	100 Gms	17.11			enumeration of coliforms from water, waste water, milk and dairy products.		
		For the detection of colifornes in water	500 Gms	46.06	18752	_	Dermatophyte Test Agar Base	100 Gms	14.48
		For the detection of coliforms in water filtration control works.			10/52	·	(D.T.M. Agar Base)	500 Gms	55.27
91022	_		100 Gms	13.16			For the isolation and cultivation of	ooo amo	00.L1
01022		Base	500 Gms	55.27			dermatophytic fungi.		
		Used for the detection of gram-negative			68650	V	DEV Nutrient Agar	100 Gms	13.16
		psychrotrophic bacteria causing food					- ·	500 Gms	47.38
		spoilage.					To determine total germ count in water		
29212	~	Czapek - Dox Agar	100 Gms	10.53			acc. To the "Deutschen Einheitsverfahren"		
			500 Gms	39.48			regulations of drinking water.		
		For the cultivation of fungi and bacteria			22438	~	DEV Tryptophan Broth	100 Gms	9.21
		capable of utilizing sodium nitrate as the						500 Gms	35.53
		sole source of nitrogen.					Used for sub-cultivation for coliform		
93812	~	Czapek - Dox Agar Modified	100 Gms	14.48			differentiation and for indole testing in the		
			500 Gms	51.32			bacteriological examination of water as per		
		For the cultivation and maintenance of			15923	J	German Standard methods.  Dextrose Agar	100 Gms	10.53
		numerous fungal species, also for chlamydospore production by Candida			15923	•	DOMINGE Agai	500 Gms	46.06
		albicans.					For the cultivation of a wide variety of	JUU GIIIS	40.00
74367	V	Czapek - Dox Broth	100 Gms	9.21			microorganisms and used as a base for		
			500 Gms	35.53			blood agar and for general laboratory		
		For the cultivation of fungi and bacteria					purposes.		
		capable of utilizing sodium nitrate as the			64098	~	Dextrose Broth	100 Gms	9.21
		sole source of nitrogen.						500 Gms	32.90
		Czapek Malt Agar	100 Gms	10.53			For the isolation and enrichment of		
95417	~	ozapok man Agai					Totalo location and official of		

saprophytic fungi.

Code	Name	Packing	\$ Price	Code		Name	Packing	\$ Price
83607	<ul> <li>✓ Dextrose Mannitol Agar (Gillies Agar No.1)</li> <li>Recommended medium for primary isolation of Salmonella and Shigella</li> </ul>	100 Gms 500 Gms	15.79 56.59	14912		Diluting Fluid A  Used for sterility testing of pharmaceuticals.	100 Gms 500 Gms	9.21 36.85
	species, by detection of urease production, dextrose and mannitol fermentation.			23121	~	Diluting Fluid D	100 Gms 500 Gms	10.53 40.80
98009	✓ Dextrose Proteose Peptone Agar Base	100 Gms 500 Gms	13.16 47.38			Used for sterility testing of pharmaceutical products in accordance with USP.		
	Used in combination with blood and tellurite for the isolation of Corynebacterium diphtheriae.			53277		Diluting Fluid K  Used as diluting or rinsing fluid, when	100 Gms 500 Gms	11.84 36.85
11581	✓ Dextrose Salt Agar	100 Gms 500 Gms	13.16 52.64			performing, sterility testing of pharmaceuticals.		
	For the enumeration of yeasts and molds in butter and dairy products.	100.0		82965	•	Disinfectant Test Broth, AOAC	100 Gms 500 Gms	11.84 46.06
87461	✓ Dextrose Salt Broth	100 Gms 500 Gms	11.84 43.43			For the determination of phenol coefficient of disinfectants.		
44400	For the enumeration of yeasts and molds in butter and dairy products.  ✓ Dextrose Starch Agar	100 0	14.40	82359	•	DNase Test Agar Base	100 Gms 500 Gms	44.74 189.50
44486	For the cultivation and maintenance of	100 Gms 500 Gms	14.48 51.32			Used for differentiation of microorganisms based on their production of deoxyribonuclease.		
	Neisseria gonorrhoeae and other fastidious microorganisms.			78317	•	DNase Test Agar w/Methyl Green	100 Gms 500 Gms	51.32 197.40
50223	✓ Dextrose Tryptone Agar (Dextrose Casein Peptone Agar)	100 Gms 500 Gms	13.16 50.01			Used for differentiation of microorganisms based on deoxyribonuclease activity.		
	For the isolation and cultivation of mesophilic and thermophilic aerobic microorganisms related to food spoilage.			88941		Drakes Medium 10	100 Gms 500 Gms	18.42 61.85
78209	✓ Dey-Engley Neutralizing Broth	100 Gms 500 Gms	14.48 53.96			Recommended for isolation of Pseudomonas species from water samples.		
	For the testing and neutralization of antiseptics and disinfectants.			53292		DRBC Agar (Dichloran Rose Bengal Chloramphenicol Agar)	100 Gms 500 Gms	18.42 65.80
73318	✓ Diamalt Agar	100 Gms 500 Gms	17.11 63.17			Base Used for the selective isolation and enumeration of yeasts and moulds of		
66473	✓ Differential Reinforced Clostridial Agar	100 Gms 500 Gms	14.48 51.32	84127		significance in food spoilage.  Drigalski Lactose Agar	100 Gms	19.74
07540	For the cultivation of Clostridia from water samples.  Differential Reinforced Clostridial	100 0	0.01	56107	•	Drigalski Litmus Lactose Agar	500 Gms	15.79
27548	Broth, Base	100 Gms 500 Gms	9.21 34.22	49763	•	E. Coli Test Kit	500 Gms 1 Kit	53.96 17.1
50070	For the cultivation of Clostridia from water samples.	100 Cma	10.52			Used for isolation, identification and		
52978	✓ Differential Reinforced Clostridial Broth, Base (I)	100 Gms 500 Gms	10.53 39.48	25549		cultivation of Escherichia coli.  EC Medium (EC Broth)	100 Gms	10.50
88167	For the cultivation of Clostridia from water samples.  Differential Reinforced Clostridial	100 Gms	10.53			For the differentiation and enumeration of	500 Gms	43.43
0010/	Broth, Base BioVeg	500 Gms	42.11	00000		coliforms in water, wastewater, shellfish and foods.	100 0	4-7-2-
62800	For the cultivation of Clostridia from water samples.	100 Cma	15.70	66389		EC Medium w/MUG	100 Gms 500 Gms	17.11 68.43
63899	✓ Dihydrolase Broth, Base	100 Gms 500 Gms	15.79 50.01			Used for the fluorogenic detection of Escherichia coli in water, food and milk.		

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
54723 11983	•	Used for cultivation of streptococci and lactobacilli, especially in dairy procedures.  Eijkman Lactose Medium (Eijkman	100 Gms 500 Gms	11.84 46.06	71611	•	Enterobacteria Enrichment Broth Mossel (EE Broth Mossel), Harmonized Used for the selective enrichment of Enterobacteriaceae in pharmaceutical	100 Gms 500 Gms	13.16 59.22
11903	·	Lactose Broth)	500 Gms	43.43	E9444		testing according to harmonized methods.  Enterococcus Confirmatory Agar	100 Gms	11.84
		For the cultivation and differentiation of Escherichia coli from other coliform organisms based on their ability to ferment			58444	•	For the identification of enterococci from water by the confirmatory test.	500 Gms	48.69
95514	_	lactose and produce gas.  EMB Agar	100 Gms	9.21	64819	•	Enterococcus Confirmatory Broth	100 Gms	10.53
33314		(Eosin Methylene Blue Agar)  For the isolation, cultivation and	500 Gms	42.11			For the identification of enterococci from	500 Gms	44.74
		differentiation of gram negative enteric			47082	ı	water by the confirmatory test.  Enterococcus Selective	5 vl	19.74
		bacteria based on lactose fermentation.			47002	·	Supplement	5 x5 vl	67.12
46675	•	EMB Agar, Levine (Eosin Methylene Blue Agar, Levine)	100 Gms 500 Gms	9.21 42.11			Used for the selective isolation and cultivation of Enterococci.		
		For the isolation, cultivation and differentiation of Gram-negative enteric bacteria based on lactose fermentation.			60312	V	Esculin Iron Agar	100 Gms 500 Gms	50.01 219.77
51207	~		100 Gms 500 Gms	9.21 38.16			For cultivation and identification of Enterococci based on their ability to hydrolyze esculin.		
		For the differentiation of gram negative enteric bacteria from clinical and non clinical specimens.			27131	ı	Esculin Supplement (0.5gm/vl)  Used for detection of group D streptococci	5 vl	34.2
65512	~	Emerson Agar	100 Gms	15.79			on the basis of esculin hydrolysis.		
		Used for isolation and cultivation of	500 Gms	52.64	69404	•	Ethyl Violet Azide Broth (E.V.A. Broth)	100 Gms 500 Gms	13.16 42.1
85046	~	Actinomycetaceae, Streptomycetaceae, fungi and moulds.  Endo Agar	100 Gms	10.53			For isolation, cultivation and enumeration of Enterococci from water and other		
05040	·	Liluo Agai	500 Gms	40.80	48357	_	specimens.  Eugonic Agar (B/S)	100 Gms	14.48
		For the selective isolation, cultivation and differentiation of coliforms and other enteric			40357	·	Used cultivation and maintenance of a	500 Gms	55.27
		microorganisms based on their ability to ferment lactose.					variety of fastidious microorganisms.		
81496	~	Endo DEV Agar	100 Gms 500 Gms	13.16 47.38	66070	•	Eugonic Broth	100 Gms 500 Gms	14.48 46.06
		Used for selection and differentiation of					Used cultivation and maintenance of a variety of fastidious microorganisms.		
		E.coli acc. To the "Deutschen Einheitsverfahren" regulations for drinking water.			78507	ı	FGTC Antibiotic Supplement (2.5mg/vI)	5 vl	14.48
95904	~	Enriched Thioglycollate Broth	100 Gms	9.21			Used for the selective isolation and cultivation of enterococci.		
		(Thioglycollate Medium, Enriched, Thioglycollate Medium, Base)	500 Gms	44.74	93466	~	Fluid Sabouraud Medium	100 Gms	6.58
		For the isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria.	ation and			For the cultivation of yeasts, molds and aciduric microorganisms.	500 Gms	26.32	
33945	~		100 Gms	11.84	93023	V	-	100 Gms	6.58
		For the cultivation and differentiation of a	500 Gms	35.53			(U/P)	500 Gms	22.37
		variety of bacteria based on their ability to ferment different carbohydrates.							

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
42917	~	7( )	100 Gms	6.58	72464	•	GC Agar Base	100 Gms	10.53
		(I/P)	500 Gms	22.37				500 Gms	40.80
		Used for the cultivation of anaerobic,					Used for isolation and cultivation of		
		microaerophilic and aerobic organisms.					Gonococci.		
		For use in sterility testing of a variety of			10474	•	Gelatin Agar DEV	100 Gms	11.84
40000		samples.  Fluid Thioglycollate Medium,	100 Gms	6.58				500 Gms	46.06
46990	•	Harmonized	500 Gms	22.37			Used in water and waste water testing for		
		Lload for starility tootion of varioty of	500 GIIIS	22.31			the determination of total microbial count		
		Used for sterility testing of variety of samples in pharmaceutical testing					and detection of gelatin liquefying microorganisms.		
		according to harmonized methods.			23942	J	Gelatin Iron Agar	100 Gms	11.84
76037	~	FNA Medium (Fluorescein	100 Gms	13.16	20342		dolam non Agai	500 Gms	52.64
		Denitrification Agar)	500 Gms	50.01			For the detection of gelatin liquefaction and	ooo amo	02.01
		Used for differentiation of Pseudomonas					H2S production.		
		sps. from other bacilli by their ability to			75750	~	Gelatin Peptone BactoBio for	500 Gms	24.35
		reduce nitrates or nitrites to nitrogen gas			10100		bacteriology	5 Kg	236.88
		(denitrification) and detection of fluorescein					Gelatin peptone, prepared by enzymatic	o ng	200.00
		pigment.					digest of Gelatin; is used as an ingredient		
46142	~	Forget Fredette Agar	100 Gms	14.48			in media for fermentation studies and to		
			500 Gms	55.27			support growth of non-fastidious		
33696	V	Formate Ricinoleate Broth	100 Gms	14.48			microorganisms. It is characterised by low		
			500 Gms	57.90			Cystine, Tryptophan and Carbohydrate		
37593	~	Fraser Broth Base	100 Gms	11.84			content .		
			500 Gms	51.32		~	Gelatin Powder Special ex. Porcine	500 Gms	18.42
		Recommended selective, enrichment			[9000-70-8	oj	(Type B), 120g Bloom BactoBio for bacteriology		
		medium for the isolation of Listeria species.					Gelatin is a collagenous protein which		
97539		Fraser Supplement (250mg/vl)	5 vl	14.48			finds its application for the solidification of		
							cultural media. It is also used for detection		
52071		Fraser Selective Supplement	5 vl	18.42			and differentiation of certain proteolytic		
		I lood for coloctive inclution and cultivation					bacteria. A bacteriological grade, readily soluble in water.		
		Used for selective isolation and cultivation of Listeria monocytogenes from food and			24426	_	Gelatin Powder Special Clear ex.	500 Gms	26.32
		environmental specimens.			[9000-70-8		Bovine (Type B), 200-250g Bloom	000 00	20.02
83831	~	Fuchsin Lactose Broth	100 Gms	11.84			BactoBio for bacteriology		
			500 Gms	47.38			Gelatin for bacteriology is a special		
373/16	_	Fungal Agar (Mycological Agar)	100 Gms	14.48			bacteriological grade product, readily soluble in water to give a clear solution.		
07040		i angai Agai (inyoological Agai)	500 Gms	56.59	78334		Gentamicin Selective Supplement	5 vl	11.84
00444		Fungal Agar w/ low pH			70334	9	(20mg/vl)	5 VI	11.04
93411	~	(Mycological Agar with Low pH)	100 Gms	14.48	50084		Genta-Oxy Selective Supplement	5 vl	19.74
			500 Gms	56.59				5 x5 vl	46.06
68653	~	Fungal Agar with Low pH	100 Gms	14.48			Used for the selective isolation and		
		(Mycological Agar w/ low pH)	500 Gms	57.90			enumeration of yeast and moulds.		
		For the selective isolation, cultivation and			39238	~	General Purpose Kit - I	1 Kit	13.16
		maintenance of pathogenic fungi.							
62729	~	Fungal Broth (Mycological Broth)	500 Gms	52.64			Nutrient agar cultivates a wide variety of		
		For cultivation and maintenance of fungi.					microorganism and MacConkey agar is used in isolation of gram negative enteric		
90195	V	Fungi Cultivation Kit	1 Kit	17.11			bacteria.		
					84905	_	General Purpose Kit - II	1 Kit	17.11
		Used for cultivation and isolation of			2-1000		•	. 141	
		fungi,yeast and moulds.					Nutrient agar cultivates a wide variety of		
		Gassner Lactose Agar	100 Gms	13.16			microorganisms, MacConkey agar aids in		
94016	~	Gassilei Laciose Agai					, , ,		
94016	_	Gassilei Laciuse Agai	500 Gms	53.96			isolation of gram negative enteric bacteria and Blood Agar Base is used in detecting		

✓ Giollotti Cantoni Broth Base  Used for the cultivation and enrichment of	100 Gms	15.79	28551	✓ Heart Infusion Powder (HI Powder)	500 Gms	
Used for the cultivation and enrichment of					500 GIII5	30.27
Used for the cultivation and enrichment of	500 Gms	48.69		BactoBio for bacteriology	2.5 Kg	135.55
Staphylococcus aureus from foods.				It is rich in amino acids, peptides and other nutrients required by highly fastidious		
✓ Gluconate Test Medium	100 Gms	10.53		microorganisms like Streptococci,		
	500 Gms	43.43		Pneumococci, Meningococi and Brucella		
✓ Glucose Salt Teepol Broth (Twin				species.		
Pack)	100 Gms 500 Gms	11.84 52.64	68100	✓ Hektoen Enteric Agar	100 Gms	14.48
,	500 GIIIS	52.04			500 Gms	67.12
Liquid medium, used for the detection of Vibrio parahemolyticus in foodstuffs.				Used for the isolation and cultivation of		
✓ Glucose Yeast Extract Agar	100 Gms	14.48		0 0		
	500 Gms	53.96				
For the cultivation of lactobacilli, especially			20852	·	100 Gms	27.64
in pharmaceutical preparations.			20002	· · · · · · · · · · · · · · · · · · ·		88.17
✓ Glucose Yeast Peptone Agar	100 Gms	14.48	50740	A Hafara Alkalina Madirum		
	500 Gms	53.96	52740	Moiers Aikaline Medium	100 Gms	18.42
For the isolation of yeasts from soil			67658	✓ Horie Arabinose Ethyl Violet Broth	100 Gms	15.79
					500 Gms	61.85
•			46946	✓ Hoyle Medium, Base	100 Gms	11.84
	500 Gms	35.53			500 Gms	48.69
For the selective cultivation of gram negative microorganisms.				For the isolation and differentiation of		
GTC Supplement (1.25mg/vl)	5 vl	10.53	70025	<u> </u>	100 Gms	14.48
			79035	Trigit Flate Count Agai		57.90
	100.0		64068	✓ High Salt Nutrient Agar (I)		11.84
Base					500 Gms	47.38
			37353	✓ High Salt Nutrient Agar (B/S)	100 Gms	11.84
✓ Gum Listeria Medium					500 Gms	47.38
	500 Gms	52.64	39147	✓ High Salt Peptone Yeast Extract	100 Gms	11.84
				Agar (I)	500 Gms	46.06
			77707	✓ HS Medium (Hydrosulphite of	100 Gms	11.84
·	100 Gms	1/ /8		Sodium Medium)	500 Gms	39.48
T Blott				Used for the cultivation of aerobic and		
For the proparation of U againstination	500 GIII5	40.00		anaerobic bacteria. It is also used for		
				sterility testing.		
identification of Salmonella species types			26221	✓ Hugh Leifson Medium (B/S)	100 Gms	13.16
and subtypes.					500 Gms	52.64
✓ Hartley`s Digest Broth	100 Gms	10.53		Used to distinguish between anaerobic		
	500 Gms	43.43				
Haemoglobin Powder	50 Gms	17.11		· · · · · · · · · · · · · · · · · · ·		
			79544	HYA Agar		19.74
✓ Heart Infusion Agar (HI Agar)	100 Gms	13.16		4 Hudrahaata BiaVan BastaBia fan		76.33
	500 Gms	55.27	21128	bacteriology		30.27
✓ Heart Infusion Broth (HI Broth)	100 Gms	11.84			5 Kg	243.46
	500 Gms	50.01		Prepared by enzymatic hydrolysis of		
Used for isolation and cultivation of a wide						
variety of fastidious microorganisms. Also	stidious microorganisms. Also					
used as a base for preparation of Blood				5		
- L	For the cultivation of lactobacilli, especially in pharmaceutical preparations.  Glucose Yeast Peptone Agar  For the isolation of yeasts from soil specimens.  GN Broth, Hajna (Gram-Negative Broth, Hajna)  For the selective cultivation of gram negative microorganisms.  GTC Supplement (1.25mg/vl)  Used for the selective isolation and cultivation of enterococci.  Glutamate Starch Phenol Red Agar Base  Gum Listeria Medium  Recommended for the isolation of Listeria monocytogenes from clinical and non-clinical samples.  H Broth  For the preparation of H agglutination antigen used in the differentiation and identification of Salmonella species types and subtypes.  Hartley's Digest Broth  Haemoglobin Powder  Heart Infusion Agar (HI Agar)  Ved for isolation and cultivation of a wide variety of fastidious microorganisms. Also	For the cultivation of lactobacilli, especially in pharmaceutical preparations.  Glucose Yeast Peptone Agar  For the isolation of yeasts from soil specimens.  GN Broth, Hajna (Gram-Negative Broth, Hajna)  For the selective cultivation of gram negative microorganisms.  GTC Supplement (1.25mg/vl)  Used for the selective isolation and cultivation of enterococci.  Glutamate Starch Phenol Red Agar Base  Gum Listeria Medium  100 Gms  For the preparation of H agglutination and identification of Salmonella species types and subtypes.  Hartley's Digest Broth  100 Gms  500 Gms  Heart Infusion Agar (HI Agar)  Used for isolation and cultivation of a wide variety of fastidious microorganisms. Also used as a base for preparation of Blood	For the cultivation of lactobacilli, especially in pharmaceutical preparations.  Glucose Yeast Peptone Agar  Glucose Yeast Peptone Agar  For the isolation of yeasts from soil specimens.  GRIPOTH, Hajna  (Gram-Negative Broth, Hajna)  GRIC Supplement (1.25mg/vl)  Used for the selective isolation and cultivation of enterococci.  Gultamate Starch Phenol Red Agar Base  Gum Listeria Medium  Gum Listeria Medium  For the preparation of H agglutination antigen used in the differentiation and identification of Salmonella species types and subtypes.  Hartley's Digest Broth  Haemoglobin Powder  Heart Infusion Agar (HI Agar)  Used for isolation and cultivation of a wide variety of fastidious microorganisms.  100 Gms  14.48  500 Gms  14.48  500 Gms  10.53  500 Gms  10.53  500 Gms  500 Gms  500 Gms  10.53   For the cultivation of lactobacilli, especially in pharmaceutical preparations.  Glucose Yeast Peptone Agar  For the isolation of yeasts from soil specimens.  GR Broth, Hajna (Gram-Negative Broth, Hajna)  For the selective cultivation of gram negative microorganisms.  GTC Supplement (1.25mg/vl)  Gultuanate Starch Phenol Red Agar Base  Gum Listeria Medium  Gum Listeria Medium  For the preparation of H agglutination and identification of Salmonella species types and subtypes.  Hartley's Digest Broth  Haemoglobin Powder  Heart Infusion Broth (HI Broth)  Used for isolation and cultivation of a wide variety of fasticious microorganisms.  100 Gms 11.48 500 Gms 14.48 500 Gms 13.16 500 Gms 14.48 500 Gms 14.48 500 Gms 14.48 500 Gms 15.264  39147  77707  77907  77907  77907  77907  77907  77907  77907  77907  77907  77907  77908  77908  77707  77908  77909  77707  77909  77909  77909  77909  77707  77909  77009  770	For the cultivation of lactobacilli, especially in pharmaceutical preparations.  Glucose Yeast Peptone Agar For the isolation of yeasts from soil specimens.  GNB forth, Hajna For the selective cultivation of gram negative microorganisms.  GTC Supplement (1.25mg/vl) Used for the selective isolation and cultivation of enterococci.  Glutamate Starch Phenol Red Agar Base Sou Gms Sou	Clucose Yeast Extract Agar	

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
36873	•	IMViC Test Kit	1 Kit	14.48	41924	•	<b>Kimmig Agar Base</b> (Fungi Agar Base Kimmig)	100 Gms 500 Gms	14.48 57.90
		Used for biochemical identification of gram negative enteric bateria based on Indole production, Methyl Red and Voges			42820	ı	Kimmig Selective Supplement	5 vl	26.32
		Proskauer reactions and Citrate Utilization					Used for selective islation of fungi.		
		test.			11411	~	King`s Medium A Base	100 Gms	10.53
12139	~	Indole Nitrate Medium	100 Gms	10.53			For the per calcutive isolation, aultivation	500 Gms	47.38
		(Tryptone Nitrate Medium)	500 Gms	38.16			For the non selective isolation, cultivation and pigment production of Pseudomonas.		
		For the identification of microorganisms by			21694	~	King's Medium B Base	100 Gms	10.53
54336	_	means of nitrate reduction and indole tests.  ISP Medium No. 1 (Tryptone Yeast	100 Gms	15.79				500 Gms	47.38
34330	٠	Extract Broth)	500 Gms	68.43	29760	ı	Klebsiella Selective Supplement	5 vl	15.79
76920		ISP Medium No.4	100 Gms	18.42			(25mg/vl)		
76920	•	(Inorganic Salt Starch Agar)	500 Gms	73.70			Used for the selective isolation and		
04075		ITC Broth			00040		detedction of Klebsiella species.	100 0	10.50
91875	•	IIC Broth	100 Gms 500 Gms	15.79 59.22	33943	•	Kligler Iron Agar	100 Gms 500 Gms	10.53 42.11
							For the differentiation and identification of	500 Gills	42.11
42882	•	IUT Medium, Base	100 Gms 500 Gms	17.11 76.33			gram-negative bacilli based upon the		
							fermentation of dextrose and lactose and		
70916	~	Jensen`s Medium (Jensen`s Agar)	100 Gms	11.84			production of H2S.		
			500 Gms	47.38	61860	~	Kligler Iron Agar (I)	100 Gms	10.53
		Used for the cultivation of nitrogen fixing bacteria.						500 Gms	47.38
87806	_		100 Gms	15.79			For the differentiation and identification of		
			500 Gms	56.59			gram-negative bacilli based upon the fermentation of dextrose and lactose and		
		Recommended for the detection and					production of H2S. For identification of		
		cultivation of nitrogen fixing bacteria.					Pseudomonas species.		
55686	~	Jensen Seedling Agar	100 Gms	13.16	25844	~	Kligler Iron Agar BioVeg	100 Gms	10.53
			500 Gms	50.01				500 Gms	42.11
		Used for growing plants for collection of					For the differentiation and identification of		
		root exudates and to study the nodulating					gram-negative bacilli based upon the		
44405		ability of Rhizobium isolates.  Kanamycin Esculin Azide Agar	100 Cma	25 52			fermentation of dextrose and lactose and production of H2S.		
44485	•	Kanamyoni Esculii Azide Agar	100 Gms 500 Gms	35.53 92.12	44000	_	Kohn Two Tube Medium No. 1	100 Gms	30.27
		Used for the isolation of enterococci in	Jou Gills	92.12			Base	500 Gms	81.59
		foodstuffs.			58578	_	Kohn Two Tube Medium No. 2	100 Gms	76.33
60649		Kanamycin Sulphate Selective	5 vl	15.79	30370		Base	500 Gms	286.89
		Supplement (10mg/vI)			65373	J	Koser Citrate Medium	100 Gms	10.53
		Used for the selective isolation and			03373	·	Noser Strate Mediani	500 Gms	40.80
96343		cultivation of enterococci.  Kaper's Medium	100 Gms	14.48			For the differentiation of Escherichia coli	333 33	10.00
96343	•	Raper S Medidin	500 Gms	59.22			and Enterobacter aerogenes based on		
00040	_	Kenknight and Munaier`s Medium					citrate utilization.		
33613	•	Kenkinghi and Muhaler's Medium	100 Gms 500 Gms	14.48 57.90	77760	~	Kundrat Agar	100 Gms	15.79
		Used for the isolation of Actinomyces	500 GIIIS	37.90				500 Gms	56.59
		species from soil samples.			70663		KV Supplement	5 vl	21.06
75772	~		100 Gms	14.48			Lachica \a Madium Da	100.0	E0.01
			500 Gms	43.43	52911	•	Lachica`s Medium Base	100 Gms	50.01
64342	V	KF Streptococcus Agar Base (	100 Gms	11.84					
		АРНА)	500 Gms	51.32					
		For the selective cultivation and							
		enumeration of faecal streptococci.							

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
63026	•	Lactalbumin Hydrolysate BactoBio for bacteriology	500 Gms	52.64	27750	•	Lactobacillus MRS Broth BioVeg	100 Gms 500 Gms	10.53 44.74
		A hydrolysate obtained by enzymatic					Used for the cultivation of lactobacilli.		
		digestion of protein, Lactalbumin. It is used primarily in the preparation of tissue culture			97354	V	Lactose Broth	100 Gms	6.58
		media, fermentation media, media for the						500 Gms	30.27
		growth of Lactobacilli, Campylobacter sps,					For the detection of lactose fermenting		
		etc					gram-negative coliforms, as		
24806		L-Lactic Acid 10% Solution	5 vl	13.16			pre-enrichment broth for Salmonella		
		(10ml/vl)	5 x5 vl	42.11			species.	100.0	
		Used for adjusting pH in acidic range.			77121	~	Lactose Gelatin Medium (I)	100 Gms	11.84
37985	~	Lactic Agar	100 Gms	19.74			For the cultivation of Cloatridium	500 Gms	47.38
		Recommended for enumeration and					For the cultivation of Clostridium perfringens.		
		identification of lactic Streptococci and			24171	J	Lactose Lecithin Agar	100 Gms	17.11
		Lactobacilli by pour plate method.			24171		Luciose Locidini Agui	500 Gms	57.90
68888	~	Lactic Bacteria Differential Agar	100 Gms	14.48	00500		Lactose Monohydrate sterile		
			500 Gms	55.27	<b>88539</b> [10039-26-	-6,	(gamma irradiated)	500 Gms	11.84 111.86
84282		Lactic Supplement	5 vl	17.11	64044-51-		,	5 Kg	111.00
							Lactose monohydrate, Sterile (Gamma		
39785		Lactobacilli Supplement (50mg/vl)	5 vl	19.74			Irradiated) is used for Media Fill Runs in dry injectable in pharmaceutical industry.		
			5 x5 vl	60.54	62367	J	Lactose Peptone Broth	100 Gms	11.84
79562		Lactobacillus MRS Agar (I)	100 Gms	11.84	02307	·	Euclose i epione Bioth	500 Gms	42.11
			500 Gms	44.74	74405		Lesters Culmbite Breth Boss (I)		
		Used for the isolation and enumeration of			71135	•	Lactose Sulphite Broth Base (I)	100 Gms 500 Gms	11.84 43.43
		lactic acid bacteria from meat and meat				_			
		products.	100.0		70637	~	Lactose TTC Agar (w/ Tergitol 7) (I) (Lactose Triphenyltetrazolium Chloride	100 Gms	11.84
50871	•	Lactobacillus MRS Agar BioVeg	100 Gms 500 Gms	11.84			Agar)	500 Gms	44.74
		Lload for the isolation and any maration of	500 GIIIS	52.64	92343	•	Lauryl Sulfate Broth w/MUG	100 Gms	14.48
		Used for the isolation and enumeration of lactic acid bacteria from meat and meat						500 Gms	55.27
		products.			44956	~	Lauryl Sulfate Broth (Lauryl	100 Gms	9.21
46812	~	Lactobacillus MRS Broth w/o	100 Gms	10.53			Tryptose Broth) (I)(B/S)	500 Gms	35.53
		Dextrose	500 Gms	42.11			For the detection of coliform bacteria in a		
		Used for the selective isolation and					variety of specimens. Also for the		
		enumeration of lactobacilli from various					enumeration of coliform bacteria by the		
		sources including feces and dairy.			04006	J	multiple tube fermentation technique.	100 Gms	14.48
47192	~	Lactobacilli Agar, AOAC	100 Gms	23.69	94906	•	Lauryl Tryptose Mannitol Broth w/Tryptophan	500 Gms	50.01
			500 Gms	71.06			Lood Acades Account		
		For the cultivation and maintenance of			10517	•	Lead Acetate Agar	100 Gms	13.16
		stock cultures used in microbiological assays of vitamins and amino acids.						500 Gms	50.01
18659		Lactobacillus Selection Agar	100 Gms	14.48	82632	~	Leptospira Medium Base	100 Gms	11.84
		, ,	500 Gms	56.59				500 Gms	48.69
		Used for isolation, cultivation and			59326	~	Letheen Agar	500 Gms	64.48
		enumeration of lactobacilli.					To determine the phenol coefficient of		
66749	~	Lactobacillus Selection Oxgall Agar	100 Gms	15.79			quaternary ammonium compounds using		
		Base (LBS Oxgall Agar)	500 Gms	55.27			Escherichia coli or Staphylococcus aureus		
		Used for the cultivation and enumeration of					ATCC 6538.		
		lactobacilli.			28685	~	Listeria Enrichment Medium Base (UVM Medium)	100 Gms	18.42
49190		Lactobacillus MRS Broth (MRS	100 Gms	10.53			,	500 Gms	84.22
		Broth)	500 Gms	42.11			Recommended medium for use in		
		For the cultivation of lactobacilli.					qualitative procedures for the isolation of Listeria monocytogenes from food		
							samples.		

Code		Name	Packing	\$ Price	Code	Name	Packing	\$ Price
96310	~	Listeria Identification Agar Base (PALCAM)	100 Gms 500 Gms	19.74 92.12	98858	✓ Liver Meat Glucose Cysteine Broth	100 Gms 500 Gms	14.48 56.59
		Used for isolation of Listeria sp. from clinical and non-clinical samples.			79612	✓ LM Agar (Meat Liver Agar)	500 Gms	51.32
96155	•	Listeria Motility Medium (I)	100 Gms 500 Gms	13.16 52.64		Used for the cultivation of anaerobic microorganisms, specially for the sulphite		
15650	ı	Listeria Moxalactum Supplement	5 vl	19.74		reducing Clostridia and Clostridium		
70000	_	Listeria Oxford Medium Base	100 Gms	13.16	69741	perfringens in water and milk.  ✓ Lowenstein - Jensen Medium, Base	100 Gms	9.21
76366	•	(Oxford Agar)	500 Gms	61.85		(L.J. Medium Base)	500 Gms	34.22
		Used for isolation of Listeria species from pathological samples.				For the cultivation and differentiation of Mycobacterium species. This medium is also used for cultivation and maintenance		
90345		Listeria Selective Supplement (PALCAM) Used for the isolation of Listeria	5 vl	14.48		of Gordona species, Nocardia species, Rhodococcus species and Tsukamurella		
		monocytogenes and other species of			07000	paurometabolum.	100 Gms	00.40
51864	Ω	Listeria from food products.  Listeria UVM Supplement I	5 vl	13.16	27888	✓ LPM Agar Base	100 Gms	39.48
	_				46502	✓ Luria Bertani Agar, Lennox (Luria Agar, LB Agar, Lennox)	100 Gms 500 Gms	11.84 48.69
72547	ı	Listeria UVM Supplement II	5 vl	13.16		Used for maintaining and cultivating	ood ame	10.00
59797	~	Litmus Lactose Agar	100 Gms	13.16	47436	recombinant strains of Escherichia coli.  ✓ Luria Bertani Agar, Miller	100 Gms	10.53
		For the differentiation of lactose fermenting	500 Gms	51.32	47436	• · · · · · · · · · · · · · · · · · · ·	500 Gms	46.06
96658	~	and non-lactose fermenting bacteria.  Litmus Milk (Litmus SM Broth)	100 Gms	13.16		Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.		
		For the maintenance of Lactobacilli and the	500 Gms	48.69	14593	✓ Luria Bertani Broth, Lennox (Luria	100 Gms	10.53
		differentiation of several bacteria, based on their action on milk.				<b>Broth)</b> (Luria Broth, LB Broth, Lennox)	500 Gms 2 Kg	40.80 132.92
50037	~	Liquoid Broth	100 Gms 500 Gms	14.48 50.01		Used for maintaining and propagating Escherichia coli in molecular biology		
54004	~	Littman Oxgall Agar Base	100 Gms	14.48	29817	procedures.  ✓ Luria Bertani Broth, Miller	100 Gms	10.53
		Liver Extract Powder BactoBio for	500 Gms	52.64		(LB Broth, Miller)	500 Gms	40.80
87566	•	bacteriology	500 Gms 5 Kg	22.37 190.82		Lload for posintaining and proposition	2 Kg	132.92
		Nutritive characteristic are good in Liver				Used for maintaining and propagating Escherichia coli in molecular microbiology		
		extract so used for cultivation of anaerobic bacteria such as Brucellae and Clostridia,			40000	procedures.	400 0	10.50
		also used for cultivation of pathogenic bacteria.			40826	✓ Luria Bertani Agar, Miller BioVeg (LB Agar, Miller BioVeg)	100 Gms 500 Gms	10.53 46.06
81322	~	Liver Hydrolysate BactoBio for bacteriology	500 Gms	35.53		Used for maintaining and propagating Escherichia coli in molecular microbiology		
		(Peptone from Liver, Liver Peptone) Used as source of nutrients in			17320	procedures.  ✓ Luria Bertani Broth, Miller BioVeg	100 Gms	10.53
		microbiology culture media.Water soluble;			17020	(LB Broth, Miller BioVeg)	500 Gms	40.80
		being derived from liver contains relatively high levels of iron.					2 Kg	132.92
68861	~	Liver Infusion Agar (LI Agar)	100 Gms	11.84		Used for maintaining and propagating Escherichia coli in molecular microbiology		
00450		Liver Infraign Breath (LI Breath)	500 Gms	46.06		procedures.	400.0	
96453	•	Liver Infusion Broth (LI Broth)	100 Gms 500 Gms	10.53 38.16	97970	✓ Luria Bertani Agar w/o Sodium Chloride	100 Gms 500 Gms	15.79 55.27
		Used for cultivation of Brucella and other pathogenic anaerobic bacteria.				Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.		

Code		Name	Packing	\$ Price	Code	ı	Name	Packing	\$ Price
22006	•	Luria Bertani Broth w/o Sodium Chloride (LB Growth Medium w/o Sodium Chloride)	100 Gms 500 Gms	10.53 46.06	71117	•	MacConkey Agar (B/S)	100 Gms 500 Gms	9.21 39.48
		Used for maintaining and propagating Escherichia coli in molecular microbiology			83870	<b>✓</b>	MacConkey Agar, Base	100 Gms 500 Gms	9.21 39.48
90769	~	procedures.  Lysine Arginine Iron Agar (LAI	100 Gms	10.53	26823	•	MacConkey Agar Medium	100 Gms 500 Gms	10.53 40.80
		Agar)  For the cultivation and differentiation of	500 Gms	40.80	95199	<b>~</b>	MacConkey Agar, Modified	100 Gms	36.85
		bacteria based on their ability to decarboxylate lysine, arginine and produce			98384		MacConkey Agar w/ Bromothymol Blue	100 Gms 500 Gms	11.84 44.74
		H2S.			50070		MacCankay Agaryy 0 159/ Bila		
16624	~	Lysine Decarboxylase Broth w/o Peptone (I)	100 Gms 500 Gms	9.21 38.16	58370		MacConkey Agar w/ 0.15% Bile salts, C.V. and NaCl (U/P)	100 Gms 500 Gms	9.21 43.43
		For distinguishing Salmonella serotype Arizonae from the Bethesda Ballerup group of Enterobacteriaceae.					Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria.		
71125	•	Lysine Iron Agar	100 Gms 500 Gms	10.53 38.16	33759		MacConkey Agar w/o C.V., w/ 1.2% Agar	100 Gms 500 Gms	11.84 47.38
		For the differentiation of enteric organisms, especially Salmonella, based upon lysine decarboxylation/ deamination and H2S					For the selective isolation and differentiation of enteric bacteria on the basis of lactose fermentation.		
82502		production.  M2 Agar	100 Gms	13.16	50372		MacConkey Agar w/o C.V., NaCl w/ 0.5% Sodium Taurocholate	100 Gms 500 Gms	14.48 47.38
62502	·	A semisynthetic culture medium, used as a	500 Gms	51.32		i	Differential medium for detection and isolation of enteric organisms by restricting the swarming of Proteus species.		
		general purpose plate count agar.			79447		MacConkey Agar w/o C.V. w/ 0.15%	100 Gms	9.21
24415	•	M17 Agar Base	100 Gms 500 Gms	13.16 50.01			Bile Salts	500 Gms	35.53
		For improved growth of lactic streptococci and their bacteriophages.			64300		MacConkey Agar w/o C.V. w/ 0.5% Bile Salts	100 Gms 500 Gms	9.21 40.80
13297	~	M17 Broth Base	100 Gms 500 Gms	10.53 46.06			For isolation and detection of coliforms and enteric pathogens.		
		For improved growth of lactic streptococci and their bacteriophages.			64024		MacConkey Agar w/o C.V., NaCl, w/ 0.0075% NR, 1.2% Agar BioVeg	100 Gms 500 Gms	10.53 39.48
76875	•	MacConkey Agar	100 Gms 500 Gms	9.21 39.48	64030		MacConkey Agar w/o C.V., NaCl w/ 0.5% Bile Salts	100 Gms 500 Gms	9.21 40.80
		For the selective isolation, cultivation and differentiation of coliforms and enteric			72074	<b>~</b>	MacConkey Agar No.3	100 Gms 500 Gms	14.48 48.69
96871	~	pathogens based on the ability to ferment lactose.  MacConkey Agar BioVeg	100 Gms	9.21			For the selective isolation, cultivation and differentiation between coliforms and non lactose fermentors.		
			500 Gms	39.48	74726		MacConkey Broth (MacConkey	100 Gms	9.21
		For the selective isolation, cultivation and differentiation of coliforms and enteric			74720	I	Broth w/ Neutral Red)  For the selective isolation and cultivation of	500 Gms	34.22
		pathogens based on ability to ferment lactose.					coliforms in milk and water.		
37775	~		100 Gms 500 Gms	9.21	44448	<b>v</b>	MacConkey Broth, Harmonized	100 Gms 500 Gms	9.21 34.22
		Used for the selective isolation and differentiation of Escherichia coli and coliform bacteria in pharmaceutical testing	Joo dins	55.40			Used for the identification of coliforms in pharmaceutical testing according to harmonized methods.		
		according to harmonized methods.			54056		MacConkey Broth w/ Neutral Red	100 Gms	9.21
	~	MacConkey Agar w/ MUG	100 Gms	18.42			(B/S)	500 Gms	34.22

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
20309	•	MacConkey Broth Double Strength	100 Gms	7.90	66805	V	M-Endo Agar LES	100 Gms	11.84
		w/ Neutral Red	500 Gms	31.58				100 Gms 500 Gms	46.06
		For the selective isolation and cultivation of					For the enumeration of coliform in water by		
								400.0	44.6
92933	J	samples.  M-MacConkey Broth	100 Gms	0.21	57906	•	M-Endo Broth		11.84
92933	·	M-Macconkey Broth							47.38
		For detecting and enumerating lactors	500 Gills	39.40	33919	~	M-Enrichment Broth		11.84
		fermenting enteric bacteria from milk and						500 Gms	47.38
		water by the membrane filter method.			52295	~	M-FC Agar Base	100 Gms	14.48
42944	V	MacConkey Broth Purple	100 Gms	9.21				500 Gms	57.90
			500 Gms	35.53	76439	~	M-FC Broth Base	100 Gms	14.48
		Selective medium for isolation and						500 Gms	48.69
		cultivation of coliforms in milk and water.			51072	~	M-HPC Agar, Base	100 Gms	11.84
38989	~	MacConkey Broth Purple w/BCP (I)	100 Gms	7.90			(Heterotrophic Plate Count Agar, Base)	500 Gms	51.32
			500 Gms	31.58			For the cultivation and enumeration of		
90084	~	MacConkey Broth Purple w/BCP	100 Gms	7.90			heterotrophic organisms from potable		
		(I/P)	500 Gms	31.58			water sources, swimming pools and other		
51545	~	MacConkey Broth Purple w/BCP	100 Gms	7.90			· · · · · · · · · · · · · · · · · · ·		
		(B/S)	500 Gms	31.58	1/750	J		100 Gms	14.48
57608	_	MacConkey Broth Purple Double	100 Gms	10.53	14750		in Laary, Ganate Broth (1)		48.69
		Strength w/ BCP	500 Gms	38.16	01051		M Stanbylogogue Proth		11.84
		For the primary isolation of coliforms from			21051	•	W-Staphylococcus Broth		42.1
		large water and wastewater samples.					MI OD A see Messelhel Leveler Consetel		
98664	V	MacConkey Sorbitol Agar (Sorbitol	100 Gms	15.79	51416	•			14.48
		Agar)	500 Gms	52.64			(Mannitol Lysine Agar)	500 Gms	56.59
		For the isolation and identification of			99505	~	Malonate Broth	100 Gms	50.01
		pathogenic Escherichia coli.					Lload for differentiating Enterphaster and		
57340	~	MacConkey Sorbitol Agar, Base (I)	100 Gms	14.48					
			500 Gms	51.32			utilization.		
		For the selective isolation and detection of			76507	~	Malt Agar	100 Gms	17.1
		animal feeds stuff.						500 Gms	67.12
99130	_	Malachite Green Broth	100 Gms	11 84			For the cultivation of yeasts and molds.		
33100		manaointo di con Brotin	## In milk and water from large schedules and water from large schedules and water from large schedules and enumerating lactose sting enteric bacteria from milk and y the membrane filter method.    100 Gms	14.48					
		Used for cultivation of Pseudomonas						100 Gms 500 Gms 500 Gms 500 Gms 500 Gms 500 Gms	56.59
		aeruginosa.					For the isolation, cultivation and		
51517	~	M-Brilliant Green Broth	100 Gms	14.48			enumeration of yeasts and molds.		
			500 Gms	48.69	42936	~	-	100 Gms	15.79
		For the selective isolation and					per Inom and Church	500 Gms	60.54
		differentiation of Salmonella from polluted			83358	~		500 Gms	14.48
		water by the membrane filter method.					bacteriology	5 Kg	139.50
10054	•	McBride Listeria Agar Base							
			500 Gms	57.90					
		Moderately selective medium for isolation							
70047	Q	of Listeria monocytogenes.	FI	1711			•		
70317	8	Micoriae Listeria Supplement	5 VI	17.11					
50642	~	McClung Toabe Agar Base	100 Gms	14.48			cultivation of yeasts and molds.		
			500 Gms	59.22	67973	~	Malt Extract Broth Base	100 Gms	15.79
87015	_	M-EC Test Agar	100 Gms	13.16				500 Gms	63.17
J. J. U		<b>.</b>							

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
<b>40828</b> [69-65-8]	D-Mannitol Sterile (Gamma Irradiated)	500 Gms 5 Kg	43.43 407.96	70117	✓ Meat Extract Powder BioVeg BactoBio for bacteriology	500 Gms 5 Kg	30.27 243.46
	For use in microbiological applications using D-Mannitol (gamma irradiated) and in Media Fill Runs in dry injectables.				Meat extract, (animal free) manufactured from vegetable/plant source, is used to complement nutritive properties of		
48330 🗸	Mannitol Agar w/ Prilion	100 Gms 500 Gms	57.90 228.98		peptone. It is equivalent to animal based Meat extract. Its distribution of various		
75485 🗸	Mannitol Lysine Agar	100 Gms 500 Gms	13.16 53.96		peptides meets the requirements for replacing Meat extract (animal based) to yield optimum growth of microorganisms.		
62331	Mannitol Selenite Broth Base (Selenite Mannitol Broth)	100 Gms 500 Gms	14.48 57.90	17585	✓ Meat Extract w/ Peptone (Pepted Meat Broth)	100 Gms 500 Gms	13.16 50.01
92493	Mannitol Motility Test Medium	100 Gms 500 Gms	13.16 44.74	11980	✓ Meat Peptone BactoBio for bacteriology	500 Gms	35.53
48939	Mannitol Nitrate Motility Medium  Used for the rapid identification of	100 Gms 500 Gms	11.84 43.43		A highly nutritious, enzymatic digest of leament. Used as a ingredient in various general purpose media for cultivation and isolation of wide variety of microorganisms		
	Enterobacteria based on motility, mannitol utilization and nitrate reduction.			91980	✓ Meat Peptone Type P BactoBio for bacteriology	500 Gms	47.38
60062	Mannitol Salt Agar (U/P)  Used for the selective isolation, cultivation	100 Gms 500 Gms	9.21 35.53		It is obtained by proteolytic digestion of meat with pepsin to retain nutritive properties of peptone. Suitable for growth		
	and enumeration of staphylococci from clinical and non-clinical specimens.			11828	of fastidious microorganisms.  ✓ Meat Peptone Type T BactoBio for bacteriology	500 Gms	48.69
23626	Used for the isolation and cultivation of staphylococci in pharmaceutical testing	100 Gms 500 Gms	9.21 35.53	28238	✓ Micro Inoculum Broth (Micro Vitamin Test Inoculum Broth)  For the preparation of inocula in microbiological assay and cultivation of	100 Gms 500 Gms	13.16 63.17
55066 🗸	according to harmonized methods.  Mannitol Salt Broth	100 Gms 500 Gms	10.53	63261	lactobacilli.  ✓ Microbial Content Test Agar	100 Gms	18.42
	Used for the selective isolation and cultivation of staphylococci.			61200	✓ Milk Agar (Modified Plate Count Agar)	500 Gms	75.01 15.79
25511 ✓	Marine Agar 2216 (Zobell)  Used for cultivation of heterotrophic marine bacteria.	100 Gms 500 Gms	14.48 57.90		For differentiation of Enterobacteriaceae based on their motility, indole production and ornithine decarboxylase activity.	500 Gms	59.22
54174		100 Gms 500 Gms	13.16 55.27	18789	<ul> <li>Milk Agar w/Cetrimide (Twin Pack)</li> <li>(Modified Pseudomonas Selective Agar w/Cetrimide)</li> </ul>	100 Gms 500 Gms	15.79 65.80
34832	Maximum Recovery Diluent	100 Gms 500 Gms	11.84 40.80		For detection and enumeration of Pseudomonas aeruginosa in water samples.		
	Physiologically isotonic and protective medium for maximum recovery of microorganisms from a variety of sources.			93957	<ul> <li>Milk Medium w/Reducing Agent (Modified Litmus Medium w/Reducing Agent)</li> </ul>	100 Gms 500 Gms	11.84 53.96
78784	bacteriology	500 Gms 5 Kg	34.22 298.73	17595	✓ Milk Salt Agar Base (Modified Salt Agar Base for Staphylococci)	100 Gms 500 Gms	15.79 56.59
	Meat extract,manufactured from lean meat used to complement nutritive properties of peptone.			20767	✓ Minimal Agar, Davis	100 Gms 500 Gms	15.79 61.85
	E-F-000.			39821	✓ Minimal Broth, Davis	100 Gms 500 Gms	13.16 44.74
				24911	✓ Minimal Broth, Davis w/o Dextrose	100 Gms 500 Gms	13.16 44.74

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
88736	✓ MIO Medium (Motility Indole Ornithine Medium)	100 Gms 500 Gms	11.84 48.69	34452	✓ Monsur Medium Base	100 Gms 500 Gms	11.84 50.01
	For differentiation of Enterobacteriaceae based on their motility, indole production			68957	✓ M9CA Medium	100 Gms 500 Gms	32.90 132.92
46584	and ornitnine decarboxylase activity.  ✓ Mitis Salivaris Agar Base	500 Gms	55.27	23184	✓ M9 Minimal Salts 5X	100 Gms 500 Gms	22.37 76.33
	Selective medium for the isolation of streptococci and enterococci from clinical			42853	✓ Motility GI Medium	100 Gms 500 Gms	28.95 115.81
16309	specimens.  ✓ MIU Medium Base (Motility Indole Urea Medium)	100 Gms	14.48	90174	✓ Motility Medium S, Base (Motility Nitrate Medium)	100 Gms 500 Gms	10.53 43.43
	Used for detecetion of motility, urease and	500 Gms	53.96		For the determination of bacterial motility by means of TTC reduction.		
79667	✓ M-TEC Agar	100 Gms 500 Gms	14.48 51.32	21740	✓ Motility Sulphide Medium	100 Gms 500 Gms	11.84 48.69
	Recommended medium for isolation, differentiation and enumeration of			64421	✓ Motility Test Medium	100 Gms 500 Gms	11.84 46.06
	Escherichia coli from water by membrane	Midelium (Motility Indole lithine Medium) 500 Gms 48.09 500 Gms 50.00 Gms 68057    **MocCA Medium**  **MocCA Medium**  **MocCA Medium**  **Selevine Agar Base**  **So Gms 55.27    **Solariar Agar Base**  **So Gms 55.27    **Solariar Agar Base**  **So Gms 55.27    **Solariar Agar Base**  **So Gms 55.27    **MocCA Medium**  **Solariar Agar Base**  **So Gms 55.27    **MocCA Medium**  **Solariar Agar Base**  **Solaria					
	The commendation of Enterotocacteriacoes based on their motility, incide production and ornatione decarboxylese activity.  Selective medium for the isolation of stroptococci from clinical specimens.  Selective medium for the isolation of stroptococci and enterococci from clinical specimens.  Selective medium for the isolation of stroptococci and enterococci from clinical specimens.  Selective medium for the isolation of stroptococci and enterococci from clinical specimens.  Selective medium for the isolation of stroptococci and enterococci from clinical specimens.  Selective medium for the isolation of stroptococci and enterococci from clinical specimens.  Selective medium for the isolation of stroptococci from clinical specimens.  Selective medium for the isolation of stroptococci from clinical specimens.  Selective medium for the isolation of selective from clinical specimens.  Selective medium for solation of selective from the selective from water by membrane filtration.  For M-TEC Agar  Recommended medium for isolation, differentiation and enumeration of Escherichia coli from water by membrane filtration.  Selective medium for isolation of selective from the selective enrichment medium for isolation of Selective enrichment medium for the isolation of Selective enrichment derive midustries.  Selective enrichment medium for the interocompanisms encountered in deiry midustries.  Selective enrichment medium for the interocompanisms encountered in deiry midustries.  Selective enrichment medium for the interocompanisms encountered in deiry midustries.  Selective medium for the differentiation of bacteria and the selective enrichment medium for the sea of the differentiation of bacteria and the selective from midustries.  Selective medium for the differentiation of bacteria on the basis of the ability to deach by the selective from midustries.  Selective medium for the	100 Gms	17.11				
		500 Gms	46.06		For the enumeration of bacteria in water	500 Gms	69.75
85769				14022	•	100 Gms	7.90
	Used as a selective enrichment medium for the isolation of Salmonella species from food and environmental specimens.		56.59	14633	Phosphate Broth, Buffered Glucose Broth) (MRVP Broth)	500 Gms	34.22
82453	SM Agar)				acetoin production (Voges-Proskauer		
	microorganisms encountered in dairy			14443	✓ Multipurpose Test Kit	1 Kit	48.69
89414					cultivation of a wide variety of		
30066	•			24756	<u>-</u>	100 Gms	10.53
For differentiation of Enterobacteriaceae based on their motility, indole production and ornithine decarboxylase activity.  46584			43.43 144.76				
	L-Ornithine used for the differentiation of bacteria on the basis of their ability to				variety of microorganisms. For the	_	144.70
18124				00054		100.0	10.50
		500 Gms	171.08	26351		500 Gms	10.53 34.22
27510				76135		100 Gms	13.16
69483		100 Gms	35.53		Used for selective enrichment for the	500 Gms	48.69
	basis of their ability to decarboxylate			20465	MKTT Novobiocin supplement.	100 Gms	80.08
	L-Arginine hydrochloride.			29465	WINCORE DIOLII		80.28 376.38

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
38800	V	Mucate Control Broth	500 Gms	43.43	48541	~	Nitrate Broth (I) (B/S)	100 Gms	11.84
		Lload for identification of enterprethagania						500 Gms	48.69
		Used for identification of enteropathogenic Escherichia coli and Salmonella species					For the differentiation of aerobic and		
		from milk and milk products.					facultative gram negative organisms based		
49550	_	Mueller Hinton Broth (MH Broth)	100 Gms	10.53			on their ability to reduce nitrate.		
10000			500 Gms	39.48	44388	~	Nitrofurantoin Broth Base	100 Gms	13.16
			2 Kg	121.07				500 Gms	53.96
		For the cultivation of a wide variety of	9	.2			Used for the enrichment and isolation of		
		organisms and for antimicrobial					Pseudomonas species.		
		susceptibility testing.			34350	ä	Non-Spore Anaerobic Supplement	5 vl	18.42
24698		MUG EC Broth	100 Gms	28.95	31601	ı	Novobiocin MKTT	5 vl	22.37
			500 Gms	82.91	01001	·	Supplement(40mg/vl)	0 11	22.07
26834		MUG Supplement (50mg/vl)	5 vl	25.00			Recommended for selective enrichment		
							and isolation of Salmonellae.		
26706	~	Mycological Peptone BactoBio for	500 Gms	35.53	18352		Novobiocin Supplement(5mg/vl)	5 vl	15.79
		bacteriology	5 Kg	259.25				5 x5 vl	43.43
		Used as a nutritive source for the isolation,					Used to enhance inhibition of		
		cultivation and indentification of					Gram-positive organisms.		
		saprophytic, dermatophytic fungi-yeast			63971	~	Nutrient Agar	100 Gms	9.21
		and moulds.						500 Gms	39.48
66739	~	3 / ( / / (	100 Gms	13.16			For the cultivation and maintenance of a		
		Egg Yolk Polymyxin Agar, Base)	500 Gms	51.32			wide variety of microorganisms.		
		For the isolation and identification of			18953	~	Nutrient Agar (I)	100 Gms	10.53
		pathogenic staphylococci and bacilli.						500 Gms	42.11
74997	~	MYP Agar, Base (I) (Phenol Red	100 Gms	13.16			For the cultivation and maintenance of a		
		Egg Yolk Polymyxin Agar, Base)	500 Gms	51.32			wide variety of microorganisms.		
		For isolation and identification of			73478	~	Nutrient Agar BioVeg	100 Gms	9.21
	n	pathogenic staphylococci and bacilli.						500 Gms	39.48
67124	ı	Nalidixic Selective Supplement (15mg/vl)	5 vl	14.48			General purpose (animal origin free)		
		Used for the selective isolation of					medium for the cultivation of micro		
		Pseudomonas aeruginosa.					organisms.		
77316	1	Neomycin Supplement (30mg/vl)	5 vl	14.48	18876	~	Nutrient Agar 1.5% (I)	100 Gms	13.16
								500 Gms	48.69
		Used for selective isolation of various			84955	~	Nutrient Agar 1.5%	100 Gms	10.53
		microorganisms.						500 Gms	46.06
44697	~	Neopeptone BactoBio for bacteriology	500 Gms	28.95	48275	~	Nutrient Agar for Oxidase (I)	100 Gms	13.16
		(Peptone Special)						500 Gms	48.69
		Neopeptone, an enzymatic digest of			75435	~	Nutrient Agar w/ Manganese	100 Gms	11.84
		protein is well suited for the growth of						500 Gms	47.38
		many delicate and fastidious bacteria like			73153	_	Nutrient Agar w/MUG	100 Gms	25.00
		Group A Streptococci. It also facilitates the development of mucoid colonies of the			70100			500 Gms	102.65
		hemolytic Streptococci.			50407		/ Nutrient Ager w/ 19/ Dentone		
79989	_		100 Gms	11.84	50427	٠	Nutrient Agar w/ 1% Peptone	100 Gms	10.53
75565			500 Gms	55.27			A second	500 Gms	39.48
CE 400	.,4	NIH Ager					A general purpose medium used for the cultivation of a wide variety of		
65466	•	NIH Agar	100 Gms	10.53			microorganisms, by addition of blood or		
			500 Gms	48.69			other biological fluids.		
23527	~	Nitrate Agar	100 Gms	17.11	70955	_	Nutrient Agar No. 2 (B/S)	100 Gms	10.53
			500 Gms	73.70			- · · · · · · · ·	500 Gms	44.74
		For the differentiation of aerobic and					Used for the cultivation and maintenance		
		facultative Gram-negative organisms					of a wide variety of bacteria.		
		based on their ability to reduce nitrate.					· · · · · · · · · · · · · · · · · · ·		

Code	Name	Packing	\$ Price	Code		Name	Packing	\$ Price
17137	✓ Nutrient Agar No. 2	100 Gms	10.53	25916	~	Oatmeal Powder BactoBio for	100 Gms	13.16
		500 Gms	44.74			bacteriology	500 Gms	53.96
	For the cultivation and maintenance of a					Oatmeal powder is obtained from oat		
	wide variety of bacteria.					grains and manufactured under controlled		
58561	✓ Nutrient Agar, pH 6.8	100 Gms	11.84			conditions. It is highly nutritious source for growth of fungi in media.		
		500 Gms	44.74	83951	_	OF Basal Medium	100 Gms	10.53
	For the cultivation and enumeration of organisms in water, sewage, faeces and						500 Gms	43.43
	other materials.					For use with added carbohydrate for		
96434	✓ Nutrient Agar, pH 7.0 (I)	100 Gms	11.84			differentiation of gram negative		
		500 Gms	47.38			microorganisms based on		
38009	✓ Nutrient Agar, pH 7.0 (B/S)	100 Gms	11.84			oxidation-fermentation patterns.		
		500 Gms	47.38	13566	~	OGYE Agar Base (Oxytetracycline Glucose Yeast Extract Agar Base)		17.11
67948	✓ Nutrient Agar pH 6 w/ 0.8 % NaCl	100 Gms	11.84					48.69
0,010	<b>3</b> 1	500 Gms	46.06	14427	~	Orange Serum Agar	100 Gms	14.48
55427	✓ Nutrient Broth	100 Gms	7.90				500 Gms	53.96
33421		500 Gms	31.58			Used for the isolation and enumeration of	100 Gms 500 Gms 100 Gms 500 Gms of 100 Gms 500 Gms 100 Gms 500 Gms 100 Gms 5 vl 100 Gms 5 vl	
	For the cultivation and maintenance of a	555 55	51.55			spoilage organisms of citrus products and for examining fruit beverages.		
	wide variety of microorganisms.			57925	_	Orchid Agar	100 Gms	14.48
39905	✓ Nutrient Broth BioVeg	100 Gms	7.90				500 Gms	59.22
		500 Gms	31.58	34235	_	Ornithine Decarboxylase Broth	100 Gms	39.48
	An animal origin free media, for the			0.1200				
	cultivation and maintenance of a wide variety of microorganisms .			14792	~	L-Ornithine Decarboxylase Broth (I)	100 Gms	40.80
97327	✓ Nutrient Broth No. 2	100 Gms	7.90	57253		Oxacillin Resistant Selective	5 vl	17.11
		500 Gms	34.22			Supplement		
	For the cultivation and maintenance of less			99455	~	Ox Bile (Ox Gall) Powder BactoBio for bacteriology		51.32
	fastidious bacteria.						500 Gms	247.41
63679	✓ Nutrient Broth w/ 1% Peptone (B/S)	100 Gms	7.90			Dehydrated ox bile, used is preparation of microbiological culture media as a		
		500 Gms	34.22			selectively inhibitory agent.lt inhibits		
	Used as a general purpose culture					bacteria not growing in enteric environment		
00000	medium.  ✓ Nutrient Broth w/ 1% Peptone (I/P)	100 Gms	7.90			and favours growth of enteric		
93063	(B/P)	500 Gms	34.22		n	microorganisms.	100 Gms 500 Gms	
	For microbial limit test and sterility testing.	500 GIIIS	34.22	42116	ä	Oxford Listeria Supplement	5 vl	17.11
66363	✓ Nutrient Broth, pH 6.9 w/o NaCl	100 Gms	7.90			Used for selective isolation of Listeria		
00303	Nation Bioti, pri 6.5 W/6 Nation	500 Gms	34.22			species.		
	A general purpose medium for cultivation	500 GIII5	04.22	51521	1	Oxytetra Selective Supplement	5 vl	11.84
	of a wide variety of microorganisms.					(50mg/vl)	5 x5 vl	38.16
94007	✓ Nutrient Broth w/ 1% Yeast Extract	100 Gms	11.84			Used for the selective isolation of yeast		
		500 Gms	46.06			and moulds.		
	For the cultivation and maintenance of a			35973	~	Pagano Levin Base	100 Gms	10.53
	wide variety of microorganisms.					(Pagano Levin Candida Test Medium)	500 Gms	40.80
22583	✓ Nutrient Gelatin	100 Gms	10.53	39992	~	Pantothenate Culture Agar	100 Gms	19.74
		500 Gms	38.16				500 Gms	92.12
50540	✓ N Z Broth	100 Gms	69.75	50769	~	PE 2 Medium	100 Gms	14.48
		500 Gms	118.44				500 Gms	51.32
73438	✓ Oatmeal Agar	100 Gms	14.48	89858	1	PEMBA Supplement (10KU/vI)	5 vl	11.84
		500 Gms	57.90					
	Used for the cultivation of fungi,particularly							
	for macrospore formation.							

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
95292	•	Peptone BactoBio for bacteriology  Used in various general and diagnostic media, also for large-scale production of enzymes, vaccines, antibiotics, etc. Peptic digest of animal tissue also used in microbiological culture media.	500 Gms 5 Kg 25 Kg	21.06 190.82 840.92	70376	•	Peptonized Milk (Peptonized SM Powder) BactoBio for microbiology  Peptonized milk is an enzymatic digest of fat free milk solids. It contains peptones, polypeptides and amino acids derived from milk protein as well as other nutritive components of skim milk. Used for isolation and cultivation of Lactobacilli and	100 Gms 500 Gms	11.84 39.48
51960	•	Peptone BioVeg BactoBio for	500 Gms	26.32			Streptococci, especially in dairy products.		
		bacteriology	5 Kg	219.77	17511	•	Peptonized Milk Agar (Peptonized SM Agar)	100 Gms 500 Gms	15.79 63.17
		Peptone derived from vegetable/plant	10 Kg	423.75	66916	~	Perfringens Agar Base ( O.P.S.P. )	100 Gms	15.79
		source; is alternative to traditional animal based peptones.It contains polypeptides and amino acids which provides readily					For presumptive identification of Clostridium perfringens in foods.	500 Gms	59.22
		available source of nitrogen and minerals for the growth of bacteria and fungi.			11976		Perfringens Supplement-I (50mg/vI)	5 vl	11.84
23136	~	<u>.</u>	500 Gms	34.22		0	Destriction and Countries and II	5 x5 vl	31.58
		bacteriology	5 Kg	329.00	62598	8	Perfringens Supplement-II	5 vl 5 x5 vl	15.79 42.11
		A peptic digest of animal tissue used in various general and diagnostic media also for large scale production of enzyme,			92096	1	Perfringens S.F.P. Supplement ( S.F.P. Supplement )	5 vl 4 x5 vl	14.48 48.69
95672	~	vaccines, antibiotics, etc.  Peptone Special BactoBio for	500 Gms	30.27			Used for the selective isolation of clostridium perfringens.		
		bacteriology	5 Kg	282.94	55688		Perfringens T.S.C. Supplement	5 vl	15.79
		Peptic digest of animal tissue used in microbiological culture media.	10 Kg	526.40			(T.S.C Supplement) (200mg/vI) Used for selective isolation of Clostridium perfringens.	4 x5 vl	44.74
65059	~		100 Gms	27.64	23504	~	Pikovskaya`s Agar	100 Gms	13.16
		For the cultivation and differentiation of microorganisms based on their ability to	500 Gms	76.33			Used for the detection of phosphate solubilizing soil microorganism.	500 Gms	53.96
01005	~	produce H2S.	100 Gms	15.79	52133	~	Pikovskaya`s Broth	100 Gms	11.84
21025	•	Peptone Sorbitol Bile Broth	500 Gms	53.96			Used for detection of phosphate	500 Gms	52.64
55010	~	Peptone Water	100 Gms	9.21			solubilizing microorganisms.		
		For the cultivation of non-fastidious	500 Gms	34.22	59048	•	Phenol Red Agar, Base	100 Gms 500 Gms	13.16 50.01
		microorganisms, for carbohydrate fermentation tests and also for performing					For the determination of fermentation reaction.		
11522	_	the indole tests.  Peptone Water BioVeg	100 Gms	10.53	14517	~	Phenol Red Broth Base	100 Gms	14.48
11022		General purpose growth medium and as	500 Gms	39.48			For the study of carbohydrate fermentations.	500 Gms	42.11
		the base of carbohydrate fermentation media.			79054	~	Phenol Red Dextrose Broth	100 Gms	11.84
56562	~	Peptone Water w/ Phenol Red	100 Gms 500 Gms	9.21 39.48	35850	~	Phenol Red Lactose Broth	500 Gms 100 Gms 500 Gms	48.69 13.16 48.69
		For cultivation of non-fastidious microorganisms and as a base for carbohydrate fermentation tests.					Used for the determination of fermentation of lactose in the differentiation of microorganisms.		
					15572	V	Phenol Red Tartrate Agar	100 Gms	40.80

Code	Name	Packing	\$ Price	Code		Name	Packing	\$ Price
12168	✓ Phenolphthalein Phosphate Agar	100 Gms	14.48	25496	~	PM Indicator Agar (Penicillin in	100 Gms	15.79
		500 Gms	57.90			Milk Indicator Agar) (Penicillin in Milk Indicator Agar)	500 Gms	55.2
92335	✓ Phenylalanine Agar	100 Gms	13.16	35980	ı	Polymyxin B Selective Supplement	5 vl	11.8
	(Phenylalanine Deaminase Medium)	500 Gms	55.27	55555		(50KU/vI)	5 x5 vl	40.8
	For the differentiation of enteric gram- negative bacilli on the basis of their ability					Used for the selective isloation of various microorganisms.		
	to produce phenyl pruvic acid from phenylalanine.			81798	~	Polysorbate 80 Agar (Twin Pack)	100 Gms	11.8
63532	✓ Phenylalanine Malonate Broth	100 Gms	57.90				500 Gms	47.3
	(Shaw and Clarke)	500 Gms	134.23	14644	ı	Potassium Lactate 50% (10ml/vl)	5 vl	18.4
	Used as a test medium to detect the utilization of malonate and phenylalanine deamination.			12370	ı	Potassium Sorbate 10% (10 ml/vl)	5 vl	15.7
34115	✓ P.E.A. (Phenylethyl Alcohol) Agar	100 Gms	30.27	91488	ı	Potassium Tellurite 1% Supplement	5 vl	10.5
04110		500 Gms	138.18			(1ml/vl)	5 x5 vl	35.5
21418	✓ Phosphate Buffer pH 7.2 (APHA)	100 Gms	9.21			Used for Selective Isolation for		
21410	Thospitate Ballet pit 7.2 (Al 11A)	500 Gms	27.64		0	Cornybacteria and Staphylococci.	5 x5 vI  5 vI  and  100 Gms  500 Gms  100 Gms  500 Gms	10.5
	Used for preparation of dilutions and	ooo amo	27.01	99482	8	Potassium Tellurite 3.5% Supplement (1ml/vl)	5 VI	10.5
	blanks in the examination of specimens					Used for the isolation of cornybacteria and	100 Gms 500 Gms 5 vl 5 x5 vl 5 vl 5 vl 5 vl 5 vl 5 vl 5 vl 6 vl 6 vl 7	
	like water, dairy products, foods, etc.					staphylococci.		
69049	✓ Phosphate Buffer, pH 8.0	100 Gms	10.53	15344	~	Potato Carrot Agar	100 Gms	14.4
		500 Gms	46.06				500 Gms	61.8
	Recommended for preparation of dilutions			17235	~	Potato Carrot Broth	100 Gms	13.
	and blanks as per methods specified in						500 Gms	59.2
	pharmacopoeia.					Recommended Broth media for the		
10453	✓ Plate Count Agar	100 Gms	11.84			reproduction of Pyronema domesticum.		
		500 Gms	51.32	71788	~	Potato Dextrose Agar (PDA)		9.2
	For the enumeration of viable bacteria in milk and dairy products, heterotrophic							38.1
	bacteria in water by pour plate technique.						_	144.7
52192	✓ Plate Count Agar BioVeg	100 Gms	11.84				5 Kg	346.1
		500 Gms	51.32			For the isolation, cultivation and		
	For the enumeration of viable bacteria in					enumeration of yeasts and molds from dairy and food products. Used to induce		
	milk and dairy products, heterotrophic					sporulation in many fungi.		
	bacteria in water by pour plate technique.			94111	V	Potato Dextrose Agar (PDA),	100 Gms	10.5
36879	✓ Plate Count Agar w/MUG	100 Gms	25.00			Harmonized	500 Gms	39.4
		500 Gms	106.60	91338	V	Potato Dextrose Agar (PDA) BioVeg	100 Gms	9.2
21699	✓ Plate Count Agar (I)	100 Gms	13.16				500 Gms	38.1
	(Standard Methods Agar)	500 Gms	56.59			For the isolation, cultivation and		
	APHA, FDA recommended medium for					enumeration of yeasts and molds from		
	detecting plate counts of microorganisms					dairy and food products. Used to induce		
	in food, water and waste water.					sporulation in many fungi.		
88393	✓ Plate Count Agar (B/S)	100 Gms	13.16	63506	~	Potato Dextrose Agar w/ Chloramphenicol (0.1g/lit ) (PDA w/		13.1
		500 Gms	53.96			0.01% Chloramphenicol)	500 Gms	52.6
	Used for determination of plate counts of microorganisms in milk and dairy products					Recommended as a general purpose		
	by pour plate technique or spread plate					medium for cultivation and isolation of yeasts and molds from foods, dairy and		
	technique.					cosmetics.		
78609	✓ Plate Count Agar, Special	100 Gms	21.06	72704	~	Potato Dextrose Agar w/2%	100 Gms	14.4
		500 Gms	85.54	-		Glucose and 60% Sucrose (PDA	500 Gms	57.9
45218	✓ Plate Count Agar w/ BCP	100 Gms	14.48			w/2% Glucose and 60% Sucrose)		
		500 Gms	53.96					

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
35208	~	Potato Dextrose Broth (PDB)	100 Gms	9.21	55523	•	Pseudomonas Isolation Agar, Base	100 Gms	11.84
			500 Gms	35.53				500 Gms	51.32
		For the isolation, cultivation and enumeration of yeasts and molds from					For the isolation and cultivation of Pseudomonas species.		
		dairy and food products.			36124		Pseudomonas Isolation Agar	100 Gms	11.84
74474	V	Potato Dextrose Broth (PDB)	100 Gms	11.84	00124		BioVeg	500 Gms	51.32
		BioVeg	500 Gms	39.48			For the isolation and cultivation of		
		For the cultivation and enumeration of					Pseudomonas species.		
		yeasts and molds.			47758	~	Pseudomonas Test Kit	1 Kit	42.11
69190	~	Potato Dextrose Rose Bengal Agar	100 Gms	10.53					
			500 Gms	50.01			Used for isolation, identification and cultivation of Pseudomonas species.		
60040	~	Potato Infusion Powder (PI	100 Gms	10.53	69827		Purple Agar Base	100 Gms	15.79
		Powder) BactoBio for bacteriology	500 Gms	32.90	69621	•	rui pie Agai Base	500 Gms	65.80
		Potato infusion, is a high quality infusion							
		powder for use as an ingredient in			98775	•	Purple Broth Base	100 Gms	11.84
		microbiological culture media, for						500 Gms	51.32
		enhanced sporulation and growth of fungal microorganisms.			10666	~	Pyridoxine Assay Medium	100 Gms	44.74
/2021	J	Potato Malt Agar	100 Gms	13.16			For the microbiological assay of pyridoxine		
43321	·	Totalo mait Agai	500 Gms	48.69			using Neurospora sitophila as the test		
		Dungana Abanna Dunth					organism.		
74426	•	Presence - Absence Broth (PA Broth)	100 Gms	11.84	29051	~	PYR Agar	100 Gms	17.11
			500 Gms	43.43				500 Gms	63.17
		For the detection of coliform bacteria in water from treatment plants or distribution			50846	~	R2A Agar	100 Gms	15.79
		systems using the presence-absence						500 Gms	56.59
		coliform test.					Used for enumerating heterotrophic		
41406	V	Proteose Peptone BactoBio for	500 Gms	30.27			bacteria from drinking water.		
		bacteriology	2 Kg	94.75	16437	~	R3A Agar	100 Gms	18.42
		Enzymatic digest of protein, high in						500 Gms	59.22
		proteoses. Used in microbiological culture					For the cultivation and maintenance of		
		media and in bacterial toxin production					heterotrophic bacteria from potable waters.		
		and also in microbiological media for bacteria requiring varying nutritional			39167	~	Rappaport Vassiliadis R 10 Broth	100 Gms	11.84
		properties.						500 Gms	48.69
93788	BioVeg For the cyeasts at a second powder of the cyeasts at a second powder)  Potato II Powder)  Potato II Powder)  Potato II powder microbic enhance microorg  Por the cyeator powder in the cyeator in the c	Protose BactoBio for bacteriology	100 Gms	11.84			Used for the selective enrichment of		
			500 Gms	36.85			Salmonella from meat and dairy products, faeces and sewage polluted water.	100 Gms 500 Gms 100 Gms 100 Gms	
90912	_	Pseudomonas Agar Base (I)	100 Gms	10.53	59912		Rappaport Vassiliadis Salmonella	100 Gms	10.53
30312		Todadomonao Agar Bado (i)	500 Gms	48.69	59912	·	Enrichment Broth, Harmonized		43.43
40000		Decudements Ages for Elizareasin					Used for selective enrichment of	500 GIII5	40.40
49698	•	Pseudomonas Agar for Fluorescein	100 Gms 500 Gms	11.84 44.74			Salmonella species in pharmaceutical		
			500 GIIIS	44.74			testing according to harmonized methods.		
		For the cultivation and observation of fluorescein production in Pseudomonas			22140	~	Rappaport Vassiliadis Soyabean	100 Gms	14.48
		'					Meal Broth (RVSM Broth)	500 Gms	50.01
80358	V	Pseudomonas Agar for Pyocyanin	100 Gms	10.53			Used for enrichment and isolation of		
		(Pseudomonas Agar-P)	500 Gms	40.80			Salmonella species.		
		For the isolation, cultivation and			18530	~	Razi`s Medium	100 Gms	14.48
		differentiation of Pseudomonas species on						500 Gms	57.90
		the basis of pyocyanin production.			78777	~	Reinforced Clostridial Agar	100 Gms	10.53
40976	~	Pseudomonas Asparagine Broth	100 Gms	42.11				500 Gms	43.43
		(АРНА)	500 Gms	138.18			Used for the cultivation and enumeration of		
							Clostridium species and other anaerobes		
							from clinical specimens and foods.		

Code	Name	Packing	\$ Price	Code		Name	Packing	\$ Price
11999	✓ Reinforced Medium for Clostridia, Harmonized	100 Gms	9.21	88999	•	Sabouraud Dextrose Agar BioVeg	100 Gms	9.21
		500 Gms	35.53				500 Gms	39.48
	Used for the cultivation and enumeration of Clostridia in pharmaceutical testing					Used for the cultivation of dermatophytes, yeasts and filamentous fungi.		
	according to harmonized methods.			24835	~	Sabouraud Dextrose Broth,	100 Gms	6.58
71467	✓ Rhizobium Medium	100 Gms	17.11			Harmonized	500 Gms	23.69
		500 Gms	52.64			For the cultivation and isolation of yeasts,		
63380	✓ Ringer Salt Solution Powder	100 Gms	19.74			molds and aciduric microorganisms in		
		500 Gms	86.86			pharmaceutical testing according to harmonized methods.		
	Used as an isotonic diluent during food,			64402	_	Sabouraud Dextrose Maltose Broth	100 Gms	14.48
	milk and dairy products microbiological examination.			01102			500 Gms	56.59
57672	Rosolic Acid Supplement	5 vl	15.79			Used for the cultivation of moulds, yeasts		
5/6/2	(0.1gm/vl)	3 VI	13.79			and aciduric organisms as well as testing		
	Used for the selective isolation of					of antimycotic substances.		
	coliforms.			14506	~	Sabouraud Glucose Broth	100 Gms	5.26
76126	✓ SA Agar Base	100 Gms	22.37			(Sabouraud Dextrose Broth)	500 Gms	18.42
		500 Gms	71.06			For the cultivation of dermatophytes,		
	Used for isolation and differentiation of					yeasts and filamentous fungi.		
	Aeromonas hydrophila from foods based			57791	~	Sabouraud Maltose Agar	100 Gms	14.48
00750	on starch hydrolysis (as per APHA).  ✓ S. Aureus Test Kit	1 Kit	48.69				500 Gms	55.27
99752	Used for isolation, identification and	1 Kit	40.09			For the cultivation and maintenance of yeasts, molds and a variety of fungi.		
	cultivation of Staphylococcus aureus.			33387	~	Sabouraud Maltose Broth	100 Gms	11.84
67506	✓ SABHI Agar Base	100 Gms	17.11				500 Gms	50.01
		500 Gms	55.27	36370	~	Saline Agar	100 Gms	14.48
44970	✓ Sabouraud Chloramphenicol Agar	100 Gms	13.16				500 Gms	51.32
44070		500 Gms	51.32	39930	~	SS Agar (Salmonella Shigella Agar)	100 Gms	10.53
	For the cultivation of yeasts and molds.						500 Gms	43.43
55941	✓ Sabouraud Chloramphenicol Agar	100 Gms	13.16			For the selective isolation and		
	BioVeg	500 Gms 51.32			differentiation of pathogenic enteric bacilli			
	For the cultivation of yeasts and molds.					especially Salmonella and Shigella		
19427	✓ Sabouraud Dextrose Agar (U/P)	100 Gms	9.21			species.		
	(I/P)	500 Gms	39.48	36856	•	SS Agar, Modified (Salmonella-Shigella Agar,	100 Gms	13.16
	(Sabouraud Glucose Agar)					Modified)	500 Gms	51.32
	For the cultivation of dermatophytes, yeasts and filamentous fungi.					(Salmonella Shigella Agar)		
28055	✓ Sabouraud Dextrose Agar	100 Gms	9.21			A modified medium, which provides better		
20000	· · · · · · · · · · · · · · · · · · ·	500 Gms	38.16	55504		growth of Salmonella and Shigella species.  Salmonella Test Kit	4 1/:+	26.32
	Used for the cultivation of dermatophytes,			55521	•	Samonena rest Kit	1 Kit	20.32
	yeasts & filamentous fungi.					Used for isolation, idetification and		
95430	Sabouraud Dextrose Agar	50 Gms	51.32			cultivation of Salmonella species.		
	Cycloheximide and	100 Gms	94.75	48589	~	Salt Polymyxin Broth, Base (I)	100 Gms	11.84
	Chloramphenicol (Mycobiotic Agar)					(Polymyxin Salt Broth)	500 Gms	47.38
	For the selective isolation and cultivation of fungi.			22887	~	Salt Polymyxin Broth, Base (B/S)	100 Gms	11.84
24613	✓ Sabouraud Dextrose Agar,	100 Gms	9.21				500 Gms	47.38
_,,,,,	Harmonized	500 Gms	39.48	58249	V	Schaedler Agar w/o Thioglycollate	100 Gms	19.74
	For the cultivation and isolation of yeasts,					(Schaedler Anaerobic Agar w/o Thioglycollate)	500 Gms	57.90
	molds and aciduric microorganisms in			16164	J	Schaedler Agar	100 Gms	13.16
	pharmaceutical testing according to			10104	•	(Schaedler Anaerobic Agar)	500 Gms	52.64
	harmonized methods.						JUU GIIIS	JZ.U4

Code		Name	Packing	\$ Price	Code		Name	Packing	\$ Price
87213	•	Y Selenite Broth w/ Dulcitol (Twin Pack) Used for enrichment of Salmonella species.	500 Gms	88.17	28582	•	Skim Milk Powder (SM Powder) BactoBio for bacteriology Specially made from Fat free milk,high in protein.Suitable as ingredient in	500 Gms	14.48
16709	~		100 Gms	9.21			microbiology media.		
		Selenite	500 Gms	39.48	69372	~	Skim Milk Plate Count Agar (SM Plate Count Agar)	100 Gms	28.95
38926	~		100 Gms	13.16				500 Gms	71.06
		(Twin Pack)	500 Gms	53.96			For the enumeration of bacteria in milk and dairy products.		
83179	~	Selenite F Broth, Base w/o Selenite	100 Gms	9.21	41023	~	Sorbitol Iron Agar	100 Gms	17.11
			500 Gms	39.48				500 Gms	61.85
17458	~	' Semi-Solid Nutrient Agar (I)	100 Gms	13.16	77892	~	Soyabean Casein Digest Agar	100 Gms	9.21
			500 Gms	53.96			(SCDA) (Tryptone Soya Agar, TSA),	500 Gms	39.48
75917	~	Semi-Solid Nutrient Agar (B/S)	100 Gms	13.16			Harmonized	2 Kg	147.39
			500 Gms	53.96			For isolation and cultivation of fastidious		
37963	~	' Semi-solid Rappaport Vassiliadis (MSRV) Medium Base	100 Gms	14.48			and non-fastidious microorganisms in pharmaceutical testing according to		
		· ,	500 Gms	52.64			harmonized methods.		
84809	~	' Sensitest Agar	100 Gms	25.00	33291	~	Soyabean Casein Digest Agar	100 Gms	9.21
		For the performance of antibiotic consitiuity	500 Gms	103.96			(SCDA) (Tryptone Soya Agar, TSA)	500 Gms	39.48
		For the performance of antibiotic sensitivity test.						2 Kg	147.39
11580	~	S.F.P Agar Base	100 Gms	13.16			Used for the isolation and cultivation of		
	(Shahidi Ferguson Perfringens Agar Base)		500 Gms	61.85			fastidious & non fastidious microorganisms.		
		Used for the isolation and enumeration of			10935	_		100 Gms	6.58
		Clostridium perfringens from foods.			10000		(SCDM) (Tryptone Soya Broth,	500 Gms	21.06
94074	~	Shigella Broth Base	100 Gms	13.16			TSB), Harmonized	2 Kg	72.38
			500 Gms	48.69			Used for cultivation of a wide variety of		
		Used for the isolation and cultivation of					fastidious and non-fastidious		
45290	ı	Shigella species from food.  Shigella Selective Supplement	5 vl	14.48			microorganisms in pharmaceutical testing according to harmonized methods.		
45290	•	(0.55mg/vl)	3 VI	14.40	47404	_	Soyabean Casein Digest Medium	500 Gms	26.32
91694	~	Slanetz and Bartley Medium	100 Gms	13.16			(SCDM) (Tryptone Soya Broth,		
			500 Gms	52.64			TSB), Sterile (Gamma Irradiated) Gamma irradiated sterile powder used for		
		For the detection and enumeration of					the growth of wide variety of bacteria and		
		enterococci by membrane filtration method.					fungi.		
49810	V		100 Gms	10.53	51993	~	Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth,	100 Gms	6.58
		Medium)	500 Gms	42.11			TSB) BioVeg	500 Gms	23.69
		For the differentiation of members of the					(Soyabean Medium BioVeg)		
		Enterobacteriaceae, based on H2S					For the cultivation of a wide variety of microorganisms.		
		production, indole production & motility.	100 0	40.50	44520	_	Soyabean Casein Digest Medium	500 Gms	32.90
57309	•	SIM Medium BioVeg	100 Gms 500 Gms	10.53 42.11			(SCDM) (Tryptone Soya Broth,		
		Used for the differentiation of members of	300 GIII3	72.11			TSB), BioVeg Sterile (Gamma Irradiated)		
		the Enterobacteriaceae, based onH2S					A nutritious general purpose medium,		
		production, indole production and motility.					prepared by replacing animal based		
59437	~	Simmon`s Citrate Agar	100 ame 10.00		peptones with vegetable based peptones.  It is gamma irradiated sterile powder, used				
			500 Gms	47.38			in evaluation of sterility in manufacturing		
		For the differentiation of gram-negative					process.		
		For the differentiation of gram-negative bacteria on the basis of citrate utilization.					, , , , , , , , , , , , , , , , , , ,		

Code	Name	Packing	\$ Price	Code		Name	Packing	\$ Price
28501	✓ Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth,	100 Gms 500 Gms	6.58 21.06	37547	•	Starch Agar	100 Gms 500 Gms	13.16 53.96
	TSB)	2 Kg	72.38			For detection of starch hydrolyzing	500 GITIS	55.90
	A nutritious general purpose medium used					microorganisms.		
	for the growth of a wide variety of bacteria and fungi.			<b>78486</b> [9005-84-	-9]	Starch Soluble Special (Cold Water Soluble) BactoBio for microbiology	100 Gms 500 Gms	21.06 47.38
	Soya Lecithin (30%) BactoBio for	100 Gms	22.37			A special grade of Starch, suitable for		
[8002-43-5]	bacteriology	500 Gms	47.38			media preparations in microbiology since it		
	A natural phospholipid made from non-GMO soya beans.					is cold water soluble due to its special preparation method. The solution		
20626	Soyatone BactoBio for bacteriology	500 Gms	17.11			characteristics being clear, make it especially suitable for such use in labs.		
	(Soya peptone)	5 Kg	147.39	76043	_	Sterility Test Kit	1 Kit	13.1
	Papaic digest of soyabean meal phytone, a			70040			1140	10.1
	peptone of plant origin. Contains high concentration of carbohydrates and					Used for sterility testing of products as per		
	nitrogen constituents, hence making it				0	Pharmacoepial standards.		
	suitable for growth of fastidious			11475	ı	Strepto Supplement	5 vl	15.79
	microorganisms.						5 x5 vl	50.0
24205	Special YM Medium	100 Gms	13.16	35140	ı	Streptococcus Selective	5 vl	21.00
		500 Gms	50.01			Supplement	5 x5 vl	51.3
39778	✓ Spirit Blue Agar	100 Gms	15.79	31025	~	Streptococcus Thermophilus	100 Gms	15.7
		500 Gms	64.48			Isolation Agar	500 Gms	55.2
54880	Sporulation Broth	100 Gms	11.84			For determining the ratio of Streptococcus		
		500 Gms	46.06			thermophilus and Lactobacillus bulgaricus in yoghurt.		
31363	✓ SPS Agar	100 Gms	14.48	77304	_	Streptomyces Agar	100 Gms	13.1
		500 Gms	51.32	77304		on optionly oco Again	500 Gms	52.6
	For the detection and enumeration of Clostridium perfringens in foods.					For the cultivation and maintenance of Streptomyces.		
14041	<ul> <li>Standard Methods Agar w /Tween</li> </ul>	100 Gms	31.58	43048	V	Stuart Transport Medium	100 Gms	17.1
	80 and Lecithin	500 Gms	127.65			•	500 Gms	71.0
92654	Standard Nutrient Agar No.1	100 Gms	13.16			For the preservation of Neisseria species		
		500 Gms	53.96			and other fastidious organisms during their		
	Used for the cultivation of fastidious					transport from clinic to laboratory.		
	bacteria and also for the isolation and			14840	~	Sucrose Salicin Agar (Gillies Agar	100 Gms	72.3
	enumeration of bacteria.			60007		No.2)	100 Gms	14.4
72899	✓ Standard Nutrient Agar No.2	100 Gms	15.79	69237	•	Sugar Free Agar (Count Agar Sugar-free)	500 Gms	51.3
		500 Gms	67.12			For the enumeration of psychotropic and	300 GIII3	31.3
68818	✓ Standard Nutrient Broth (H.S. Vaccine Medium)	100 Gms	10.53			mesophilic gram- negative rods in butter		
		500 Gms	31.58			and other dairy products as per formula		
	Recommended nutritive medium for mass					described by the International Dairy		
	cultivation of bacteria for vaccine production.					Federation.		
18247	Staph-Strepto Selective	5 vl	19.74	49778	~	Sulphite Agar	100 Gms	18.4
	Supplement	5 x5 vl	48.69			(Sulfite Agar)	500 Gms	56.5
39726	✓ Staphylococcus Medium 110	100 Gms	11.84	84524	~	Iron Sulphite Agar	100 Gms	11.8
20,20	(Stone Gelatin Agar, Gelatin Mannitol	500 Gms	42.11			(Sulfite Iron Agar)	500 Gms	51.3
	Salt Agar)					Used for the detection of Clostridia in the		
	For the isolation & enumeration of Staphylococci based on mannitol			0/075	D	examination of meat and meat products.	F . 1	01.0
	fermentation, pigment formation &			34050	8	Sulpha Supplement	5 vl	21.0
	gelatinase activity.			68041	~	Syncase Broth	100 Gms	14.48
				•			500 Gms	57.90

Code	Name	Packing	\$ Price	Code	1	Name	Packing	\$ Price
23635	5 ✓ T1N1 Agar (Tryptone Salt Agar) (Tryptone Salt Agar)	100 Gms 500 Gms	14.48 55.27	86908	✓ 1	Thiobacillus Agar	100 Gms 500 Gms	22.37 72.38
65235	5 ✓ T1N1 Broth (Tryptone Salt Broth)	100 Gms 500 Gms	7.90 35.53	65489	✓ 1	Thioglycollate Agar	100 Gms 500 Gms	13.16 52.64
15600		100 Gms	10.53			Used for the growth and cultivation of anaerobic microorganisms.	333 <b>3</b> 3	02.01
		500 Gms	50.01	38136		Thioglycollate Broth w/ Liver	100 Gms	10.53
86626	6 ✓ TCBS Agar (Thiosulphate Citrate Bile Salts Sucrose Agar)	100 Gms 500 Gms	11.84 50.01		E	Extract (B.Q. Vaccine Medium)  Recommended medium for cultivation of	500 Gms	28.95
	For the selective isolation of Vibrio cholera and Vibrio parahaemolyticus from a variety				6	anaerobes on large scale, especially for vaccine manufacturing.		
E046E	of clinical specimens.	100 Gms	11.04	91690		Thioglycollate Medium w/o	100 Gms	10.53
50165	5 ✓ TCBS Agar (B/S) (Thiosulfate Citrate Bile Salts Sucrose	500 Gms	11.84 50.01			Indicator (Diagnostic Thioglycollate Medium)	500 Gms	34.22
	Agar) Used for selective isolation of	ood amb	00.01			For the cultivation of anaerobic, microaerophilic and aerobic		
	Enteropathogenic Vibrio species.					microorganisms. For use in sterility testing		
68331	✓ TCBS Agar BioVeg	100 Gms	13.16	00070		of a variety of specimens.	100 0	15.70
	For the selective isolation of Vibrio cholera	500 Gms	55.27	63270	•	Thiol Broth	100 Gms 500 Gms	15.79 46.06
	and Vibrio parahaemolyticus from clinical specimens.	е		67819	<b>&amp;</b> 7	Ticarcillin Supplement (1mg/vl)	5 vl	15.79
15297	0	5 vl	17.11	29536	<b>✓</b> 1	TN Agar	100 Gms	14.48
30431	✓ Tellurite Glycine Agar Base	100 Gms	11.84				500 Gms	55.27
		500 Gms	59.22	11483	•	Todd Hewitt Broth	100 Gms	10.53
97630	y Tergitol- 7 Agar, Base (B/S)	100 Gms	13.16		ŗ	For the cultivation of Group A Streptococci	500 Gms	44.74
	(T7 Agar)	500 Gms	61.85			used in serological typing and for the		
67662		100 Gms	17.11		(	cultivation of variety of pathogenic		
	(T7 Agar, H)	500 Gms	69.75			microorganisms.		
99371		100 Gms	11.84	95197		Toluidine Blue DNA Agar (Dnase Test Agar with Toluidine Blue)	100 Gms	92.12
	(T7 Broth)	500 Gms	50.01				500 Gms	439.54
30086	✓ Terrific Broth (Tartoff-Hobbs Broth)	100 Gms	10.53	74398	•	Tomato Juice Agar	100 Gms 500 Gms	21.06 60.54
		500 Gms	39.48		.4 -	Turning and Ohanna and Marellinean		
	For the cultivation of recombinant strains of	of		33544	•	Transport Charcoal Medium	100 Gms 500 Gms	14.48 60.54
40873	Escherichia coli.  Tetracycline Selective Supplement	5 vl	18.42	07704	0 -	Tributyrin Supplement (10ml/vl)		
40073	, Total Control Cappionion	J VI	10.42	87704	•	Tributyrin Supplement (Tollil/VI)	5 vl 5 x5 vl	21.06 84.22
13112	✓ Tetrathionate Broth Base w/o lodine & BG	100 Gms 500 Gms	7.90 30.27			Used for the detection of lipolytic	3 X3 VI	04.22
	(TT Broth Base)			30842		microorganisms.  Tributyrin Agar Base w/o Tributyrin	100 Gms	14.48
91000	For the enrichment of Salmonella species.  Tetrathionate Broth Base (I)	100 Gms	9.21	30842	•	mbutyiiii Agai Base w/o mbutyiiii	500 Gms	59.22
81902	(TT Broth Base)	500 Gms	30.27		F	For the cultivation and enumeration of	ooo amo	00.LL
	Recommended for enrichment of	300 55	55.27			ipolytic microorganisms.		
	Salmonellae.			12081		Triple Sugar Iron Agar (I)	100 Gms	9.21
13727		100 Gms	11.84		(	(TSI Agar)	500 Gms	42.11
	Extract Agar)	500 Gms	52.64			Used for the differentiation of members of		
44521	▼ Thayer-Martin Medium, Base (Thayer-Martin Agar, Modified)	100 Gms 500 Gms	10.53 44.74		Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H2S production.			
	For the isolation of Neisseria species from specimens containing mixed flora of bacteria and fungi.				C	and neo production.		

Code	Name	Packing	\$ Price	Code	Name	Packing	\$ Price
55720	✓ Triple Sugar Iron Agar (B/S)  Used for the differentiation of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H2S production.	100 Gms 500 Gms	9.21 42.11	32068	✓ Tryptone Soya Agar (TSA) (Soyabean Casein Digest Agar, SCDA) BioVeg For isolation and cultivation of fastidious and non-fastidious microorganisms with or without addition of blood. Semisolid	100 Gms 500 Gms	11.84 44.74
69309	✓ Triple Sugar Iron Agar BioVeg	100 Gms 500 Gms	9.21 42.11		medium recommended for testing of motility of Listeria monocytogenes, as recommended by ISO committee.		
	Used for the differentiation of members of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose			21794	✓ Tryptone Soya Agar (TSA) w/MUG (Soyabean Casein Digest Agar w/MUG, SCDA MUG)	100 Gms 500 Gms	17.11 75.01
	and H2S production.			24392	✓ Tryptone Soya Broth (TSB)  (Soyabean Casein Digest Medium,	100 Gms	6.5
32007	✓ Tryptone BactoBio for bacteriology (Casitose)	500 Gms	25.00		SCDM)	500 Gms	21.0
	Pancreatic Digest Of Casein used for cultivation of fastidious and non-fastidious	5 Kg	230.30		For the cultivation of a variety of microorganisms.	2 Kg	72.3
	bacteria and fungi.			32347	✓ Tryptone Soya Broth (TSB) /SPS	100 Gms	10.5
10396	✓ Tryptone Bile Agar (I)	100 Gms	13.16		(Soyabean Casein Digest Medium w/SPS, SCDM w/SPS)	500 Gms	42.1
		500 Gms	55.27	16684	✓ Tryptone Soya Broth (TSB)	100 Gms	6.5
	Used for rapid detection and enumeration of Escherichia coli in foods.	100.0	7.00		(Soyabean Casein Digest Medium, SCDM) BioVeg	500 Gms	23.6
62600	✓ Tryptone Broth (Tryptone Water)	100 Gms 500 Gms	7.90 35.53		For the cultivation of a variety of microorganisms.		
	For the cultivation of production of Indole	000 01110	00.00	45511	✓ Tryptone Soya Yeast Extract Broth	100 Gms	11.8
	by microorganisms.					500 Gms	42.1
11947	✓ Tryptone Broth BioVeg (Tryptone	100 Gms	9.21	83009	✓ Tryptone Tellurite Agar Base	100 Gms	13.1
	Water BioVeg)	500 Gms	35.53			500 Gms	57.9
	For the cultivation of production of indole by microorganisms.			18528	✓ Tryptone Type I (Casitose)  BactoBio for bacteriology	500 Gms	35.5
62087	✓ Tryptone Glucose Yeast Extract Broth	100 Gms	13.16		(Casein Enzymatic Hydrolysate (Type I))		
		500 Gms	44.74		Tryptone Type I is an enzymatic digest of		
45227	✓ Tryptone Phosphate Broth	100 Gms 500 Gms	7.90 34.22		milk protein, rich in amino nitrogen source; used in microbiological and fermentation		
	For the cultivation of enteropathogenic	300 GIII3	04.22		media.		
	Escherichia coli.			20483	✓ Tryptone Type II (Casitose)	500 Gms	35.5
73825	✓ Tryptone Salt Broth	100 Gms 500 Gms	7.90		BactoBio for bacteriology (Casein Enzymatic Hydrolysate (Type		
	V Trustone Sove Ager (TSA)		35.53		II)) Tryptone Type II is an enzymatic digest of		
53226	✓ Tryptone Soya Agar (TSA) w/Lecithin and Polysorbate 80	100 Gms 500 Gms	13.16 56.59		lactose free milk protein, rich in amino		
	(SCDA Lecithin & Tween 80)	300 GIII3	50.55		nitrogen source used especially in		
	(Soyabean Casein Digest Agar w/Lecithin & Tween 80, SCDA Lecithin				Antibiotic assay medium.		
	& Tween 80)			69165	✓ Tryptone Water Broth w/BCP	100 Gms 500 Gms	11.8 39.4
18039	✓ Tryptone Soya Broth (TSB) w/ 6.5% Sodium Chloride (Soyabean	100 Gms	15.79		Recommended for the cultivation of	500 GIIIS	39.4
	Casein Digest Medium (SCDM) w/	500 Gms	32.90		Salmonella species from food samples.		
	NaCl)	400.0		79223	✓ Tryptone Yeast Extract Agar w/BCP	100 Gms	14.4
21091	✓ Tryptone Sucrose Tetrazolium Agar, Base (I)	100 Gms 500 Gms	13.16 53.96		(I)(B/S)	500 Gms	60.5
	(TSTA)	JOU GIIIS	33.90	15965	✓ Tryptophan Broth (I) (Tryptophan	100 Gms	9.2
20407	✓ Tryptone Soya Agar (TSA) (Soyabean Casein Digest Agar,	100 Gms	9.21		Medium (I))	500 Gms	34.2
	(Soyabean Casein Digest Agar, SCDA)	500 Gms 2 Kg	39.48 147.39		Used for differentiation of bacteria on the basis of indole production.		
	For the cultivation and maintenance of a wide variety of microorganisms.						

	-			
Code		Name	Packing	\$ Price
40626	•	Tryptophan Broth (Tryptophan Medium) BioVeg	100 Gms 500 Gms	10.53 38.16
		Used for the differentiation of bacteria on the basis of indole production.		
47253	•	Tryptose Blood Agar Base	100 Gms 500 Gms	15.79 61.85
		For the cultivation and maintenance of a wide variety of fastidious microorganisms.		
12514	~	Tryptose BactoBio for bacteriology	500 Gms	26.32
		Mixed enzymatic hydrolysate of protein, especially used in media to grow fastidious microorganisms.		
48200	~	Tryptose Phosphate Broth	100 Gms	9.21
		For the cultivation of a variety of fastidious bacteria.	500 Gms	38.16
45989	~	Tryptose Phosphate Broth BioVeg	100 Gms	10.53
		- u u u c u c u c	500 Gms	39.48
		For the cultivation of a variety of fastidious bacteria.		
55052	ı	TTC Solution 1% (10ml/vl)	5 vl	14.48
			5 x5 vl	43.43
18339	~	Urea Agar, Base (I) (B/S)	100 Gms 500 Gms	14.48 51.32
		Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae.		
88708	~	Urea Agar Base	100 Gms	11.84
			500 Gms	44.74
42465	~	Urea Agar Base (Christensen) BioVeg	100 Gms 500 Gms	11.84 46.06
		Used for the detection of urease production by Proteus species and for identification of other members of Enterobacteriaceae.		
97438	~	Urea Broth, Base	100 Gms	10.53
		For identifying bacteria on the basis of urea utilization, for the differentiation of Proteus species from Salmonella and Shigella species.	500 Gms	44.74
58028	~	Urea Indole Medium	100 Gms	13.16
	_		500 Gms	52.64
80192		40% Urea Solution (5ml/vl)	5 vl	6.58
		Used for the detection of urease activity.	5 x5 vl	26.32
26117		Vancomycin Supplement (3mg/vl)	5 vl	21.06
34123		VCN Supplement	5 vl	30.27
			5 x5 vl	106.60

Code		Name	Packing	\$ Pric
32249		VCNT Supplement	5 vl	30.2
			5 x5 vl	106.6
78604	~	V Infusion Agar (Veal Infusion	100 Gms	17.1
		Agar)	500 Gms	51.3
86771	~	V Infusion Broth (Veal Infusion	100 Gms	13.1
		Broth)	500 Gms	47.3
		Recommended for cultivation of fastidious		
67389	J	pathogenic bacteria.  Veg Extract Agar BioVeg	500 Gms	53.9
67309	_	veg Extract Agai bloveg	500 GITIS	55.
55605	~	Veg Extract Broth BioVeg	500 Gms	53.9
53818	~	Violet Red Bile Agar (B/S)	100 Gms	10.
			500 Gms	43.4
		Recommended medium for selective		
		isolation, detection and enumeration of		
		coliforms in water, milk and other dairy		
E7004	La l	products.  Violet Red Rile Agar (1.2%) (I)	100 Gms	10
57081	•	Violet Red Bile Agar (1.2%) (I)	100 Gms 500 Gms	13. <sup>-</sup>
		Decommended and divine for a starting	SUU GITIS	44.
		Recommended medium for selective isolation, detection and enumeration of		
		coliforms in water, milk and other dairy		
		products.		
33690	~	Violet Red Bile Agar w/ MUG	100 Gms	19.7
			500 Gms	88.
88966	~	Violet Red Bile Broth	100 Gms	10.
			500 Gms	39.4
		For detection and enumeration of coliforms		
		from water and foods.		
43459	~	Violet Red Bile Dextrose Agar	100 Gms	14.4
		BioVeg	500 Gms	44.7
		Used for detection and enumeration of		
		Enterobacteriaceae from foods.		
55373	~	Violet Red Bile Glucose Agar (I)	100 Gms	10.
		(Violet Red Bile Glucose Agar w/o Lactose)	500 Gms	42.
		Used for detection and enumeration of		
		Enterobacteriaceae from foods.		
89912	~	Violet Red Bile Glucose Agar,	100 Gms	10.
		Harmonized	500 Gms	40.8
34326		Vitamin K1 Supplement (10mg/vI)	5 vl	14.4
		A vitamin growth supplement used for the		
		isolation of anaerobic organisms.		
38907	~	Vogel and Johnson Agar, Base	100 Gms	9.2
		(U/P)(I/P)	500 Gms	38.
		(V.J. Agar, Base)		
		For the detection of coagulase positive		

Code	Name	Packing	\$ Price	Code		Name	Packing	\$ Price
56055	✓ Water Agar	100 Gms 500 Gms	14.48 48.69	22176	ı	Yeast Autolysate Supplement	5 vl 5 x5 vl	14.48 47.38
	Used for cultivation and observation of	300 GIII3	40.00	51089		Yeast and Mould Agar	100 Gms	14.48
	sporulation of some fungi and also for the			51009	•	reast and Modic Agai	500 Gms	56.59
	enumeration of fungi according to MPN			34266		Yeast Extract BactoBio for	100 Gms	10.53
	method.			34200	•	bacteriology	500 Gms	30.27
23892	✓ Water (Faecal coliforms ) Testing Kit	1 Kit	22.37				5 Kg	298.73
	For the enumeration and identification of						10 Kg	572.40
	faecal coliforms from water and waste					Water soluble portion of autolysed yeast		
	water samples.					especially rich in B-complex vitamins used		
55014	✓ Wilkins-Chalgren Agar (Anaerobic Agar)	100 Gms	14.48			in microbiological and fermentation media.		
		500 Gms	53.96	89463	~	Yeast Extract for bacteriology	100 Gms	7.90
	For cultivation and maintenance of anaerobic bacteria. In susceptibility testing						500 Gms	14.48
	to determine minimum inhibitory					Low pld elightly turbid extract of outply and	5 Kg	140.8
	concentrations (MICs) of antibiotics for					Low pH, slightly turbid, extract of autolysed yeast cells used generally for technical		
	anaerobic bacteria.					purposes.		
91753	✓ Willis and Hobbs Medium Base	100 Gms	14.48	52184	V	Yeast Extract for cell culture	100 Gms	14.48
		500 Gms	57.90				500 Gms	38.10
31560	✓ WL Differential Agar	100 Gms	13.16	36504	~	Yeast Extract Agar	100 Gms	19.7
		500 Gms	48.69				500 Gms	68.4
45086	✓ WL Nutrient Agar (Wallerstein Laboratory Medium)	100 Gms	14.48			For the enumeration of microorganisms in		
	(Wallerstell Laboratory Medium)	500 Gms	50.01			potable and fresh water samples.		
78176	✓ WL Nutrient Broth (Wallerstein Laboratory Nutrient Broth)	100 Gms	14.48	62332	~	Yeast Lactose Agar	100 Gms	26.3
	(Wallerstell Laboratory Nutrient Drotti)	500 Gms	43.43				500 Gms	110.54
47617	✓ Wort Agar	100 Gms	11.84	49723	~	Yeast Malt Agar (YM Agar)	100 Gms	13.16
	For the cultivation and enumeration of	500 Gms	53.96				500 Gms	55.27
	For the cultivation and enumeration of yeasts. Its low pH inhibits bacterial growth.					For the cultivation of fungi including yeasts and other aciduric organisms.		
26434	✓ Wurtz Medium	100 Gms	13.16	63973	V	Yeast Malt Extract Broth	100 Gms	10.53
		500 Gms	51.32			(YM Broth)	500 Gms	43.43
53556	✓ Xylose Lysine Deoxycholate Agar	100 Gms	11.84	40965	~	Yeast Mannitol Agar	100 Gms	14.48
	(XLD Agar)(U/P) (I/P)	500 Gms	46.06			• · · · · · · · · · · · · · · · · · · ·	500 Gms	67.12
	Used for the isolation and differentiation of					For the isolation and enumeration of soil		
	enteric pathogens, especially Shigella and					microorganisms like Rhizobium species.		
	Providencia.			56342	~	Yeast Mannitol Broth	100 Gms	10.53
70791	<ul> <li>✓ Xylose Lysine Deoxycholate Agar (XLD Agar)</li> </ul>	100 Gms	11.84				500 Gms	46.06
		500 Gms	46.06			For the cultivation of soil microorganisms		
	Used for the isolation and identification of Salmonellae and Shigellae.			E 40E0		like Rhizobium species.	100 0	44.0
89660	✓ XLT 4 Agar Base	100 Gms	15.79	54250	٧	YPD Agar (Yeast Peptone Dextrose Agar, YEPD Agar)	100 Gms 500 Gms	11.84 50.0
03000	7.1. 17.ga. 2.00	500 Gms	67.12			For maintaining and propagating yeasts in	500 GIIIS	50.0
73111	✓ Xylose Lysine Deoxycholate Agar	100 Gms	11.84			molecular biology studies.		
.0111	(XLD Agar), Harmonized	500 Gms	47.38	51830	~	Yersinia Isolation Agar	100 Gms	15.79
	For cultivation and isolation of Salmonella						500 Gms	56.59
	species in pharmaceutical testing					For the isolation of Yersinia species from		
	according to harmonized methods.					foods.		
67146	✓ Yeast Autolysate (Yeast Peptone)	100 Gms	9.21	27810	~	Yersinia Selective Agar Base	100 Gms	15.79
	BactoBio for microbiology	500 Gms	34.22				500 Gms	56.59
	Water soluble portion of autolysed yeast			15061		Yersinia Selective (C.I.N.)	5 vl	18.42
	especially rich in B-complex vitamins, used in microbiological and fermentation media.					Supplement	5 x5 vl	53.96

de	Name	Packing	\$ Price	Code	Name	Name	Name Packing
83385	✓ Yeast Glucose Chloramphenicol	100 Gms	15.79				
	Agar (YGC Agar, Chloramphenicol Agar)	500 Gms	53.96				
	Used for the isolation and enumeration of molds in milk and dairy products.						
66995	✓ YPD Broth (Yeast Peptone	100 Gms	14.48				
	Dextrose Broth, YEPD Broth)	500 Gms	60.54				
	For maintenance and propagation of yeasts in molecular microbiology procedures.						
98271	✓ YT Broth (2X YT Broth)	100 Gms	11.84				
		500 Gms	44.74				
	Used for the cultivating of recombinant strains of Escherichia coli.						
19510	✓ YXT Agar Base	100 Gms	13.16				
		500 Gms	52.64				

# Part E

# BioLit® (DNA & Protein Tools and Kits)



code product name application/description unit \$ price

### BioLit® PCR Products (Taq Polymerase, Buffers & Kits)

#### BioLit® TAQ Polymerases

Taq DNA Polymerases (offered in different concentrations) are enzymes used in Routine PCR. They are thermostable recombinant DNA polymerases derived from thermophilic bacterium *Thermus aquaticus*. They can amplify DNA target up to 5 kb (simple template) and have a 5' to 3' polymerase activity but lack 3' to 5' exonuclease activity that result in a 3'-dA overhang PCR product.

#### BioLit® Routine PCR

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

61524	TAQ DNA Polymerase (1U/μl)	Includes Taq DNA Polymerase (1U/ $\mu$ l) 10X PCR Buffer (MgCl $_2$ free), 25mM MgCl $_2$	500 units 1000 units 5000 units	30.00 56.85 276.49
32976	TAQ DNA Polymerase (3U/μl)	Includes Taq DNA Polymerase (3U/ $\mu$ I) 10X PCR Buffer (MgCl $_2$ free), 25mM MgCl $_2$	500 units 1000 units 5000 units	30.00 56.85 276.49
82487	TAQ DNA Polymerase (5U/μl)	Includes Taq DNA Polymerase (5U/ $\mu$ I) 10X PCR Buffer (MgCl $_2$ free), 25mM MgCl $_2$	500 units 1000 units 5000 units	30.00 56.85 276.49
12816	TAQ DNA Polymerase (5U/μΙ) (w/6X Buffer)	Includes Taq DNA Polymerase (5U/µI) 10X PCR Buffer (Mg <sup>2+</sup> Plus) 6X Loading Buffer	500 units 1000 units 5000 units	37.37 64.35 291.49
51613	TAQ DNA Polymerase (5U/μI) (w/6X Buffer, w/dNTP)	Includes Taq DNA Polymerase (5U/µI) 10X PCR Buffer (Mg <sup>2+</sup> Plus) 6X Loading Buffer dNTP mix (each 2.5 mM)	500 units 1000 units 5000 units	40.40 67.38 306.36

A Thermostable recombinant DNA polymerase, useful in amplification of DNA fragments upto 6 kb from genomic DNA with high purity and specificity. Sources of template - plant genomic DNA, mouse cDNA, bacterial colony DNA, bacterial plasmid DNA, viral DNA and zygocity PCR templates. No loading buffers or tracking dyes required. Samples may be added directly to an agarose gel after PCR and visualized.

57694	Red TAQ DNA	Includes Red Taq DNA Polymerase (1U/ $\mu$ I)	500 units	52.38
	Polymerase (1U/μl)	10X Red Taq Buffer, 25 mM MgCl $_2$	1000 units	91.20
12192	Roseate Taq DNA		500 units	39.87 65.54

Roseate Taq DNA Polymerase is a thermostable recombinant DNA polymerase derived from thermophilic bacterium Thermus aquaticus. Its molecular weight is 94 kDa. Taq DNA Polymerase can amplify DNA targets up to 5 kb (simple template). The elongation velocity is 0.9~1.2kb/min (70~75°C). It has 5' to 3' polymerase activity but lacks of 3' to 5' exonuclease activity that result ion a 3'-dA overhangs PCR product. The buffer given is 10X Rosette PCR Buffer with Mg2+. This buffer has a roseate coloured dye enabling the researcher to load the sample

The buffer given is 10X Rosette PCR Buffer with Mg2+. This buffer has a roseate coloured dye enabling the researcher to load the sample directly after PCR into an agarose gel for electrophoresis.

Other different polymerases described below are useful when there is a need for higher specificity for primer incorporation, high fidelity with proof reading capability, amplifying long and complex templates & need for efficient and fast elongation, and DNA Polymerase which is suitable for Hot Start PCR. The polymerases here each have one of these features and can be chosen to suit the needs of the researcher.

#### BioLit® Hot Start PCR

This product is a DNA Polymerase coated with antibody, which is suitable for Hot Start PCR. There is no activity of this enzyme at room temperature, and the antibody can be inactivated rapidly at 70°C or above. This ensures that the enzyme is active only during PCR and prolonged heating or denaturation steps can be avoided.

81646	Hot Start Taq	Includes Includes HotStart Taq Polymerase (5U/ $\mu$ I)	250 units	101.73
	Polymerase (5U/ $\mu$ I)	10X HotStart buffer with Mg <sup>2+</sup> 2.5mM dNTP Mix	1000 units	388.61

code	product name	application/description	unit	\$ price

#### BioLit® High Specificity PCR

Can amplify DNA target up to 5 kb. The elongation velocity is  $0.9 \sim 1.2$ kb/min. It has 5' to 3' polymerase activity but lacks 3' to 5' exonuclease activity that results in a 3'-dA overhang PCR product.

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

46033	HSP TAQ DNA	Includes HSP Taq DNA Polymerase (5U/μΙ)	500 units	62.90
	Polymerase (5U/ $\mu$ I)	10X HSP PCR Buffer (with Mg <sup>2+</sup> )	1000 units	116.60

6×Loading Buffer

#### BioLit® High Fidelity PCR

Pfu DNA polymerase, derived from the hyperthermophilic archae Pyrococcus furiosus, has superior thermostability and proofreading properties. It can amplify DNA target up to 2 kb (simple template), possesses 3' to 5' exonuclease proofreading activity, generates PCR fragments will have fewer errors, results in blunt-ended PCR products, which are ideal for cloning into blunt-ended vectors Applications - High-fidelity PCR and primer-extension reactions, High fidelity PCR for cloning into blunt-ended vectors, Site-directed mutagenesis.

22774	Pfu DNA	Includes Pfu DNA Polymerase (5U/µl)	250 units	85.28
	Polymerase (5U/μΙ)	10X Pfu Buffer (Mg²+ )	1000 units	299.00
	ι σιγιποιασσ (σσ/μι)	6X Loading Buffer	rood drine	255.00
49069	Pfu DNA	Includes Pfu DNA Polymerase (5U/ $\mu$ I)	250 units	88.30
	Polymerase (5U/μΙ)	10X Pfu Buffer (Mg <sup>2+</sup> )	1000 units	313.87
	(w/dNTP)	6X Loading Buffer dNTP mix (each 2.5mM)		

Taq Plus DNA Polymerase is a mixture of Taq and Pfu DNA polymerase that allows amplification of higher fidelity and longer templates Ideal for amplifying complex template, such as GC-rich template.

Applications - Amplification of long template up to 20kb, Amplification of complex template, High fidelity PCR

85737	TAQ Plus DNA Polymerase (2.5U/μl)	Includes Taq plus DNA Polymerase (2.5U/µl) 10X PCR Buffer (Mg <sup>2+</sup> Plus) 6X Loading Buffer	250 units 1000 units	53.82 194.37
93561	TAQ Plus DNA Polymerase (2.5U/ $\mu$ l) (w/dNTP)	Includes Taq plus DNA Polymerase (2.5U/µl) 10X PCR Buffer (Mg²+) 6X Loading Buffer dNTP mix (each 2.5mM)	250 units 1000 units	56.85 200.30

#### BioLit® Long PCR

Long Taq DNA Polymerase, a combination of two thermostable DNA polymerases, Taq and Pfu, is a special formulation designed for amplifying large fragments. This specially formulated Long Taq was shown to amplify long templates from  $\lambda$  phage genome of up to 40 kb. It is also a better choice for amplifying complex template, such as GC-rich template. Long Taq is suitable as a direct replacement for ordinary Taq Polymerase in most applications. Using Long Tag in your PCR results in PCR products with 3 '-dA overhangs which can be used in TA clone.

15367	Long TAQ DNA Polymerase (5U/μΙ)	Includes Long Taq DNA Polymerase (5U/µI) 10X Long Taq Buffers I & II (Mg²+ ) 6X Loading Buffer PCR Enhancer	250 units 1000 units	43.43 157.92
94126	Long TAQ DNA Polymerase (5U/μl) (w/dNTP)	Includes Long Taq DNA Polymerase (5U/µI) 10X Long Taq Buffers I & II (Mg <sup>2+</sup> ) 6X Loading Buffer PCR Enhancer dNTP mix (each 2.5mM)	250 units 1000 units	65.80 197.40

code	product name	application/description	unit	\$ price

#### BioLit® Fast PCR

FSP Taq DNA polymerase is the latest generation Taq-based DNA polymerase. It possesses high amplification efficiency as Taq polymerase and with fast elongation ability, it can be used in a variety of PCR. The FSP PCR Buffer, designed for FSP Taq DNA polymerase, can be used in fast amplification reactions.

The elongation rate of FSP Taq DNA polymerase is 2-fold higher than the one of regular Taq DNA polymerase, which shortens the amplification time by half.

58235	FSP TAQ DNA Polymerase (5U/μl)	Includes FSP Taq DNA Polymerase (5U/µI) 10X FSP Taq Buffer (with Mg <sup>2+</sup> ) 6X Loading Buffer	250 units 1000 units	47.90 149.50
70073	FSP TAQ DNA Polymerase (5U/μΙ) (w/dNTP)	Includes FSP Taq DNA Polymerase (5U/µI) 10X FSP Taq Buffer (with Mg <sup>2+</sup> ) 6X Loading Buffer dNTP mix (each 2.5 mM)	250 units 1000 units	50.93 155.55

### **BioLit® PCR Mixes**

#### **Routine PCR Master Mixes**

Ready-to-use solutions containing the specific DNA Polymerase, dNTP, Mg<sup>2+</sup> and Reaction Buffer at optimal concentrations for efficient amplification of DNA templates by PCR. This pre-mixed formulation saves time and reduces contamination due to the fewer pipetting steps. Includes Specific DNA Polymerase Mix, Water Nuclease Free.

50900	Taq Mix (2X) (PCR Master Mix (2X))	1ml (40 rxns) 5×1ml (200 rxns)	35.93 158.45
46503	Roseate PCR Master Mix (2X) (Taq Mix (2X))	1ml (40 rxns) 5×1ml (200 rxns)	38.56 163.71
94531	Pfu Mix (2X)	1ml (40 rxns) 5×1ml (200 rxns)	96.46 380.32
23782	Plus Mix (2X)	1ml (40 rxns) 5×1ml(200 rxns)	98.17 380.32
66677	HSP Mix (2X)	1ml(40 rxns) 5×1ml (200 rxns)	48.30 199.51
36250	Long Taq Mix (2X)	1ml (40rxns) 5×1ml (200 rxns)	96.46 238.46
11307	FSP Taq Mix (2X)	1ml (40 rxns) 5×1ml (200 rxns)	64.35 288.07
84729	FSP Taq Mix Direct for blood (2X)	1ml (40 rxns)	97.25
		5×1ml (200 rxns)	403.49
20220	FSP Taq Mix Direct for tissue (2X)	1ml (40 rxns) 5×1ml (200 rxns)	97.25 403.49

#### Realtime PCR Master Mix (qPCR)

2X Master Mix for Real-Time PCR, contains all components, except the primer & template. This reagent is applicable for intercalation assay with FluroGreen dye which is similar to SYBR Green I. Reagent can be used in various detection devices. Also available with passive reference dye of low or high concentrations.

Includes FluroGreen qPCR Mix(2X)w/wt passive refrence dye, Nuclease Free Water.

60159	BioLit FluroGreen qPCR Master Mix (2X)	0.5ml (20 amps) 1ml (40 amps)	74.09 128.18
78797	BioLit FluroGreen qPCR Master Mix (Low CAR) (2X)	0.5ml (20 amps)	78.30 139.50

code	product name	application/description	unit	\$ price
38151	BioLit FluroGreen qPCR I	Master Mix (High CAR) (2X)	0.5ml (20 amps) 1ml (40 amps)	88.30 153.84
BioLit® PCI	R Accessory Reagent	S		
-	eagents for PCR for the user's			
61318	10X PCR Buffer with KCI (	Mg <sup>2+</sup> free)	4×1.25ml	19.21
41212	10X PCR Buffer with 15ml	M Mg <sup>2+</sup>	4×1.25ml	19.21
43386	10X PCR Buffer with Mg <sup>2+</sup>	set	6×1.25ml	23.69
90508	10X Roseate PCR Buffer with Mg <sup>2+</sup>	Ready-to-use reagent having two tracking dyes along with the buffer & MgCl2. After PCR, samples can be loaded directly onto the agarose gel for electrophoresis.	4×1.25ml	18.56
86687	25mM MgCl <sub>2</sub>		4×1.25ml	21.71
66886	DEPC-Treated Water	Suitable in any application where RNA is involved and all molecular biology applications.	100 ml 500 ml	7.24 22.50
96370	Water, nuclease-free	Suitable for use in all molecular biology applications.	5×1ml 100ml 500 ml	3.82 7.24 22.50
20870	PCR Enhancer	Useful to optimize PCR of problematic and/or GC-rich temp Offers higher primer specificity, and improved themostability DNA polymerases.		50.93
52531	PCR Sample Preparation Solution	Simple, all-inclusive sample preparation solutions for varied samples suitable for direct PCR techniques.	50 preps 200 preps	22.50 86.72
48044	Glycogen (20mg/ml) Aq. Solution Ultrapure		2×0.25 ml 1 ml	110.54 179.63
79326	Shrimp Alkaline Phosphatase (rSAP) (1U/u	ul)	500 units 1000 units	113.97 213.59

Shrimp Alkaline Phosphatase (r-SAP) is a heat labile alkaline phosphatase purified from a recombinant source. rSAP is identical to the native enzyme and contains no affinity tags or other modifications. rSAP nonspecifically catalyzes the dephosphorylation of 5′ and 3′ ends of DNA and RNA phosphomonoesters.

#### BioLit® NTP and dNTP Sets, Mixes & Solutions

#### NTP Set & Solutions (100mM each)

The set and individual solutions consist of 100mM aqueous solutions of ATP, TTP, CTP and GTP each supplied in separate vials. These ready-to-use solutions offer maximum flexibility for various molecular biology applications *viz. in vitro* transcription, RNA amplification. Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

65240	NTP Set Ultrapure (100mM each)	4x0.25ml	104.62
89889	ATP Solution Ultrapure (100mM)	0.25ml	23.95
71636	CTP Solution Ultrapure (100mM)	0.25ml	23.95
88705	GTP Solution Ultrapure (100mM)	0.25ml	23.95
93633	UTP Solution Ultrapure (100mM)	0.25ml	23.95

code	product name	application/description	unit	\$ price

#### dNTP Sets (100mM, 10mM)

The sets consists of 10mM/100mM aqueous solutions of dATP, dCTP and dGTP, pH 7.0, each supplied in a separate vial. The dNTP Set offers maximum flexibility in preparation of reaction mixes for different molecular biology applications.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

94903	dNTP Set Ultrapure (100mM each)	4×0.25ml 4×1ml	103.17 358.74
69478	dNTP Set Ultrapure(10mM each)	4×0.1ml 4×0.5ml 5x(4x0.2ml)	22.50 59.88 119.62

#### dNTP Mixes

dNTP Mix is an aqueous solution at pH 7.0 containing dATP, dCTP, dGTP and dTTP, each at a final concentration of 2.5 mM/10mM/25mM. They are ready-to-use solutions designed to save time, provide higher reproducibility in PCR and other applications, reduce the number of pipetting steps and the risk of reaction set-up errors.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

70596	dNTP Mix Ultrapure (2.5mM each)	1ml	31.45
		5×1ml	112.12
18821	dNTP Mix Ultrapure (10mM each)	1ml	41.98
		5×1ml	127.13
14464	dNTP Mix Ultrapure (25mM each)	1ml	49.35
		5×1ml	194.37

#### **dNTP Solutions**

Each individual dNTP is supplied as a 100mM solution in sterile, deionized water at pH 7.0 and is prepared from monosodium salts of the free nucleotides.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

72009	dATP (100mM Solution)		0.2 ml 0.5 ml	32.90 59.88
19809	dCTP (100mM Solution)		0.2 ml	32.90
47435	dGTP (100mM Solution)		0.5 ml 0.2 ml 0.5 ml	59.88 32.90 59.88
91474	dTTP (100mM Solution)		0.2 ml 0.5 ml	32.90 59.88
71411	dUTP (100mM Solution)		0.25ml	148.05
BioLit® RNA	A Accessory Reagent	S		
75044	Oligo (dT) 15 primer (50 $\mu$ M)	A synthetic single-stranded 15-mer oligonucleotide with 5'- and	$50\mu$ l	26.98
		3'-hydroxyl ends. Supplied as an aqueous solution. Used for first strand cDNA synthesis synthesis in presence of reverse transcripta	ase	
53704	Random Hexamer Primer 6-mer (50 $\mu$ M)	A mixture of single-stranded random hexanucleotides with 5'- and 3'-hydroxyl ends. Used during cDNA synthesis to produce cDNAs randomly scattered through mRNA resulting in short strands of cD		26.98
96710	Ribonuclease A Solution	RNase A is an endoribonuclease extracted from bovine pancreas	3 x1 ml	47.90
	ex. Bovine Pancreas (RNAse A Soln) (10mg/ml)	that specifically degrades single-stranded RNA. (DNase, Protease Free)	10 ml	149.50
38080	Ribonuclease H (RNase H) (5U/ul)	RNase H is a recombinant endoribonuclease that hydrolyses specifically the phosphodiester bonds of RNA hybridized to DNA and produces 5' phosphate-terminated oligoribonucleotides and statements.	50 units 250 units	99.75 299.00 ed DNA
92030	RNasin (RNase inhibitor) (40U/ $\mu$ I)		1000 units	53.82.00

that contain mRNA-protein complex etc.

	code	product name	application/description	unit	\$ price
71	1969	RNA Stabilizing Solution	An aqueous tissue storage reagent that stabilizes and protects cellular RNA in intact, unfrozen tissue samples. It eliminates the need to immediately process tissue samples or to freeze sample in liquid nitrogen. It does not jeopardize the quality or quantity of RNA in the sample.	5 x1 ml 100 ml s 500 ml	33.16 44.22 103.70
20	)310	RNA Loading Buffer (5X)	It is used to load RNA sample on a formaldehyde agarose gel. It consists of two tracking dyes, Bromophenol blue and Xylene cya	1 ml nol. 5 x1ml	15.79 72.38
98	3343	T7 RNA Polymerase (50U/ul) (w/10X IVT Buffer	T7 RNA polymerase is a monomeric bacteriophage encoded ) DNA directed RNA polymerase which catalyzes the formation of RNA in the 5'-3' direction.	1000 units 5000 units	105.28 513.24
76	651 <b>6</b>	M-MLV (Recombinant) (200U/ $\mu$ I)	A Reverse Transcriptase enzyme that generates first PCR strand cDNA for use in PCR, real-time. Includes 10X Reaction Buffer	5000 units 10000 units	118.44 210.56
94	1837	RT-PCR Kit (First Strand cDNA Synthesis Kit)	Reverse Transcriptase -PCR Kit is optimized to synthesize first-strand cDNA from purified poly (A) + or total RNA. Includes - M-MLV (200U/μl), RNasin (40U/μl), Oligo(dT)15 (50μM Random hexamer primer (50μM), 5X First-strand Buffer, RNase-free Water, dNTP mix (10mM each)	20 preps 40 preps ),100 preps	93.44 157.00 373.61
41	1066	TRIzol-C Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. As it is differently buffered from TRIzol-T reagent, the isolated RNA may interact with these metal ions if involved in downstream processes.	20 ml 100 ml	23.95 83.70
99	9359	TRIzol-T Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. Differs in the buffer of TRIzol-T reagent, and is innocuous to all downstream processes.	20 ml 100 ml	21.06 80.80

### BioLit® Tracking dyes & Buffers

6x Gel Loading Dyes are pre-mixed loading buffers with tracking dye/s to be added to the nucleic acid samples for agarose and non-denaturing poylacrylamide gel electrophoresis.

78591 83184	6X Blue Loading Dye 6X DNA Loading Dye	Contains Bromophenol blue as tracking dye.  Contains Bromophenol blue and Xylene Cyanol FF as tracking dye	5×1 ml	36.45 36.45
56885	6X DNA Loading Dye & SDS solution	Contains Bromophenol blue and Xylene Cyanol FF as tracking dye The buffer also contains SDS which results in sharper bands as some restriction enzymes remain bound to DNA following cleavage		41.06
46200	6X Orange Loading Dye	Contains Orange G and Xylene Cyanol FF as tracking dyes	5×1 ml	36.45
55895	6X TriColor Loading Dye	Contains Orange G, Bromophenol Blue and Xylene Cyanol FF as tracking dyes	5×1 ml	36.45
73530	20X DoubleQuick DNA Electrophoresis Buffer	An exceptionally 'swift' agarose gel tank buffer that electrophoreses the DNA samples in less than 10 minutes. Three times more effective as compared to TAE or TBE buffer.	250 ml 500 ml	54.75 99.09

### **BioLit® Staining Dyes for Nucleic Acids**

Nucleic acid & protein staining dves.

Nucleic acia	a protein stairing dyes.			
50358	BioLit FluroBronze Stain A non-carcinogenic nu	cleic acid stain that is eco-friendly and	$50 \mu$ l	15.00
	replaces the use of eth	nidium bromide. Used for viewing	$250 \mu$ l	47.90
	nucleic acids on agarc	se gel.	1 ml	149.50
	Advantage: The stain is not added to the gel matrix of	r the running buffers, but is mixed as a		
	6X loading buffer with the nucleic acid samples prior	to loading onto the gel.		
21156	SafeDye Green Stain		100 <i>µ</i> l	91.20
	(20000X in Water)		500 <i>μ</i> Ι	373.09
			1 ml	663 26

code	product name	application/description	unit	\$ price
25834		SafeDye is a new, safe nucleic acid stain for the detection of double-stranded DNA, single-stranded DNA and RNA in Agarose gels. This dye replaces Ethidium Bromide (toxic, potential mutagen) commonly used in Agarose gel electropand assists in determining the size of PCR product, insert and resescence when bound to dsDNA, ssDNA and RNA. This stain has a fluotcleic acid at approx. 290-320nm and emits at 490nm.	triction analysis.	13.55 44.88 134.63
	BioL	it <sup>®</sup> Reference Digests/Markers		
87978		Lambda DNA is used routinely for measurement of restriction enzyme activities. Lambda-Hind III digestion is a useful demonstration experiment for restriction analysis and it is a substrate for checking DNA ligase. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye. (bands at 0.1 & 0.5kb although present, are very faint.)	50 μg 100 μg	29.22 50.80
90023	<b>ProxiB Lambda-EcoRl Digest Marker</b> Size range: 3.5 to 21kb	Lambda-EcoRI digest is a popular teaching tool to demonstrate the activity of restriction enzymes. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 μg 100 μg	32.37 52.38
53625	ProxiB Lambda Double Digest Marker Size range: 0.5 to 23kb	Lambda DNA double digest of Hind III/EcoRI is a popular teaching tool to demonstrate double-digests (i.e., the simultaneous use of two restriction enzymes). This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 μg 100 μg	34.22 56.85
46658	<b>ProxiB Lambda BstEll Digest Marker</b> Size range: 0.1-8.4 kb		50 μg	42.64
93663	<b>ProxiB Lambda Pstl Digest Marker</b> Size range: 0.25-11.5 kb		50 μg	39.87
		BioLit® Nucleic Acid		
64438	DH5 $lpha$ Competent Cells for Subcloning		2 x0.1 ml 1 x0.5 ml	34.61 248.72
67291	Lambda DNA	Lambda DNA is a double stranded linear DNA of 48,502 base pairs in length. It is isolated from bacteriophage Lambda. The Lambda Phage is a bacterial virus (bacteriophage), that infects the bacterial species E. coli. The phage is isolated from the heat inducible lysogen <i>E. coli</i> strain. This NA is useful as size markers, in restriction enzyme assays and cloning. Concentration — 250ng/µl	100 μg 250 μg	55.27 131.60
12658 new	Autoinduction Medium (AIM) Solution	AIM-LB medium w/o Trace elements is used to grow IPTG-inducible expression in bacterial strains	500 ml	21.06

code	product name	application/description	unit	\$ price
		<b>BioLit® Cloning Vectors</b>		
vector is car	ried out by treating the vehic	into which a foreign DNA fragment can be inserted. The insertion of to see and the foreign DNA with the same restriction vector, then ligating ally engineered plasmids are most commonly used for this purpose.	the fragments toget	
55912	pBR322		50 μg	63.17
	developed for cloning. resistance-conferring (	tificial plasmid. It is a 4361 bp long plasmid and was originally This low copy number plasmid contains tetracycline and ampicllin genes. pBR322 remains a popular teaching aid for demonstration of iction digestion and cloning.	100 μg	119.49
93116	pUC18		50 μg	63.17
	This plasmid possesse i) ampicillin resistance ii) the origin of replicat iii) the lac Z gene deriv			119.49

48402

isolation, restriction digestion and cloning. 50 μg 63.17 pUC19 vector is also a circular double stranded DNA and is 2686 base pairs long. 100 μg 119.49

It is similar to pUC18, but possesses different restriction sites.

This plasmid possesses – i) ampicillin resistance gene

ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from E. coli.

Within the lac region is also found a polylinker sequence having unique restriction sites.

It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.

code product name application/description unit \$ price


### **BioLit® Ready-to-use DNA Molecular Weight Standards**

BioLit DNA markers come in many useful ranges to cover most of the requirements of researchers and students. The markers are provided in a ready-to-use format for convenience and high reproducibility. We recommend a volume of  $10 \,\mu$ L ( $\sim 1 \,\mu$ g total DNA) per load to ensure that distinct, prominent DNA bands are observed even with a less sensitive UV transilluminator or in a less than optimal dark chamber. Users might be able to load a volume less than that recommended (without compromising results) if a high-sensitivity gel documentation system is available.

The markers have been carefully prepared under sterile conditions and stored in 10 mM Tris-HCl, pH 7.5, 1 mM EDTA and 1 mg/ml sodium azide and are unstained markers. Stocks will be stable for several months if properly stored frozen or even refrigerated.


10344	Low-Range DNA Marker: 0.1 – 1kb	This marker range has been designed to assist in determining the size of PCR product, insert and restriction analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 103 to 1074bp	15 μg 50 μg 100 μg	26.98 76.33 143.58
12447	Mid-Range DNA Marker: 0.5 – 5kb	This marker range should facilitate the analysis of inserts cloned into commonly used plasmids and restriction digests.  These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye.  Size range: 448 to 5024bp	15 μg 50 μg 100 μg	26.98 76.33 143.58
45587	Hi-Range DNA Marker: 2.0 – 25kb	This marker range is useful for experiments involving mega plasmids or genomic analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye.	15 μg 50 μg 100 μg	26.98 41.98 76.33

Size range: 2.0 to 25kb



These DNA markers are packaged in ready-to-use convenient quantities, 150, 500 & 1000 µL, containing 15, 50 & 100 µg respectively, recommended for 15, 50 & 100 loadings respectively.





#### BioLit® FluroBronze™ DNA Marker Packs

The varying range of specially prepared DNA marker packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit® FluroBronze™ Stain) for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

57939	FluroBronze™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye Accompanied by a vial of 6X FluroBronze Stain.	50 μg	166.21
35412	FluroBronze™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent dye Accompanied by a vial of 6X FluroBronze Stain.	50 μg	166.21

code	product name application	/description	unit	\$ price
32462	FluroBronze™ Mid Range DNA Marl	Ker Size range: 448 to 5,024bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 μg	141.47
99331	FluroBronze™ Hi-Range DNA Marl	Ker Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 μg	189.11
Dial HR Cal	DIVO DNIA Mortroy Doolso			

#### BioLit® SafeDye DNA Marker Packs


The varying range of DNA marker packs (ready-to-load) are accompanied by a vial of SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dve.


ti ius eiii i iii iatii i	g a potentially mutagenic dye.			
57493	SafeDye™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking of Accompanied by a vial of 6X SafeDye Stain.	50 μg dye.	147.52
21054	SafeDye™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking of Accompanied by a vial of 6X SafeDye Stain.	50 μg dye.	147.52
81685	SafeDye™ Mid range DNA Marker	Size range: 448 to 5,024 bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 μg	170.55
56678	SafeDye™ Hi-range DNA Marker	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 μg	170.55


code product name application/description unit \$ price

#### **BioLit® DNA Ladders**

These ready-to-load ladders are designed with precise DNA fragments for accurate quantification by agarose gel electrophoresis. The concentration of each band is kept uniform to give sharp bands. A single or multiple bands in the ladders are made intense to orient the user to the other bands in the ladder. Recommended Loading volume 3-5µl. The products are unstained DNA Ladders.









ProxiO 50bp DNA Ladder Plus

bp ng/5iil





Size range: 100 to 1,500 bp

Loading Dye.

Contains Bromophenol Blue and Xylene Cyanol as the

tracking dyes. Accompanied by a vial of 6X Orange

ProxiO 100bp DNA Ladder

 $50 \mu g$ 

5X 50 μg

74.75

289.39

92972

code	product name ap	plication/description	unit	\$ price
84628	ProxiB 100bp DNA Ladde	Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 μg 5X 50 μg	74.75 289.39
52075	ProxiO 100bp DNA Ladder	Plus Size range: 100 to 3,000 bp  Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 μg 5X 50 μg	74.75 289.39
50255	ProxiB 100bp DNA Ladder	<b>Plus</b> Size range: 100 to 3,000 bp  Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 μg 5X 50 μg	74.75 289.39
37217	ProxiO 200bp DNA Laddo	Size range: 200 to 4,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 μg	114.23
93121	ProxiO 500bp DNA Ladde	Size range: 500 to 5,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 μg	120.15
48290	ProxiO 1kb DNA Ladder	Size range: 500 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 μg 5X 50 μg	73.17 313.08
93406	ProxiO 1kb DNA Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 μg 5X 50 μg	73.17 313.08
77305	PCR Ladder	This size marker covers the most common range encountered in PCR and shows an aesthetically pleasing ladder of five bands (50, 150, 300, 500, and 800 bp) that separate uniformly as shown. Contains Bromophenol Bluas the tracking dye.	10 μg 50 μg ue	24.48 77.78

#### BioLit® FluroBronze™ DNA Ladder Packs

The varying range of specially prepared DNA ladder packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit FluroBronze Stain) for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

76195	FluroBronze™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 <i>μ</i> g	145.68
39563	FluroBronze™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 μg	158.58
97958	FluroBronze™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 μg	142.00

code	product name	application	n/description	unit	\$ price
72601	FluroBronze™ 100b	p Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 μg	141.08
54896	FluroBronze™ 500bp	o Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 μg	188.06
23416	FluroBronze™ 1kb L	adder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 μg	134.63

### BioLit® SafeDye™ DNA Ladder Packs

The varying range of DNA ladder packs (ready-to-load) contain DNA ladders accompanied by the BioLit SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.

64935	SafeDye™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye. Also accompanied by a vial of 6X SafeDye Stain.	50 μg	136.47
19262	SafeDye™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 μg	140.15
33902	SafeDye™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 μg	142.00
53261	SafeDye™ 100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 μg	119.89
27107	SafeDye™ 500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 μg	169.63
29877	SafeDye™ 1kb Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 <i>μ</i> g	134.63
	Surface	Decontamination Spray		
		•		

69341	DNA Decontam Surface Decontamination Spray	Eliminate unwanted DNA and DNase from glassware 250ml and plastic ware without affecting subsequent DNA samples and plastic ware without affecting subsequent DNA samples. Supplied in a spray bottle	46.06
27248	RNAse Decontam Surface Decontamination Spray	A surface decontamination solution that destroys 250ml RNases on contact. Spray the Solution onto surfaces to be decontaminated and rinse off with RNase-free-water. Supplied in a spray bottle format.	52.64

code product name application/description unit \$ price

### **BioLit® Restriction Enzymes**

BioLit® Restriction Enzymes are highly purified and ensure that the integrity of your DNA is not compromised, making them the enzymes of choice for even the most demanding applications. All the Restriction Enzymes are accompanied with their specific reaction buffer to enable 100% enzyme activity.

85844	Alul (10U/μl)	100 unit	50.80
51914	BamHI (10U/μI)	2500 unit	39.48
32338	BgII (10U/ $\mu$ I)	1500 unit	84.49
24848	BgIII (10U/μΙ)	250 unit	36.85
78895 23203	BspTl (MspCl,AflII) (10U/μl) Eco91l (BstEII) (10U/μl)	500 unit 250 unit 500 unit	68.43 28.16 39.48
99402	Dral (10U/ $\mu$ l)	1000 unit	61.98
91290	EcoRI (10U/μI)	4000 unit	46.06
90279 61338	EcoRV (Eco321) (10U/μΙ) HaeIII (BsuRI, BshFI) (10U/μΙ)	1500 unit 3000 unit 10000 units	56.32 48.43 152.00
44261	HincII (HindII) (10U/ $\mu$ I)	250 units	41.45
77976	HindIII (10U/ $\mu$ I)	1000 units 2500 units	145.15 47.38
36322	Hinfl (10U/ $\mu$ l)	5000 units 750 unit	92.12 42.24
15100	KspAl (Hpal) (10U/ $\mu$ l)	200 unit 500 unit	39.48 78.96
47167	Kpnl (10U/μl)	1000 unit 2000 unit	35.93 67.64
65301	Mbol (10U/ $\mu$ l)	300 unit 1100 unit	72.64 248.72
79971	Ncol (10U/μl)	125 unit	39.48
75760	Ndel (10U/ $\mu$ l)	300 unit 500 unit 2500 unit	89.49 38.69 172.79
97361	Notl (10U/µl)	2500 unit 100 unit 250 unit	42.24 98.57
94651	PstI (10U/μI)	1500 unit 4500 unit	26.85 67.64
72649	Pvull (10U/ $\mu$ l)	2000 unit	84.22
97505	Rsal (10U/ $\mu$ l)	250 unit 1000 unit	47.24 121.20
27301	SacI (10U/µI)	750 unit	49.74
10190	Sall (10U/μl)	1250 unit 500 unit 750 unit	76.06 33.82 49.35

code	product name	application/description	unit	\$ price
74952	Sau3Al (Bsp143	l) (10U/μl)	300 unit	63.56
15231	Smal (10U/μl)		1500 unit 500 unit	290.18 61.98
49365	Spel (Bcul) (10U	//µI)	200 unit	56.72
		. ,	400 unit	107.78
40653	SspI (10U/μI)		250 unit 500 unit	44.22 82.91
96600	Xbal (10U/μl)		750 unit	38.03
74045	VI1 (OI-1) (4011	(-a)	1250 unit	60.54
71245	Xhol (Slal) (10U/	$\mu$ i)	1000 unit 5000 unit	22.11 99.49
46448	Universal Restric	ction Enzyme Buffer (10X)	5 x1 ml	15.79
	Biol	it® QuickRxn Restriction	Enzymes	
These restr	iction enzymes reduce dig	estion time and speed up the downstream process	ses.	
15723	QuickRxn HindIII		250 units	47.24

15723	QuickRxn HindIII	250 units	47.24
15918	QuickRxn EcoRI	250 units	48.82


### **BioLit® Ligases**

This DNA ligase, an ATP-dependent recombinant enzyme, isolated from Escherichia coli, is used for DNA cloning

85315	T4 DNA Ligase VLC (20CEU/μI or 0.1 Weiss Unit/μI)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked I and RNA substrates.  One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	10000 Units (CEU) 40000 Units (CEU) DNA	32.90 74.75
41686	T4 DNA Ligase LC (200CEU/μI or 1 Weiss Unit/μI)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates.  One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	200 Units (Weiss) 1000 Units (Weiss) 5000 Units (Weiss)	37.37 67.38 112.12
67428	T4 DNA Ligase RC (1000CEU/μI or 5 Weiss Unit/μI)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates.  One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	250 Units (Weiss) 1000 Units (Weiss) 5000 Units (Weiss)	74.75 127.13 478.23
32581	Tth DNA Ligase Swift (5U/ $\mu$ I) Thermostable	An enzyme isolated from Escherichia Coli strain containing plasmid carrying the Thermus thermophilus DNA ligase, ligates DNA fragments within 15 minutes. Works on sticky ends only.	100 Units (Weiss) 200 Units (Weiss)	144.76 289.52

product name application/description unit \$ price code

### BioLit® Ready-to-use Unstained Protein Molecular Weight Standards



BioLit protein molecular weight standards cover the useful range of protein sizes that a researcher or student requires for routine experiments. The recommended loading volume is  $20 \mu l$ , giving approximately 5  $\mu$ g of each protein sufficient for detection by Coomassie blue staining. The products are unstained markers. The proteins have been dissolved and denatured in the standard SDS-PAGE sample-loading buffer. Prepared under sterile conditions, these markers have appropriate additives to ensure long-term stability when they are stored in a refrigerator or freezer and even with brief exposure to room temperature. Although boiling is not required prior to loading, doing so will not affect results.

0.5 ml

2.5 ml

1 ml

32.11

57.90

121.86

32.11

57.90

#### 33203

Mid-Range 1 This ready-to-use marker covers the useful range

kDa

Profile in SDS-12% PAGE


Protein Marker: 14-80kDa of protein sizes of 14 - 80 kDa and contains Bromophenol Blue as the tracking dye. It has nine bands of varying molecular sizes that a researcher or student requires for routine experiments.

#### 58511

Mid-Range 3

Blue as the tracking dye. It has eight bands of varying molecular sizes that a researcher or student requires for routine experiments.


0.5 ml 32.11 This ready-to-use marker covers a slightly higher Protein Marker: 14-95kDa range of protein sizes of 14 - 95 kDa and contains Bromophenol 1 ml 57.90 2.5 ml 121.86



78084

Popular-Range

This molecular weight marker covers a general Protein Marker: 14-66kDa range of protein sizes 14-66 kDa that is typically used by a reseacher. It contains Bromophenol kDa Blue as the tracking dye.



Profile in SDS-12% PAGE (20 µ1 in a mini gel)

0.5 ml

1 ml

code	product name	application/description	unit	\$ price
59893	Low-Range Protein Marker: 3-40kDa  kDa 43 25 14 7 25/35  Profile in Tricine SDS-18% PAGE (20 ¼ in a mini get)	This protein molecular weight standard includes proteins in the range of 2.5 - 40 kDa and contains Bromophenol Blue as the tracking dye. With the advent of proteomics and identification of many low molecular weight proteins and domains being involved in important functions, there is an emerging interest in polypeptides in this range. This is also a useful range for electrophoresis based peptide mapping, especially using Tricine SDS - PAGE.	0.5 ml 1 ml 2.5 ml	32.11 57.90 121.86
12986	High-Range 1 Protein Marker: 20-220kDa  LDb. 120 116 80 45 35 26 20	This molecular range marker covers a larger range of molecular sizes - 20 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.	0.5 ml 1 ml	36.58 68.56
99625	Profile in SDS-10% PAGE (20 µl in a mini gel)  High-Range 2 Protein Marker: 14-220kDa  Language 2  Profile in SDS-10% PAGE (20 µl in a mini gel)	This molecular range marker covers a larger range of molecular sizes - 14 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.	0.5 ml 1 ml	36.58 68.56

### Ready-to-use Prestained Protein Molecular Weight Standards

68894	PreStained Blue Protein Marker: 14 - 66kDa	Blue Prestained Protein Molecular Weight Standard, contains a mix of proteins, coupled with a blue chromophore. This marker has 6 bands in range of 14 to 66kDa.	0.5 ml	33.56
93675	PreStained Dual Coloured	This Protein Molecular Weight Standard, contains a mix of	0.25 ml	33.16
	Protein Marker: 14 - 66kD	a proteins, coupled with blue and red chromophore.	0.5 ml	55.27
		This marker has 6 bands in range of 14 to 66kDa.		
27839	PreStained High Range 1	This Protein Ladder is a three-color protein standard with	0.25 ml	159.89
	Tri-Coloured Protein	10 bands in the range of 10 to 180 kDa. Proteins are covalently	1 ml	461.26
	Ladder: 10-180kDa	coupled with a blue chromophore except for two reference bands		
		(one green and one red band at 25 kDa and 75 kDa respectively)		
		when separated on SDS-PAGE (Tris-glycine buffer).		

	code	product name	application/description	unit	\$ price
	67792	Tri-Coloured Protein Ladder: 10-245kDa	This Protein Ladder is a three-color protein standard with 12 bands in the range of 10 to 245 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	0.25 ml 1 ml	150.68 568.78
	49772	PreStained High Range 3 Tri-Coloured Protein	, , ,	0.25 ml	552.72
ļ	BioLit® Sta	ining Dyes for Proteir	<u>ns</u>		
	25437 Store at 2-8°C Buffers	<b>BioLit</b> SpryBlue Stain for SDS PAGE	A snappy stain for Polyacrylamide gels that accelerates the staining of proteins and eliminates the need for destains.	250 ml 500 ml	32.11 56.98
1	85074	Borate Buffer (20X) (Amine-free)	Ideal buffer solution that is used in protein modification procedures requiring amine-free buffer at alkaline pH.	100 ml 500 ml	28.95 98.70
	88480	SDS PAGE Sample Buffer (2X) (Reducing) (Laemmli Buffer 2X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 2X solution. It can be use for SDS-PAGE protein loading of conventional proteins.	5 ml ed 20 ml	5.13 19.74
	99573	SDS PAGE Sample Buffer (5X) (Reducing) (Laemmli Buffer 5X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be use for SDS-PAGE protein loading of conventional proteins.	5 ml ed 20 ml	6.32 23.69
	98786	SDS PAGE Sample Buffer (5X) (Reducing) w/ DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be use for SDS-PAGE protein loading of conventional proteins.	5 ml ed	32.90
	35974	SDS PAGE Sample Buffer (5X) (Non-Reducing) w/o DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be use for SDS-PAGE protein loading of conventional proteins.	5 ml ed	32.90

#### BioLit® SDS PAGE Accessory Reagents

Ready-to-use Separating gel mix in a various percentage ranges and Stacking gel mix to simplify the process of SDS PAG preparation and eliminate pipetting errors.

91574 86325	Ready-To-Use Stacking Gel mix - 4% Ready-To-Use Stacking Gel mix - 4% (Coloured)	250 ml 100 ml	28.56 13.69
24723	Ready-To-Use Separating Gel mix - 10%	100 ml	32.11
80306	Ready-To-Use Separating Gel mix - 12%	100 ml	32.11
88394	Ready-To-Use Separating Gel mix - 15%	100 ml	32.11

### **BioLit® Protease for Recombinant Protein Fusion Tag Cleavage**

cleavage. Effective over a broad range of temperature

86851TEV Protease (1U/μI)A highly sequence-specific cysteine protease from Tobacco1000 UnitsEtch Virus (TEV). Removes affinity tags from purified5000 Unitsrecombinant fusion proteins and its specificity gives controlled

134.63

523.11

code	product name	application/description	unit	\$ price
		Antibodies		
41262	(1X, pH 6.4) for	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins	100 ml 500 ml	32.90 105.28
91754 new	Express Coating Buffer (1X, pH pH 8.5) for Antigens & Antibodies	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins	100 ml 500 ml	46.06 118.44
37971	Goat anti-Human IgG (affinity purified) (2mg/ml)	Antiserum is produced in Goat using highly purified human IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	63.43
77924	Goat anti-Human IgG-HRP (1mg/ml)	Purified IgG conjugated to Horseradish Peroxidase (HRP). Pooled antisera from goats hyperimmunized with human IgG	1 ml	168.97
57404	Goat anti-Mouse IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Mouse IgG	1 ml	168.97
54537	Goat anti-Rabbit IgG (whole serum) (3mg/ml)	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of ant	1 ml 5 ml iserum.	42.24 168.97
88495	Goat anti-Rabbit IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Rabbit IgG.	1 ml	168.97
68977		Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of ant	1 ml iserum.	33.82
21105	Rabbit anti-Bovine IgG-HRP (whole serum) (1mg/ml)	Anti-Bovine secondary antibodies conjugated with HRP. Pooled antisera from cows hyperimmunized with rabbit IgG	1 ml	168.97
57919	Rabbit anti-Chicken IgY (whole serum)		1 ml 5 ml	98.57 309.79
26249	Rabbit Anti-Human IgG (whole serum)		1 ml 5 ml	56.32 253.46

code	product name	application/description	unit \$	price

### **BioLit® Research Kits**

A column based quick and easy method for DNA Extraction from bacteria/ tissue/whole blood yielding pure DNA useful for down-stream processes.

51826	BioLit Genomic DNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	Isolation of high quality genomic DNA using the silica spin columns from various sources - plasma, serum, body fluids, cultured cells, sputum and other body fluids.	25 Extractions 50 Extractions	93.17 180.03
56860 new	BioLit Plant DNA Extraction Mini Kit (Research)	Kit works to efficiently extract genomic DNA from various plant and tissue samples rapidly.  Mini silica columns deliver high quality genomic DNA without use of expensive reagents and time consuming processes.	25 Extractions 50 Extractions	65.80 118.44
	Kit contents: ● Spin Colun	nns ● Buffers		
75718	BioLit Tissue DNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	Isolation of high quality tissue DNA using the silica spin columns from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc ans • Buffers • Proteinase K	25 Extractions 50 Extractions	118.97 203.45
94733	BioLit Whole Blood DN Extraction Mini Kit (Research) Kit contents: • Spin Colun	IA Isolation of high quality DNA using the silica spin columns from human whole blood.  □ Buffers	25 Extractions 50 Extractions	122.12 234.64
33981	BioLit Tissue RNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	Tissue RNA can be purified from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc  ons ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions 50 Extractions	180.03 309.79
87883	BioLit Viral RNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	Viral RNA can be purified from plasma, serum and other cell body fluids.  Ins ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions 50 Extractions 1000 Extractions	75.54 130.55 239.38
76108	BioLit Whole Blood RNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	A fast, easy method for the preparation of total cellular RNA from human whole blood. Multiple blood samples can be processed simultaneously in less than 1 hour.  ons ● Collection Tubes ● Buffers ● β-mercaptoethanol	25 Extractions 50 Extractions	140.81 273.86
91210	BioLit Animal Tissue Direct PCR Kit (Research) Kit contents: • 2X Taq mix	Amplifies DNA directly from a wide variety of animal tissues including mice, fish, birds and insects.  • Buffers • Sterile Water	50 Preps	342.03
74578	BioLit Gel Extraction Kit (Research) Kit contents: • Silica Spin	Kit for quick and easy extraction of DNA fragment from Low melting agarose. Useful for various downstream processes.	50 Preps	138.18

code	product name	application/description ex	no. of periments	unit	\$ pric
23512	BioLit PCR and DNA F	ragment Purification Kit (Research)		O Preps O Preps	144.76 282.41
62606	BioLit Total RNA Extraction Kit from Plant (Research) Kit contents: • Spin Colum	Quick Total RNA extraction kit using silica gel columns. Purifies RNA from Plants and Fungi.  ns  Buffers	50	) Preps	302.68
86792	BioLit Total RNA extraction Kit From Various Sources (Research) Kit contents: • Spin Colum	Isolates RNA from various sources - whole blood, animal and plant tissue, cultured cells and bacteria.	50	) Preps	302.68
		BioLit® Teaching Kits			
66602	Agarose Gel Electrophoresis Kit (Teaching)	The overall goal is to view different plasmid DNAs by their movement through a matrix viz agarose gel.	15	1 Kit	67.77
	Kit contents : • DNA Sample	es ● Loading Dye ● Agarose ● Ethidium Bromide ● Tank Buffer ● DNA Siz	e Marker		
64279	Bacterial Transformation Kit - 1 (Teaching)	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl <sub>2</sub> treatment and transformation within a day. Overnig incubation will reveal transformed colonies. Competent cells		1 Kit 1 Kit	121.20 171.61
	Kit contents : ● Host Cells ●	are provided as internal control.  Sterile LB Media ● LB agar mix ● Ampicillin ● CaCl <sub>2</sub> ● Plasmid DNA			
28660	Bacterial Transformation Kit – 2 (with blue white screening) (Teaching)  Kit contents: • Host Cells •	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparatior by CaCl₂ treatment and transformation within a day. Overnig incubation will reveal transformed colonies. Competent cells are provided as internal control. Blue white screening is also seen with the use of the X-Gal  Sterile LB Media ● LB agar mix ● Ampicillin ● X-gal ● IPTG ● CaCl₂ ● IPTG ■ CaCl₂ ●	ht	1 Kit 1 Kit	137.79 196.35
95043	DNA Ligation Kit (Teaching)	This DNA ligation Kit contains reagents for ligation of two Lambda digests using T4 DNA ligase These experiments constitute essential learning experiences for a student intere in cloning and recombinant DNA strategies.	10	1 Kit	90.01
	Kit contents : ● Lambda DNA [	Digested with Appropriate Restriction Enzymes			

code	product name	application/description e.	no. of xperiments	unit	\$ price
76941	FITC Conjugation Kit (Teaching)  Kit contents: • FITC isomer	Fluorescein isothiocyanate (FITC)is a fluorescent dye used in labeling antibodies and proteins. FITC is a derivative of fluroscein and reacts with the amines and sulphydryl groups on proteins. This kit provides components for conjugation of fluorescein isothiocyanate with antibodies or other proteins a quick and easy manner.	f	1 Kit	110.02
19317	BioLit Gene Amplification Kit - PCR (Teaching)  Kit contents: ● Template ● Rea	PCR or Polymerase Chain Reaction has become a mainstain modern recombinant DNA technology. BioLit's PCR kit has been specifically designed and standardized to elimina the initial pitfalls so that even a beginner can be successful the first try itself. The kit allows students to vary cycle conditions and find their effects on yield of the amplified product, an E.coli gene action Mix: containing dNTP mix, Buffer, primers and MgCl₂ ● TAQ DNA Figarose ● TAE buffer ● Ethidium Bromide ● Marker	25 te in	1 Kit 1 Kit	160.29 227.54
83462	BioLit Genomic DNA Extraction (from bacteria) Kit (Tea Kit contents: ● Bacterial Cell P ● Ethidium Bromide ● Agarose ●	rellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitat	15 tion Solution ● TE	1 Kit EBuffer	98.44
61498	BioLit Genomic DNA Extraction (from leaves) Kit (Teacl Kit contents: ● Bacterial Cell F ● Ethidium Bromide ● Agarose ●	Pellets   Lysis Buffer   Saturated Phenol   Chloroform   DNA Precipitat	15 ion Solution ● TE	1 Kit	137.39
27725		This plasmid mini-prep kit facilitates the rapid (~ 2 h) isolation of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompanythe kewill allow typical school and college students to use the kith with no additional assistance.  Pellets ● Alkaline lysis Reagents ● DNA Precipitation Solution ● Washingtones ● TAE Buffer ● Ethidium Bromide ● Plasmid Control	h 25 it	1 Kit 1 Kit	89.22 121.07
31377	Protoplast Fusion Kit from Plants (Teaching)  Kit contents: • Osmotic But	Protoplast fusion kit is used as a means to generate hybrids with useful characteristics in plants. The method requires careful manipulations of plant parts like leaves, petals etc. the digested with cell wall breaking enzymes. The separated and digested cells round up and in presence of polyethylen glycol fuse together which can be viewed under a microsco	o I e	1 Kit	123.31



code	product name	application/description ex	no. of periments	unit	\$ price
18450	Restriction Digestion Kit (Teaching)  Kit contents: • Lambda DNA • Gel Loading Dye • TAE buffer	This kit contains materials to teach the use of restriction enzymes HindIII and EcoRI & demonstrate restriction mapping of lambda DNA mapping.  These experiments constitute essential learning experiences for a student interested in cloning and genetic mapping.  A • Agarose • Restriction Enzymes • Reaction Buffer • Ethidium Bromide • DNA Molecular Size Marker	10 50	1 Kit 1 Kit	111.07 216.88
83775	SDS PAGE Kit (Teaching)  Kit contents: • Bis Acrylan • Protein Marker • Protein Sample	This kit teaches the technique of separation of proteins based on their size under denaturing conditions using sodium dodecyl sulphate (SDS) and beta mercaptoethanol (BME). SDS cleaves non ionic interactions while BME cleaves disulphide bonds. SDS also imparts a strong negative charge to the polypeptides thereby their charge to mass ratio is rendered uniform. This allows the polypeptides to be separate on the basis of only their size, which is read by comparison with a standard marker nide Solution ● Separating and Stacking Buffer Solutions ● APS ● TEMED less ● Stain and Destain Solutions		1 Kit	131.47
31105	Silver Staining Kit (Teaching)  Kit contents: • Fixing solu	Silver staining is a rapid, easy and sensitive method used for staining proteins, DNA and RNA after polyacrylamide gel electrophoresis. Silver staining is a far more sensitive method of staining than Coomassie Brilliant blue and can detect prote & even polypeptides as low as 0.05 ng in concentration. Reagents sufficient for 15 reactions are enclosed. tion • Silver nitrate • Developing solution • Stop solution	15 ein	1 Kit	156.21
46037	Southern Blotting Kit (Teaching)  Kit contents: • NC Membr • Agarose • Ethidium Bromide	E. M. Southern invented a technique to transfer separated DNA molecules to a membrane, which is capable of binding the DNA, and immobilizing it for further analysis. The technique named as Southern blotting, after its inventor, involves placing either a nitrocellulose or nylon membrane in contact with the agarose gel and facilitating the transfer process by capillary action. By drawing buffer from the gel to the membrane, the DNA fragments are forced to move with the buffer and depose on the membrane. (Hydbridization not included)	it	1 Kit	157.79
52166	SpinCol Plasmid Miniprep kit from Bacterial cells (Teaching) Kit contents: • Spin column	A new teaching kit for isolation of plasmid DNA from E.coli cultures based on silica - membrane technology on a mini spin columns. This is a fast and efficient method and yields high quality plasmid DNA.  ■ Lysis buffer ● precipitating buffer ● wash buffer ● elution buffer	20 50	1 Kit 1 Kit	65.80 93.30

### Part L

# Laboratory Accessories



code	product name	unit	\$ price	
		Buffer capsul	es	
87767	Buffer capsules pH 4	10 caps	2.76	
95323	Buffer capsules pH 6	10 caps	2.76	
18533	Buffer capsules pH 7	10 caps	2.76	



### **Indicator Papers**

10 caps

2.76

74183	Brilliant Yellow Indicator Papers	10 Books	4.74
11902	Bromothymol Blue Indicator Papers	10 Books	4.47
84795	Chlorine Test Indicator Papers	10 Books	5.13
54494	Congo Red Indicator Papers	10 Books	4.34
72874	Indicator Papers pH 1.0 - 14.0	10 Books	5.26
12794	Indicator Papers pH 1.0 - 10.0	4 Books	10.40
47603	Indicator Papers pH 2.0 - 4.5	10 Books	5.66
27671	Indicator Papers pH 2.0 - 10.5	10 Books	5.00
84794	Indicator Papers pH 3.5 - 6.0	10 Books	5.00
82811	Indicator Papers pH 3.8 - 5.3	10 Books	5.26
98044	Indicator Papers pH 3.8 - 5.4	10 Books	5.26
36120	Indicator Papers pH 5.0 - 7.5	10 Books	5.00
61169	Indicator Papers pH 6.5 - 9.0	10 Books	5.00
94744	Indicator Papers pH 8.0 - 10.5	10 Books	5.40
76345	Litmus Blue Indicator Papers	10 Books	4.08
67562	Litmus Red Indicator Papers	10 Books	4.08
48758	Phenolphthalein Indicator Papers	10 Books	4.74
27893	Starch Indicator Papers	10 Books	6.45
75672	Starch Iodide Indicator Papers	10 Books	5.40
45438	Turmeric Indicator Papers	10 Books	5.92



#### **Petri Plates**

High quality disposable Petri Dishes, suitable for all microbiological applications manufactured as per ISO 24998. Dimensional accuracy of 90 mm ensures compatibility with most automated systems. Extremely high optical clarity for easy viewing on a microscope. Petri Dishes have elevated lids (vented) that allows for superior gas exchange and evaporation. Convenient & easy to stack.

90226 Petri Plates (90mm) 100 nos 17.77 500 nos 87.51



74399

Buffer capsules pH 9.2

11048

# Part L Laboratory Accessories

Centrifuge Tube and Screw Cap (50ml)

code product name unit \$ price

### **Spin Columns**

A purification aid set comprising of Silica membrane spin column and a collection tube. Silica membrane in a column form is used for purifying/extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as Store-bought ones.

_		_	
39738	Mini Silica Spin Column Set A (2ml SC w/ CT each) Binding capacity — 45µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of 65bp to 10kb size from PCR amplifications and agaros	50 nos 100 nos se gel extractions.	68.96 128.44
89887	Mini Silica Spin Column Set B (2ml SC w/ CT each) Binding capacity — 50µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos 100 nos	68.96 128.44
69516	Mini Silica Spin Column Set C (2ml SC w/ CT each) Binding capacity — 55µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos 100 nos	73.70 137.79
37351	RNA Mini Spin Column Set (2ml SC w/ CT each) Binding capacity — 40μg Supplied with 2ml Collection Tube (CT) Used in purifying RNA from agarose gel extractions.	50 nos 100 nos	92.78 157.00
	Tubes and Screw Caps		
31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical,	500 Nos	96.73
	<ul> <li>O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade</li> <li>Capacity - 0.5 ml</li> <li>Self Standing Tube With Screw Cap &amp; O-Ring</li> <li>Sterile - Gamma Indexenting Tange: -196 °C to +121 °C.</li> <li>Autoclavable at 121 °C</li> <li>Withstands Maximum</li> <li>No Graduation</li> </ul>		
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical,	500 Nos	103.70
	O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade • Capacity - 1.5 ml • Self Standing Tubes With Screw Cap & O-Ring • Sterile - Gamma In	radiated.	
	<ul> <li>Operating range: -196°C to +121°C</li> <li>Autoclavable at 121°C</li> <li>Withstands maximum of the No Graduations</li> </ul>	of 20000X G	
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 nos 500 nos	5.79 54.09
11876	Centrifuge Tube and Screw Cap (15ml)	50 nos 250 nos 500 nos	11.19 52.64 94.75

13.16

64.48

126.34

50 nos

250 nos

500 nos

code product name unit \$ price

#### **Crucible Tall Form**

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

45866	Crucible Porcelain, 5 ml, Tall with Lid	6 Nos	9.48
14903	Crucible Porcelain, 10 ml, Tall with Lid	6 Nos	9.87
61275	Crucible Porcelain, 15 ml, Tall with Lid	4 Nos	8.55
55162	Crucible Porcelain, 30 ml, Tall with Lid	4 Nos	9.87
94977	Crucible Porcelain, 40 ml, Tall with Lid	1 Nos	2.90



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
5 ml	24 mm	20 mm	1.7 mm	8 gm	26 mm
10 ml	31 mm	26 mm	1.8 mm	12 gm	34 mm
15 ml	35 mm	29 mm	1.8 mm	13 gm	38 mm
30 ml	45 mm	36 mm	1.8 mm	18.5 gm	47 mm
40 ml	50 mm	40 mm	1.8 mm	23 gm	53 mm

#### **Crucible Wide Form**

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

16024	Crucible Porcelain, 2 ml, Wide with Lid	6 Nos	9.67
97090	Crucible Porcelain, 8 ml, Wide with Lid	6 Nos	10.79
97897	Crucible Porcelain, 17 ml, Wide with Lid	4 Nos	8.95
71099	Crucible Porcelain, 30 ml, Wide with Lid	4 Nos	10.13
13057	Crucible Porcelain, 50 ml, Wide with Lid	1 Nos 4 Nos	3.29 11.84



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
2 ml	18 mm	12 mm	1.3 mm	3 gm	26 mm
8 ml	32 mm	20 mm	1.6 mm	10 gm	34 mm
17 ml	41 mm	26 mm	1.6 mm	18 gm	47 mm
30 ml	50 mm	31 mm	1.8 mm	25 gm	53 mm
50 ml	61 mm	37 mm	1.8 mm	35 gm	69 mm

code	product name	unit	\$ price
------	--------------	------	----------

### **Mortar & Pestle**

Mortar & Pestle are made from high quality Porcelain for basic laboratory application such as crushing, grinding, etc. They are designed with a spout which enables easy pouring.

44249	Mortar & Pestle Set, Porcelain, 60 ml	1 Nos	3.42
41278	Mortar & Pestle Set, Porcelain, 100 ml	1 Nos	3.95
13968	Mortar & Pestle Set, Porcelain, 150 ml	1 Nos	6.58
51686	Mortar & Pestle Set. Porcelain, 275 ml	1 Nos	7.90



Capacity	Top OD	Top ID	Outer Height	Wall Thickness	Weight	Length	Head OD	Weight
60 ml	80 mm	60 mm	44 mm	7.5 mm	200 gm	98 mm	27 mm	50 gm
100 ml	90 mm	75 mm	48 mm	10 mm	280 gm	98 mm	27 mm	50 gm
150 ml	105 mm	85 mm	72 mm	9 mm	490 gm	114 mm	30 mm	90 gm
275 ml	125 mm	100 mm	70 mm	11.5 mm	650 gm	130 mm	36 mm	130-140 gm

### **Evaporating Dish**

These evaporating dishes are made from high quality Porcelain with spout for easy pouring of liquids. These have wide applications in scientific laboratories such as evaporating, drying & crystallizing. They are highly suitable for critical laboratory use.

11443	Dish Evaporating Porcelain, 20 ml	6 Nos	10.53
42418	Dish Evaporating Porcelain, 40 ml	6 Nos	10.92
96704	Dish Evaporating Porcelain, 100 ml	6 Nos	13.16



Capacity	Top OD	Height	Wall Thickness	Weight
20 ml	50 mm	22 mm	1.3 mm	19 gm
40 ml	60 mm	27 mm	1.3 mm	25 gm
100 ml	75 mm	35 mm	2 mm	51 gm

code product name unit \$ price

### **Buchner Funnel**

Each Buchner funnel is autoclavable, made from high quality Porcelain with fixed perforated plate & a thick stem. It is commonly used in chemistry labs for filtration purposes to eliminate unwanted particles.

53092	Funnel Buchner, Porcelain, 6 ml	1 Nos	3.68
64702	Funnel Buchner, Porcelain, 30 ml	1 Nos	3.95
38635	Funnel Buchner, Porcelain, 87 ml	1 Nos	4.21
59425	Funnel Buchner, Porcelain, 186 ml	1 Nos	5.79



Capacity	Top OD	FP Dia	Height	Perforated Dia	Wall Thickness	Weight
6 ml	35 mm	20 mm	72 mm	23 mm	3 mm	32 gm
30 ml	50 mm	35-40 mm	89 mm	23 mm	3 mm	48 gm
87 ml	60 mm	50-55 mm	110 mm	38 mm	3 mm	110 gm
186 ml	84 mm	70 mm	143 mm	62 mm	3.5 mm	180 gm

Our gamma irradiated microcentrifuge tubes are highly recommended in the areas of Life Science, Industry or Chemistry for use in research and critical reagent packaging requirements.

Our tubes are designed with conical bottoms allowing for complete sample retrieval. Screw caps with O-rings guard against leakage by forming a positive seal against the rim of the tube. External ribs on the free standing microcentrifuge tubes allow for single-handed opening and closing when placed in racks with serrated holes. Screw Cap Microcentrifuge Tubes work with many automated systems. The O-ring is manufactured from durable ethylene polypropylene dimonomere compound.

#### **Product Features:**

- Capacity: 0.5 ml & 1.5ml sizes
- Plastic (Polypropylene) clear colorless tube
- Self Standing Tubes with Screw Cap & O-Ring
- Sterile
- Operating range: –196°C to +121°C
- Autoclavable at 121°C
- Withstands maximum RCF of 20000× G
- No Graduations
- DNase & RNase Free

Prdt. Code	Product Name	Packing Unit
31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.

\* Bulk packs available on request

### **Nucleic Acid Purification Aids:**

### **Spin Column Set**

A purification aide utilizing silica membrane in a column form which is used for purifying/extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as store-brought ones.

#### **Applications:**

- Purification of Gel / PCR products
- Extraction of Genomic DNA
- Extraction of Plasmid DNA





Prdt. Code	Product Name	Packing Unit
34148	Maxi Spin Column Set (50ml SC w/CT each)	5 Nos, 20 Nos
39738	Mini Silica Spin Column Set A (2ml SC w/CT each)	50 Nos, 100 Nos
89887	Mini Silica Spin Column Set B (2ml SC w/CT each)	50 Nos, 100 Nos
69516	Mini Silica Spin Column Set C (2ml SC w/CT each)	50 Nos, 100 Nos
37351	RNA Mini Spin Column Set (2ml SC w/CT each)	50 Nos, 100 Nos

### **Collection Tubes**

Collection tube of 2ml capacity to be used in purification of DNA / RNA samples. They are used along with mini silica spin column sets A/B/C & RNA spin column sets.

Prdt. Code	Product Name	Packing Unit
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 Nos, 500 Nos

\* Bulk packs available on request

#### **Terms & Conditions of Sale**

Prices The prices shall be quoted in USD/EURO on either Ex-works/FOB/C&F basis as requested by

the Buyer.

**Insurance** Insurance coverage shall be the responsibility of the Buyer.

Payment Payment terms are 100% advance, to be remitted through Bank Transfers only to our Bank

account or Irrevocable & Confirmed Letter of Credit in our favour - Sisco Research Laboratories Pvt Ltd. 608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road, Chakala, Andheri (E),

Mumbai - 400 099, Maharashtra, India.

International bank charges should be to the Buyer's account.

**Delivery** Goods shall be dispatched from Mumbai/Mumbai Airport/Nhava-Sheva or as per the terms of

the quotations.

Packaging If the Buyer has any special shipping or handling requirements, Buyer shall notify SRL in a timely

manner regarding any such special requirements. Buyer shall be responsible for any increase

in cost for such special packaging.

Damage or Loss Any losses incurred by the Buyer on account of Leakage, Breakage, Damage, etc to be claimed

by the Buyer from his/her Insurance Company.

Any demurrage/detention charges shall be to Buyer's account.

Liability Quality complaint will be entertained only if they are communicated to SRL within 30 days from

the receipt of goods. The quality of the products shall be strictly as per the specifications offered by SRL. We shall not be responsible for any accident or loss arising due to mishandling of our products. It is presumed that Buyers are well aware about the properties and handling of

the goods purchased.

Goods once sold shall not be taken back.

It is the Buyer's responsibility to verify and check the products ordered/bought by them are not banned / restricted in their country.

All the products are sold for Laboratory Use only.

All our Terms and Conditions are subject to Mumbai (India) Jurisdiction.

### The Electrophoresis Leaders of India

We are India's best company in the field of molecular biology since the last 40 years. Our expertise lies in the manufacture of reagents and buffers used in gel electrophoresis for nucleic acid, DNA/RNA and protein separation. Having the most extensive range of protein and nucleic acid electrophoresis applications, we are 100% sure that our products will be very important for you to conduct most critical molecular biology techniques such as electrophoresis of DNA and RNA, PFGE for large fragment analysis, PCR fragment analysis, cloning and recovery of DNA and RNA and various blotting techniques such as Northern & Southern blotting.

**SRL** is manufacturing few products in bulk scale to meet the following applications in molecular biology for critical applications:

- Gel Electrophoresis
- SDS Page Electrophoresis
- Pulse Field Gel Electrophoresis
- Immunoelectrophoresis
- Counter Current Electrophoresis
- Tissue Culture & Cell Culture Studies
- Forensic & Diagnostic Analysis
- Antigen Antibody Reaction Studies
- Molecular Weight Screening

#### R Special

Agarose Low-6 &
Agarose Low-8 have been
specially developed for
molecular screening
applications and improves
resolution of small
DNA fragments &
PCR products



Product code	Agarose	Sulphate %	Gel strength (1.5% gel) gm/cm²	Gelling temperature (1.5% soln)	Melting temperature (1.5% gel)	Electro- endosmosis (EEO)
60645	High EEO for MB	< 0.3	>800	36°C (±1.5)	85 - 90°C	0.25 - 0.30
10423	Medium EEO for MB	<0.2	>1500	36°C (±1.5)	85 - 90°C	0.16 - 0.19
91466	Low EEO Regular grade (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
36601	Low EEO for MB (100bp-25kb)	< 0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
23287	Low EEO Superior grade for MB (100bp-25kb)	<0.15	>1500	36°C (±1.5)	85 - 90°C	0.09 - 0.13
Product code	<b>Agarose</b> (for Low Base Pairs)	Sulphate %	Gel strength (3% gel) gm/cm²	Gelling temperature (3% soln)	Melting temperature (3% gel)	Electro- endosmosis (EEO)
32417	Low Melting for MB (10-1200bp)	< 0.2	min 300	35°C (±1.5)	~ 65°C	max 0.1
27813	Metaphor (10-1200bp)	_	min 300	<35°C	<75°C	max 0.1
78711	Low-6 (10-1200bp)	<0.1	min 800	< 35°C	< 75°C	max 0.12
52734	Low-8 (10-1200bp)	< 0.11	min 1500	<35.5°C	<80°C	max 0.12

Product code	Acrylamide	Solubility	Assay (Nitrogen)	pH (5% aq. soln)	A1% aq. 290nm
89314	1× Cryst. extrapure	30% aq. Clear & colourless	99.5%	min. 5.0	_
15657	3×Cryst. extrapure AR	60% aq. Clear & colourless	99.9%	min. 5.0	max. 0.5
61346	3× Cryst for MB	30% ag. Clear & colourless	99.5%	min 50	max. 0.5

Product code	Acrylamide/ Bis-acrylamide Premix	Solubility	pH (5% aq. soln)	Specific conductance (5% aq. soln)
24263	19:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm
10762	29:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm
74379	37.5:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm

Product code	N,N'-Methylene Bis Acrylamide	Solubility	Assay (CG)	pH (2.5% aq. soln)	A1% aq. 290nm
38516	3× Cryst. extrapure AR	2.5% aq.	99.5%	min. 5.0	max. 0.2
67320	3× Cryst. for MB	2.5% aq.	99.5%	min. 5.0	max. 0.1





#### SISCO RESEARCH LABORATORIES PVT. LTD.

Administrative Office:

608-B, Satellite Gazebo, Near Solitaire Corporate Park, Andheri Ghatkopar Link Road, Chakala, Andheri (East), Mumbai 400 099. India Tel.: +91-22-4268 5800 • E-mail: export@srlchem.com

Website: www.srlchem.com