

Review Date: 4-Oct-2023

Section 1 - Chemical Product and Company Identification

Product Name Charcoal Activated (280) extrapure AR, ACS, ExiPlus, Multi-Compendial

Product Code 83438 **CAS No** 7440-44-0

Use for Laboratory Chemicals.

Company Name Sisco Research Laboratories Pvt. Ltd.

Address 608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road,

Andheri (E), Mumbai - 400 099, India

Section 2 - Composition/Information on Ingredients

CAS# Chemical Name Percent EINECS/ELINCS

7440-44-0 Charcoal, activated pure 100 231-153-3

Section 3 - Hazards Identification

Caution! May cause mechanical eye and skin irritation. May cause respiratory tract irritation. May cause central nervous system effects. May cause lung damage.

Target Organs: Lungs.

Potential Health Effects

Eye: Dust may cause mechanical irritation. May cause lacrimation (tearing), blurred vision, and photophobia. May cause chemical conjunctivitis and corneal damage.

Skin: Dust causes mechanical irritation.

Ingestion: May cause nausea, vomiting, abdominal pain, and increased salivation.

Inhalation: May cause lung damage. Olfactory fatigue may occur. Can produce delayed pulmonary edema. Inhalation of dusts cause severe irritation of the upper respiratory tract, gastrointestinal disturbances, albuminuria, gradual loss of weight, and increasing weakness.

Chronic: Chronic inhalation may lead to decreased pulmonary function.

Section 4 - First Aid Measures



www.srlchem.com

Product Code 83438

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. Wash clothing before reuse.

Ingestion: Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid.

Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Will burn if involved in a fire.

Extinguishing Media: For large fires, use water spray, fog or regular foam. For small fires, use dry chemical, carbon dioxide, sand, earth, water spray or regular foam. Cool containers with flooding quantities of water until well after fire is out.

Flash Point: Not applicable.

Autoignition Temperature: 452 deg C (845.60 deg F)

Explosion Limits, Lower: Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 1; Flammability: 1; Instability: 0

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Scoop up with a nonsparking tool, then place into a suitable container for disposal. Avoid generating dusty conditions. Remove all sources of ignition.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Activated Carbon, especially when wet, can deplete oxygen from air in enclosed spaces, and dangerously low levels of oxygen may result.

Storage: Store in a tightly closed container. Keep from contact with oxidizing materials. Store in a cool, dry, well-ventilated area away from incompatible substances.



www.srlchem.com

Product Code

83438

Section 8 - Exposure Control / Personal Protection

Personal Protective Equipment

Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate use a

full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards

such as NIOSH (US) or CEN (EU).

Hand Protection: The selected protective gloves have to satisfy the specifications of EU Directive

89/686/EEC and the standard EN 374 derived from it. Handle with gloves.

Eye Protection: Safety glasses

Skin and body protection: Choose body protection according to the amount and concentration of the

dangerous substance at the work

place.

Section 9 - Physical and Chemical Properties

Physical State: Solid Appearance: black

Freezing/Melting Point:3652 deg C

Molecular Formula:C Molecular Weight:12

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Dust generation, moisture, excess heat.

Incompatibilities with Other Materials: Oxidizing agents, alkali metals, iron oxide, lead oxide, liquid oxygen, manganese oxide, metallic salts, chlorinated paraffins, dibenzoyl peroxide, 1,4-diazabicyclo{2.2.2}octane, molybdenum(IV) oxide, nitrobenzaldehyde, potassium hydroxide, sodium hydrogen carbonate.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.

Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

NO DATA AVAILABLE

Section 12 - Ecological Information

NO DATA AVAILABLE

Section 13 - Disposal Considerations



www.srlchem.com

Product Code 83438

Product: Observe all federal, state, and local environmental regulations. Contact a licensed professional

waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator

equipped with an afterburner and scrubber.

Contaminated packaging: Dispose of as unused product.

Section 14 - Transport Information

	IATA		IM	0	RID/ADR
Shipping Name:					
Hazard Class:	4.2	4.2		4.2	
UN Number:	1362		1362		1362
Packing Group:	III	III		III	

Section 15 - Regulatory Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Section 16 - Other Information

Sisco Research Laboratories Pvt. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.