



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	82184 - Leishman Stain - [12627-53-1]
Batch No	3768887
Analysis Date	02-Sep-2023
Date of Manufacture	September 2023
Expiry Date/Re-Test Date	September 2028

Test Parameters	Standards	Actual Results
Appearance (Colour)	Dark Green	Dark Green
Appearance (Form)	Crystalline Powder	Crystalline Powder
Solubility (Turbidity) 0.1% solution in Methanol	Clear	Clear
Solubility (Colour) 0.1% solution in Methanol	Blue coloured with greenish fluorescence	Blue coloured with greenish fluorescence
Loss on drying	max. 8%	7.0%
Absorbance (A) of 1% solution in Methanol in a 1cm cell		
@525nm	min. 650	651
@641nm	min. 900	1230

FRM/82/11/4/82184 Rev No. 1 Date 01/11/2015

Prepared by **Prajakta**

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.